

## Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	89-417	67.06	117.35	50.29	1.98	99.66
2	87-169	79.25	121.92	42.67	2.10	89.64
3	88-357	60.96	121.92	60.96	1.40	85.33
4	92BP-078	21.34	76.2	54.86	1.50	82.09
5	88-366	74.68	86.87	12.19	6.66	81.20
6	92BX-18	1.52	68.58	67.06	1.18	79.18
7	92BX-37	94.49	150.88	56.39	1.30	73.53
8	89-433	19.81	44.2	24.39	2.96	72.12
9	93BP-132	53.35	105.16	51.81	1.31	67.66
10	88-342	41.15	76.2	35.05	1.89	66.15
11	91BP-055	68.58	105.16	36.58	1.81	66.11
12	92BX-14	13.72	48.77	35.05	1.79	62.89
13	94BX-40	36.58	62.48	25.9	2.30	59.56
14	93BX-33	82.3	106.68	24.38	2.38	58.01
15	89-418	94.49	140.21	45.72	1.25	56.97
16	88-342	83.82	109.73	25.91	2.19	56.81
17	94BP-11	85.34	117.35	32.01	1.70	54.34
18	88-391A	0	53.34	53.34	1.00	53.56
19	94BP-42	47.24	135.64	88.4	0.60	53.09
20	86-12	97.54	121.92	24.38	2.12	51.58
21	MGR11-017	9.14	53.34	44.2	1.05	46.28
22	96BX-16	64.01	109.73	45.72	1.01	46.10
23	87-58	71.63	83.82	12.19	3.76	45.78
24	96BX-26	45.72	121.92	76.2	0.57	43.78
25	96BP-9	94.49	106.68	12.19	3.59	43.75
26	89-506	76.2	97.54	21.34	2.02	43.18
27	88-398	0	48.77	48.77	0.87	42.47
28	89-454	30.48	70.1	39.62	1.07	42.42
29	89-516	76.2	97.54	21.34	1.95	41.69
30	92BP-122	83.82	137.16	53.34	0.76	40.51
31	87-127	135.64	152.4	16.76	2.42	40.50
32	93BP-7	13.72	57.91	44.19	0.91	40.16
33	94BP-146	62.48	106.68	44.2	0.89	39.48
34	89-439	62.48	96.01	33.53	1.15	38.70
35	94BP-63	103.63	109.73	6.1	6.32	38.56
36	94BX-73	62.48	105.16	42.68	0.90	38.51
37	88-339	30.48	91.44	60.96	0.62	38.03
38	94BP-113	64.01	103.63	39.62	0.95	37.72
39	93BP-1	39.62	64.01	24.39	1.54	37.54
40	88-340	44.2	91.44	47.24	0.79	37.24
41	86-22	79.25	103.63	24.38	1.51	36.77
42	83-43	1.52	18.29	16.77	2.17	36.31
43	89-426	36.58	83.82	47.24	0.77	36.22
44	92BX-28	71.63	99.06	27.43	1.30	35.75
45	93BX-34	65.53	83.82	18.29	1.95	35.71
46	87-241	38.1	102.11	64.01	0.56	35.65
47	92BX-77	32	79.25	47.25	0.75	35.27
48	93BP-2	33.53	83.82	50.29	0.70	35.13
49	87-229	33.53	79.25	45.72	0.76	34.80
50	87-82	16.76	74.68	57.92	0.60	34.75

## Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	92BX-52	51.82	64.01	12.19	2.79	34.01
52	86-11	85.34	121.92	36.58	0.92	33.81
53	93BX-60	71.63	106.68	35.05	0.96	33.72
54	87-126	79.25	100.58	21.33	1.52	32.48
55	92BX-28	6.1	47.24	41.14	0.78	32.28
56	91BP-039	96.01	123.44	27.43	1.17	32.13
57	87-61	71.63	106.68	35.05	0.91	31.77
58	93BP-99	48.77	79.25	30.48	1.02	31.14
59	87-66	74.68	96.01	21.33	1.46	31.08
60	94BP-140	65.53	97.54	32.01	0.97	31.04
61	93BP-67	38.1	99.06	60.96	0.51	30.93
62	93BP-27	16.76	24.38	7.62	4.05	30.87
63	86-44	64.01	68.58	4.57	6.75	30.83
64	92BP-121	41.15	102.11	60.96	0.50	30.63
65	94BP-147	9.14	56.39	47.25	0.64	30.15
66	87-245	36.58	102.11	65.53	0.46	29.89
67	96BX-29	3.05	70.1	67.05	0.44	29.79
68	87-235	39.62	91.44	51.82	0.56	29.21
69	93BP-129	48.77	77.72	28.95	0.99	28.68
70	92BX-68	33.53	77.72	44.19	0.65	28.61
71	93BP-4	47.24	65.53	18.29	1.56	28.58
72	87-237	38.1	94.49	56.39	0.51	28.53
73	SH90-7R	25.91	59.44	33.53	0.84	28.18
74	94BX-58	13.72	35.05	21.33	1.32	28.17
75	89-437	21.34	67.06	45.72	0.62	28.17
76	93BP-91	150.88	167.64	16.76	1.67	28.00
77	87-145	30.48	57.91	27.43	1.02	27.91
78	MGR11-024	80.77	91.44	10.67	2.59	27.68
79	SH90-13R	0	6.1	6.1	4.49	27.41
80	92BP-021	4.57	67.06	62.49	0.44	27.27
81	92BP-125	47.24	67.06	19.82	1.36	26.87
82	93BP-122	89.92	97.54	7.62	3.47	26.44
83	91BP-043	16.76	57.91	41.15	0.64	26.34
84	93BP-101	124.97	179.83	54.86	0.48	26.34
85	94BP-22	27.43	64.01	36.58	0.72	26.29
86	94BP-18	56.39	118.87	62.48	0.42	26.23
87	93BP-92	74.68	115.82	41.14	0.63	25.98
88	93BX-82	102.11	117.35	15.24	1.70	25.95
89	88-318	60.96	74.68	13.72	1.86	25.51
90	MGR11-026	24.38	70.1	45.72	0.56	25.51
91	80-02	79.25	103.63	24.38	1.03	25.08
92	92BX-24	22.86	60.96	38.1	0.65	24.67
93	92BP-022	28.96	85.34	56.38	0.43	24.51
94	93BP-96	70.1	128.02	57.92	0.42	24.35
95	94BP-94	129.54	150.88	21.34	1.14	24.27
96	89-423	19.81	76.2	56.39	0.43	24.05
97	BP90-31	70.1	108.2	38.1	0.63	23.84
98	PG10-84	57.91	89.92	32.01	0.74	23.71
99	87-162	85.34	103.63	18.29	1.28	23.42
100	93BP-134	12.19	53.34	41.15	0.56	23.18

### Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
101	83-38	42.67	54.86	12.19	1.88	22.97
102	93BP-108	112.78	144.78	32	0.72	22.93
103	96BP-25	99.06	114.3	15.24	1.50	22.90
104	94BP-95	77.72	134.11	56.39	0.40	22.83
105	93BX-42	41.15	71.63	30.48	0.75	22.73
106	88-338A	7.62	54.86	47.24	0.48	22.68
107	96BX-20	9.14	64.01	54.87	0.41	22.47
108	92BP-112	10.67	28.96	18.29	1.21	22.16
109	91BP-028	120.4	128.02	7.62	2.90	22.10
110	R1-1974	6.1	22.86	16.76	1.31	21.97
111	89-419	111.25	118.87	7.62	2.87	21.87
112	PG11-84	53.34	70.1	16.76	1.30	21.87
113	89-459	0	42.67	42.67	0.51	21.68
114	SH90-6R	9.14	35.05	25.91	0.84	21.64
115	94BP-15	103.63	135.64	32.01	0.67	21.58
116	92BP-125	79.25	100.58	21.33	1.01	21.57
117	95BP-21	53.34	89.92	36.58	0.57	20.75
118	87-149	57.91	91.44	33.53	0.61	20.39
119	83-69	70.1	106.68	36.58	0.56	20.38
120	94BX-38	0	21.34	21.34	0.95	20.37
121	PG13-84	44.2	80.77	36.57	0.55	20.27
122	87-227	41.15	76.2	35.05	0.58	20.23
123	MGR11-006	0	47.24	47.24	0.43	20.20
124	P14-64	30.48	47.24	16.76	1.20	20.11
125	87-155	105.16	117.35	12.19	1.64	19.96
126	93BX-39	86.87	108.2	21.33	0.93	19.91
127	94BP-135	24.38	39.62	15.24	1.30	19.84
128	P8-64	77.72	91.44	13.72	1.44	19.76
129	MGR11-003	12.19	44.2	32.01	0.62	19.71
130	94BP-54	70.1	99.06	28.96	0.68	19.60
131	91BP-050	83.82	88.39	4.57	4.28	19.56
132	92BP-050	36.58	51.82	15.24	1.27	19.43
133	87-191	103.63	115.82	12.19	1.59	19.43
134	93BP-19	0	45.72	45.72	0.42	19.39
135	87-233	39.62	88.39	48.77	0.40	19.38
136	SH90-5R	16.76	56.39	39.63	0.48	19.19
137	89-472	6.1	50.29	44.19	0.43	19.12
138	95BX-19	71.63	97.54	25.91	0.74	19.07
139	94BP-84	71.63	79.25	7.62	2.49	19.01
140	92BP-131	48.77	76.2	27.43	0.68	18.60
141	92BP-020	59.44	117.35	57.91	0.32	18.60
142	95BP-18	103.63	121.92	18.29	1.01	18.54
143	87-184	57.91	76.2	18.29	1.01	18.40
144	93BP-131	100.58	141.73	41.15	0.45	18.33
145	93BP-28	24.38	65.53	41.15	0.44	18.30
146	93BX-96	22.86	47.24	24.38	0.75	18.29
147	93BP-30	53.34	102.11	48.77	0.37	18.28
148	89-479	0	19.81	19.81	0.92	18.20
149	93BP-11	30.48	77.72	47.24	0.38	18.11
150	92BP-041	19.81	65.53	45.72	0.40	18.08

### Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	95BP-4	62.48	91.44	28.96	0.62	18.03
152	87-231	50.29	82.3	32.01	0.56	18.03
153	86-22	121.92	134.11	12.19	1.47	17.96
154	94BP-33	54.86	91.44	36.58	0.49	17.82
155	95BP-38	115.82	144.78	28.96	0.61	17.72
156	93BX-6	32	67.06	35.06	0.51	17.71
157	92BX-36	102.11	128.02	25.91	0.68	17.62
158	89-469	1.52	36.58	35.06	0.50	17.61
159	BP90-4C	65.53	94.49	28.96	0.60	17.51
160	92BX-84	79.25	108.2	28.95	0.60	17.50
161	89-402	4.57	30.48	25.91	0.68	17.50
162	87-166	18.29	67.06	48.77	0.36	17.47
163	94BX-08	0	41.15	41.15	0.42	17.46
164	87-188	50.29	76.2	25.91	0.67	17.37
165	87-163	74.68	94.49	19.81	0.87	17.28
166	92BP-101	56.39	77.72	21.33	0.81	17.26
167	95BX-38	0	28.96	28.96	0.59	17.15
168	87-252	30.48	67.06	36.58	0.47	17.13
169	86-06	48.77	79.25	30.48	0.56	17.13
170	94BP-27	0	39.62	39.62	0.43	17.09
171	BP90-4C	96.01	106.68	10.67	1.60	17.06
172	PG2-84	33.53	67.06	33.53	0.51	17.04
173	94BP-152	16.76	48.77	32.01	0.53	17.04
174	87-135	19.81	33.53	13.72	1.23	16.92
175	89-403	38.1	65.53	27.43	0.62	16.89
176	94BP-131	47.24	76.2	28.96	0.58	16.89
177	SH90-16R	15.24	33.53	18.29	0.92	16.88
178	89-420	60.96	105.16	44.2	0.38	16.78
179	92BP-051	0	18.29	18.29	0.91	16.72
180	93BP-14	36.58	67.06	30.48	0.55	16.67
181	BP90-23	44.2	54.86	10.66	1.56	16.62
182	94BP-12	123.44	161.54	38.1	0.43	16.57
183	88-332	57.91	88.39	30.48	0.54	16.51
184	94BP-137	30.48	65.53	35.05	0.47	16.35
185	89-421	91.44	126.49	35.05	0.46	16.30
186	94BP-53	83.82	108.2	24.38	0.66	16.19
187	87-165	108.2	115.82	7.62	2.12	16.17
188	93BP-6	60.96	86.87	25.91	0.62	16.15
189	95BP-41	39.62	59.44	19.82	0.81	16.10
190	94BP-46	105.16	140.21	35.05	0.46	16.09
191	94BP-110	112.78	138.68	25.9	0.62	16.08
192	93BP-124	102.11	124.97	22.86	0.70	15.99
193	SH91-23R	7.62	24.38	16.76	0.95	15.99
194	94BP-18	135.64	156.97	21.33	0.75	15.93
195	95BP-37	106.68	128.02	21.34	0.74	15.89
196	92BX-37	3.05	19.81	16.76	0.95	15.88
197	94BP-71	96.01	123.44	27.43	0.58	15.80
198	89-439	30.48	35.05	4.57	3.43	15.66
199	92BX-55	38.1	47.24	9.14	1.71	15.62
200	MGR11-029	150.88	164.59	13.71	1.12	15.41

## Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	93BP-100	124.97	143.26	18.29	0.84	15.35
202	92BP-121	103.63	129.54	25.91	0.59	15.31
203	88-320	41.15	65.53	24.38	0.63	15.31
204	89-422	47.24	76.2	28.96	0.53	15.31
205	87-116	77.72	96.01	18.29	0.83	15.24
206	92BX-40	24.38	50.29	25.91	0.59	15.23
207	MGR11-019	0	32	32	0.48	15.21
208	MGR11-002	0	30.48	30.48	0.50	15.19
209	96BP-26	83.82	92.96	9.14	1.66	15.18
210	95BP-39	54.86	73.15	18.29	0.83	15.15
211	92BX-92	48.77	74.68	25.91	0.58	15.15
212	93BP-46	91.44	105.16	13.72	1.09	14.95
213	88-298	77.72	94.49	16.77	0.89	14.91
214	87-89	44.2	77.72	33.52	0.44	14.90
215	94BX-34	44.2	56.39	12.19	1.22	14.85
216	86-07	48.77	85.34	36.57	0.41	14.85
217	94BP-13	106.68	137.16	30.48	0.49	14.84
218	95BP-54	94.49	120.4	25.91	0.57	14.84
219	92BP-017	51.82	86.87	35.05	0.42	14.78
220	92BP-046	32	60.96	28.96	0.51	14.74
221	86-15	51.82	79.25	27.43	0.54	14.73
222	94BP-148	85.34	118.87	33.53	0.44	14.68
223	94BP-14	121.92	146.3	24.38	0.60	14.63
224	93BP-146	44.2	65.53	21.33	0.68	14.57
225	88-273	30.48	85.34	54.86	0.26	14.53
226	83-70	68.58	91.44	22.86	0.63	14.43
227	94BP-138	15.24	42.67	27.43	0.52	14.37
228	92BX-46	16.76	35.05	18.29	0.78	14.25
229	88-359	100.58	121.92	21.34	0.67	14.21
230	93BX-3	9.14	33.53	24.39	0.58	14.21
231	93BX-36	44.2	54.86	10.66	1.33	14.13
232	93BX-105	0	18.29	18.29	0.77	14.12
233	94BP-73	32	77.72	45.72	0.31	14.12
234	93BP-43	126.49	144.78	18.29	0.77	14.11
235	92BP-011	35.05	68.58	33.53	0.42	14.06
236	95BP-23	41.15	54.86	13.71	1.02	13.99
237	93BP-28	68.58	96.01	27.43	0.51	13.94
238	92BP-118	3.05	24.38	21.33	0.65	13.83
239	94BP-76	59.44	80.77	21.33	0.65	13.79
240	95BP-14	83.82	102.11	18.29	0.75	13.71
241	83-32	57.91	97.54	39.63	0.34	13.59
242	SH91-21R	16.76	27.43	10.67	1.27	13.59
243	94BP-142	12.19	27.43	15.24	0.89	13.58
244	94BP-16	76.2	112.78	36.58	0.37	13.49
245	94BP-31	100.58	143.26	42.68	0.31	13.43
246	93BP-38	18.29	44.2	25.91	0.52	13.38
247	94BP-143	33.53	41.15	7.62	1.75	13.35
248	94BP-22	79.25	103.63	24.38	0.55	13.33
249	92BP-05C	34.44	57.12	22.68	0.59	13.33
250	92BP-073	59.44	86.87	27.43	0.48	13.29

### Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	92BX-39	60.96	76.2	15.24	0.87	13.27
252	89-475	36.58	54.86	18.28	0.72	13.16
253	87-144	36.58	60.96	24.38	0.54	13.15
254	88-321	64.01	91.44	27.43	0.48	13.12
255	87-112	114.3	140.21	25.91	0.50	13.06
256	94BP-22A	109.73	137.16	27.43	0.47	13.02
257	96BX-22	76.2	114.3	38.1	0.34	13.01
258	94BP-82	83.82	115.82	32	0.41	13.01
259	83-04	79.25	89.92	10.67	1.22	12.97
260	88-364	91.44	106.68	15.24	0.85	12.96
261	93BP-147	51.82	79.25	27.43	0.47	12.95
262	93BP-98	33.53	45.72	12.19	1.06	12.91
263	94BP-29	141.73	182.88	41.15	0.31	12.91
264	T40-1975	12.19	41.15	28.96	0.44	12.85
265	89-450	48.77	67.06	18.29	0.70	12.79
266	92BP-133	25.91	47.24	21.33	0.60	12.74
267	96BX-42	97.54	129.54	32	0.40	12.74
268	94BP-1	53.34	67.06	13.72	0.93	12.70
269	96BX-27	65.53	103.63	38.1	0.33	12.70
270	93BP-128	33.53	54.86	21.33	0.59	12.69
271	MGR11-009	4.57	18.29	13.72	0.92	12.67
272	94BX-46	64.01	79.25	15.24	0.83	12.65
273	88-392	6.1	35.05	28.95	0.44	12.65
274	92BP-120	124.97	131.06	6.09	2.08	12.64
275	MGR11-005	7.62	15.24	7.62	1.65	12.61
276	91BP-050	39.62	67.06	27.44	0.46	12.60
277	92BP-023	54.86	79.25	24.39	0.52	12.59
278	87-246	24.38	36.58	12.2	1.03	12.57
279	MGR11-007	230.12	246.89	16.77	0.75	12.53
280	R2-1974	48.77	54.86	6.09	2.06	12.53
281	94BP-128	39.62	53.34	13.72	0.91	12.49
282	87-147	38.1	67.06	28.96	0.43	12.44
283	92BP-080	35.05	48.77	13.72	0.91	12.44
284	93BP-22	60.96	91.44	30.48	0.41	12.38
285	87-67	47.24	80.77	33.53	0.37	12.34
286	94BP-32	108.2	135.64	27.44	0.45	12.33
287	94BP-149	80.77	108.2	27.43	0.45	12.33
288	97BP-5	105.16	121.92	16.76	0.74	12.32
289	93BP-8	28.96	70.1	41.14	0.30	12.28
290	89-466	0	19.81	19.81	0.62	12.27
291	SH90-15R	24.38	32	7.62	1.61	12.23
292	94BP-28	76.2	102.11	25.91	0.47	12.23
293	92BP-024	57.91	92.96	35.05	0.35	12.23
294	94BP-118	0	15.24	15.24	0.80	12.22
295	88-363	47.24	74.68	27.44	0.44	12.17
296	89-479	48.77	79.25	30.48	0.40	12.13
297	92BX-91	1.52	24.38	22.86	0.53	12.13
298	93BX-93	28.96	60.96	32	0.38	12.12
299	89-409	91.44	99.06	7.62	1.59	12.10
300	96BP-6	30.48	60.96	30.48	0.39	12.01

### Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
301	91BP-072	44.2	74.68	30.48	0.39	12.01
302	89-522	71.63	97.54	25.91	0.46	11.97
303	93BX-66	73.15	83.82	10.67	1.12	11.90
304	92BP-114	32	51.82	19.82	0.60	11.86
305	94BX-80	118.87	134.11	15.24	0.78	11.86
306	MGR11-024	36.58	45.72	9.14	1.29	11.81
307	93BX-111	114.3	137.16	22.86	0.51	11.76
308	94BP-138	54.86	60.96	6.1	1.92	11.71
309	92BX-24	99.06	106.68	7.62	1.53	11.70
310	92BX-66	28.96	39.62	10.66	1.09	11.65
311	92BP-119	6.1	39.62	33.52	0.35	11.65
312	88-350	60.96	68.58	7.62	1.53	11.64
313	MGR11-022	86.87	100.58	13.71	0.84	11.52
314	88-381	30.48	48.77	18.29	0.63	11.50
315	89-470	6.1	24.38	18.28	0.63	11.49
316	92BP-038	18.29	47.24	28.95	0.40	11.44
317	91BP-075	44.2	60.96	16.76	0.68	11.44
318	92BP-037	18.29	50.29	32	0.36	11.44
319	87-209	64.01	91.44	27.43	0.42	11.43
320	94BP-5	68.58	86.87	18.29	0.62	11.39
321	87-197	19.81	42.67	22.86	0.50	11.34
322	94BP-115	32	45.72	13.72	0.82	11.30
323	92BX-36	45.72	70.1	24.38	0.46	11.29
324	R2-1974	96.01	108.2	12.19	0.92	11.23
325	87-70	64.01	80.77	16.76	0.67	11.22
326	95BP-50	73.15	91.44	18.29	0.61	11.19
327	PG18-84	60.96	64.01	3.05	3.66	11.16
328	88-399	0	24.38	24.38	0.46	11.12
329	89-434	0	25.91	25.91	0.43	11.08
330	87-121	64.01	85.34	21.33	0.52	11.07
331	93BP-140	77.72	86.87	9.15	1.21	11.03
332	89-478	12.19	30.48	18.29	0.60	10.93
333	93BX-115	9.14	25.91	16.77	0.65	10.93
334	SH90-8R	27.43	32	4.57	2.38	10.90
335	87-110	18.29	67.06	48.77	0.22	10.87
336	92BP-003	6.1	32	25.9	0.42	10.82
337	87-159	47.24	68.58	21.34	0.51	10.81
338	93BP-33	82.3	100.58	18.28	0.59	10.72
339	86-25	42.67	60.96	18.29	0.59	10.71
340	88-316	41.15	73.15	32	0.33	10.71
341	91BP-027	65.53	88.39	22.86	0.47	10.66
342	92BP-054	68.58	79.25	10.67	0.99	10.60
343	79-23	18.29	54.86	36.57	0.29	10.57
344	P35-74	60.96	70.1	9.14	1.15	10.55
345	86-42	57.91	79.25	21.34	0.49	10.50
346	93BX-36	82.3	92.96	10.66	0.98	10.50
347	87-69	73.15	85.34	12.19	0.86	10.49
348	87-126A	85.34	105.16	19.82	0.53	10.45
349	92BX-72	0	15.24	15.24	0.69	10.45
350	93BP-94	56.39	86.87	30.48	0.34	10.45

## Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	80-01	76.2	86.87	10.67	0.98	10.44
352	89-410	86.87	89.92	3.05	3.40	10.37
353	93BP-104	91.44	123.44	32	0.32	10.29
354	87-161	56.39	76.2	19.81	0.52	10.29
355	89-477	0	18.29	18.29	0.56	10.29
356	91BP-073	41.15	51.82	10.67	0.96	10.29
357	92BP-091	18.29	41.15	22.86	0.45	10.24
358	87-114	54.86	85.34	30.48	0.34	10.24
359	87-124	48.77	71.63	22.86	0.45	10.24
360	95BP-28	30.48	36.58	6.1	1.67	10.19
361	89-496	0	16.76	16.76	0.61	10.19
362	P27-74	74.68	97.54	22.86	0.45	10.19
363	87-134	97.54	105.16	7.62	1.33	10.13
364	89-449	68.58	70.1	1.52	6.65	10.11
365	93BX-46	62.48	71.63	9.15	1.10	10.09
366	92BP-122	33.53	50.29	16.76	0.60	10.08
367	94BP-108	91.44	112.78	21.34	0.47	9.98
368	91BP-015	54.86	59.44	4.58	2.17	9.95
369	93BP-2	0	13.72	13.72	0.72	9.93
370	94BP-115	4.57	22.86	18.29	0.54	9.93
371	92BP-009	67.06	88.39	21.33	0.47	9.93
372	95BP-23	65.53	85.34	19.81	0.50	9.88
373	94BX-51	53.34	79.25	25.91	0.38	9.87
374	92BX-30	100.58	121.92	21.34	0.46	9.87
375	94BP-46	74.68	86.87	12.19	0.81	9.87
376	SH90-11R	44.2	53.34	9.14	1.08	9.86
377	P6-64	38.1	44.2	6.1	1.61	9.83
378	87-188	1.52	21.34	19.82	0.50	9.83
379	93BP-135	82.3	91.44	9.14	1.07	9.82
380	88-318	27.43	45.72	18.29	0.54	9.82
381	93BX-104	51.82	65.53	13.71	0.71	9.79
382	87-77	62.48	65.53	3.05	3.21	9.78
383	94BP-93	62.48	73.15	10.67	0.92	9.78
384	91BP-007	9.14	35.05	25.91	0.38	9.77
385	95BP-42	56.39	67.06	10.67	0.92	9.76
386	88-363	109.73	121.92	12.19	0.80	9.76
387	96BX-4	109.73	114.3	4.57	2.13	9.73
388	87-113	67.06	103.63	36.57	0.27	9.72
389	89-464	0	18.29	18.29	0.53	9.72
390	91BP-042	42.67	68.58	25.91	0.37	9.71
391	96BP-23	103.63	109.73	6.1	1.59	9.68
392	94BX-62	24.38	30.48	6.1	1.59	9.67
393	87-177	67.06	89.92	22.86	0.42	9.67
394	87-79	57.91	68.58	10.67	0.91	9.67
395	94BP-24	50.29	71.63	21.34	0.45	9.67
396	89-523	77.72	102.11	24.39	0.40	9.67
397	93BP-112	54.86	62.48	7.62	1.27	9.65
398	93BX-98	38.1	53.34	15.24	0.63	9.62
399	92BP-015	38.1	64.01	25.91	0.37	9.62
400	93BP-115	74.68	105.16	30.48	0.32	9.61



### Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	93BP-90	134.11	150.88	16.77	0.57	9.61
402	94BP-52	128.02	156.97	28.95	0.33	9.61
403	86-13	70.1	85.34	15.24	0.63	9.61
404	91BP-030	36.58	50.29	13.71	0.69	9.51
405	93BX-110	9.14	21.34	12.2	0.78	9.51
406	91BP-058	60.96	80.77	19.81	0.48	9.51
407	93BX-74	89.92	106.68	16.76	0.57	9.51
408	93BP-72	7.62	33.53	25.91	0.37	9.46
409	87-123	67.06	85.34	18.28	0.52	9.46
410	87-112	48.77	79.25	30.48	0.31	9.41
411	92BX-46	64.01	89.92	25.91	0.36	9.41
412	PG3-84	32	56.39	24.39	0.39	9.41
413	79-6	24.38	27.43	3.05	3.05	9.31
414	93BX-63	62.48	80.77	18.29	0.51	9.30
415	92BP-05C	68.64	85.28	16.64	0.56	9.30
416	86-30	12.19	42.67	30.48	0.31	9.30
417	96BX-21	77.72	105.16	27.44	0.34	9.30
418	93BP-101	35.05	57.91	22.86	0.40	9.25
419	93BX-81	50.29	64.01	13.72	0.67	9.21
420	94BP-29	41.15	65.53	24.38	0.38	9.20
421	94BX-30	80.77	109.73	28.96	0.32	9.20
422	88-383	88.39	109.73	21.34	0.43	9.19
423	92BX-32	21.34	36.58	15.24	0.60	9.19
424	96BP-1	89.92	105.16	15.24	0.60	9.15
425	92BP-066	0	16.76	16.76	0.55	9.15
426	94BP-14	83.82	108.2	24.38	0.37	9.14
427	T42-1975	36.58	48.77	12.19	0.75	9.14
428	87-189	59.44	68.58	9.14	1.00	9.14
429	93BX-100	70.1	85.34	15.24	0.60	9.10
430	93BP-17	45.72	71.63	25.91	0.35	9.09
431	95BP-61	39.62	50.29	10.67	0.85	9.09
432	87-99	45.72	76.2	30.48	0.30	9.04
433	93BX-7	32	59.44	27.44	0.33	9.04
434	95BP-34	42.67	54.86	12.19	0.74	9.03
435	88-332	38.1	45.72	7.62	1.18	9.00
436	91BP-048	9.14	22.86	13.72	0.66	9.00
437	93BX-64	22.86	35.05	12.19	0.74	8.99
438	88-380	0	30.48	30.48	0.29	8.99
439	88-292	48.77	85.34	36.57	0.25	8.99
440	94BP-25	33.53	42.67	9.14	0.98	8.93
441	93BP-126	100.58	109.73	9.15	0.97	8.89
442	93BP-20	60.96	74.68	13.72	0.64	8.85
443	89-460	0	16.76	16.76	0.53	8.83
444	94BP-145	51.82	68.58	16.76	0.53	8.83
445	88-386	60.96	79.25	18.29	0.48	8.78
446	87-257	39.62	60.96	21.34	0.41	8.76
447	89-467	0	21.34	21.34	0.41	8.74
448	92BP-019	70.1	88.39	18.29	0.48	8.72
449	92BP-133	80.77	99.06	18.29	0.48	8.72
450	93BX-35	71.63	77.72	6.09	1.43	8.69

### Black Pine Unmined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	88-276	60.96	83.82	22.86	0.38	8.68
452	93BX-78	32	57.91	25.91	0.33	8.68
453	92BX-71	62.48	80.77	18.29	0.47	8.67
454	SH90-8R	53.34	73.15	19.81	0.44	8.67
455	89-430	71.63	86.87	15.24	0.57	8.62
456	92BP-039	36.58	62.48	25.9	0.33	8.62
457	94BX-64	82.3	103.63	21.33	0.40	8.62
458	87-57	50.29	57.91	7.62	1.13	8.61
459	87-167	77.72	99.06	21.34	0.40	8.58
460	87-216	96.01	112.78	16.77	0.51	8.57
461	87-122	80.77	105.16	24.39	0.35	8.57
462	91BP-029	42.67	64.01	21.34	0.40	8.57
463	MGR11-027	38.1	51.82	13.72	0.62	8.56
464	93BX-73	105.16	111.25	6.09	1.41	8.56
465	94BP-81	102.11	112.78	10.67	0.80	8.52
466	94BP-17	62.48	73.15	10.67	0.80	8.52
467	94BP-47	126.49	144.78	18.29	0.47	8.52
468	87-162	0	12.19	12.19	0.70	8.51
469	91BP-048	38.1	53.34	15.24	0.55	8.42
470	96BX-25	105.16	108.2	3.04	2.76	8.39
471	94BP-92	108.2	135.64	27.44	0.30	8.37
472	87-223	4.57	18.29	13.72	0.61	8.36
473	87-230	74.68	94.49	19.81	0.42	8.36
474	93BP-125	50.29	67.06	16.77	0.50	8.32
475	92BP-096	9.14	28.96	19.82	0.42	8.31
476	94BP-143	6.1	27.43	21.33	0.39	8.31
477	93BP-138	83.82	106.68	22.86	0.36	8.31
478	93BX-109	50.29	65.53	15.24	0.54	8.26
479	93BX-31	12.19	36.58	24.39	0.34	8.26
480	88-390	0	18.29	18.29	0.45	8.20
481	93BP-113	73.15	94.49	21.34	0.38	8.20
482	93BP-9	41.15	68.58	27.43	0.30	8.20
483	MGR11-014	155.45	163.07	7.62	1.07	8.16
484	79-16	42.67	62.48	19.81	0.41	8.16
485	96BX-30	82.3	94.49	12.19	0.67	8.15
486	94BP-79	65.53	94.49	28.96	0.28	8.15
487	94BP-144	97.54	120.4	22.86	0.36	8.15
488	96BX-15	0	15.24	15.24	0.53	8.15
489	87-176	38.1	54.86	16.76	0.49	8.15
490	80-04	54.86	67.06	12.2	0.66	8.10
491	93BP-110	45.72	57.91	12.19	0.66	8.10
492	92BX-16	38.1	57.91	19.81	0.41	8.10
493	92BP-044	15.24	28.96	13.72	0.59	8.05
494	94BP-78	54.86	67.06	12.2	0.66	8.05
495	88-296	53.34	65.53	12.19	0.66	8.05
496	94BX-40	3.05	24.38	21.33	0.38	8.04
497	89-406	33.53	48.77	15.24	0.53	8.04
498	93BP-93	64.01	76.2	12.19	0.66	8.03
499	92BX-94	45.72	62.48	16.76	0.48	8.00
500	92BP-113	33.53	39.62	6.09	1.31	7.99