

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS001 (180, -70)</b>	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
<b>PGS002 (230, -70)</b>	<b>45.7</b>	<b>51.8</b>	<b>6.1</b>	<b>3.27</b>	0.2	117.3	Basal Jasperoid		<b>30.2</b>
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
<b>PGS003 (210, -82)</b>	<b>53.3</b>	<b>93.0</b>	<b>39.6</b>	<b>1.01</b>	0.2	105.2	Basal Jasperoid		<b>40.0</b>
<b>PGS004 (30, -70)</b>	<b>64.0</b>	<b>105.2</b>	<b>41.1</b>	<b>0.84</b>	0.2	190.5	Basal Jasperoid		<b>34.5</b>
Including	76.2	105.2	29.0	1.08	0.5				
<b>PGS005 (195, -45)</b>	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
<b>PGS006 (195, -60)</b>	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
<b>PGS007 (180, -70)</b>	<b>112.8</b>	<b>147.8</b>	<b>35.1</b>	<b>0.85</b>	0.2	221.0	Basal Jasperoid		<b>29.7</b>
Including	140.2	146.3	6.1	1.78	1				
<b>PGS008 (180, -82)</b>	<b>118.9</b>	<b>141.7</b>	<b>22.9</b>	<b>1.68</b>	0.2	172.2	Basal Jasperoid		<b>38.5</b>
Including	126.5	138.7	12.2	2.67	1.0				
<b>PGS009 (180, -55)</b>	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
<b>PGS010 (180, -55)</b>	<b>97.5</b>	<b>134.1</b>	<b>36.6</b>	<b>1.06</b>	0.2	175.3	Basal Jasperoid		<b>38.8</b>
Including	115.8	129.5	13.7	1.89	1				
<b>PGS011 (165, -55)</b>	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
<b>PGS012 (85, -70)</b>	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		<b>52.5</b>
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
<b>PGS013 (190, -65)</b>	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>49.1</b>
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS014 (135, -60)</b>	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic		<b>25.4</b>
and	48.8	59.4	10.7	0.35					
and	<b>64.0</b>	<b>103.6</b>	<b>39.6</b>	<b>0.47</b>					
<b>PGS015 (100, -43)</b>	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8
<b>PGS016 (170, -65)</b>	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>21.9</b>
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	<b>170.7</b>	<b>198.1</b>	<b>27.4</b>	<b>0.66</b>					
<b>PGS017 (150, -55)</b>	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
<b>PGS018 (0, -90)</b>	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS019 (80, -50)</b>	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		<b>73.5</b>
incl.	70.1	83.8	13.7	4.42	1				
<b>PGS020 (20, -45)</b>	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		<b>32.6</b>
incl.	166.1	169.2	3.0	2.96	1				
<b>PGS021 (330, -55)</b>	NSR					169.2	Basal Claron		
<b>PGS022 (180, -60)</b>	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
<b>PGS023 (135, -65)</b>	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		<b>19.2</b>
incl.	129.5	134.1	4.6	1.93	1				
<b>PGS024 (230, -55)</b>	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
<b>PGS025 (200, -50)</b>	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		<b>42.8</b>
incl.	131.1	150.9	19.8	1.98	1				
<b>PGS026 (155, -50)</b>	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		<b>68.9</b>
incl.	108.2	138.7	30.5	1.65	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS027 (0, -90)</b>	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		<b>56.1</b>
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	<b>106.7</b>	<b>153.9</b>	<b>47.2</b>	<b>1.14</b>					
including	<b>109.7</b>	<b>117.3</b>	<b>7.6</b>	<b>2.06</b>					
including	<b>120.4</b>	<b>129.5</b>	<b>9.1</b>	<b>1.56</b>					
<b>PGS028 (180, -65)</b>	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
<b>PGS029 (185, -65)</b>	NSR					132.6	Basal Claron		0.0
<b>PGS030 (185, -45)</b>	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
<b>PGS031 (0, -85)</b>	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					
<b>PGS032 (135, -65)</b>	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		<b>25.6</b>
and	132.6	137.2	4.6	0.22					
and	<b>160.0</b>	<b>185.9</b>	<b>25.9</b>	<b>0.80</b>					
incl	<b>181.4</b>	<b>185.9</b>	<b>4.6</b>	<b>1.54</b>					
<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					
<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
<b>PGS038 (135, -60)</b>	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
<b>PGS039 (225, -65)</b>	<b>105.2</b>	<b>144.8</b>	<b>39.6</b>	<b>0.60</b>	0.2	182.9	Basal Claron		<b>24.38</b>
including	<b>118.9</b>	<b>121.9</b>	<b>3.0</b>	<b>1.65</b>					
and	152.4	153.9	1.5	0.37					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6	
including	137.2	143.3	6.1	1.95	1					
and	166.1	198.1	32.0	0.86	0.2					
including	172.2	182.9	10.7	1.72	1					
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5	
and	71.0	101.5	30.5	1.85						
incl	71.0	89.3	18.3	2.63	1					
PGS042 (0, -90)	NSR				0.2	135.6			0	
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5	
and	102.1	117.3	15.2	0.32						
and	158.5	164.6	6.1	0.25						
and	176.8	178.3	1.5	0.43						
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1	
and	116.3	118.0	1.7	0.22	0.2					
and	119.3	135.0	15.7	0.47						
PGS045 (180, -48 )	NSR					182.9	Basal Claron		0	
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6	
incl	132.9	136.6	3.7	1.65	1					
and	173.1	177.7	4.6	0.25	0.2					
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9	
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0	
incl	54.9	77.7	22.9	4.92	1					
incl	65.5	76.2	10.7	8.27	5					
PGS049 (315, -68 )	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9	
and	91.4	152.4	61.0	0.87						
incl	93.0	100.6	7.6	2.83						1
and incl	144.8	147.8	3.0	1.72						1
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9	
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7	
and	84.4	86.0	1.5	0.22						
and	92.0	93.6	1.5	0.37						
and	110.3	151.5	41.1	2.64						0.2
incl	119.5	151.5	32.0	3.22						1
incl	133.5	139.3	5.8	6.56						5
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4	
and	102.1	105.2	3.0	0.21						
and	106.7	111.3	4.6	0.22						
and	114.3	149.4	35.1	0.44						
and	161.5	164.6	3.0	0.26						
and	178.3	179.8	1.5	0.43						
and	182.9	184.4	1.5	0.22						
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1	
incl	143.3	149.4	6.1	1.91	1					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS054C (60, -68)</b>	<b>81.7</b>	<b>140.5</b>	<b>58.8</b>	<b>2.24</b>	<b>0.2</b>	154.6	<b>Basal Claron</b>		<b>131.6</b>
<i>incl</i>	<b>82.6</b>	<b>94.9</b>	<b>12.3</b>	<b>2.00</b>	<b>1</b>				
<i>and incl</i>	<b>101.9</b>	<b>138.1</b>	<b>36.2</b>	<b>2.77</b>	<b>1</b>				
<i>incl</i>	<b>124.7</b>	<b>127.7</b>	<b>3.0</b>	<b>6.04</b>	<b>5</b>				
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7
	157.0	161.5	4.6	0.32					
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	<b>0.2</b>	132.6	<b>Basal Claron</b>		<b>20.8</b>
<i>and</i>	<b>93.0</b>	<b>117.3</b>	<b>24.4</b>	<b>0.76</b>					
<i>incl</i>	108.2	115.8	7.6	1.34					
<b>PGS058 (240, -60)</b>	<b>21.3</b>	<b>97.5</b>	<b>76.2</b>	<b>0.96</b>	<b>0.2</b>	141.7	<b>Basal Claron</b>		<b>73.4</b>
<i>incl</i>	<b>27.4</b>	<b>47.2</b>	<b>19.8</b>	<b>1.98</b>	<b>1</b>				
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3
<i>and</i>	50.3	53.3	3.0	0.50					
<i>and</i>	64.0	73.2	9.1	0.33					
<b>PGS061 (0, -90)</b>			NSR			106.7	Basal Claron	target interval faulted out?	0
<b>PGS062 (245, -70)</b>	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2
<b>PGS063C (220, -60)</b>	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2
<b>PGS064 (180, -70)</b>	<b>77.7</b>	<b>103.6</b>	<b>25.9</b>	<b>0.52</b>	<b>0.2</b>	182.9	<b>Basal Claron</b>	some quality control issues in the lab	<b>24.4</b>
<i>and</i>	131.1	157.0	25.9	0.42					
<b>PGS065 (180, -55)</b>	<b>19.8</b>	<b>32.0</b>	<b>12.2</b>	<b>0.91</b>	0.2	111.3	Basal Claron		11.1
<b>PGS066 (110, -50)</b>	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
<b>PGS067C (140, -60)</b>	<b>112.3</b>	<b>133.7</b>	<b>21.3</b>	<b>0.49</b>	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1
<i>and</i>	<b>159.7</b>	<b>187.8</b>	<b>28.0</b>	<b>0.52</b>	0.2				
<b>PGS068 (215, -55)</b>	109.7	120.4	10.7	0.34	0.2	152.4	<b>Basal and Feeders</b>	<b>Hole stopped in 6 ppm Au material</b>	<b>18.7</b>
<i>and</i>	<b>144.8</b>	<b>152.4</b>	<b>7.6</b>	<b>1.97</b>	<b>0.2</b>				
<b>PGS069 (0, -90)</b>	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
<b>PGS070 (30, -60)</b>	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
<b>PGS071 (0, -90)</b>			NSR			86.9	Basal Claron		
<b>PGS072 (110, -70)</b>	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8
<i>and</i>	123.4	134.1	10.7	0.58	0.2				
<b>PGS073C (215, -60)</b>	<b>95.8</b>	<b>138.5</b>	<b>42.7</b>	<b>0.50</b>	<b>0.2</b>	<b>177.4</b>	<b>Basal Claron</b>		<b>21.5</b>

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS074 (310, -65)</b>	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6
<b>and</b>	48.8	59.4	10.7	0.40	0.2				
<b>PGS075 (15, -55)</b>	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3
<b>and</b>	53.3	56.4	3.0	0.20	0.2				
<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	<b>Basal Claron</b>	likely old leach pad material	<b>180.7</b>
<b>and</b>	<b>99.1</b>	<b>105.2</b>	<b>6.1</b>	<b>29.1</b>	<b>0.2</b>				
<b>incl.</b>	<b>100.6</b>	<b>105.2</b>	<b>4.6</b>	<b>38.8</b>	<b>5</b>			<b>102 ppm met screen sample</b>	
<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron		
<b>PGS079 (90, -65)</b>	<b>25.9</b>	<b>35.1</b>	<b>9.1</b>	<b>0.72</b>	0.2	117.3	Basal Claron		8.4
<b>and</b>	42.7	47.2	4.6	0.38	0.2				
<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	<b>Basal Claron</b>		<b>23.9</b>
<b>and</b>	32.0	33.5	1.5	0.95	0.2				
<b>and</b>	38.1	42.7	4.6	0.30	0.2				
<b>and</b>	<b>54.9</b>	<b>88.4</b>	<b>33.5</b>	<b>0.42</b>	<b>0.2</b>				
<b>PGS081 (200, -45)</b>	NSR					121.9	Basal Claron		
<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron		
<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron		
<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3
<b>and</b>	141.7	152.4	10.7	0.32	0.2				
<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0
<b>and</b>	102.1	115.8	13.7	0.38	0.2				
<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
<b>PGS089 (320, -68)</b>	<b>86.9</b>	<b>106.7</b>	<b>19.8</b>	<b>0.69</b>	<b>0.2</b>	181.4	<b>Basal Claron</b>		<b>13.7</b>
<b>incl</b>	<b>97.5</b>	<b>102.1</b>	<b>4.6</b>	<b>1.52</b>	<b>1</b>				
<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
<b>and</b>	<b>99.1</b>	<b>103.6</b>	<b>4.6</b>	<b>0.90</b>	0.2		Paleozoic Rocks		
<b>incl</b>	99.1	100.6	1.5	2.30	1.0				
<b>PGS091 (320, -68)</b>	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
<b>PGS092 (20, -63)</b>	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		<b>10.1</b>
<b>and</b>	<b>80.8</b>	<b>91.4</b>	<b>10.7</b>	<b>0.43</b>	<b>0.2</b>		<b>Basal Claron</b>		
<b>and</b>	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS093 (313, -75)			NSR			135.6	Basal Claron		
PGS094 (57, -65)			NSR			182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60					
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2				
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	<b>0.37</b>	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	<b>0.70</b>	<b>0.2</b>				
PGS115 (165, -63)	<b>73.2</b>	<b>83.8</b>	<b>10.7</b>	<b>0.42</b>	<b>0.2</b>	138.7	Basal Claron		13.7
and	<b>91.4</b>	<b>102.1</b>	<b>10.7</b>	<b>0.87</b>	<b>0.2</b>				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	<b>96.0</b>	<b>120.4</b>	<b>24.4</b>	<b>0.38</b>	<b>0.2</b>				
PGS117 (190, -70)	<b>76.2</b>	<b>99.1</b>	<b>22.9</b>	<b>1.20</b>	<b>0.2</b>	172.2	Basal Claron		27.4
incl	<b>93.0</b>	<b>99.1</b>	<b>6.1</b>	<b>2.48</b>	<b>1</b>				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	<b>153.9</b>	<b>164.6</b>	<b>10.7</b>	<b>0.84</b>	0.2				
incl	<b>153.9</b>	<b>160.0</b>	<b>6.1</b>	<b>1.20</b>	1				
and	166.1	169.2	3.0	0.23	0.2				
and	<b>170.7</b>	<b>181.4</b>	<b>10.7</b>	<b>0.83</b>	0.2				
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben	
PGS129 (90, -65)	<b>4.6</b>	<b>27.4</b>	<b>22.9</b>	<b>0.80</b>	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	<b>42.7</b>	<b>70.1</b>	<b>27.4</b>	<b>0.84</b>	0.2				
and	76.2	82.3	6.1	0.54	0.2				
PGS130 (340, -70)	<b>88.4</b>	<b>120.4</b>	<b>32.0</b>	<b>0.43</b>	0.2	137.2	Basal Claron	Peg Leg Graben	<b>13.9</b>



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																	
<b>PGS131 (230, -80)</b>	<b>57.9</b>	<b>80.8</b>	<b>22.9</b>	<b>0.53</b>	<b>0.2</b>	106.7	<b>Basal Claron</b>	Goldstrike Graben	<b>12.0</b>																																																																																																																																																																																																																																																																	
incl	57.9	62.5	4.6	1.03	0.5					<b>PGS132 (45, -65)</b>			NSR			105.2		Peg Leg Graben		<b>PGS133 (310, -45)</b>			NSR			109.7		Dip Slope Zone		<b>PGS134 (50, -50)</b>	51.8	54.9	3.0	0.48	0.2	121.9	<b>Basal Claron</b>	Dip Slope Zone	7.6	and	61.0	73.2	12.2	0.50	0.2	<b>PGS135 (0, -90)</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.82</b>	<b>0.2</b>	<b>121.9</b>	<b>Basal Claron</b>	Peg Leg Graben	<b>17.5</b>	<b>PGS136 (315, -55)</b>			NSR			86.9	<b>Basal Claron</b>	Dip Slope Zone		<b>PGS137 (210, -65)</b>	0.0	7.6	7.6	0.39	0.2	129.5	<b>Basal Claron</b>	Peg Leg Graben	3.0	<b>PGS138 (135, -75)</b>	135.6	141.7	6.1	0.43	0.2	202.7	<b>Basal Claron</b>	Dip Slope Zone	2.6	<b>PGS139 (270, -65)</b>	117.3	134.1	16.8	0.43	0.2	138.7	<b>Basal Claron</b>	Dip Slope Zone	7.1	<b>PGS140 (210, -65)</b>			NSR			138.7	<b>Basal Claron</b>	Peg Leg Graben		<b>PGS141 (270, -70)</b>			NSR			111.3	<b>Basal Claron</b>	Peg Leg Graben		<b>PGS142 (245, -75)</b>	<b>76.2</b>	<b>117.3</b>	<b>41.1</b>	<b>0.51</b>	<b>0.2</b>	152.4	<b>Basal Claron</b>	Dip Slope Zone	<b>20.9</b>	incl	97.5	103.6	6.1	1.24	0.5	<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	<b>Basal Claron</b>	Peg Leg Graben	5.6	<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>	and	83.8	97.5	13.7	0.27	0.2	and	120.4	126.5	6.1	1.14	0.2	<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>	and	89.9	96.0	6.1	0.47	0.2	and	115.8	118.9	3.0	0.58	0.2	<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>	and	47.2	50.3	3.0	2.57	0.2	Chainman Shale	<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	<b>Basal Claron</b>	Peg Leg Graben	8.6	<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>	Incl	111.3	117.3	6.1	0.96	0.5	<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>	and	108.2	134.1	25.9	0.54	0.2	and	147.8	158.5	10.7	0.75	0.2	<b>PGS150 (0, -90)</b>			NSR			117.3	<b>Basal Claron</b>	Dip Slope		<b>PGS151 (220, -55)</b>	85.3	93.0	7.6	0.80	0.2
<b>PGS132 (45, -65)</b>			NSR			105.2		Peg Leg Graben																																																																																																																																																																																																																																																																		
<b>PGS133 (310, -45)</b>			NSR			109.7		Dip Slope Zone																																																																																																																																																																																																																																																																		
<b>PGS134 (50, -50)</b>	51.8	54.9	3.0	0.48	0.2	121.9	<b>Basal Claron</b>	Dip Slope Zone	7.6																																																																																																																																																																																																																																																																	
and	61.0	73.2	12.2	0.50	0.2					<b>PGS135 (0, -90)</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.82</b>	<b>0.2</b>	<b>121.9</b>	<b>Basal Claron</b>	Peg Leg Graben	<b>17.5</b>	<b>PGS136 (315, -55)</b>			NSR			86.9	<b>Basal Claron</b>	Dip Slope Zone		<b>PGS137 (210, -65)</b>	0.0	7.6	7.6	0.39	0.2	129.5	<b>Basal Claron</b>	Peg Leg Graben	3.0	<b>PGS138 (135, -75)</b>	135.6	141.7	6.1	0.43	0.2	202.7	<b>Basal Claron</b>	Dip Slope Zone	2.6	<b>PGS139 (270, -65)</b>	117.3	134.1	16.8	0.43	0.2	138.7	<b>Basal Claron</b>	Dip Slope Zone	7.1	<b>PGS140 (210, -65)</b>			NSR			138.7	<b>Basal Claron</b>	Peg Leg Graben		<b>PGS141 (270, -70)</b>			NSR			111.3	<b>Basal Claron</b>	Peg Leg Graben		<b>PGS142 (245, -75)</b>	<b>76.2</b>	<b>117.3</b>	<b>41.1</b>	<b>0.51</b>	<b>0.2</b>	152.4	<b>Basal Claron</b>	Dip Slope Zone	<b>20.9</b>	incl	97.5	103.6	6.1	1.24	0.5	<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	<b>Basal Claron</b>	Peg Leg Graben	5.6	<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>	and	83.8	97.5	13.7	0.27	0.2	and	120.4	126.5	6.1	1.14	0.2	<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>	and	89.9	96.0	6.1	0.47	0.2	and	115.8	118.9	3.0	0.58	0.2	<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>	and	47.2	50.3	3.0	2.57	0.2	Chainman Shale	<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	<b>Basal Claron</b>	Peg Leg Graben	8.6	<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>	Incl	111.3	117.3	6.1	0.96	0.5	<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>	and	108.2	134.1	25.9	0.54	0.2	and	147.8	158.5	10.7	0.75	0.2	<b>PGS150 (0, -90)</b>			NSR			117.3	<b>Basal Claron</b>	Dip Slope		<b>PGS151 (220, -55)</b>	85.3	93.0	7.6	0.80	0.2	141.7	<b>Basal Claron</b>	Peg Leg Graben	6.1																																
<b>PGS135 (0, -90)</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.82</b>	<b>0.2</b>	<b>121.9</b>	<b>Basal Claron</b>	Peg Leg Graben	<b>17.5</b>																																																																																																																																																																																																																																																																	
<b>PGS136 (315, -55)</b>			NSR			86.9	<b>Basal Claron</b>	Dip Slope Zone																																																																																																																																																																																																																																																																		
<b>PGS137 (210, -65)</b>	0.0	7.6	7.6	0.39	0.2	129.5	<b>Basal Claron</b>	Peg Leg Graben	3.0																																																																																																																																																																																																																																																																	
<b>PGS138 (135, -75)</b>	135.6	141.7	6.1	0.43	0.2	202.7	<b>Basal Claron</b>	Dip Slope Zone	2.6																																																																																																																																																																																																																																																																	
<b>PGS139 (270, -65)</b>	117.3	134.1	16.8	0.43	0.2	138.7	<b>Basal Claron</b>	Dip Slope Zone	7.1																																																																																																																																																																																																																																																																	
<b>PGS140 (210, -65)</b>			NSR			138.7	<b>Basal Claron</b>	Peg Leg Graben																																																																																																																																																																																																																																																																		
<b>PGS141 (270, -70)</b>			NSR			111.3	<b>Basal Claron</b>	Peg Leg Graben																																																																																																																																																																																																																																																																		
<b>PGS142 (245, -75)</b>	<b>76.2</b>	<b>117.3</b>	<b>41.1</b>	<b>0.51</b>	<b>0.2</b>	152.4	<b>Basal Claron</b>	Dip Slope Zone	<b>20.9</b>																																																																																																																																																																																																																																																																	
incl	97.5	103.6	6.1	1.24	0.5					<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	<b>Basal Claron</b>	Peg Leg Graben	5.6	<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>	and	83.8	97.5	13.7	0.27	0.2	and	120.4	126.5	6.1	1.14	0.2	<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>	and	89.9	96.0	6.1	0.47	0.2	and	115.8	118.9	3.0	0.58	0.2	<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>	and	47.2	50.3	3.0	2.57	0.2	Chainman Shale	<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	<b>Basal Claron</b>	Peg Leg Graben	8.6	<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>	Incl	111.3	117.3	6.1	0.96	0.5	<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>	and	108.2	134.1	25.9	0.54	0.2	and	147.8	158.5	10.7	0.75	0.2	<b>PGS150 (0, -90)</b>			NSR			117.3	<b>Basal Claron</b>	Dip Slope		<b>PGS151 (220, -55)</b>	85.3	93.0	7.6	0.80	0.2	141.7	<b>Basal Claron</b>	Peg Leg Graben	6.1																																																																																																																						
<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	<b>Basal Claron</b>	Peg Leg Graben	5.6																																																																																																																																																																																																																																																																	
<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>																																																																																																																																																																																																																																																																	
and	83.8	97.5	13.7	0.27	0.2																																																																																																																																																																																																																																																																					
and	120.4	126.5	6.1	1.14	0.2																																																																																																																																																																																																																																																																					
<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>																																																																																																																																																																																																																																																																	
and	89.9	96.0	6.1	0.47	0.2																																																																																																																																																																																																																																																																					
and	115.8	118.9	3.0	0.58	0.2																																																																																																																																																																																																																																																																					
<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>																																																																																																																																																																																																																																																																	
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale																																																																																																																																																																																																																																																																			
<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	<b>Basal Claron</b>	Peg Leg Graben	8.6																																																																																																																																																																																																																																																																	
<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>																																																																																																																																																																																																																																																																	
Incl	111.3	117.3	6.1	0.96	0.5																																																																																																																																																																																																																																																																					
<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>																																																																																																																																																																																																																																																																	
and	108.2	134.1	25.9	0.54	0.2																																																																																																																																																																																																																																																																					
and	147.8	158.5	10.7	0.75	0.2																																																																																																																																																																																																																																																																					
<b>PGS150 (0, -90)</b>			NSR			117.3	<b>Basal Claron</b>	Dip Slope																																																																																																																																																																																																																																																																		
<b>PGS151 (220, -55)</b>	85.3	93.0	7.6	0.80	0.2	141.7	<b>Basal Claron</b>	Peg Leg Graben	6.1																																																																																																																																																																																																																																																																	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS152 (310, -60)</b> and	111.3 126.5	125.0 134.1	13.7 7.6	0.36 0.66	0.2 0.2	164.6	Basal Claron	Dip Slope	9.9
<b>PGS153 (50, -60)</b>	<b>108.2</b>	<b>129.5</b>	<b>21.3</b>	<b>0.58</b>	<b>0.2</b>	166.1	<b>Basal Claron</b>	Dip Slope	<b>12.3</b>
<b>PGS154 (110, -45)</b>	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
<b>PGS155 (45, -60)</b>			NSR			189.0	Basal Claron	West Goldstrike Graben	
<b>PGS156 (45, -65)</b>	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
<b>PGS157 (315, -60)</b>			NSR			227.1	Basal Claron	West Goldstrike Graben	
<b>PGS158 (210, -75)</b>			NSR			77.7	Basal Claron	Dip Slope	
<b>PGS159 (140, -45)</b>	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
<b>PGS160 (270, -60)</b>			NSR			221.0	Basal Claron	West Goldstrike Graben	
<b>PGS161 (230, -75)</b>	<b>27.4</b>	<b>30.5</b>	<b>3.0</b>	<b>2.81</b>	<b>0.2</b>	61.0	<b>Basal Claron</b>	Dip Slope	<b>8.6</b>
<b>PGS162 (165, -55)</b>	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
<b>PGS163 (90, -75)</b>	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
<b>PGS164 (0, -90)</b>	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
<b>PGS165 (170, -70)</b> and	21.3 <b>71.6</b>	22.9 <b>82.3</b>	1.5 <b>10.7</b>	0.42 <b>0.63</b>	0.2 <b>0.2</b>	135.6	<b>Basal Claron</b>	Goldstrike Graben	<b>7.4</b>
<b>PGS166 (310, -70)</b> and	<b>118.9</b> 150.9	<b>144.8</b> 158.5	<b>25.9</b> 7.6	<b>0.59</b> 0.26	0.2 0.2	196.6	<b>Basal Claron</b>	Warrior	<b>17.3</b>
<b>PGS167 (0, -90)</b> and	150.9 158.5	155.4 170.7	4.6 12.2	0.25 0.39	0.2 0.2	175.3	Covington Fault	Covington	5.9
<b>PGS168 (120, -55)</b>	<b>82.3</b>	<b>106.7</b>	<b>24.4</b>	<b>0.48</b>	<b>0.2</b>	141.7	<b>Basal Claron</b>	Goldstrike Graben	<b>11.7</b>
<b>PGS169 (180, -50)</b>			NSR			201.2		Covington - did not intercept target	
<b>PGS170 (253, -55)</b> incl	<b>112.8</b> <b>128.0</b>	<b>144.8</b> <b>132.6</b>	<b>32.0</b> 4.6	<b>0.72</b> <b>2.07</b>	<b>0.2</b> <b>1</b>	172.2	<b>Basal Claron/Pz Limestone</b>	Aggie	<b>23.0</b>
<b>PGS171 (0, -90)</b>			NSR			166.1	Basal Claron	Covington - did not intercept target	
<b>PGS172 (220, -65)</b>	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
<b>PGS173 (015, -85)</b>			NSR			175.3	Basal Claron	West Goldstrike Graben	
<b>PGS174 (180, -50)</b>			NSR			182.9	Basal Claron	Covington - did not intercept target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS175 (027, -64)</b>	67.1	68.6	1.5	0.30	0.2	164.6	<b>Basal Claron</b>	West Goldstrike Graben	<b>25.3</b>
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	<b>125.0</b>	<b>152.4</b>	<b>27.4</b>	<b>0.84</b>	<b>0.2</b>				
incl	<b>134.1</b>	<b>144.8</b>	<b>10.7</b>	<b>1.55</b>	<b>1</b>				
<b>PGS176 (270, -55)</b>	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
<b>PGS177 (345, -70)</b>	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
<b>PGS178 (50, -45)</b>	24.4	25.9	1.5	0.39	0.2	141.7	<b>Covington Dike</b>	Covington	<b>16.4</b>
and	77.7	79.2	1.5	0.31					
and	<b>80.8</b>	<b>83.8</b>	<b>3.0</b>	<b>0.83</b>					
and	<b>102.1</b>	<b>103.6</b>	<b>1.5</b>	<b>7.36</b>					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
<b>PGS179 (54, -60)</b>	<b>96.0</b>	<b>125.0</b>	<b>29.0</b>	<b>1.78</b>	<b>0.2</b>	160.0	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>51.5</b>
incl	<b>96.0</b>	<b>108.2</b>	<b>12.2</b>	<b>3.54</b>	<b>1</b>				
<b>PGS180 (0, -75)</b>	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
<b>PGS181 (0, -60)</b>	NSR					172.2	Basal Claron	Peg Leg	
<b>PGS182 (230, -75)</b>	12.2	15.2	3.0	0.54	0.2	129.5	<b>Covington Dike</b>	Covington	<b>13.9</b>
and	<b>100.6</b>	<b>111.3</b>	<b>10.7</b>	<b>1.15</b>					
<b>PGS183 (300, -65)</b>	<b>108.2</b>	<b>114.3</b>	<b>6.1</b>	<b>0.90</b>	<b>0.2</b>	196.6	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>30.9</b>
and	<b>121.9</b>	<b>155.4</b>	<b>33.5</b>	<b>0.76</b>	<b>0.2</b>				
incl	<b>125.0</b>	<b>131.1</b>	<b>6.1</b>	<b>1.47</b>	<b>1</b>				
<b>PGS184 (280, -60)</b>	NSR					117.3		Covington hole lost above target	
<b>PGS185 (128, -60)</b>	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	<b>51.8</b>	<b>57.9</b>	<b>6.1</b>	<b>0.74</b>	<b>0.2</b>				
<b>PGS186 (90, -75)</b>	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	<b>68.6</b>	<b>80.8</b>	<b>12.2</b>	<b>0.41</b>					
and	89.9	94.5	4.6	0.28					
<b>PGS187 (330, -68)</b>	<b>45.7</b>	<b>64.0</b>	<b>18.3</b>	<b>1.33</b>	<b>0.2</b>	111.3	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>26.8</b>
incl	<b>50.3</b>	<b>62.5</b>	<b>12.2</b>	<b>1.77</b>	<b>1</b>				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
<b>PGS188 (055, -70)</b>	<b>129.5</b>	<b>152.4</b>	<b>22.9</b>	<b>0.86</b>	<b>0.2</b>	155.4	<b>Basal Claron</b>	Warrior	<b>19.7</b>
incl.	<b>137.2</b>	<b>141.7</b>	<b>4.6</b>	<b>1.45</b>	<b>1</b>				
<b>PGS189 (210, -62)</b>	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
<b>PGS190 (151, -60)</b>	NSR					170.7		Covington - did not intercept target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				

## Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)			NSR			172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)			NSR			129.5	Warrior to Aggie		
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)			NSR			172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)			NSR			129.5	Dip Slope		
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				
PGS202 (100, -45)			NSR			160.0	Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS206 (320, -45)</b>	153.9	189.9	37.5	0.44	0.2	189.9	<b>Dip Slope</b>	Hole Lost in Mineralization	<b>16.5</b>
<b>PGS207 (0, -85)</b>	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
<b>PGS208 (275, -73)</b>			NSR			202.7	Western Grabens	Anomalous	
<b>PGS209 (0, -45)</b>			NSR			93.0	Western Grabens	Hole Lost Above Target	
<b>PGS210 (275, -65)</b>	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
<b>incl</b>	115.8	120.4	4.6	0.89	0.5				
<b>PGS211 (320, -45)</b>			NSR			166.1	Western Grabens		
<b>PGS212 (63, -48)</b>	<b>106.7</b>	<b>163.1</b>	<b>56.4</b>	<b>0.41</b>	0.2	172.2	<b>Dip Slope</b>	Hosted in Paleozoic Rocks	<b>23.4</b>
<b>incl</b>	<b>143.3</b>	<b>152.4</b>	<b>9.1</b>	<b>1.02</b>	0.5				
<b>PGS213 (280, -45)</b>	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
<b>PGS214 (340, -45)</b>			NSR			187.5	Dip Slope	Target not Intercepted	
<b>PGS215 (0, -65)</b>	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
<b>PGS216 (180, -65)</b>	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
<b>and</b>	85.3	91.4	6.1	0.28					
<b>PGS217 (233, -70)</b>			NSR				Western Grabens		
<b>PGS218 (135, -45)</b>	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
<b>PGS219 (120, -85)</b>			NSR			117.3	Western Grabens		
<b>PGS220 (110, -45)</b>	<b>144.8</b>	<b>181.4</b>	<b>36.6</b>	<b>0.66</b>	0.2	210.3	<b>Dip Slope</b>		<b>24.1</b>
<b>incl</b>	<b>152.4</b>	<b>167.6</b>	<b>15.2</b>	<b>1.16</b>	0.5				
<b>PGS221 (75, -45)</b>	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
<b>PGS222 (315, -55)</b>	<b>185.9</b>	<b>204.2</b>	<b>18.3</b>	<b>0.39</b>	0.2	233.2	Peg Leg		7.1
<b>PGS223 (55, -65)</b>	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
<b>and</b>	196.6	198.1	1.5	0.20	0.2				
<b>PGS224 (0, -90)</b>	<b>86.9</b>	<b>115.8</b>	<b>29.0</b>	<b>0.94</b>	0.2	190.5	<b>Peg Leg</b>	Claron Host Rocks	<b>27.8</b>
<b>incl</b>	<b>99.1</b>	<b>115.8</b>	<b>16.8</b>	<b>1.15</b>	0.5			Paleozoic Host Rocks	
<b>and</b>	134.1	135.6	1.5	0.41	0.2				
<b>PGS225 (340, -65)</b>			NSR			205.7	Dip Slope	Anomalous	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS226 (285, -45)			NSR			166.1	Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		42.0
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.2				
PGS232 (205, -77)			NSR			86.9	Dip Slope		
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2
and	117.3	167.6	50.3	0.85	0.2				
incl	129.5	144.8	15.2	1.81	0.5				
and	175.3	176.8	1.5	0.66	0.2				
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7
Incl	76.2	83.8	7.6	2.33	0.5				
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.2				
PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9
and	164.6	181.4	16.8	0.33	0.2				
and	182.9	193.5	10.7	0.42	0.2				
PGS241 (95, -62)			NSR			147.8	Warrior		
PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2
incl	109.7	118.9	9.1	3.48	1				
and	143.3	153.9	10.7	0.34	0.2				
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1
incl	128.0	135.6	7.6	1.61	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																					
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6																																																																																																																																																																																																																																																																					
incl	111.3	120.4	9.1	0.84	0.5					PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2	and	94.5	117.3	22.9	1.80	0.2	Paleozoic Strata	incl	105.2	117.3	12.2	2.98	1	PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8	and	77.7	89.9	12.2	0.32	PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9	PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8	incl.	82.3	89.9	7.6	1.20	1	PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3	PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2	and	19.8	27.4	7.6	0.37	0.2	Paleozoic strata	PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0	and	47.2	50.3	3.0	0.22	0.2	PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4	and	27.4	36.6	9.1	0.42	0.2	Paleozoic strata	PGS262 (105, -60)			NSR		
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2																																																																																																																																																																																																																																																																					
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata																																																																																																																																																																																																																																																																						
incl	105.2	117.3	12.2	2.98	1			PGS246 (5, -45)		42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8	and	77.7	89.9	12.2	0.32	PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9	PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8	incl.	82.3	89.9	7.6	1.20	1	PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6				10.7		0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3	PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2	and	19.8	27.4	7.6	0.37	0.2	Paleozoic strata	PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0	and	47.2	50.3	3.0	0.22	0.2	PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4	and	27.4	36.6	9.1	0.42	0.2	Paleozoic strata	PGS262 (105, -60)			NSR			120.4	Mineral Mtn																		
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8																																																																																																																																																																																																																																																																					
and	77.7	89.9	12.2	0.32						PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9	PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8	incl.	82.3	89.9	7.6	1.20	1	PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5				4.6		0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5					0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3	PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2	and	19.8	27.4	7.6	0.37	0.2	Paleozoic strata	PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0	and	47.2	50.3	3.0	0.22	0.2	PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4	and	27.4	36.6	9.1	0.42	0.2	Paleozoic strata	PGS262 (105, -60)			NSR			120.4	Mineral Mtn																												
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9																																																																																																																																																																																																																																																																					
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8																																																																																																																																																																																																																																																																					
incl.	82.3	89.9	7.6	1.20	1					PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58				0.2		135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3	PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2	and	19.8	27.4	7.6	0.37	0.2	Paleozoic strata	PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0	and	47.2	50.3	3.0	0.22	0.2	PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4	and	27.4	36.6	9.1	0.42	0.2	Paleozoic strata	PGS262 (105, -60)			NSR			120.4	Mineral Mtn																																																										
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7																																																																																																																																																																																																																																																																					
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3																																																																																																																																																																																																																																																																					
incl.	47.2	53.3	6.1	5.59	1					PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58				0.2		135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3	PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2	and	19.8	27.4	7.6	0.37	0.2	Paleozoic strata	PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0	and	47.2	50.3	3.0	0.22	0.2	PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4	and	27.4	36.6	9.1	0.42	0.2	Paleozoic strata	PGS262 (105, -60)			NSR			120.4	Mineral Mtn																																																																																				
PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area																																																																																																																																																																																																																																																																						
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7																																																																																																																																																																																																																																																																					
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2																																																																																																																																																																																																																																																																					
and	108.2	118.9	10.7	0.74				Claron Formation?																																																																																																																																																																																																																																																																						
and	157.0	161.5	4.6	0.37																																																																																																																																																																																																																																																																										
and	169.2	172.2	3.0	0.23																																																																																																																																																																																																																																																																										
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2																																																																																																																																																																																																																																																																					
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0																																																																																																																																																																																																																																																																					
incl	0.0	4.6	4.6	3.48	1																																																																																																																																																																																																																																																																									
and	54.9	56.4	1.5	0.63	0.2					PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3	PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2	and	19.8	27.4	7.6	0.37	0.2	Paleozoic strata	PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0	and	47.2	50.3	3.0	0.22	0.2	PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4	and	27.4	36.6	9.1	0.42	0.2	Paleozoic strata	PGS262 (105, -60)			NSR			120.4	Mineral Mtn																																																																																																																																																																						
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1																																																																																																																																																																																																																																																																					
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata																																																																																																																																																																																																																																																																						
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0																																																																																																																																																																																																																																																																					
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3																																																																																																																																																																																																																																																																					
PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2																																																																																																																																																																																																																																																																					
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata																																																																																																																																																																																																																																																																						
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0																																																																																																																																																																																																																																																																					
and	47.2	50.3	3.0	0.22	0.2																																																																																																																																																																																																																																																																									
PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4																																																																																																																																																																																																																																																																					
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata																																																																																																																																																																																																																																																																						
PGS262 (105, -60)			NSR			120.4	Mineral Mtn																																																																																																																																																																																																																																																																							

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
incl.	35.1	41.1	6.1	1.46	1				
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
incl.	65.5	70.1	4.6	1.97	1.0				
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.2				
PGS269 (180, -75)	NSR					166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
PGS272 (5, -67)	NSR					121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)	NSR					219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)	NSR					196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS281 (165, -65)</b>	<b>24.4</b>	<b>54.9</b>	<b>30.5</b>	<b>0.69</b>	0.2	294.1	<b>Caribou</b>		<b>61.0</b>
incl	<b>38.1</b>	<b>44.2</b>	<b>6.1</b>	<b>2.09</b>	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
incl	<b>121.9</b>	<b>132.6</b>	<b>10.7</b>	<b>1.79</b>	1				
<b>PGS282 (0,-90)</b>	<b>96.0</b>	<b>111.3</b>	<b>15.2</b>	<b>0.94</b>	0.2	175.3	<b>Mineral Mtn</b>		<b>19.4</b>
and	<b>146.3</b>	<b>152.4</b>	<b>6.1</b>	<b>0.83</b>					
<b>PGS283 (220,-65)</b>	<b>65.5</b>	<b>99.1</b>	<b>33.5</b>	<b>0.41</b>	0.2	152.4	<b>Aggie</b>		<b>13.9</b>
<b>PGS284 (330, -75)</b>	NSR					19.8	Caribou	Hole TD-ed early due to bad collar location	
<b>PGS285 (180,-65)</b>	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
<b>PGS286 (35, -60)</b>	<b>19.8</b>	<b>32.0</b>	<b>12.2</b>	<b>1.01</b>	0.2	105.2	<b>Mineral Mtn</b>		<b>22.0</b>
and	<b>42.7</b>	<b>51.8</b>	<b>9.1</b>	<b>0.75</b>					
and	80.8	89.9	9.1	0.31					
<b>PGS287 (330, -86)</b>	NSR					32.0	Caribou	Hole TD-ed early due to bad collar location	
<b>PGS288 (165,-57)</b>	NSR					208.8	Caribou	Hole did not intersect target	
<b>PGS289 (143,-52)</b>	<b>106.7</b>	<b>150.9</b>	<b>44.2</b>	<b>0.62</b>	0.2	213.4	<b>Caribou</b>		<b>27.3</b>
incl.	<b>112.8</b>	<b>118.9</b>	<b>6.1</b>	<b>1.20</b>	1				
<b>PGS290 (80,-65)</b>	65.5	80.8	15.2	0.64	0.2	129.5	<b>Aggie</b>	Claron Mineralization	<b>31.7</b>
and	<b>99.1</b>	<b>118.9</b>	<b>19.8</b>	<b>1.11</b>	0.2			Paleozoic Mineralization	
incl	<b>103.6</b>	<b>112.8</b>	<b>9.1</b>	<b>1.96</b>	1				
<b>PGS291 (170,-53)</b>	<b>166.1</b>	<b>202.7</b>	<b>36.6</b>	<b>0.65</b>	0.2	239.3	<b>Moosehead</b>		<b>23.5</b>
incl	<b>166.1</b>	<b>170.7</b>	<b>4.6</b>	<b>1.97</b>	1				
<b>PGS292 (0,-90)</b>	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
<b>PGS293 (207,-53)</b>	114.3	132.6	18.3	0.34	0.2	160.0	<b>Aggie</b>		<b>12.7</b>
and	135.6	147.8	12.2	0.54	0.2				
<b>PGS294 (173,-47)</b>	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
<b>PGS295 (135,-50)</b>	<b>170.7</b>	<b>198.1</b>	<b>27.4</b>	<b>0.78</b>	0.2	213.4	<b>Moosehead</b>		<b>21.5</b>
incl	<b>173.7</b>	<b>182.9</b>	<b>9.1</b>	<b>1.62</b>	1				
<b>PGS296 (155,-55)</b>	32.0	38.1	6.1	0.22	0.2	138.7	<b>West GS Graben</b>		<b>19.2</b>
and	39.6	45.7	6.1	0.42	0.2				
and	<b>53.3</b>	<b>77.7</b>	<b>24.4</b>	<b>0.63</b>	0.2				
incl	<b>61.0</b>	<b>68.6</b>	<b>7.6</b>	<b>1.14</b>	1				
<b>PGS297 (330,-55)</b>	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
<b>PGS298 (195,-50)</b>	<b>178.3</b>	<b>208.8</b>	<b>30.5</b>	<b>0.74</b>	0.2	237.7	<b>Moosehead</b>		<b>22.5</b>

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS299 (280,-50)			NSR			129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)			NSR			152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	<b>77.7</b>	<b>100.6</b>	<b>22.9</b>	<b>0.71</b>	0.2	141.7	<b>Main</b>	Aggie	<b>16.3</b>
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	<b>77.7</b>	<b>126.5</b>	<b>48.8</b>	<b>1.05</b>	0.2	135.6	<b>Main</b>	Aggie	<b>50.9</b>
incl	<b>96.0</b>	<b>111.3</b>	<b>15.2</b>	<b>2.22</b>	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	<b>83.8</b>	<b>102.1</b>	<b>18.3</b>	<b>0.63</b>	0.2	141.7	<b>Main</b>	Aggie	<b>11.5</b>
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.2				
PGS310 (90,-60)	<b>76.2</b>	<b>105.2</b>	<b>29.0</b>	<b>0.46</b>	0.2	121.9	<b>Main</b>	Aggie	<b>13.3</b>
PGS311 (0,-90)	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.2				
PGS312 (0,-65)			NSR			152.4	Western	Picaroon - long anomalous interval	
PGS313 (170,-78)	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.2				
PGS314 (0,-90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	<b>3.7</b>
PGS315 (140,-50)	<b>82.3</b>	<b>111.3</b>	<b>29.0</b>	<b>0.38</b>	0.2	132.6	<b>Main</b>	Aggie	<b>11.0</b>
PGS316 (70,-70)			NSR			129.5	Western	Picaroon - long anomalous interval	
PGS317 (150,-45)	<b>19.8</b>	<b>59.4</b>	<b>39.6</b>	<b>0.48</b>	0.2	144.8	<b>Western</b>	Caribou	<b>27.3</b>
and	70.1	76.2	6.1	0.40	0.2				
and	<b>80.8</b>	<b>86.9</b>	<b>6.1</b>	<b>0.97</b>	0.2				
PGS318 (0,-90)	<b>71.6</b>	<b>93.0</b>	<b>21.3</b>	<b>0.83</b>	0.2	111.3	<b>Main</b>	Aggie	<b>17.7</b>
PGS319 (0,-75)			NSR			144.8	Western	Picaroon	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS320 (110, -55)	29.0	38.1	9.1	0.79	0.2	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.2				
and	70.1	96.0	25.9	0.99	0.2				
incl	82.3	93.0	10.7	1.40	1.0				
PGS321 (180, -60)	NSR					91.4	Main	Aggie	
PGS322 (90, -45)	18.3	22.9	4.6	0.77	0.2	160.0	Western	Caribou	36.2
and	30.5	94.5	64.0	0.51	0.2				
PGS323 (0, -90)	NSR					166.1	Western	Picaroon	
PGS324 (62, -55)	39.6	82.3	42.7	0.70	0.2	141.7	Western	Caribou	30.0
incl	48.8	56.4	7.6	1.72	1				
PGS325 (20, -78)	73.2	76.2	3.0	0.81	0.2	141.7	Main	Aggie	9.5
and	94.5	108.2	13.7	0.52	0.2				
PGS326 (170, -50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78, -67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0, -90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140, -55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)	NSR					193.5	Western	Picaroon	
PGS332 (225, -65)	152.4	167.6	15.2	0.41	0.2	221.0	Dip Slope	Padre Haul Road	13.3
and	178.3	192.0	13.7	0.52	0.2				
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65)	121.9	175.3	53.3	0.67	0.2	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
incl	125.0	135.6	10.7	1.93	1				
PGS336 (170, -45)	140.2	153.9	13.7	0.50	0.2	198.1	Western	Moosehead	8.2
and	157.0	163.1	6.1	0.23	0.2				
PGS337 (56, -55)	NSR					134.1	Peg Leg		
PGS338 (295, -55)	57.9	91.4	33.5	0.64	0.2	135.6	Peg Leg		26.5
and	100.6	105.2	4.6	0.77	0.2				
and	128.0	129.5	1.5	0.96	0.2				
PGS339 (150, -45)	115.8	120.4	4.6	0.33	0.2	239.3	Western	Moosehead	35.2
and	129.5	172.2	42.7	0.79	0.2				
incl	146.3	157.0	10.7	1.60	1				
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65) and	137.2 178.3	176.8 189.0	39.6 10.7	0.38 0.96	0.2 0.2	208.8	Dip Slope	Padre Haul Road	25.4
PGS343 (345, -65)			NSR			105.2	Peg Leg		
PGS344 (130, -45) and and	170.7 181.4 190.5	173.7 185.9 202.7	3.0 4.6 12.2	0.82 0.28 1.15	0.2	230.1	Western	Moosehead	17.8
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
PGS346 (145, -68)			NSR			91.4	Peg Leg		
PGS347 (85, -65) incl	161.5 173.7	201.2 184.4	39.6 10.7	0.69 1.35	0.2 1	224.0	Dip Slope	Padre	27.5
PGS348 (340, -65) and	4.6 71.6	6.1 73.2	1.5 1.5	0.48 0.80	0.2 0.2	103.6	Peg Leg		2.0
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
PGS350 (270, -55)			NSR			147.8	Peg Leg		
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)			NSR			80.8	Peg Leg		
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8
PGS355 (150, -60) and	91.4 134.1	123.4 135.6	32.0 1.5	0.52 0.96	0.2 0.2	141.7	Peg Leg		18.1
PGS356 (115, -55) and incl	94.5 109.7 121.9	102.1 132.6 125.0	7.6 22.9 3.0	0.56 0.77 1.71	0.2 0.2 1	160.0	Peg Leg		21.8
PGS357 (0, -90) and	9.1 57.9	12.2 70.1	3.0 12.2	0.38 0.36	0.2 0.2	121.9	Western		5.5
PGS358 (75, -60) and	15.2 94.5	16.8 99.1	1.5 4.6	0.62 0.29	0.2 0.2	121.9	Western		2.2
PGS359 (0, -90)	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2
PGS360 (130, -60)			NSR			137.2	Peg Leg		
PGS361 (0, -60)			NSR			135.6	Western		
PGS362 (0, -90) incl	76.2 76.2	108.2 89.9	32.0 13.7	1.22 1.89	0.2 1	141.7	Dip Slope	Padre	38.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS363 (80, -55)</b>	<b>61.0</b>	<b>74.7</b>	<b>13.7</b>	<b>0.82</b>	0.2	114.3	<b>Peg Leg</b>		<b>13.5</b>
incl	67.1	70.1	3.0	2.32	1				
and	91.4	99.1	7.6	0.30	0.2				
<b>PGS364 (120, -45)</b>	<b>54.9</b>	<b>74.7</b>	<b>19.8</b>	<b>0.92</b>	0.2	152.4	<b>Western</b>		<b>18.3</b>
incl	56.4	65.5	9.1	1.66	1				
<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>
incl	117.3	120.4	3.0	2.03	1				
<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3
and	54.9	61.0	6.1	0.34	0.2				
and	158.5	160.0	1.5	1.92	0.2				
<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6
<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>
incl	86.9	89.9	3.0	1.22	1				
<b>PGS369 (0, -85)</b>			NSR			184.4	Western	Bull Run	
<b>PGS370 (0,-90)</b>			NSR			160.0	Dip Slope	Padre	
<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6
<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6
<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6
<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0
<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>
<b>PGS376 (290, -70)</b>			NSR			214.9	Dip Slope	Padre	
<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6
and	160.0	163.1	3.0	0.74	0.2				
<b>PGS378 (180, -60)</b>			NSR			211.8	Western	Bull Run	
<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>
<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3
<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0
and	54.9	59.4	4.6	0.32	0.2				
<b>PGS382 (0, -60)</b>	77.7	79.2	1.5	0.33	0.2	120.4	Dip Slope	Padre	0.5
<b>PGS383 (150, -85)</b>			NSR			121.9	Western	Western Graben	
<b>PGS384 (0, -65)</b>			NSR			144.8	Western	Bull Run	
<b>PGS385 (0, -80)</b>			NSR			123.4	Western	Bull Run	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS386 (200, -65)			NSR			160.0	Dip Slope	Padre	
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
PGS388 (0, -90)			NSR			202.7	Western	Western Graben	
PGS389 (180, -65)			NSR			135.6	Dip Slope	North Padre Pit	
PGS390 (330, -65)			NSR			99.1	Western		
PGS391 (0, -60)			NSR			189.0	Western	Western	
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6
PGS394 (0, -45)			NSR			172.2	Western	Bull Run	
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
PGS396 (90, -50)			NSR			152.4	Dip Slope	Padre Pit	
PGS397 (0, -50)	147.8	202.7	54.9	0.64	0.2	208.8	Western	North Moosehead Pit	35.0
incl	161.5	170.7	9.1	1.40	1				
PGS398 (0, -90)	0.0	10.7	10.7	0.47	0.2	227.1	Dip Slope	Mineralized Mine Spoils	6.2
and	138.7	143.3	4.6	0.26	0.2			Padre Haul Road	
PGS399 (0, -62)			NSR			74.7	Western	Bull Run	
PGS400 (137, -80)	99.1	147.8	48.8	0.74	0.2	160.0	Western	North Moosehead Pit	36.2
incl	111.3	117.3	6.1	1.93	1				
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.2	243.8	Dip Slope	Padre Haul Road	17.3
PGS402 (0, -88)			NSR			103.6	Bull Run		
PGS403 (195, -80)	141.7	163.1	21.3	0.58	0.2	187.5	Main	Warrior	12.3
incl	155.4	160.0	4.6	1.16	1				
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3
incl	117.3	123.4	6.1	3.24	1				
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7
PGS409 (0, -90)			NSR			304.8	Warrior	Water Test Well	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	172.2	182.9	10.7	1.46					
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9
PGS412 (0, -90)	NSR					288.0	Covington	Water Test Well	
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7
incl.	39.6	64.0	24.4	1.70	1				
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3
incl.	106.7	117.3	10.7	2.49	1				
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6
incl	77.7	82.3	4.6	3.09	1				
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9
PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3
incl	125.0	144.8	19.8	1.84	1				
PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2
incl	202.7	207.3	4.6	2.06	1				
PGS423 (0, -90)	NSR					86.9	Dip Slope	Lunch Spot	
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1
PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2
and	123.4	126.5	3.0	0.75	0.2				
PGS426 (287, -70)	NSR					121.9	Dip Slope	North Hassayampa Pit	
PGS427 (145, -55)	NSR					138.7	Western	West Moosehead	
PGS428 (15, -77)	53.3	65.5	12.2	0.37	0.2	129.5	Dip Slope	North Hassayampa Pit	18.0
and	67.1	80.8	13.7	0.58	0.2				
and	86.9	97.5	10.7	0.51	0.2				
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.2	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.2	221.0	Dip Slope		
PGS431 (0, -90)	NSR					196.6	Western	Beavertail	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS432 (0, -90)			NSR			205.7	Dip Slope		
PGS433 (0, -90)	3.0	25.9	22.9	0.72	0.2	129.5	Western	Beavertail	33.4
incl	16.8	21.3	4.6	2.35	1				
and	41.1	48.8	7.6	0.69	0.2				
and	50.3	71.6	21.3	0.55	0.2				
PGS434 (70, -82)			NSR			147.8	Dip Slope	Goldtown Ridge	
PGS435 (90, -65)	178.3	189.0	10.7	0.98	0.2	233.2	Dip Slope		10.4
and	195.1	198.1	3.0	0.69	0.2				
PGS436 (90, -65)	13.7	51.8	38.1	0.76	0.2	117.3	Western	Beavertail	31.1
and	62.5	67.1	4.6	0.50	0.2				
PGS437 (105, -65)			NSR			150.9	Dip Slope	Goldtown Ridge	
PGS438 (0, -90)			NSR			196.6	Western	Beavertail	
PGS439 (320, -75)			NSR			152.4	Dip Slope	Goldtown Ridge	
PGS440 (335, -65)	213.4	234.7	21.3	1.05	0.2	248.4	Dip Slope		22.4
incl	227.1	233.2	6.1	2.23	1				
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.2	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.2				
and	48.8	54.9	6.1	0.37	0.2				
and	62.5	74.7	12.2	0.39	0.2				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.2	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)			NSR			114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.2	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.2	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.2				
and	50.3	53.3	3.0	1.06	0.2				
PGS446 (0, -90)			NSR			243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.2	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.2	152.4	Dip Slope	Goldtown Ridge	4.9
PGS449 (0, -65)			NSR			147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.2	80.8	Dip Slope	Goldtown Ridge	35.1
incl	19.8	29.0	9.1	1.63	1				
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.2	135.6	Western	Beavertail	1.8
PGS452 (0, -90)	91.4	97.5	6.1	0.69	0.2	175.3	Dip Slope		7.1
and	103.6	111.3	7.6	0.38	0.2				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.2	108.2	Western	Beavertail	1.3
PGS454 (0, -65) and	114.3 178.3	123.4 208.8	9.1 30.5	0.47 0.53	0.2 0.2	208.8	Dip Slope	Hole lost in mineralization	20.5
PGS455 (180, -80)	0.0	4.6	4.6	0.25	0.2	152.4	Main		1.2
PGS456 (10, -75)	166.1	202.7	36.6	0.50	0.2	202.7	Dip Slope		18.2
PGS457 (255, -68)	97.5	118.9	21.3	0.50	0.2	146.3	Dip Slope	Padre	10.8
PGS458 (125, -65) and	102.1 138.7	109.7 146.3	7.6 7.6	0.47 0.57	0.2 0.2	160.0	Dip Slope		8.0
PGS459 (40, -60)	99.1	123.4	24.4	0.56	0.2	135.6	Dip Slope	Padre	13.6
PGS460 (67, -69) and	150.9 178.3	166.1 189.0	15.2 10.7	0.38 0.29	0.2	196.6	Dip Slope		8.9
PGS461 (155, -70) incl	263.7 269.7	345.9 277.4	82.3 7.6	0.91 2.39	0.2 1	350.5	Dip Slope	North Hassayampa Pit	74.6
PGS462 (320, -65) and and	141.7 152.4 184.4	149.4 161.5 189.0	7.6 9.1 4.6	0.41 0.25 0.24	0.2	196.6	Dip Slope		6.5
PGS463 (240, -70)	0.0	10.7	10.7	1.65	0.2	117.3	Dip Slope	Goldtown Ridge	17.6
PGS464 (30, -53) and	160.0 184.4	175.3 187.5	15.2 3.0	0.53 0.84	0.2	190.5	Dip Slope		10.7
PGS465 (165, -47)	114.3	117.3	3.0	2.33	0.2	196.6	Western	Covington Dike	7.1
PGS466 (110, -70) and	3.0 16.8	15.2 29.0	12.2 12.2	0.21 0.78	0.2 0.2	91.4	Southwest	Jacks Camp	12.2
PGS467 (180, -80)			NSR		0.2	99.1	Western	Big Red	
PGS468 (25, -75)	65.5	71.6	6.1	0.49	0.2	111.3	Western	Big Red	3.0
PGS469 (0, -75)			NSR		0.2	111.3	Western	Big Red	
PGS470 (170, -70)	109.7	112.8	3.0	0.68	0.2	121.9	Western	Big Red	2.1
PGS471 (315, -75)	16.8	21.3	4.6	0.28	0.2	129.5	Western	Big Red	1.3
PGS472 (320, -60)	32.0	33.5	1.5	0.75	0.2	152.4	Western	Big Red	1.1
PGS473 (0, -90) incl	29.0 29.0	53.3 42.7	24.4 13.7	1.46 2.25	0.2 1	192.0	Western	Fence Line	35.5
PGS474 (115, -80)			NSR		0.2	91.4	Southwest	Jacks Camp	
PGS475 (270, -75)			NSR		0.2	160.0	Southwest	Jacks Camp	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS476 (120, -75)</b>			NSR		0.2	99.1	Southwest	Jedi	