

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS001 (180, -70)</b>	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4	
<b>PGS002 (230, -70)</b>	<b>45.7</b>	<b>51.8</b>	<b>6.1</b>	<b>3.27</b>	0.2	117.3	Basal Jasperoid		<b>30.2</b>	
and	62.5	65.5	3.0	0.86						
and	80.8	88.4	7.6	0.92						
and	114.3	115.8	1.5	0.41						
<b>PGS003 (210, -82)</b>	<b>53.3</b>	<b>93.0</b>	<b>39.6</b>	<b>1.01</b>	0.2	105.2	Basal Jasperoid		<b>40.0</b>	
<b>PGS004 (30, -70)</b>	<b>64.0</b>	<b>105.2</b>	<b>41.1</b>	<b>0.84</b>	0.2	190.5	Basal Jasperoid		<b>34.5</b>	
Including	76.2	105.2	29.0	1.08	0.5					
<b>PGS005 (195, -45)</b>	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0	
<b>PGS006 (195, -60)</b>	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8	
<b>PGS007 (180, -70)</b>	<b>112.8</b>	<b>147.8</b>	<b>35.1</b>	<b>0.85</b>	0.2	221.0	Basal Jasperoid		<b>29.7</b>	
Including	<b>140.2</b>	<b>146.3</b>	<b>6.1</b>	<b>1.78</b>	1					
<b>PGS008 (180, -82)</b>	<b>118.9</b>	<b>141.7</b>	<b>22.9</b>	<b>1.68</b>	0.2	172.2	Basal Jasperoid		<b>38.5</b>	
Including	<b>126.5</b>	<b>138.7</b>	<b>12.2</b>	<b>2.67</b>	1.0					
<b>PGS009 (180, -55)</b>	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5	
and	129.5	143.3	13.7	0.37						
<b>PGS010 (180, -55)</b>	<b>97.5</b>	<b>134.1</b>	<b>36.6</b>	<b>1.06</b>	0.2	175.3	Basal Jasperoid		<b>38.8</b>	
Including	<b>115.8</b>	<b>129.5</b>	<b>13.7</b>	<b>1.89</b>	1					
<b>PGS011 (165, -55)</b>	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5	
and	<b>42.7</b>	<b>57.9</b>	<b>15.2</b>	<b>0.84</b>						
<b>PGS012 (85, -70)</b>	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		<b>52.5</b>	
and	<b>57.9</b>	<b>76.2</b>	<b>18.3</b>	<b>2.72</b>						
incl	<b>64.0</b>	<b>74.7</b>	<b>10.7</b>	<b>4.32</b>						1
and	152.4	158.5	6.1	0.28						0.2
<b>PGS013 (190, -65)</b>	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>49.1</b>	
and	<b>41.1</b>	<b>56.4</b>	<b>15.2</b>	<b>0.35</b>						
and	57.9	61.0	3.0	0.20						
and	64.0	70.1	6.1	0.59						
and	82.3	86.9	4.6	0.34						
and	102.1	106.7	4.6	0.55						
and	<b>125.0</b>	<b>196.6</b>	<b>71.6</b>	<b>0.48</b>						
<b>PGS014 (135, -60)</b>	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		<b>25.4</b>	
and	48.8	59.4	10.7	0.35						
and	<b>64.0</b>	<b>103.6</b>	<b>39.6</b>	<b>0.47</b>						
<b>PGS015 (100, -43)</b>	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8	
<b>PGS016 (170, -65)</b>	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>21.9</b>	
and	158.5	161.5	3.0	0.22						
and	166.1	169.2	3.0	0.22						
and	<b>170.7</b>	<b>198.1</b>	<b>27.4</b>	<b>0.66</b>						
<b>PGS017 (150, -55)</b>	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0	
<b>PGS018 (0, -90)</b>	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7	

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS019 (80, -50)</b>	<b>54.9</b>	<b>89.9</b>	<b>35.1</b>	<b>2.10</b>	<b>0.2</b>	143.3	Basal Claron		<b>73.5</b>
incl.	<b>70.1</b>	<b>83.8</b>	<b>13.7</b>	<b>4.42</b>	<b>1</b>				
<b>PGS020 (20, -45)</b>	<b>143.3</b>	<b>173.7</b>	<b>30.5</b>	<b>1.07</b>	<b>0.2</b>	181.4	Basal Claron		<b>32.6</b>
incl.	<b>166.1</b>	<b>169.2</b>	<b>3.0</b>	<b>2.96</b>	<b>1</b>				
<b>PGS021 (330, -55)</b>	NSR					169.2	Basal Claron		
<b>PGS022 (180, -60)</b>	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	<b>132.6</b>	<b>147.8</b>	<b>15.2</b>	<b>0.35</b>					
and	<b>152.4</b>	<b>163.1</b>	<b>10.7</b>	<b>0.38</b>					
<b>PGS023 (135, -65)</b>	<b>128.0</b>	<b>158.5</b>	<b>30.5</b>	<b>0.63</b>	<b>0.2</b>	163.1	Basal Claron		<b>19.2</b>
incl.	<b>129.5</b>	<b>134.1</b>	<b>4.6</b>	<b>1.93</b>	<b>1</b>				
<b>PGS024 (230, -55)</b>	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
<b>PGS025 (200, -50)</b>	<b>126.5</b>	<b>153.9</b>	<b>27.4</b>	<b>1.56</b>	<b>0.2</b>	172.2	Basal Claron		<b>42.8</b>
incl.	<b>131.1</b>	<b>150.9</b>	<b>19.8</b>	<b>1.98</b>	<b>1</b>				
<b>PGS026 (155, -50)</b>	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		<b>68.9</b>
incl.	108.2	138.7	30.5	1.65	1				
<b>PGS027 (0, -90)</b>	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		<b>56.1</b>
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	<b>106.7</b>	<b>153.9</b>	<b>47.2</b>	<b>1.14</b>					
including	<b>109.7</b>	<b>117.3</b>	<b>7.6</b>	<b>2.06</b>					
including	<b>120.4</b>	<b>129.5</b>	<b>9.1</b>	<b>1.56</b>					
<b>PGS028 (180, -65)</b>	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
<b>PGS029 (185, -65)</b>	NSR					132.6	Basal Claron		0.0
<b>PGS030 (185, -45)</b>	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
<b>PGS031 (0, -85)</b>	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					
<b>PGS032 (135, -65)</b>	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		<b>25.6</b>
and	132.6	137.2	4.6	0.22					
and	<b>160.0</b>	<b>185.9</b>	<b>25.9</b>	<b>0.80</b>					
incl	<b>181.4</b>	<b>185.9</b>	<b>4.6</b>	<b>1.54</b>					
<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					
<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		24.38
including	118.9	121.9	3.0	1.65					
and	152.4	153.9	1.5	0.37					
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6
including	137.2	143.3	6.1	1.95					
and	166.1	198.1	32.0	0.86					
including	172.2	182.9	10.7	1.72					
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5
and	71.0	101.5	30.5	1.85					
incl	71.0	89.3	18.3	2.63					
PGS042 (0, -90)	NSR				0.2	135.6			0
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1
and	116.3	118.0	1.7	0.22					
and	119.3	135.0	15.7	0.47					
PGS045 (180, -48)	NSR					182.9	Basal Claron		0
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6
incl	132.9	136.6	3.7	1.65					
and	173.1	177.7	4.6	0.25					
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0
incl	54.9	77.7	22.9	4.92					
incl	65.5	76.2	10.7	8.27					
PGS049 (315, -68)	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9
and	91.4	152.4	61.0	0.87					
incl	93.0	100.6	7.6	2.83					
and incl	144.8	147.8	3.0	1.72					
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7
and	84.4	86.0	1.5	0.22					
and	92.0	93.6	1.5	0.37					
and	110.3	151.5	41.1	2.64					
incl	119.5	151.5	32.0	3.22					
incl	133.5	139.3	5.8	6.56					
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4
and	102.1	105.2	3.0	0.21					
and	106.7	111.3	4.6	0.22					
and	114.3	149.4	35.1	0.44					
and	161.5	164.6	3.0	0.26					
and	178.3	179.8	1.5	0.43					
and	182.9	184.4	1.5	0.22					
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1
incl	143.3	149.4	6.1	1.91					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS054C (60, -68)</b>	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6
incl	82.6	94.9	12.3	2.00	1				
and incl	101.9	138.1	36.2	2.77	5				
incl	124.7	127.7	3.0	6.04	5				
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7
	157.0	161.5	4.6	0.32					
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8
and	93.0	117.3	24.4	0.76					
incl	108.2	115.8	7.6	1.34					
<b>PGS058 (240, -60)</b>	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4
incl	27.4	47.2	19.8	1.98	1				
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3
and	50.3	53.3	3.0	0.50					
and	64.0	73.2	9.1	0.33					
<b>PGS061 (0, -90)</b>	NSR					106.7	Basal Claron	target interval faulted out?	0
<b>PGS062 (245, -70)</b>	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2
<b>PGS063C (220, -60)</b>	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2
<b>PGS064 (180, -70)</b>	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
and	131.1	157.0	25.9	0.42					
<b>PGS065 (180, -55)</b>	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
<b>PGS066 (110, -50)</b>	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
<b>PGS067C (140, -60)</b>	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1
and	159.7	187.8	28.0	0.52	0.2				
<b>PGS068 (215, -55)</b>	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
and	144.8	152.4	7.6	1.97	0.2				
<b>PGS069 (0, -90)</b>	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
<b>PGS070 (30, -60)</b>	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
<b>PGS071 (0, -90)</b>	NSR					86.9	Basal Claron		
<b>PGS072 (110, -70)</b>	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8
and	123.4	134.1	10.7	0.58	0.2				
<b>PGS073C (215, -60)</b>	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
<b>PGS074 (310, -65)</b>	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6
and	48.8	59.4	10.7	0.40	0.2				
<b>PGS075 (15, -55)</b>	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3
and	53.3	56.4	3.0	0.20	0.2				
<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7
and	99.1	105.2	6.1	29.1	0.2				
incl.	100.6	105.2	4.6	38.8	5			102 ppm met screen sample	
<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron		
<b>PGS079 (90, -65)</b>	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4
and	42.7	47.2	4.6	0.38	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9
and	32.0	33.5	1.5	0.95	0.2				
and	38.1	42.7	4.6	0.30	0.2				
and	<b>54.9</b>	<b>88.4</b>	<b>33.5</b>	<b>0.42</b>	<b>0.2</b>				
<b>PGS081 (200, -45)</b>			NSR			121.9	Basal Claron		
<b>PGS082 (0, -90)</b>			NSR			121.9	Basal Claron		
<b>PGS083 (0, -90)</b>			NSR			141.7	Basal Claron		
<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3
and	141.7	152.4	10.7	0.32	0.2				
<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0
and	102.1	115.8	13.7	0.38	0.2				
<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
<b>PGS089 (320, -68)</b>	<b>86.9</b>	<b>106.7</b>	<b>19.8</b>	<b>0.69</b>	<b>0.2</b>	181.4	Basal Claron		<b>13.7</b>
incl	97.5	102.1	4.6	1.52	1				
<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks		
incl	99.1	100.6	1.5	2.30	1.0				
<b>PGS091 (320, -68)</b>	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
<b>PGS092 (20, -63)</b>	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
<b>PGS093 (313, -75)</b>			NSR			135.6	Basal Claron		
<b>PGS094 (57, -65)</b>			NSR			182.9	Basal Claron		
<b>PGS095 (148, -55)</b>	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
<b>PGS096 (223, -45)</b>	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
<b>PGS097 (25, -53)</b>	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
<b>PGS098 (175, -55)</b>	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
<b>PGS099 (210, -50)</b>	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
<b>PGS100 (235, -45)</b>	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60			Paleozoic Rocks		
<b>PGS101 (210, -55)</b>	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
<b>PGS102 (245, -50)</b>	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
<b>PGS103 (165, -65)</b>	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2		Paleozoic Rocks		
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2		Paleozoic rocks		
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0
incl	57.9	62.5	4.6	1.03	0.5				
PGS132 (45, -65)			NSR			105.2		Peg Leg Graben	
PGS133 (310, -45)			NSR			109.7		Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.2				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)			NSR			86.9	Basal Claron	Dip Slope Zone	
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)			NSR			138.7	Basal Claron	Peg Leg Graben	
PGS141 (270, -70)			NSR			111.3	Basal Claron	Peg Leg Graben	
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9
incl	97.5	103.6	6.1	1.24	0.5				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.2				
and	120.4	126.5	6.1	1.14	0.2				
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale		
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5
Incl	111.3	117.3	6.1	0.96	0.5				
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.2				
and	147.8	158.5	10.7	0.75	0.2				
PGS150 (0, -90)			NSR			117.3	Basal Claron	Dip Slope	
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.2				
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)			NSR			189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.2				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			NSR			201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
incl	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)			NSR			166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			NSR			182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178 (50, -45)	24.4	25.9	1.5	0.39		141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83	0.2				
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
incl	96.0	108.2	12.2	3.54	1				
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)			NSR			172.2	Basal Claron	Peg Leg	
PGS182 (230, -75)	12.2	15.2	3.0	0.54		129.5	Covington Dike	Covington	13.9
and	100.6	111.3	10.7	1.15	0.2				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
and	121.9	155.4	33.5	0.76	0.2				
incl	125.0	131.1	6.1	1.47	1				
PGS184 (280, -60)	NSR					117.3		Covington hole lost above target	
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.2				
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
incl	50.3	62.5	12.2	1.77	1				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7
incl.	137.2	141.7	4.6	1.45	1				
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)	NSR					170.7		Covington - did not intercept target	
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				

### Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)	NSR					172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)	NSR					129.5	Warrior to Aggie		
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)	NSR					172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)	NSR					129.5	Dip Slope		
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				
PGS202 (100, -45)	NSR					160.0	Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)			NSR			202.7	Western Grabens	Anomalous	
PGS209 (0, -45)			NSR			93.0	Western Grabens	Hole Lost Above Target	
PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
incl	115.8	120.4	4.6	0.89	0.5				
PGS211 (320, -45)			NSR			166.1	Western Grabens		
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
incl	143.3	152.4	9.1	1.02	0.5				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)			NSR			187.5	Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					
PGS217 (233, -70)			NSR				Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)			NSR			117.3	Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1
incl	152.4	167.6	15.2	1.16	0.5				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.2				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.2	190.5	Peg Leg	Claron Host Rocks	27.8
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks	
and	134.1	135.6	1.5	0.41	0.2				
PGS225 (340, -65)			NSR			205.7	Dip Slope	Anomalous	
PGS226 (285, -45)			NSR			166.1	Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		42.0
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																																																																																								
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0																																																																																																																																																																																																																																																																																																																																																																																								
and	32.0	38.1	6.1	1.31	0.2					PGS232 (205, -77)	NSR					86.9	Dip Slope			PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1	PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4	PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2	and	117.3	167.6	50.3	0.85	0.2	incl	129.5	144.8	15.2	1.81	0.5	and	175.3	176.8	1.5	0.66	0.2	PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4	PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7	Incl	76.2	83.8	7.6	2.33	0.5	PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4	PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9	and	10.7	12.2	1.5	0.71	0.2	PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9	and	164.6	181.4	16.8	0.33	0.2	and	182.9	193.5	10.7	0.42	0.2	PGS241 (95, -62)	NSR					147.8	Warrior			PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2	incl	109.7	118.9	9.1	3.48	1	and	143.3	153.9	10.7	0.34	0.2	PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1	incl	128.0	135.6	7.6	1.61	1	PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6	incl	111.3	120.4	9.1	0.84	0.5	PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2	and	94.5	117.3	22.9	1.80	0.2	Paleozoic Strata	incl	105.2	117.3	12.2	2.98	1	PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8	and	77.7	89.9	12.2	0.32	PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9	PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8	incl.	82.3	89.9	7.6	1.20	1	PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)	NSR					109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.64	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.07	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2
PGS232 (205, -77)	NSR					86.9	Dip Slope																																																																																																																																																																																																																																																																																																																																																																																										
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1																																																																																																																																																																																																																																																																																																																																																																																								
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4																																																																																																																																																																																																																																																																																																																																																																																								
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2																																																																																																																																																																																																																																																																																																																																																																																								
and	117.3	167.6	50.3	0.85	0.2																																																																																																																																																																																																																																																																																																																																																																																												
incl	129.5	144.8	15.2	1.81	0.5																																																																																																																																																																																																																																																																																																																																																																																												
and	175.3	176.8	1.5	0.66	0.2																																																																																																																																																																																																																																																																																																																																																																																												
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4																																																																																																																																																																																																																																																																																																																																																																																								
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7																																																																																																																																																																																																																																																																																																																																																																																								
Incl	76.2	83.8	7.6	2.33	0.5																																																																																																																																																																																																																																																																																																																																																																																												
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4																																																																																																																																																																																																																																																																																																																																																																																								
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9																																																																																																																																																																																																																																																																																																																																																																																								
and	10.7	12.2	1.5	0.71	0.2																																																																																																																																																																																																																																																																																																																																																																																												
PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9																																																																																																																																																																																																																																																																																																																																																																																								
and	164.6	181.4	16.8	0.33	0.2																																																																																																																																																																																																																																																																																																																																																																																												
and	182.9	193.5	10.7	0.42	0.2																																																																																																																																																																																																																																																																																																																																																																																												
PGS241 (95, -62)	NSR					147.8	Warrior																																																																																																																																																																																																																																																																																																																																																																																										
PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2																																																																																																																																																																																																																																																																																																																																																																																								
incl	109.7	118.9	9.1	3.48	1																																																																																																																																																																																																																																																																																																																																																																																												
and	143.3	153.9	10.7	0.34	0.2																																																																																																																																																																																																																																																																																																																																																																																												
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1																																																																																																																																																																																																																																																																																																																																																																																								
incl	128.0	135.6	7.6	1.61	1																																																																																																																																																																																																																																																																																																																																																																																												
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6																																																																																																																																																																																																																																																																																																																																																																																								
incl	111.3	120.4	9.1	0.84	0.5																																																																																																																																																																																																																																																																																																																																																																																												
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2																																																																																																																																																																																																																																																																																																																																																																																								
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata																																																																																																																																																																																																																																																																																																																																																																																									
incl	105.2	117.3	12.2	2.98	1																																																																																																																																																																																																																																																																																																																																																																																												
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8																																																																																																																																																																																																																																																																																																																																																																																								
and	77.7	89.9	12.2	0.32																																																																																																																																																																																																																																																																																																																																																																																													
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9																																																																																																																																																																																																																																																																																																																																																																																								
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8																																																																																																																																																																																																																																																																																																																																																																																								
incl.	82.3	89.9	7.6	1.20	1																																																																																																																																																																																																																																																																																																																																																																																												
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7																																																																																																																																																																																																																																																																																																																																																																																								
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3																																																																																																																																																																																																																																																																																																																																																																																								
incl.	47.2	53.3	6.1	5.59	1																																																																																																																																																																																																																																																																																																																																																																																												
PGS251 (210, -55)	NSR					109.7	Dip Slope	Bull Valley Wash area																																																																																																																																																																																																																																																																																																																																																																																									
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7																																																																																																																																																																																																																																																																																																																																																																																								
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2																																																																																																																																																																																																																																																																																																																																																																																								
and	108.2	118.9	10.7	0.74																																																																																																																																																																																																																																																																																																																																																																																													
and	157.0	161.5	4.6	0.37																																																																																																																																																																																																																																																																																																																																																																																													
and	169.2	172.2	3.0	0.23																																																																																																																																																																																																																																																																																																																																																																																													
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.64	Dip Slope	Bull Valley Wash area	6.2																																																																																																																																																																																																																																																																																																																																																																																								
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.07	Mineral Mtn	Claron Formation and intrusive rock	30.0																																																																																																																																																																																																																																																																																																																																																																																								
incl	0.0	4.6	4.6	3.48	1																																																																																																																																																																																																																																																																																																																																																																																												
and	54.9	56.4	1.5	0.63	0.2																																																																																																																																																																																																																																																																																																																																																																																												
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1																																																																																																																																																																																																																																																																																																																																																																																								
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata																																																																																																																																																																																																																																																																																																																																																																																									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
PGS259 (50, -65)	Pending					202.7	Moosehead		
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
PGS261 (320, -70)	Pending					233.2	Moosehead		
PGS262 (105, -60)	NSR					120.4	Mineral Mtn		
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
incl.	35.1	41.1	6.1	1.46	1				
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
incl.	65.5	70.1	4.6	1.97	1.0				
PGS266 (255, -65)	Pending					196.6	Moosehead		
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.2				
PGS269 (180, -75)	Pending					166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	Pending					243.8	Caribou		
PGS272 (5, -67)	NSR					121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)	NSR					219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)	Pending					196.6	Caribou		
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	pending					243.8	Caribou		
PGS280 (245, -50)	pending					182.9	Aggie		
PGS281 (165, -65)	pending					294.1	Caribou		
PGS282 (0, -90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220, -65)	pending					152.4	Aggie		
PGS284 (330, -75)	pending					19.8	Caribou		
PGS285 (180, -65)	pending					135.6	Aggie		
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					