

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7
Including	140.2	146.3	6.1	1.78	1				
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5
Including	126.5	138.7	12.2	2.67	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8
Including	115.8	129.5	13.7	1.89	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS016 (170, -65)</b>	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>21.9</b>
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	<b>170.7</b>	<b>198.1</b>	<b>27.4</b>	<b>0.66</b>					
<b>PGS017 (150, -55)</b>	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
<b>PGS018 (0, -90)</b>	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS019 (80, -50)</b>	<b>54.9</b>	<b>89.9</b>	<b>35.1</b>	<b>2.10</b>	0.2	143.3	Basal Claron		<b>73.5</b>
incl.	<b>70.1</b>	<b>83.8</b>	<b>13.7</b>	<b>4.42</b>	1				
<b>PGS020 (20, -45)</b>	<b>143.3</b>	<b>173.7</b>	<b>30.5</b>	<b>1.07</b>	0.2	181.4	Basal Claron		<b>32.6</b>
incl.	<b>166.1</b>	<b>169.2</b>	<b>3.0</b>	<b>2.96</b>	1				
<b>PGS021 (330, -55)</b>	NSR					169.2	Basal Claron		
<b>PGS022 (180, -60)</b>	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	<b>132.6</b>	<b>147.8</b>	<b>15.2</b>	<b>0.35</b>					
and	<b>152.4</b>	<b>163.1</b>	<b>10.7</b>	<b>0.38</b>					
<b>PGS023 (135, -65)</b>	<b>128.0</b>	<b>158.5</b>	<b>30.5</b>	<b>0.63</b>	0.2	163.1	Basal Claron		<b>19.2</b>
incl.	<b>129.5</b>	<b>134.1</b>	<b>4.6</b>	<b>1.93</b>	1				
<b>PGS024 (230, -55)</b>	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
<b>PGS025 (200, -50)</b>	<b>126.5</b>	<b>153.9</b>	<b>27.4</b>	<b>1.56</b>	0.2	172.2	Basal Claron		<b>42.8</b>
incl.	<b>131.1</b>	<b>150.9</b>	<b>19.8</b>	<b>1.98</b>	1				
<b>PGS026 (155, -50)</b>	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		<b>68.9</b>
incl.	108.2	138.7	30.5	1.65	1				
<b>PGS027 (0, -90)</b>	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		<b>56.1</b>
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	<b>106.7</b>	<b>153.9</b>	<b>47.2</b>	<b>1.14</b>					
including	<b>109.7</b>	<b>117.3</b>	<b>7.6</b>	<b>2.06</b>					
including	<b>120.4</b>	<b>129.5</b>	<b>9.1</b>	<b>1.56</b>					
<b>PGS028 (180, -65)</b>	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
<b>PGS029 (185, -65)</b>	NSR					132.6	Basal Claron		0.0
<b>PGS030 (185, -45)</b>	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
<b>PGS031 (0, -85)</b>	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS032 (135, -65)</b>	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		<b>25.6</b>
and	132.6	137.2	4.6	0.22					
and	<b>160.0</b>	<b>185.9</b>	<b>25.9</b>	<b>0.80</b>					
incl	<b>181.4</b>	<b>185.9</b>	<b>4.6</b>	<b>1.54</b>					
<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					
<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
<b>PGS038 (135, -60)</b>	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
<b>PGS039 (225, -65)</b>	<b>105.2</b>	<b>144.8</b>	<b>39.6</b>	<b>0.60</b>	0.2	182.9	Basal Claron		<b>24.38</b>
including	<b>118.9</b>	<b>121.9</b>	<b>3.0</b>	<b>1.65</b>					
and	152.4	153.9	1.5	0.37					
<b>PGS040 (155, -50)</b>	<b>128.0</b>	<b>146.3</b>	<b>18.3</b>	<b>1.15</b>	0.2	198.1	Basal Claron		<b>48.6</b>
including	<b>137.2</b>	<b>143.3</b>	<b>6.1</b>	<b>1.95</b>					
and	<b>166.1</b>	<b>198.1</b>	<b>32.0</b>	<b>0.86</b>					
including	<b>172.2</b>	<b>182.9</b>	<b>10.7</b>	<b>1.72</b>					
<b>PGS041C (52, -60)</b>	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		<b>56.5</b>
and	<b>71.0</b>	<b>101.5</b>	<b>30.5</b>	<b>1.85</b>					
incl	<b>71.0</b>	<b>89.3</b>	<b>18.3</b>	<b>2.63</b>					
<b>PGS042 (0, -90)</b>	NSR				0.2	135.6			0
<b>PGS043 (220, -55)</b>	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					
<b>PGS044C (275, -63)</b>	<b>66.4</b>	<b>113.7</b>	<b>47.2</b>	<b>1.06</b>	0.2	136.6	Basal Claron		<b>58.1</b>
and	116.3	118.0	1.7	0.22					
and	119.3	135.0	15.7	0.47					
<b>PGS045 ( 180, -48 )</b>	NSR					182.9	Basal Claron		0
<b>PGS046C (180, -55)</b>	<b>103.3</b>	<b>148.7</b>	<b>45.4</b>	<b>0.87</b>	0.2	186.8	Basal Claron		<b>40.6</b>
incl	132.9	136.6	3.7	1.65					
and	173.1	177.7	4.6	0.25					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS047 (0, -61)</b>	<b>103.6</b>	<b>140.2</b>	<b>36.6</b>	<b>0.76</b>	<b>0.2</b>	146.3	<b>Basal Claron</b>		<b>27.9</b>	
<b>PGS048 (110, -49)</b>	<b>51.8</b>	<b>89.9</b>	<b>38.1</b>	<b>3.28</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>		<b>125.0</b>	
<i>incl</i>	<b>54.9</b>	<b>77.7</b>	<b>22.9</b>	<b>4.92</b>	<b>1</b>					
<i>incl</i>	<b>65.5</b>	<b>76.2</b>	<b>10.7</b>	<b>8.27</b>	<b>5</b>					
<b>PGS049 (315, -68 )</b>	79.2	89.9	10.7	0.27	0.2	167.6	<b>Basal Claron</b>		<b>55.9</b>	
<i>and</i>	<b>91.4</b>	<b>152.4</b>	<b>61.0</b>	<b>0.87</b>						
<i>incl</i>	<b>93.0</b>	<b>100.6</b>	<b>7.6</b>	<b>2.83</b>						<b>1</b>
<i>and incl</i>	144.8	147.8	3.0	1.72						1
<b>PGS050 (45, -47)</b>	<b>83.8</b>	<b>117.3</b>	<b>33.5</b>	<b>0.68</b>	<b>0.2</b>	129.5	<b>Basal Claron</b>		<b>22.9</b>	
<b>PGS051C (275, -82)</b>	78.3	81.4	3.0	0.34	0.2	166.4	<b>Basal Claron</b>		<b>110.7</b>	
<i>and</i>	84.4	86.0	1.5	0.22						
<i>and</i>	92.0	93.6	1.5	0.37						
<i>and</i>	<b>110.3</b>	<b>151.5</b>	<b>41.1</b>	<b>2.64</b>						<b>0.2</b>
<i>incl</i>	<b>119.5</b>	<b>151.5</b>	<b>32.0</b>	<b>3.22</b>						<b>1</b>
<i>incl</i>	<b>133.5</b>	<b>139.3</b>	<b>5.8</b>	<b>6.56</b>						<b>5</b>
<b>PGS052 (210, -50)</b>	97.5	99.1	1.5	0.40	0.2	198.1	<b>Basal Claron</b>		<b>19.4</b>	
<i>and</i>	102.1	105.2	3.0	0.21						
<i>and</i>	106.7	111.3	4.6	0.22						
<i>and</i>	<b>114.3</b>	<b>149.4</b>	<b>35.1</b>	<b>0.44</b>						
<i>and</i>	161.5	164.6	3.0	0.26						
<i>and</i>	178.3	179.8	1.5	0.43						
<i>and</i>	182.9	184.4	1.5	0.22						
<b>PGS053 (200, -54)</b>	<b>89.9</b>	<b>157.0</b>	<b>67.1</b>	<b>0.76</b>	<b>0.2</b>	198.1	<b>Basal Claron</b>		<b>51.1</b>	
<i>incl</i>	<b>143.3</b>	<b>149.4</b>	<b>6.1</b>	<b>1.91</b>	<b>1</b>					
<b>PGS054C (60, -68)</b>	<b>81.7</b>	<b>140.5</b>	<b>58.8</b>	<b>2.24</b>	<b>0.2</b>	154.6	<b>Basal Claron</b>		<b>131.6</b>	
<i>incl</i>	<b>82.6</b>	<b>94.9</b>	<b>12.3</b>	<b>2.00</b>	1					
<i>and incl</i>	<b>101.9</b>	<b>138.1</b>	<b>36.2</b>	<b>2.77</b>						
<i>incl</i>	<b>124.7</b>	<b>127.7</b>	<b>3.0</b>	<b>6.04</b>						<b>5</b>
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	<b>Basal Claron</b>		<b>1.7</b>	
	157.0	161.5	4.6	0.32						
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	<b>Basal Claron</b>		<b>11.4</b>	
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	0.2	132.6	<b>Basal Claron</b>		<b>20.8</b>	
<i>and</i>	<b>93.0</b>	<b>117.3</b>	<b>24.4</b>	<b>0.76</b>						
<i>incl</i>	108.2	115.8	7.6	1.34						1
<b>PGS058 (240, -60)</b>	<b>21.3</b>	<b>97.5</b>	<b>76.2</b>	<b>0.96</b>	<b>0.2</b>	141.7	<b>Basal Claron</b>		<b>73.4</b>	
<i>incl</i>	<b>27.4</b>	<b>47.2</b>	<b>19.8</b>	<b>1.98</b>	<b>1</b>					
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	<b>Basal Claron</b>	Core loss - Poor recovery	<b>13.6</b>	
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	<b>Basal Claron</b>		<b>9.3</b>	
<i>and</i>	50.3	53.3	3.0	0.50						
<i>and</i>	64.0	73.2	9.1	0.33						
<b>PGS061 (0, -90)</b>			NSR			106.7	<b>Basal Claron</b>	target interval faulted out?	<b>0</b>	
<b>PGS062 (245, -70)</b>	99.1	109.7	10.7	0.30	0.2	152.4	<b>Basal Claron</b>		<b>3.2</b>	
<b>PGS063C (220, -60)</b>	104.2	115.8	11.6	0.36	0.2	134.7	<b>Basal Claron</b>		<b>4.2</b>	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																		
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4																																																																																																																																																																																																																																																																																																		
and	131.1	157.0	25.9	0.42						PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1	PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1	PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1	and	159.7	187.8	28.0	0.52	0.2	PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7	and	144.8	152.4	7.6	1.97	0.2	PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)			NSR			86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1																																																																																																																																																																																																																																																																																																		
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1																																																																																																																																																																																																																																																																																																		
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1																																																																																																																																																																																																																																																																																																		
and	159.7	187.8	28.0	0.52	0.2					PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7	and	144.8	152.4	7.6	1.97	0.2	PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)			NSR			86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																															
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7																																																																																																																																																																																																																																																																																																		
and	144.8	152.4	7.6	1.97	0.2					PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)			NSR			86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8			5			102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7					4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																								
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8																																																																																																																																																																																																																																																																																																		
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7																																																																																																																																																																																																																																																																																																		
PGS071 (0, -90)			NSR			86.9	Basal Claron																																																																																																																																																																																																																																																																																																				
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8																																																																																																																																																																																																																																																																																																		
and	123.4	134.1	10.7	0.58	0.2					PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																													
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5																																																																																																																																																																																																																																																																																																		
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6																																																																																																																																																																																																																																																																																																		
and	48.8	59.4	10.7	0.40	0.2					PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR							121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																																																			
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3																																																																																																																																																																																																																																																																																																		
and	53.3	56.4	3.0	0.20	0.2					PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8			5			102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7					4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																																																																
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7																																																																																																																																																																																																																																																																																																		
and	99.1	105.2	6.1	29.1	0.2																																																																																																																																																																																																																																																																																																						
incl.	100.6	105.2	4.6	38.8	5					102 ppm met screen sample																																																																																																																																																																																																																																																																																																	
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6																																																																																																																																																																																																																																																																																																		
PGS078 (60, -65)			NSR			105.2	Basal Claron																																																																																																																																																																																																																																																																																																				
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4																																																																																																																																																																																																																																																																																																		
and	42.7	47.2	4.6	0.38	0.2					PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																																																																																																																																				
PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9																																																																																																																																																																																																																																																																																																		
and	32.0	33.5	1.5	0.95	0.2																																																																																																																																																																																																																																																																																																						
and	38.1	42.7	4.6	0.30	0.2																																																																																																																																																																																																																																																																																																						
and	54.9	88.4	33.5	0.42	0.2																																																																																																																																																																																																																																																																																																						
PGS081 (200, -45)			NSR			121.9	Basal Claron																																																																																																																																																																																																																																																																																																				
PGS082 (0, -90)			NSR			121.9	Basal Claron																																																																																																																																																																																																																																																																																																				
PGS083 (0, -90)			NSR			141.7	Basal Claron																																																																																																																																																																																																																																																																																																				
PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3																																																																																																																																																																																																																																																																																																		
and	141.7	152.4	10.7	0.32	0.2																																																																																																																																																																																																																																																																																																						
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9																																																																																																																																																																																																																																																																																																		
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																																																																																																																																																																																																																																		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																															
PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0																																																																																																																																																																																																																																																																																															
and	102.1	115.8	13.7	0.38	0.2					PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	PGS089 (320, -68)	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	incl	97.5	102.1	4.6	1.52	1	PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	and	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks		incl	99.1	100.6	1.5	2.30	1.0	PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8	PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1	and	80.8	91.4	10.7	0.43	0.2	Basal Claron	and	94.5	97.5	3.0	1.10	0.2	Paleozoic Rocks	PGS093 (313, -75)			NSR			135.6	Basal Claron			PGS094 (57, -65)			NSR			182.9	Basal Claron			PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1	and	132.6	146.3	13.7	0.44	0.2	PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4	incl	146.3	153.9	7.6	1.32	1	PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2	incl	99.1	105.2	6.1	3.06	1	PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6	and	82.3	111.3	29.0	0.68	0.2	incl	105.2	109.7	4.6	1.61	1	and	118.9	121.9	3.0	0.40	0.2	PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4	and	120.4	123.4	3.0	0.45	PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5	and	106.7	108.2	1.5	1.16	and	111.3	112.8	1.5	0.50	and	131.1	137.2	6.1	0.60	Paleozoic Rocks	PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0	PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6	and	91.4	109.7	18.3	0.49	PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2	PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8	and	39.6	106.7	67.1	0.86	0.2	incl	57.9	73.2	15.2	2.35	1	Paleozoic Rocks	and	118.9	129.5	10.7	0.74	0.2	and	135.6
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4																																																																																																																																																																																																																																																																																															
PGS089 (320, -68)	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7																																																																																																																																																																																																																																																																																															
incl	97.5	102.1	4.6	1.52	1					PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	and	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks		incl	99.1	100.6	1.5	2.30	1.0	PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8	PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1	and	80.8	91.4	10.7	0.43	0.2	Basal Claron	and	94.5	97.5	3.0	1.10	0.2	Paleozoic Rocks	PGS093 (313, -75)			NSR			135.6	Basal Claron			PGS094 (57, -65)			NSR			182.9	Basal Claron			PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1	and	132.6	146.3	13.7	0.44	0.2	PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4	incl	146.3	153.9	7.6	1.32	1	PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2	incl	99.1	105.2	6.1	3.06	1	PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6	and	82.3	111.3	29.0	0.68	0.2	incl	105.2	109.7	4.6	1.61	1	and	118.9	121.9	3.0	0.40	0.2	PGS099 (210, -50)	76.2	88.4	12.2					0.90	0.2	152.4	Basal Claron		12.4	and	120.4	123.4	3.0	0.45	PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5	and	106.7	108.2	1.5	1.16	and	111.3	112.8	1.5	0.50	and	131.1	137.2	6.1	0.60	Paleozoic Rocks	PGS101 (210, -55)			80.8			108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0	PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6	and	91.4	109.7	18.3	0.49	PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2	PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8	and	39.6	106.7	67.1	0.86	0.2	incl	57.9	73.2	15.2	2.35	1	Paleozoic Rocks	and		118.9			129.5	10.7	0.74	0.2	and	135.6	144.8	9.1	0.29	0.2											
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2																																																																																																																																																																																																																																																																																															
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks																																																																																																																																																																																																																																																																																																	
incl	99.1	100.6	1.5	2.30	1.0																																																																																																																																																																																																																																																																																																			
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8																																																																																																																																																																																																																																																																																															
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1																																																																																																																																																																																																																																																																																															
and	80.8	91.4	10.7	0.43	0.2		Basal Claron																																																																																																																																																																																																																																																																																																	
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks																																																																																																																																																																																																																																																																																																	
PGS093 (313, -75)			NSR			135.6	Basal Claron																																																																																																																																																																																																																																																																																																	
PGS094 (57, -65)			NSR			182.9	Basal Claron																																																																																																																																																																																																																																																																																																	
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1																																																																																																																																																																																																																																																																																															
and	132.6	146.3	13.7	0.44	0.2					PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4	incl	146.3	153.9	7.6	1.32	1	PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2	incl	99.1	105.2	6.1	3.06	1	PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6	and	82.3	111.3	29.0	0.68	0.2	incl	105.2	109.7	4.6	1.61	1	and	118.9	121.9	3.0	0.40	0.2	PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4	and	120.4	123.4	3.0	0.45	PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5	and	106.7	108.2	1.5	1.16	and	111.3	112.8	1.5	0.50	and	131.1	137.2	6.1	0.60	Paleozoic Rocks	PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0	PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6	and	91.4	109.7	18.3	0.49	PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2	PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8	and	39.6	106.7	67.1	0.86	0.2	incl	57.9	73.2	15.2	2.35	1	Paleozoic Rocks	and	118.9	129.5	10.7	0.74	0.2	and	135.6	144.8	9.1	0.29	0.2																																																																																																																				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4																																																																																																																																																																																																																																																																																															
incl	146.3	153.9	7.6	1.32	1					PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2	incl	99.1	105.2	6.1	3.06	1	PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6	and	82.3	111.3	29.0	0.68	0.2	incl	105.2	109.7	4.6	1.61	1					and	118.9	121.9	3.0	0.40	0.2	PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4	and	120.4	123.4	3.0	0.45	PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5	and	106.7	108.2	1.5	1.16	and	111.3			112.8			1.5	0.50	and	131.1	137.2	6.1	0.60	Paleozoic Rocks	PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0	PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6	and	91.4	109.7	18.3	0.49	PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2	PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8	and	39.6	106.7	67.1		0.86			0.2	incl	57.9	73.2	15.2	2.35	1	Paleozoic Rocks	and	118.9	129.5	10.7		0.74	0.2	and	135.6	144.8	9.1	0.29	0.2																																																																																																																								
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2																																																																																																																																																																																																																																																																																															
incl	99.1	105.2	6.1	3.06	1					PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6	and	82.3	111.3	29.0	0.68	0.2	incl	105.2	109.7	4.6	1.61	1					and	118.9	121.9	3.0	0.40	0.2	PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4	and	120.4	123.4	3.0	0.45	PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5	and	106.7	108.2	1.5	1.16	and	111.3	112.8	1.5	0.50	and			131.1			137.2	6.1	0.60	Paleozoic Rocks	PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0	PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6	and	91.4	109.7	18.3	0.49	PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2	PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8	and	39.6	106.7	67.1	0.86	0.2	incl	57.9	73.2	15.2	2.35	1		Paleozoic Rocks			and	118.9	129.5	10.7		0.74			0.2	and	135.6	144.8	9.1	0.29	0.2																																																																																																																																						
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6																																																																																																																																																																																																																																																																																															
and	82.3	111.3	29.0	0.68	0.2																																																																																																																																																																																																																																																																																																			
incl	105.2	109.7	4.6	1.61	1																																																																																																																																																																																																																																																																																																			
and	118.9	121.9	3.0	0.40	0.2																																																																																																																																																																																																																																																																																																			
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4																																																																																																																																																																																																																																																																																															
and	120.4	123.4	3.0	0.45																																																																																																																																																																																																																																																																																																				
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5																																																																																																																																																																																																																																																																																															
and	106.7	108.2	1.5	1.16																																																																																																																																																																																																																																																																																																				
and	111.3	112.8	1.5	0.50																																																																																																																																																																																																																																																																																																				
and	131.1	137.2	6.1	0.60			Paleozoic Rocks																																																																																																																																																																																																																																																																																																	
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0																																																																																																																																																																																																																																																																																															
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6																																																																																																																																																																																																																																																																																															
and	91.4	109.7	18.3	0.49																																																																																																																																																																																																																																																																																																				
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2																																																																																																																																																																																																																																																																																															
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8																																																																																																																																																																																																																																																																																															
and	39.6	106.7	67.1	0.86	0.2																																																																																																																																																																																																																																																																																																			
incl	57.9	73.2	15.2	2.35	1		Paleozoic Rocks																																																																																																																																																																																																																																																																																																	
and	118.9	129.5	10.7	0.74	0.2																																																																																																																																																																																																																																																																																																			
and	135.6	144.8	9.1	0.29	0.2																																																																																																																																																																																																																																																																																																			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
							Paleozoic rocks		
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS128 (235, -70)</b>	NSR					135.6		Peg Leg Graben	
<b>PGS129 (90, -65)</b>	<b>4.6</b>	<b>27.4</b>	<b>22.9</b>	<b>0.80</b>	0.2	121.9	<b>Basal Claron &amp; Basin Fault Zone</b>		<b>40.8</b>
and	33.5	35.1	1.5	0.90	0.2				
and	<b>42.7</b>	<b>70.1</b>	<b>27.4</b>	<b>0.84</b>	0.2				
and	76.2	82.3	6.1	0.54	0.2				
<b>PGS130 (340, -70)</b>	<b>88.4</b>	<b>120.4</b>	<b>32.0</b>	<b>0.43</b>	0.2	137.2	<b>Basal Claron</b>	Peg Leg Graben	<b>13.9</b>
<b>PGS131 (230, -80)</b>	<b>57.9</b>	<b>80.8</b>	<b>22.9</b>	<b>0.53</b>	0.2	106.7	<b>Basal Claron</b>	Goldstrike Graben	<b>12.0</b>
incl	57.9	62.5	4.6	1.03	0.5				
<b>PGS132 (45, -65)</b>	NSR					105.2		Peg Leg Graben	
<b>PGS133 (310, -45)</b>	NSR					109.7		Dip Slope Zone	
<b>PGS134 (50, -50)</b>	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.2				
<b>PGS135 (0, -90)</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.82</b>	<b>0.2</b>	<b>121.9</b>	<b>Basal Claron</b>	Peg Leg Graben	<b>17.5</b>
<b>PGS136 (315, -55)</b>	NSR					86.9	Basal Claron	Dip Slope Zone	
<b>PGS137 (210, -65)</b>	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
<b>PGS138 (135, -75)</b>	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
<b>PGS139 (270, -65)</b>	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
<b>PGS140 (210, -65)</b>	NSR					138.7	Basal Claron	Peg Leg Graben	
<b>PGS141 (270, -70)</b>	NSR					111.3	Basal Claron	Peg Leg Graben	
<b>PGS142 (245, -75)</b>	<b>76.2</b>	<b>117.3</b>	<b>41.1</b>	<b>0.51</b>	0.2	152.4	<b>Basal Claron</b>	Dip Slope Zone	<b>20.9</b>
incl	97.5	103.6	6.1	1.24	0.5				
<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>
and	83.8	97.5	13.7	0.27	0.2				
and	<b>120.4</b>	<b>126.5</b>	<b>6.1</b>	<b>1.14</b>	<b>0.2</b>				
<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>
and	<b>47.2</b>	<b>50.3</b>	<b>3.0</b>	<b>2.57</b>	0.2		Chainman Shale		
<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	0.2	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>
Incl	111.3	117.3	6.1	0.96	0.5				
<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>
and	<b>108.2</b>	<b>134.1</b>	<b>25.9</b>	<b>0.54</b>	0.2				
and	<b>147.8</b>	<b>158.5</b>	<b>10.7</b>	<b>0.75</b>	0.2				
<b>PGS150 (0, -90)</b>	NSR					117.3	Basal Claron	Dip Slope	



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS151 (220, -55)</b>	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
<b>PGS152 (310, -60)</b>	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
<b>and</b>	126.5	134.1	7.6	0.66	0.2				
<b>PGS153 (50, -60)</b>	<b>108.2</b>	<b>129.5</b>	<b>21.3</b>	<b>0.58</b>	<b>0.2</b>	166.1	<b>Basal Claron</b>	Dip Slope	<b>12.3</b>
<b>PGS154 (110, -45)</b>	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
<b>PGS155 (45, -60)</b>	NSR					189.0	Basal Claron	West Goldstrike Graben	
<b>PGS156 (45, -65)</b>	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
<b>PGS157 (315, -60)</b>	NSR					227.1	Basal Claron	West Goldstrike Graben	
<b>PGS158 (210, -75)</b>	NSR					77.7	Basal Claron	Dip Slope	
<b>PGS159 (140, -45)</b>	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
<b>PGS160 (270, -60)</b>	NSR					221.0	Basal Claron	West Goldstrike Graben	
<b>PGS161 (230, -75)</b>	27.4	30.5	3.0	2.81	0.2	61.0	<b>Basal Claron</b>	Dip Slope	<b>8.6</b>
<b>PGS162 (165, -55)</b>	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
<b>PGS163 (90, -75)</b>	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
<b>PGS164 (0, -90)</b>	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
<b>PGS165 (170, -70)</b>	21.3	22.9	1.5	0.42	0.2	135.6	<b>Basal Claron</b>	Goldstrike Graben	<b>7.4</b>
<b>and</b>	<b>71.6</b>	<b>82.3</b>	<b>10.7</b>	<b>0.63</b>	<b>0.2</b>				
<b>PGS166 (310, -70)</b>	<b>118.9</b>	<b>144.8</b>	<b>25.9</b>	<b>0.59</b>	0.2	196.6	<b>Basal Claron</b>	Warrior	<b>17.3</b>
<b>and</b>	150.9	158.5	7.6	0.26	0.2				
<b>PGS167 (0, -90)</b>	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
<b>and</b>	158.5	170.7	12.2	0.39	0.2				
<b>PGS168 (120, -55)</b>	<b>82.3</b>	<b>106.7</b>	<b>24.4</b>	<b>0.48</b>	<b>0.2</b>	141.7	<b>Basal Claron</b>	Goldstrike Graben	<b>11.7</b>
<b>PGS169 (180, -50)</b>	NSR					201.2		Covington - did not intercept target	
<b>PGS170 (253, -55)</b>	<b>112.8</b>	<b>144.8</b>	<b>32.0</b>	<b>0.72</b>	<b>0.2</b>	172.2	<b>Basal Claron/Pz Limestone</b>	Aggie	<b>23.0</b>
<b>incl</b>	<b>128.0</b>	<b>132.6</b>	<b>4.6</b>	<b>2.07</b>	<b>1</b>				
<b>PGS171 (0, -90)</b>	NSR					166.1	Basal Claron	Covington - did not intercept target	
<b>PGS172 (220, -65)</b>	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
<b>PGS173 (015, -85)</b>	NSR					175.3	Basal Claron	West Goldstrike Graben	
<b>PGS174 (180, -50)</b>	NSR					182.9	Basal Claron	Covington - did not intercept target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS175 (027, -64)</b>	67.1	68.6	1.5	0.30	0.2	164.6	<b>Basal Claron</b>	West Goldstrike Graben	<b>25.3</b>
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	<b>125.0</b>	<b>152.4</b>	<b>27.4</b>	<b>0.84</b>	<b>0.2</b>				
incl	<b>134.1</b>	<b>144.8</b>	<b>10.7</b>	<b>1.55</b>	<b>1</b>				
<b>PGS176 (270, -55)</b>	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
<b>PGS177 (345, -70)</b>	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
<b>PGS178 (50, -45)</b>	24.4	25.9	1.5	0.39	<b>0.2</b>	141.7	<b>Covington Dike</b>	Covington	<b>16.4</b>
and	77.7	79.2	1.5	0.31					
and	<b>80.8</b>	<b>83.8</b>	<b>3.0</b>	<b>0.83</b>					
and	<b>102.1</b>	<b>103.6</b>	<b>1.5</b>	<b>7.36</b>					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
<b>PGS179 (54, -60)</b>	96.0	125.0	29.0	1.78	0.2	160.0	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>51.5</b>
incl	96.0	108.2	12.2	3.54	1				
<b>PGS180 (0, -75)</b>	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
<b>PGS181 (0, -60)</b>	NSR					172.2	Basal Claron	Peg Leg	
<b>PGS182 (230, -75)</b>	12.2	15.2	3.0	0.54	<b>0.2</b>	129.5	<b>Covington Dike</b>	Covington	<b>13.9</b>
and	100.6	111.3	10.7	1.15					
<b>PGS183 (300, -65)</b>	108.2	114.3	6.1	0.90	0.2	196.6	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>30.9</b>
and	121.9	155.4	33.5	0.76	0.2				
incl	125.0	131.1	6.1	1.47	1				
<b>PGS184 (280, -60)</b>	NSR					117.3		Covington hole lost above target	
<b>PGS185 (128, -60)</b>	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.2				
<b>PGS186 (90, -75)</b>	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					
<b>PGS187 (330, -68)</b>	45.7	64.0	18.3	1.33	0.2	111.3	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>26.8</b>
incl	50.3	62.5	12.2	1.77	1				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
<b>PGS188 (055, -70)</b>	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	<b>19.7</b>
incl.	137.2	141.7	4.6	1.45	1				
<b>PGS189 (210, -62)</b>	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
<b>PGS190 (151, -60)</b>	NSR					170.7		Covington - did not intercept target	
<b>PGS191 (0, -90)</b>	0.0	6.1	6.1	1.57	0.2	71.6	<b>Covington Dike</b>	Covington	<b>48.8</b>
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				

## Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)			NSR			172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)			NSR			129.5	Warrior to Aggie		
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)			NSR			172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)			NSR			129.5	Dip Slope		
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				
PGS202 (100, -45)			NSR			160.0	Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)			NSR			202.7	Western Grabens	Anomalous	
PGS209 (0, -45)			NSR			93.0	Western Grabens	Hole Lost Above Target	
PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
incl	115.8	120.4	4.6	0.89	0.5				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS211 (320, -45)	NSR					166.1	Western Grabens		
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
incl	143.3	152.4	9.1	1.02	0.5				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)	NSR					187.5	Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					
PGS217 (233, -70)	NSR						Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)	NSR					117.3	Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1
incl	152.4	167.6	15.2	1.16	0.5				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.2				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.2	190.5	Peg Leg	Claron Host Rocks	27.8
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks	
and	134.1	135.6	1.5	0.41	0.2				
PGS225 (340, -65)	NSR					205.7	Dip Slope	Anomalous	
PGS226 (285, -45)	NSR					166.1	Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		42.0
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS232 (205, -77)</b>	NSR					86.9	Dip Slope		
<b>PGS233 (270, -55)</b>	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
<b>PGS234 (200, -50)</b>	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
<b>PGS235 (5, -55)</b>	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2
and	117.3	167.6	50.3	0.85	0.2				
incl	129.5	144.8	15.2	1.81	0.5				
and	175.3	176.8	1.5	0.66	0.2				
<b>PGS236 (280, -60)</b>	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
<b>PGS237 (320, -60)</b>	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7
Incl	76.2	83.8	7.6	2.33	0.5				
<b>PGS238 (330, -70)</b>	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
<b>PGS239 (90, -65)</b>	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.2				
<b>PGS240 (10, -65)</b>	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9
and	164.6	181.4	16.8	0.33	0.2				
and	182.9	193.5	10.7	0.42	0.2				
<b>PGS241 (95, -62)</b>	NSR					147.8	Warrior		
<b>PGS242 (75, -65)</b>	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2
incl	109.7	118.9	9.1	3.48	1				
and	143.3	153.9	10.7	0.34	0.2				
<b>PGS243 (45, -64)</b>	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1
incl	128.0	135.6	7.6	1.61	1				
<b>PGS244 (180, -65)</b>	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6
incl	111.3	120.4	9.1	0.84	0.5				
<b>PGS245 (75, -65)</b>	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata	
incl	105.2	117.3	12.2	2.98	1				
<b>PGS246 (5, -45)</b>	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8
and	77.7	89.9	12.2	0.32					
<b>PGS247 (180, -75)</b>	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
<b>PGS248 (70, -70)</b>	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8
incl.	82.3	89.9	7.6	1.20	1				
<b>PGS249 (270, -55)</b>	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
<b>PGS250 (295, -55)</b>	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3
incl.	47.2	53.3	6.1	5.59	1				
<b>PGS251 (210, -55)</b>	NSR					109.7	Dip Slope	Bull Valley Wash area	
<b>PGS252 (0, -66)</b>	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS253 (90, -65)</b>	<b>45.7</b>	<b>59.4</b>	<b>13.7</b>	<b>1.02</b>	0.2	178.3	<b>Mineral Mtn</b>	Qtz-Py alt intrusive rock	<b>24.2</b>
and	<b>108.2</b>	<b>118.9</b>	<b>10.7</b>	<b>0.74</b>				Claron Formation?	
and	157.0	161.5	4.6	0.37					
and	169.2	172.2	3.0	0.23					
<b>PGS254 (90, -45)</b>	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2
<b>PGS255 (50, -65)</b>	<b>0.0</b>	<b>25.9</b>	<b>25.9</b>	<b>1.16</b>	0.2	163.1	<b>Mineral Mtn</b>	Claron Formation and intrusive rock	<b>30.0</b>
incl	<b>0.0</b>	<b>4.6</b>	<b>4.6</b>	<b>3.48</b>	1				
and	54.9	56.4	1.5	0.63	0.2				
<b>PGS256 (340, -53)</b>	115.8	117.3	1.5	0.52	0.2	152.4	<b>Dip Slope</b>	Basal Claron Formation	<b>12.1</b>
and	<b>134.1</b>	<b>140.2</b>	<b>6.1</b>	<b>1.85</b>	0.2			Paleozoic strata	
<b>PGS257 (345, -67)</b>	<b>157.0</b>	<b>192.0</b>	<b>35.1</b>	<b>0.40</b>	0.2	201.2	<b>Warrior</b>		<b>14.0</b>
<b>PGS258 (75, -50)</b>	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
<b>PGS259 (50, -65)</b>	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata	
<b>PGS260 (30, -70)</b>	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
<b>PGS261 (320, -70)</b>	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
<b>PGS262 (105, -60)</b>			NSR			120.4	Mineral Mtn		
<b>PGS263 (75, -45)</b>	<b>24.4</b>	<b>45.7</b>	<b>21.3</b>	<b>0.71</b>	0.2	114.3	<b>Peg Leg</b>		<b>15.1</b>
incl.	<b>35.1</b>	<b>41.1</b>	<b>6.1</b>	<b>1.46</b>	1				
<b>PGS264 (65, -48)</b>	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
<b>PGS265 (120, -45)</b>	<b>50.3</b>	<b>79.2</b>	<b>29.0</b>	<b>0.79</b>	0.2	111.3	<b>Mineral Mtn</b>		<b>22.9</b>
incl.	<b>65.5</b>	<b>70.1</b>	<b>4.6</b>	<b>1.97</b>	1.0				
<b>PGS266 (255, -65)</b>	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
<b>PGS267 (330, -65)</b>	<b>56.4</b>	<b>62.5</b>	<b>6.1</b>	<b>0.61</b>	0.2	100.6	<b>Peg Leg</b>		<b>3.7</b>
<b>PGS268 (90, -50)</b>	16.8	36.6	19.8	0.39	0.2	121.9	<b>Mineral Mtn</b>		<b>10.9</b>
and	42.7	48.8	6.1	0.53	0.2				
<b>PGS269 (180, -75)</b>			NSR			166.1	Caribou		
<b>PGS270 (90, -70)</b>	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
<b>PGS271 (0, -90)</b>	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
<b>PGS272 (5, -67)</b>			NSR			121.9	Main		
<b>PGS273 (100, -65)</b>	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS274 (330, -55)	NSR					219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)	NSR					196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Main	Aggie	11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0,-90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220,-65)	65.5	99.1	33.5	0.41	0.2	152.4	Main	Aggie	13.9
PGS284 (330, -75)	NSR					19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180,-65)	29.0	30.5	1.5	0.49	0.2	135.6	Main	Aggie	0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)	NSR					32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165,-57)	NSR					208.8	Caribou	Hole did not intersect target	
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.2	129.5	Main	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.2	160.0	Main	Aggie	12.7
and	135.6	147.8	12.2	0.54	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS294 (173,-47)</b>	153.9	170.7	16.8	0.57	0.2	175.3	Main	Aggie	9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)	NSR					129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)	NSR					152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Covington		0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
<b>PGS303 (165,-65)</b>	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
<b>PGS306 (230,-75)</b>	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
<b>PGS308 (355,-80)</b>	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.2				
<b>PGS310 (90,-60)</b>	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0,-90)	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.2				
<b>PGS312 (0,-65)</b>	NSR					152.4	Western	Picaroon - long anomalous interval	
<b>PGS313 (170,-78)</b>	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.2				
PGS314 (0,-90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
<b>PGS315 (140,-50)</b>	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
<b>PGS316 (70,-70)</b>	NSR					129.5	Western	Picaroon - long anomalous interval	



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS317 (150, -45)</b>	<b>19.8</b>	<b>59.4</b>	<b>39.6</b>	<b>0.48</b>	0.2	144.8	<b>Western</b>	Caribou	<b>27.3</b>
and	70.1	76.2	6.1	0.40	0.2				
and	80.8	86.9	6.1	0.97	0.2				
<b>PGS318 (0, -90)</b>	<b>71.6</b>	<b>93.0</b>	<b>21.3</b>	<b>0.83</b>	0.2	111.3	<b>Main</b>	Aggie	<b>17.7</b>
<b>PGS319 (0, -75)</b>	NSR					144.8	Western	Picaroon	
<b>PGS320 (110, -55)</b>	<b>29.0</b>	<b>38.1</b>	<b>9.1</b>	<b>0.79</b>	0.2	172.2	<b>Western</b>	Caribou	<b>40.3</b>
and	44.2	64.0	19.8	0.38	0.2				
and	70.1	96.0	25.9	0.99	0.2				
incl	82.3	93.0	10.7	1.40	1.0				
<b>PGS321 (180, -60)</b>	NSR					91.4	Main	Aggie	
<b>PGS322 (90, -45)</b>	<b>18.3</b>	<b>22.9</b>	<b>4.6</b>	<b>0.77</b>	0.2	160.0	<b>Western</b>	Caribou	<b>36.2</b>
and	30.5	94.5	64.0	0.51	0.2				
<b>PGS323 (0, -90)</b>	NSR					166.1	Western	Picaroon	
<b>PGS324 (62, -55)</b>	<b>39.6</b>	<b>82.3</b>	<b>42.7</b>	<b>0.70</b>	0.2	141.7	<b>Western</b>	Caribou	<b>30.0</b>
incl	48.8	56.4	7.6	1.72	1				
<b>PGS325 (20, -78)</b>	73.2	76.2	3.0	0.81	0.2	141.7	Main	Aggie	9.5
and	94.5	108.2	13.7	0.52	0.2				
<b>PGS326 (170, -50)</b>	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
<b>PGS327 (78, -67)</b>	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
<b>PGS328 (0, -90)</b>	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
<b>PGS329 (140, -55)</b>	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
<b>PGS330 (120, -78)</b>	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
<b>PGS331 (0, -90)</b>	NSR					193.5	Western	Picaroon	
<b>PGS332 (225, -65)</b>	Pending					221.0	Dip Slope	Padre Haul Road	
<b>PGS333 (110, -45)</b>	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
<b>PGS334 (45, -70)</b>	Pending					157.0	Western	Picaroon	
<b>PGS335 (180, -65)</b>	Pending					178.3	Dip Slope	Padre Haul Road	
<b>PGS336 (170, -45)</b>	Pending					198.1	Western	Moosehead	
<b>PGS337 (56, -55)</b>	Pending					134.1	Peg Leg		
<b>PGS338 (295, -55)</b>	Pending					135.6	Peg Leg		
<b>PGS339 (150, -45)</b>	115.8	120.4	4.6	0.33	0.2	239.3	<b>Western</b>	Moosehead	<b>35.2</b>
and	129.5	172.2	42.7	0.79	0.2				
incl	146.3	157.0	10.7	1.60	1				