

## Kinsley Mountain Drill Results (2011-2012)

Hole ID	From (feet)	To (feet)	Interval (feet)	From (metres)	To (metres)	Interval (metres)	Gold (g/t)	Silver (g/t)
PK001C	290.5	345.5	55	88.54	105.31	16.76	1.64	3.33
PK002C	366.5	395	28.5	111.71	120.40	8.69	6.23	2.05
incl	385	395	10	117.35	120.40	3.05	12.05	3.54
and	432	443	11	131.67	135.03	3.35	0.33	1.88
PK003C	337	361.5	24.5	102.72	110.19	7.47	6.75	1.39
incl	351	361.5	10.5	106.98	110.19	3.20	13.52	2.25
PK004C	140	200.5	60.5	42.67	61.11	18.44	5.91	2.48
incl.	150	175.5	25.5	45.72	53.49	7.77	11.93	4.19
and	485.5	499	13.5	147.98	152.10	4.11	0.54	2.11
PK005C	121	130	9	36.88	39.62	2.74	0.65	0.23
and	523.5	541.5	18	159.56	165.05	5.49	0.58	1.58
	547	550	3	166.73	167.64	0.91	0.06	2790.00
PK006C	174	208	34	53.04	63.40	10.36	0.95	2.77
PK007	No significant values							
PK008C	Hole Lost							
PK009C	371	403	32	113.08	122.83	9.75	0.88	1.71
PK010C	283	306	23	86.26	93.27	7.01	0.66	2.30
PK011	615	660	45	187.45	201.17	13.72	0.41	0.47
PK012C	No significant values							
PK013	Hole lost							
PK014C	310	377	67	94.49	114.91	20.42	5.48	5.48
including	320	338	18	97.54	103.02	5.49	16.43	9.18
PK015	610	615	5	185.93	187.45	1.52	0.57	0.65
PK016C	371	373.5	2.5	113.08	113.84	0.76	0.52	0.37
PK017	735	745	10	224.03	227.08	3.05	0.33	0.35
PK018C	395	403	8	120.40	122.83	2.44	0.85	0.49
PK019C	415.5	450	34.5	126.64	137.16	10.52	1.40	2.70
PK020C	Anomalous							
PK021	565	605	40	172.21	184.40	12.19	0.38	1.34
PK022C	Anomalous							
PK023	670	680	10	204.22	207.26	3.05	0.33	0.32
and	695	700	5	211.84	213.36	1.52	0.40	0.09
and	705	715	10	214.88	217.93	3.05	0.20	0.09
PK024	485	490	5	147.83	149.35	1.52	0.40	0.74
and	515	520	5	156.97	158.50	1.52	0.53	0.81
and	610	665	55	185.93	202.69	16.76	0.29	0.44
PK025C	285.5	309	23.5	87.02	94.18	7.16	0.44	2.73
PK026	585	600	15	178.31	182.88	4.57	0.37	0.31
PK027C	No significant values							
PK028	280	335	55	85.34	102.11	16.76	0.66	1.36
PK029C	236.8	245	8.2	72.18	74.68	2.50	0.31	1.14
PK030	150	180	30	45.72	54.86	9.14	1.45	1.09
and	235	260	25	71.63	79.25	7.62	0.45	0.71
PK031C	102	196.5	94.5	31.09	59.89	28.80	0.92	1.07
PK032	140	145	5	42.67	44.20	1.52	0.55	0.53
and	185	190	5	56.39	57.91	1.52	0.22	0.04
and	285	340	55	86.87	103.63	16.76	0.45	1.00
PK033	130	135	5	39.62	41.15	1.52	0.32	0.39

and	300	305	5	91.44	92.96	1.52	0.44	3.13
and	325	330	5	99.06	100.58	1.52	0.61	1.20
<b>PK034C</b>	324	332	8	98.76	101.19	2.44	1.70	0.68
<b>PK035</b>	NSV							
<b>PK036</b>	405	420	15	123.44	128.02	4.57	0.45	28.33
and	845	860	15	257.56	262.13	4.57	0.72	0.61
<b>PK037</b>	490	500	10	149.35	152.40	3.05	0.44	0.61
<b>PK038</b>	No significant values							
<b>PK039</b>	510	545	35	155.45	166.12	10.67	1.08	1.91
<b>PK040</b>	505	530	25	153.92	161.54	7.62	0.74	2.13
<b>PK041</b>	No significant values							
<b>PK042</b>	No significant values							
<b>PK043</b>	420	425	5	128.02	129.54	1.52	1.15	0.18
<b>PK044</b>	130	135	5	39.62	41.15	1.52	0.38	0.19
and	320	330	10	97.54	100.58	3.05	0.31	0.20
and	390	395	5	118.87	120.40	1.52	0.34	0.34
and	405	415	10	123.44	126.49	3.05	0.27	0.98
<b>PK045</b>	320	350	30	97.54	106.68	9.14	1.03	1.27
<b>PK046</b>	265	270	5	80.77	82.30	1.52	0.49	0.84
<b>PK047</b>	580	585	5	176.78	178.31	1.52	0.28	1.38
<b>PK048</b>	420	430	10	128.02	131.06	3.05	0.21	1.38
<b>PK049</b>	600	605	5	182.88	184.40	1.52	0.58	1.38
<b>PK050</b>	415	420	5	126.49	128.02	1.52	0.52	1.38
<b>PK051</b>	395	415	20	120.40	126.49	6.10	3.20	1.07
<b>PK052</b>	395	405	10	120.40	123.44	3.05	3.13	0.78
<b>PK053</b>	545	555	10	166.12	169.16	3.05	0.23	0.07
and	560	595	35	170.69	181.36	10.67	0.63	0.31
<b>PK054</b>	555	560	5	169.16	170.69	1.52	0.55	0.71
and	565	570	5	172.21	173.74	1.52	0.05	0.22
and	575	605	30	175.26	184.40	9.14	1.12	0.56
and	610	615	5	185.93	187.45	1.52	0.21	0.32
<b>PK055</b>	340	345	5	103.63	105.16	1.52	0.80	0.18
<b>PK056</b>	365	415	50	111.25	126.49	15.24	1.73	0.53
incl	365	370	5	111.25	112.78	1.52	10.60	1.77
and	635	640	5	193.55	195.07	1.52	0.60	0.65
<b>PK057</b>	375	380	5	114.30	115.82	1.52	1.84	0.95
and	605	670	65	184.40	204.22	19.81	2.30	0.90
<b>PK058</b>	590	600	10	179.83	182.88	3.05	0.80	0.27
and	640	660	20	195.07	201.17	6.10	1.52	0.64
<b>PK059</b>	780	785	5	237.74	239.27	1.52	0.27	0.35
<b>PK060</b>	510	515	5	155.45	156.97	1.52	0.24	0.49
and	560	570	10	170.69	173.74	3.05	0.35	1.14
and	655	660	5	199.64	201.17	1.52	1.04	0.30
and	740	745	5	225.55	227.08	1.52	0.77	0.61
and	785	790	5	239.27	240.79	1.52	0.28	0.25
				0.00	0.00	0.00		
<b>PK061</b>	470	515	45	143.26	156.97	13.72	6.03	2.42
incl.	475	490	15	144.78	149.35	4.57	15.18	5.46
and	715	720	5	217.93	219.46	1.52	6.25	1.22
<b>PK062</b>	445	450	5	135.64	137.16	1.52	0.28	0.08
and	720	725	5	219.46	220.98	1.52	0.50	0.32
<b>PK063</b>	490	500	10	149.35	152.40	3.05	3.91	6.90

<b>PK064</b>	370	375	5	112.78	114.30	1.52	0.22	0.10
and	475	490	15	144.78	149.35	4.57	1.66	1.23
and	675	685	10	205.74	208.79	3.05	0.41	0.20
<b>PK065</b>	No significant values							
<b>PK066</b>	460	480	20	140.21	146.30	6.10	2.48	1.53
<b>PK067</b>	560	565	5	170.69	172.21	1.52	0.27	0.22
and	605	635	30	184.40	193.55	9.14	0.40	0.39
and	780	795	15	237.74	242.32	4.57	9.50	0.96
incl	785	790	5	239.27	240.79	1.52	20.50	2.07
<b>PK068</b>	No significant values*							
<p>*no recovery through the anticipated zones of mineralization  All intervals of no sampling have been assigned zero grade for the purposes of compositing.  NSV means No significant values &gt; 0.3 g/t gold.  Composites were calculated at 0.2 and 5.0 g/t gold cut-offs.</p>								