

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

Pilot Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4	
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2	
and	62.5	65.5	3.0	0.86						
and	80.8	88.4	7.6	0.92						
and	114.3	115.8	1.5	0.41						
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0	
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5	
Including	76.2	105.2	29.0	1.08	0.5					
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0	
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8	
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7	
Including	140.2	146.3	6.1	1.78	1					
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5	
Including	126.5	138.7	12.2	2.67	1.0					
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5	
and	129.5	143.3	13.7	0.37						
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8	
Including	115.8	129.5	13.7	1.89	1					
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5	
and	42.7	57.9	15.2	0.84						
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5	
and	57.9	76.2	18.3	2.72						
incl	64.0	74.7	10.7	4.32						1
and	152.4	158.5	6.1	0.28						0.2
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1	
and	41.1	56.4	15.2	0.35						
and	57.9	61.0	3.0	0.20						
and	64.0	70.1	6.1	0.59						
and	82.3	86.9	4.6	0.34						
and	102.1	106.7	4.6	0.55						
and	125.0	196.6	71.6	0.48						
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4	
and	48.8	59.4	10.7	0.35						
and	64.0	103.6	39.6	0.47						
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8	
PGS016 (170, -65)	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9	
and	158.5	161.5	3.0	0.22						
and	166.1	169.2	3.0	0.22						
and	170.7	198.1	27.4	0.66						
PGS017 (150, -55)	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0	
PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7	

Pilot Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5
incl.	70.1	83.8	13.7	4.42	1				
PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6
incl.	166.1	169.2	3.0	2.96	1				
PGS021 (330, -55)	NSR					169.2	Basal Claron		
PGS022 (180, -60)	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2
incl.	129.5	134.1	4.6	1.93	1				
PGS024 (230, -55)	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8
incl.	131.1	150.9	19.8	1.98	1				
PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9
incl.	108.2	138.7	30.5	1.65	1				
PGS027 (0, -90)	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		56.1
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					
PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
PGS029 (185, -65)	NSR					132.6	Basal Claron		0.0
PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
PGS031 (0, -85)	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					
PGS032 (135, -65)	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		25.6
and	132.6	137.2	4.6	0.22					
and	160.0	185.9	25.9	0.80					
incl	181.4	185.9	4.6	1.54					
PGS033 (180, -75)	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	99.1	125.0	25.9	0.41					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
PGS034 (180, -50)	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
PGS035 (230, -65)	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		37.0
and	115.8	140.2	24.4	1.05					
incl	117.3	128.0	10.7	1.68					
PGS036 (225, -60)	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
PGS037 (180, -65)	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3	
and	12.2	16.8	4.6	0.29						
and	22.9	24.4	1.5	0.36						
and	138.7	149.4	10.7	0.34						
and	164.6	166.1	1.5	0.36						
and	178.3	184.4	6.1	0.34						
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		24.38	
including	118.9	121.9	3.0	1.65						
and	152.4	153.9	1.5	0.37						
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6	
including	137.2	143.3	6.1	1.95	1					
and	166.1	198.1	32.0	0.86	0.2					
including	172.2	182.9	10.7	1.72	1					
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5	
and	71.0	101.5	30.5	1.85						
incl	71.0	89.3	18.3	2.63						1
PGS042 (0, -90)	NSR				0.2	135.6			0	
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5	
and	102.1	117.3	15.2	0.32						
and	158.5	164.6	6.1	0.25						
and	176.8	178.3	1.5	0.43						
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1	
and	116.3	118.0	1.7	0.22	0.2					
and	119.3	135.0	15.7	0.47						
PGS045 (180, -48)	NSR					182.9	Basal Claron	NSR	0	
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6	
incl	132.9	136.6	3.7	1.65	1					
and	173.1	177.7	4.6	0.25	0.2					
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9	
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0	
incl	54.9	77.7	22.9	4.92	1					
incl	65.5	76.2	10.7	8.27	5					
PGS049 (315, -68)	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9	
and	91.4	152.4	61.0	0.87						
incl	93.0	100.6	7.6	2.83						1
and incl	144.8	147.8	3.0	1.72						1
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9	
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7	
and	84.4	86.0	1.5	0.22						
and	92.0	93.6	1.5	0.37						
and	110.3	151.5	41.1	2.64						0.2
incl	119.5	151.5	32.0	3.22						1
incl	133.5	139.3	5.8	6.56						5
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4	
and	102.1	105.2	3.0	0.21						
and	106.7	111.3	4.6	0.22						
and	114.3	149.4	35.1	0.44						
and	161.5	164.6	3.0	0.26						
and	178.3	179.8	1.5	0.43						
and	182.9	184.4	1.5	0.22						
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1	
incl	143.3	149.4	6.1	1.91	1					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS054C (60, -68)	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6
incl	82.6	94.9	12.3	2.00	1				
and incl	101.9	138.1	36.2	2.77					
incl	124.7	127.7	3.0	6.04					
PGS055 (145, -45)	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7
	157.0	161.5	4.6	0.32					
PGS056C (245, -58)	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4
PGS057 (250, -65)	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8
and	93.0	117.3	24.4	0.76					
incl	108.2	115.8	7.6	1.34					
PGS058 (240, -60)	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4
incl	27.4	47.2	19.8	1.98					
PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6
PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3
and	50.3	53.3	3.0	0.50					
and	64.0	73.2	9.1	0.33					
PGS061 (0, -90)			NSR			106.7	Basal Claron	target interval faulted out?	0
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
and	131.1	157.0	25.9	0.42					
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the PZ	Poor recovery in higher grade	25.1
and	159.7	187.8	28.0	0.52					
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
and	144.8	152.4	7.6	1.97					
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
PGS071 (0, -90)			NSR			86.9	Basal Claron		
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8
and	123.4	134.1	10.7	0.58					
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6
and	48.8	59.4	10.7	0.40					
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3
and	53.3	56.4	3.0	0.20					
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7
and	99.1	105.2	6.1	29.1				0.2	
incl.	100.6	105.2	4.6	38.8				5	
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
PGS078 (60, -65)			NSR			105.2	Basal Claron		
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4
and	42.7	47.2	4.6	0.38					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9
and	32.0	33.5	1.5	0.95	0.2				
and	38.1	42.7	4.6	0.30	0.2				
and	54.9	88.4	33.5	0.42	0.2				
PGS081 (200, -45)			NSR			121.9	Basal Claron		
PGS082 (0, -90)			NSR			121.9	Basal Claron		
PGS083 (0, -90)			NSR			141.7	Basal Claron		
PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3
and	141.7	152.4	10.7	0.32	0.2				
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0
and	102.1	115.8	13.7	0.38	0.2				
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
PGS089 (320, -68)	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7
incl	97.5	102.1	4.6	1.52	1				
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks		
incl	99.1	100.6	1.5	2.30	1.0				
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
PGS093 (313, -75)			NSR			135.6	Basal Claron		
PGS094 (57, -65)			NSR			182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60			Paleozoic Rocks		
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2				
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0
incl	57.9	62.5	4.6	1.03	0.5				
PGS132 (45, -65)			NSR			105.2		Peg Leg Graben	
PGS133 (310, -45)			NSR			109.7		Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.2				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)			NSR			86.9	Basal Claron	Dip Slope Zone	
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)			NSR			138.7	Basal Claron	Peg Leg Graben	
PGS141 (270, -70)			NSR			111.3	Basal Claron	Peg Leg Graben	
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9
incl	97.5	103.6	6.1	1.24	0.5				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.2				
and	120.4	126.5	6.1	1.14	0.2				
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale		
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5
Incl	111.3	117.3	6.1	0.96	0.5				
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.2				
and	147.8	158.5	10.7	0.75	0.2				
PGS150 (0, -90)			NSR			117.3	Basal Claron	Dip Slope	
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.2				
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)			NSR			189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.2				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			NSR			201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
incl	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)			NSR			166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			NSR			182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178 (50, -45)	24.4	25.9	1.5	0.39	0.2	141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
incl	96.0	108.2	12.2	3.54	1				
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)			NSR			172.2	Basal Claron	Peg Leg	
PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.2	129.5	Covington Dike	Covington	13.9
and	100.6	111.3	10.7	1.15					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
and	121.9	155.4	33.5	0.76	0.2				
incl	125.0	131.1	6.1	1.47	1				
PGS184 (280, -60)	NSR					117.3		Covington hole lost above target	
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.2				
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.64	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
incl	50.3	62.5	12.2	1.77	1				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7
incl.	137.2	141.7	4.6	1.45	1				
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)	NSR					170.7		Covington - did not intercept target	
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				