

Cutoff (%)	Min (%)xm			Max Waste (m)	
(0.1) - (0.5) - (1.0)	0.4			9	
<b>TV Tower 2013 Kayali Drill Results - Copper</b>					
Hole ID	From (m)	To (m)	Intercept (m)	Cu (%)	Cu Cut-Off (%)
<b>KYD001* (180, -60)</b>	No significant copper results				
<b>KYD002 (180, -60)</b>	89.0	94.3	5.3	0.18	0.1
and	<b>206.6</b>	<b>229.7</b>	<b>23.1</b>	<b>0.18</b>	<b>0.1</b>
including	207.5	210.5	3.0	0.64	0.5
<b>KYD003 (180, -60)</b>	<b>101.2</b>	<b>158.2</b>	<b>57.0</b>	<b>0.33</b>	<b>0.1</b>
including	107.3	132.4	25.1	0.41	0.5
including	143.9	156.7	12.8	0.33	0.5
<b>KYD004 (180, -60)</b>	69.1	74.5	5.4	0.18	0.1
<b>KYD005-KYD008</b>	Not Drilled Within Kayali Target Area				
<b>KYD009 (180, -60)</b>	59.0	64.9	5.9	0.13	0.1
<b>KYD010 (180, -70)</b>	No significant copper results				
<b>KYD011 (0, -60)</b>	105.8	111.3	5.5	0.29	0.1
and	161.3	164.0	2.7	0.15	0.1
and	173.0	181.9	8.9	0.11	0.1
<b>KYD012A (180, -60)</b>	200.1	207.6	7.5	0.21	0.1
and	224.4	236.7	12.3	0.07	0.1
<b>KYD013 (180, -60)</b>	159.6	162.6	3.0	0.16	0.1
<b>KYD014 (180, -60)</b>	133.7	161.8	28.1	0.11	0.1
<b>KYD015 (180, -60)</b>	77.3	82.8	5.5	0.19	0.1
<b>KYD016 (180, -60)</b>	<b>179.6</b>	<b>262.2</b>	<b>82.6</b>	<b>0.17</b>	<b>0.1</b>
including	226.4	229.0	2.6	0.92	0.5
including	226.4	227.9	1.5	1.13	1.0
including	241.7	251.4	9.7	0.25	0.5
and	278.7	281.7	3.0	0.38	0.1
including	280.2	281.7	1.5	0.50	0.5
<b>KYD017 (0, -60)</b>	152.6	155.2	2.6	0.38	0.1
including	152.6	153.8	1.2	0.69	0.5
<b>KYD018 (125, -60)</b>	63.3	70.7	7.4	0.24	0.1
and	94.3	98.3	4.0	0.32	0.1
and	162.5	171.3	8.8	0.07	0.1

and	248.0	266.7	18.7	0.09	0.1
<b>and</b>	<b>299.4</b>	<b>306.2</b>	<b>6.8</b>	<b>1.41</b>	<b>0.1</b>
<b>including</b>	<b>302.7</b>	<b>306.2</b>	<b>3.5</b>	<b>2.51</b>	<b>0.5</b>
<i>including</i>	<b>302.7</b>	<b>304.7</b>	<b>2.0</b>	<b>3.64</b>	<b>1.0</b>
<b>KYD019 (180, -60)</b>	175.4	194.6	19.2	0.14	0.1
and	206.6	209.6	3.0	0.23	0.1
and	226.9	255.4	28.5	0.10	0.1
<b>KYD020 (45, -70)</b>	87.8	90.7	2.9	0.14	0.1
and	118.7	122.2	3.5	0.12	0.1
and	162.0	172.2	10.2	0.14	0.1
including	163.5	165.0	1.5	0.55	0.5
<b>KYD021 - KYD023</b>	Not Drilled Within Kayali Target Area				
<b>KYD024 (45, -60)</b>	No significant copper results				
<b>KYD025 (180, -60)</b>	No significant copper results				
<b>KYD026 (0, -60)</b>	155.0	164.0	9.0	0.19	0.1
and	179.0	183.5	4.5	0.20	0.1
<b>KYD027 (150, -70)</b>	No significant copper results				
<b>KYD028 (0, -70)</b>	No significant copper results				
<b>KYD029 (30, -60)</b>	No significant copper results				
<b>KYD030 (180, -60)</b>	No significant copper results				
<b>KYD031 (0, -50)</b>	No significant copper results				
<b>KYD032 (0, -70)</b>	No significant copper results				
<b>KYD033 (0, -60)</b>	No significant copper results				
<b>KYD034 (200, -60)</b>	146.2	151.5	5.3	0.22	0.1
<b>and</b>	<b>173.4</b>	<b>237.6</b>	<b>64.2</b>	<b>0.35</b>	<b>0.1</b>
including	176.4	214.6	38.2	0.35	0.5
<i>including</i>	195.8	197.3	1.5	1.37	1.0
<i>including</i>	225.6	227.1	1.5	3.70	1.0
<b>KYD035 (180, -80)</b>	Not Drilled Within Kayali Target Area				
<b>KYD036 (0, -45)</b>	<b>169.8</b>	<b>195.6</b>	<b>25.8</b>	<b>0.17</b>	<b>0.1</b>
including	177.0	178.0	1.0	0.61	0.5

<b>KYD037 (0, -80)</b>	No significant copper results				
<b>KYD038 (0, -45)</b>	<b>171.0</b>	<b>201.0</b>	<b>30.0</b>	<b>0.22</b>	<b>0.1</b>
including	171.0	179.5	8.5	0.46	0.5
<i>including</i>	171.0	172.2	1.2	1.14	1.0
<b>and</b>	<b>211.9</b>	<b>238.3</b>	<b>26.4</b>	<b>0.25</b>	<b>0.1</b>
including	224.2	232.8	8.6	0.49	0.5
<i>including</i>	231.7	232.8	1.1	1.28	1.0
and	262.9	264.2	1.3	0.92	0.1
<b>KYD039 (0, -45)</b>	163.2	168.8	5.6	0.53	0.1
including	163.2	165.7	2.5	0.88	0.5
<i>including</i>	163.2	164.7	1.5	1.12	1.0
<b>and</b>	<b>185.9</b>	<b>220.0</b>	<b>34.1</b>	<b>1.29</b>	<b>0.1</b>
including	190.7	220.0	29.3	1.49	0.5
<i>including</i>	190.7	211.5	20.8	1.90	1.0
<b>KYD040 (0, -45)</b>	195.4	196.9	1.5	0.34	0.1
<b>KYD041 (0, -55)</b>	125.1	134.1	9.0	0.12	0.1
<b>and</b>	<b>166.6</b>	<b>174.1</b>	<b>7.5</b>	<b>1.87</b>	<b>0.1</b>
<i>including</i>	166.6	172.6	6.0	2.31	1.0
<b>KYD042 (0, -45)</b>	149.0	158.0	9.0	0.12	0.1
<b>and</b>	<b>185.0</b>	<b>226.6</b>	<b>41.6</b>	<b>0.34</b>	<b>0.1</b>
<i>including</i>	189.5	191.0	1.5	1.06	1.0
including	204.5	222.5	18.0	0.49	0.5
<i>including</i>	219.5	221.0	1.5	1.16	1.0
<b>KYD043 (0, -45)</b>	141.0	206.0	65.0	0.35	0.1
<b>and</b>	<b>157.1</b>	<b>198.6</b>	<b>41.5</b>	<b>0.44</b>	<b>0.5</b>
<b>KYD044 (0, -60)</b>	228.9	233.5	4.6	0.77	0.1
including	228.9	232.0	3.1	1.04	0.5
<i>including</i>	228.9	230.5	1.6	1.08	1.0
<b>KYD045 (0, -50)</b>	28.2	36.5	8.3	0.12	0.1
and	191.7	195.6	3.9	0.87	0.1
including	191.7	194.0	2.3	1.37	0.5
<i>including</i>	191.7	192.8	1.1	2.24	1.0
<b>KYD047 (0, -50)</b>	103.0	106.0	3.0	0.20	0.1
and	122.0	123.4	1.4	0.29	0.1
<b>KYD48A (180, -50)</b>	196.6	207.2	10.6	0.34	0.1
<b>and</b>	<b>240.1</b>	<b>246.7</b>	<b>6.6</b>	<b>1.23</b>	<b>0.1</b>
including	241.7	246.7	5.0	1.50	0.5
<i>including</i>	241.7	245.0	3.3	1.96	1.0

<b>KYD049 (0, -60)</b>	No significant copper results				
<b>KYD050 (0, -50)</b>	<b>68.6</b>	<b>137.5</b>	<b>68.9</b>	<b>0.19</b>	<b>0.1</b>
<i>including</i>	68.6	70.0	1.4	1.19	1.0
<b>including</b>	<b>83.3</b>	<b>90.3</b>	<b>7.0</b>	<b>0.80</b>	<b>0.5</b>
<i>including</i>	87.2	90.3	3.1	1.16	1.0
<b>and</b>	<b>159.3</b>	<b>185.3</b>	<b>26.0</b>	<b>0.34</b>	<b>0.1</b>
<i>including</i>	159.3	167.5	8.2	0.33	0.5
<i>including</i>	181.1	183.9	2.8	1.24	0.5
<i>including</i>	181.1	182.5	1.4	1.66	1.0
<b>KYD051 (0, -60)</b>	53.2	57.4	4.2	0.17	0.1

\*Holes KYD 1 to KYD 35 drilled by Teck. Pilot Gold possess original certificates, QA-QC data and reliable collar and downhole data such that Pilot Gold has no reason to believe that the information is inaccurate.