

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	LBP043	208.8	262.1	53.3	4.39	234.0
2	LBP064	112.8	175.3	62.5	3.40	212.2
3	LBP062	129.5	173.7	44.2	3.14	138.9
4	LBP002	111.3	189.0	77.7	1.49	116.1
5	LBP029	166.1	207.3	41.1	2.56	105.1
6	LBP051	131.1	172.2	41.1	2.51	103.5
7	89-417	67.1	117.4	50.3	1.98	99.7
8	LBP054	248.4	349.0	100.6	0.95	95.1
9	87-169	79.3	121.9	42.7	2.10	89.6
10	LBP023	204.2	253.0	48.8	1.79	87.1
11	88-357	61.0	121.9	61.0	1.40	85.3
12	LBP021	189.0	236.2	47.2	1.79	84.5
13	92BP-078	21.3	76.2	54.9	1.50	82.1
14	88-366	74.7	86.9	12.2	6.66	81.2
15	LBP066	173.7	243.8	70.1	1.15	80.6
16	92BX-18	1.5	68.6	67.1	1.18	79.2
17	LBP055	190.5	266.7	76.2	0.99	75.6
18	LBP027	143.3	169.2	25.9	2.89	74.9
19	LBP056	231.6	271.3	39.6	1.89	74.7
20	92BX-37	94.5	150.9	56.4	1.30	73.5
21	89-433	19.8	44.2	24.4	2.96	72.1
22	93BP-132	53.4	105.2	51.8	1.31	67.7
23	LBP016	89.9	135.6	45.7	1.45	66.4
24	88-342	41.2	76.2	35.1	1.89	66.2
25	91BP-055	68.6	105.2	36.6	1.81	66.1
26	92BX-14	13.7	48.8	35.1	1.79	62.9
27	LBP015	86.9	115.8	29.0	2.16	62.7
28	94BX-40	36.6	62.5	25.9	2.30	59.6
29	93BX-33	82.3	106.7	24.4	2.38	58.0
30	89-418	94.5	140.2	45.7	1.25	57.0
31	88-342	83.8	109.7	25.9	2.19	56.8
33	94BP-11	85.3	117.4	32.0	1.70	54.3
34	88-391A	0.0	53.3	53.3	1.00	53.6
35	94BP-42	47.2	135.6	88.4	0.60	53.1
36	86-12	97.5	121.9	24.4	2.12	51.6
37	LBP068	228.6	249.9	21.3	2.38	50.7
38	LPB057	173.7	239.3	65.5	0.77	50.7
39	LBP044	253.0	269.7	16.8	2.90	48.5
40	LBP058	251.5	291.1	39.6	1.18	46.8
41	MGR11-017	9.1	53.3	44.2	1.05	46.3
42	96BX-16	64.0	109.7	45.7	1.01	46.1
43	LBP048	208.8	248.4	39.6	1.16	46.0
44	87-58	71.6	83.8	12.2	3.76	45.8
45	LBP014	51.8	89.9	38.1	1.19	45.4
32	LBP043	158.5	167.6	9.1	4.92	45.0
46	96BX-26	45.7	121.9	76.2	0.57	43.8
47	96BP-9	94.5	106.7	12.2	3.59	43.7
48	LBP025	140.2	172.2	32.0	1.37	43.7
49	89-506	76.2	97.5	21.3	2.02	43.2
50	88-398	0.0	48.8	48.8	0.87	42.5

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	89-454	30.5	70.1	39.6	1.07	42.4
52	89-516	76.2	97.5	21.3	1.95	41.7
<b>53</b>	<b>LBP063</b>	<b>213.4</b>	<b>222.5</b>	<b>9.1</b>	<b>4.56</b>	<b>41.7</b>
54	92BP-122	83.8	137.2	53.3	0.76	40.5
55	87-127	135.6	152.4	16.8	2.42	40.5
56	93BP-7	13.7	57.9	44.2	0.91	40.2
57	94BP-146	62.5	106.7	44.2	0.89	39.5
58	89-439	62.5	96.0	33.5	1.15	38.7
59	94BP-63	103.6	109.7	6.1	6.32	38.6
60	94BX-73	62.5	105.2	42.7	0.90	38.5
61	88-339	30.5	91.4	61.0	0.62	38.0
62	94BP-113	64.0	103.6	39.6	0.95	37.7
63	93BP-1	39.6	64.0	24.4	1.54	37.5
<b>64</b>	<b>LBP059</b>	<b>208.8</b>	<b>233.2</b>	<b>24.4</b>	<b>1.53</b>	<b>37.4</b>
65	88-340	44.2	91.4	47.2	0.79	37.2
66	86-22	79.3	103.6	24.4	1.51	36.8
67	83-43	1.5	18.3	16.8	2.17	36.3
68	89-426	36.6	83.8	47.2	0.77	36.2
69	92BX-28	71.6	99.1	27.4	1.30	35.7
70	93BX-34	65.5	83.8	18.3	1.95	35.7
71	87-241	38.1	102.1	64.0	0.56	35.6
72	92BX-77	32.0	79.3	47.3	0.75	35.3
73	93BP-2	33.5	83.8	50.3	0.70	35.1
<b>74</b>	<b>LBP042</b>	<b>240.8</b>	<b>263.7</b>	<b>22.9</b>	<b>1.53</b>	<b>34.9</b>
75	87-229	33.5	79.3	45.7	0.76	34.8
76	87-82	16.8	74.7	57.9	0.60	34.8
77	92BX-52	51.8	64.0	12.2	2.79	34.0
78	86-11	85.3	121.9	36.6	0.92	33.8
79	93BX-60	71.6	106.7	35.1	0.96	33.7
80	87-126	79.3	100.6	21.3	1.52	32.5
81	92BX-28	6.1	47.2	41.1	0.78	32.3
82	91BP-039	96.0	123.4	27.4	1.17	32.1
83	87-61	71.6	106.7	35.1	0.91	31.8
84	93BP-99	48.8	79.3	30.5	1.02	31.1
85	87-66	74.7	96.0	21.3	1.46	31.1
86	94BP-140	65.5	97.5	32.0	0.97	31.0
87	93BP-67	38.1	99.1	61.0	0.51	30.9
88	93BP-27	16.8	24.4	7.6	4.05	30.9
89	86-44	64.0	68.6	4.6	6.75	30.8
90	92BP-121	41.2	102.1	61.0	0.50	30.6
<b>91</b>	<b>LBP052</b>	<b>269.7</b>	<b>309.4</b>	<b>39.6</b>	<b>0.77</b>	<b>30.4</b>
92	94BP-147	9.1	56.4	47.3	0.64	30.1
93	87-245	36.6	102.1	65.5	0.46	29.9
94	96BX-29	3.1	70.1	67.1	0.44	29.8
95	87-235	39.6	91.4	51.8	0.56	29.2
<b>96</b>	<b>LBP028</b>	<b>243.8</b>	<b>269.7</b>	<b>25.9</b>	<b>1.11</b>	<b>28.8</b>
97	93BP-129	48.8	77.7	29.0	0.99	28.7
98	92BX-68	33.5	77.7	44.2	0.65	28.6
99	93BP-4	47.2	65.5	18.3	1.56	28.6
100	87-237	38.1	94.5	56.4	0.51	28.5

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
<b>101</b>	<b>LBP050</b>	<b>230.1</b>	<b>242.3</b>	<b>12.2</b>	<b>2.34</b>	<b>28.5</b>
<b>102</b>	<b>LBP044</b>	<b>192.0</b>	<b>211.8</b>	<b>19.8</b>	<b>1.43</b>	<b>28.4</b>
103	SH90-7R	25.9	59.4	33.5	0.84	28.2
104	94BX-58	13.7	35.1	21.3	1.32	28.2
105	89-437	21.3	67.1	45.7	0.62	28.2
106	93BP-91	150.9	167.6	16.8	1.67	28.0
107	87-145	30.5	57.9	27.4	1.02	27.9
108	MGR11-024	80.8	91.4	10.7	2.59	27.7
109	SH90-13R	0.0	6.1	6.1	4.49	27.4
110	92BP-021	4.6	67.1	62.5	0.44	27.3
111	92BP-125	47.2	67.1	19.8	1.36	26.9
112	93BP-122	89.9	97.5	7.6	3.47	26.4
113	91BP-043	16.8	57.9	41.2	0.64	26.3
114	93BP-101	125.0	179.8	54.9	0.48	26.3
115	94BP-22	27.4	64.0	36.6	0.72	26.3
116	94BP-18	56.4	118.9	62.5	0.42	26.2
<b>117</b>	<b>LBP020</b>	<b>164.6</b>	<b>199.6</b>	<b>35.1</b>	<b>0.75</b>	<b>26.2</b>
118	93BP-92	74.7	115.8	41.1	0.63	26.0
119	93BX-82	102.1	117.4	15.2	1.70	25.9
120	88-318	61.0	74.7	13.7	1.86	25.5
121	MGR11-026	24.4	70.1	45.7	0.56	25.5
<b>122</b>	<b>LBP011</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>2.37</b>	<b>25.3</b>
123	80-02	79.3	103.6	24.4	1.03	25.1
124	92BX-24	22.9	61.0	38.1	0.65	24.7
125	92BP-022	29.0	85.3	56.4	0.43	24.5
126	93BP-96	70.1	128.0	57.9	0.42	24.3
127	94BP-94	129.5	150.9	21.3	1.14	24.3
128	89-423	19.8	76.2	56.4	0.43	24.1
129	BP90-31	70.1	108.2	38.1	0.63	23.8
<b>130</b>	<b>LBP048</b>	<b>173.7</b>	<b>204.2</b>	<b>30.5</b>	<b>0.78</b>	<b>23.7</b>
131	PG10-84	57.9	89.9	32.0	0.74	23.7
<b>132</b>	<b>LBP034</b>	<b>245.4</b>	<b>266.7</b>	<b>21.3</b>	<b>1.11</b>	<b>23.6</b>
<b>133</b>	<b>LBP004</b>	<b>10.7</b>	<b>35.1</b>	<b>24.4</b>	<b>0.96</b>	<b>23.5</b>
134	87-162	85.3	103.6	18.3	1.28	23.4
<b>135</b>	<b>LBP027</b>	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>2.18</b>	<b>23.3</b>
136	93BP-134	12.2	53.3	41.2	0.56	23.2
<b>137</b>	<b>LBP002</b>	<b>6.1</b>	<b>45.7</b>	<b>39.6</b>	<b>0.58</b>	<b>23.1</b>
138	83-38	42.7	54.9	12.2	1.88	23.0
139	93BP-108	112.8	144.8	32.0	0.72	22.9
140	96BP-25	99.1	114.3	15.2	1.50	22.9
141	94BP-95	77.7	134.1	56.4	0.40	22.8
142	93BX-42	41.2	71.6	30.5	0.75	22.7
143	88-338A	7.6	54.9	47.2	0.48	22.7
144	96BX-20	9.1	64.0	54.9	0.41	22.5
145	92BP-112	10.7	29.0	18.3	1.21	22.2
146	91BP-028	120.4	128.0	7.6	2.90	22.1
<b>147</b>	<b>LBP068</b>	<b>266.7</b>	<b>301.8</b>	<b>35.1</b>	<b>0.63</b>	<b>22.0</b>
148	R1-1974	6.1	22.9	16.8	1.31	22.0
149	89-419	111.3	118.9	7.6	2.87	21.9
150	PG11-84	53.3	70.1	16.8	1.30	21.9

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	89-459	0.0	42.7	42.7	0.51	21.7
<b>152</b>	<b>LBP038</b>	<b>210.3</b>	<b>248.4</b>	<b>38.1</b>	<b>0.57</b>	<b>21.7</b>
153	SH90-6R	9.1	35.1	25.9	0.84	21.6
154	94BP-15	103.6	135.6	32.0	0.67	21.6
155	92BP-125	79.3	100.6	21.3	1.01	21.6
156	95BP-21	53.3	89.9	36.6	0.57	20.7
157	87-149	57.9	91.4	33.5	0.61	20.4
158	83-69	70.1	106.7	36.6	0.56	20.4
159	94BX-38	0.0	21.3	21.3	0.95	20.4
160	PG13-84	44.2	80.8	36.6	0.55	20.3
161	87-227	41.2	76.2	35.1	0.58	20.2
162	MGR11-006	0.0	47.2	47.2	0.43	20.2
163	P14-64	30.5	47.2	16.8	1.20	20.1
164	87-155	105.2	117.4	12.2	1.64	20.0
165	93BX-39	86.9	108.2	21.3	0.93	19.9
166	94BP-135	24.4	39.6	15.2	1.30	19.8
167	P8-64	77.7	91.4	13.7	1.44	19.8
168	MGR11-003	12.2	44.2	32.0	0.62	19.7
169	94BP-54	70.1	99.1	29.0	0.68	19.6
170	91BP-050	83.8	88.4	4.6	4.28	19.6
171	92BP-050	36.6	51.8	15.2	1.27	19.4
172	87-191	103.6	115.8	12.2	1.59	19.4
173	93BP-19	0.0	45.7	45.7	0.42	19.4
174	87-233	39.6	88.4	48.8	0.40	19.4
<b>175</b>	<b>LBP017</b>	<b>74.7</b>	<b>117.3</b>	<b>42.7</b>	<b>0.45</b>	<b>19.4</b>
<b>176</b>	<b>LBP068</b>	<b>96.0</b>	<b>143.3</b>	<b>47.2</b>	<b>0.41</b>	<b>19.3</b>
177	SH90-5R	16.8	56.4	39.6	0.48	19.2
178	89-472	6.1	50.3	44.2	0.43	19.1
179	95BX-19	71.6	97.5	25.9	0.74	19.1
180	94BP-84	71.6	79.3	7.6	2.49	19.0
<b>181</b>	<b>LBP026</b>	<b>166.1</b>	<b>198.1</b>	<b>32.0</b>	<b>0.59</b>	<b>19.0</b>
<b>182</b>	<b>LBP020</b>	<b>217.9</b>	<b>234.7</b>	<b>16.8</b>	<b>1.12</b>	<b>18.8</b>
183	92BP-131	48.8	76.2	27.4	0.68	18.6
184	92BP-020	59.4	117.4	57.9	0.32	18.6
185	95BP-18	103.6	121.9	18.3	1.01	18.5
186	87-184	57.9	76.2	18.3	1.01	18.4
187	93BP-131	100.6	141.7	41.2	0.45	18.3
188	93BP-28	24.4	65.5	41.2	0.44	18.3
189	93BX-96	22.9	47.2	24.4	0.75	18.3
190	93BP-30	53.3	102.1	48.8	0.37	18.3
191	89-479	0.0	19.8	19.8	0.92	18.2
192	93BP-11	30.5	77.7	47.2	0.38	18.1
193	92BP-041	19.8	65.5	45.7	0.40	18.1
194	95BP-4	62.5	91.4	29.0	0.62	18.0
195	87-231	50.3	82.3	32.0	0.56	18.0
<b>196</b>	<b>LBP055</b>	<b>166.1</b>	<b>184.4</b>	<b>18.3</b>	<b>0.98</b>	<b>18.0</b>
197	86-22	121.9	134.1	12.2	1.47	18.0
198	94BP-33	54.9	91.4	36.6	0.49	17.8
199	95BP-38	115.8	144.8	29.0	0.61	17.7
200	93BX-6	32.0	67.1	35.1	0.51	17.7

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	92BX-36	102.1	128.0	25.9	0.68	17.6
202	89-469	1.5	36.6	35.1	0.50	17.6
<b>203</b>	<b>LBP009</b>	<b>15.2</b>	<b>48.8</b>	<b>33.5</b>	<b>0.52</b>	<b>17.5</b>
204	BP90-4C	65.5	94.5	29.0	0.60	17.5
205	92BX-84	79.3	108.2	29.0	0.60	17.5
206	89-402	4.6	30.5	25.9	0.68	17.5
207	87-166	18.3	67.1	48.8	0.36	17.5
208	94BX-08	0.0	41.2	41.2	0.42	17.5
209	87-188	50.3	76.2	25.9	0.67	17.4
210	87-163	74.7	94.5	19.8	0.87	17.3
211	92BP-101	56.4	77.7	21.3	0.81	17.3
<b>212</b>	<b>LBP038</b>	<b>294.1</b>	<b>313.9</b>	<b>19.8</b>	<b>0.87</b>	<b>17.3</b>
<b>213</b>	<b>LBP060</b>	<b>216.4</b>	<b>248.4</b>	<b>32.0</b>	<b>0.54</b>	<b>17.2</b>
<b>214</b>	<b>LBP019</b>	<b>129.5</b>	<b>172.2</b>	<b>42.7</b>	<b>0.40</b>	<b>17.2</b>
215	95BX-38	0.0	29.0	29.0	0.59	17.1
216	87-252	30.5	67.1	36.6	0.47	17.1
217	86-06	48.8	79.3	30.5	0.56	17.1
218	94BP-27	0.0	39.6	39.6	0.43	17.1
219	BP90-4C	96.0	106.7	10.7	1.60	17.1
220	PG2-84	33.5	67.1	33.5	0.51	17.0
221	94BP-152	16.8	48.8	32.0	0.53	17.0
222	87-135	19.8	33.5	13.7	1.23	16.9
223	89-403	38.1	65.5	27.4	0.62	16.9
224	94BP-131	47.2	76.2	29.0	0.58	16.9
225	SH90-16R	15.2	33.5	18.3	0.92	16.9
<b>226</b>	<b>LBP009</b>	<b>96.0</b>	<b>120.4</b>	<b>24.4</b>	<b>0.69</b>	<b>16.8</b>
<b>227</b>	<b>LBP002</b>	<b>88.4</b>	<b>103.6</b>	<b>15.2</b>	<b>1.10</b>	<b>16.8</b>
228	89-420	61.0	105.2	44.2	0.38	16.8
229	92BP-051	0.0	18.3	18.3	0.91	16.7
<b>230</b>	<b>LBP024</b>	<b>181.4</b>	<b>210.3</b>	<b>29.0</b>	<b>0.58</b>	<b>16.7</b>
231	93BP-14	36.6	67.1	30.5	0.55	16.7
232	BP90-23	44.2	54.9	10.7	1.56	16.6
233	94BP-12	123.4	161.5	38.1	0.43	16.6
<b>234</b>	<b>LBP063</b>	<b>82.3</b>	<b>125.0</b>	<b>42.7</b>	<b>0.39</b>	<b>16.5</b>
235	88-332	57.9	88.4	30.5	0.54	16.5
236	94BP-137	30.5	65.5	35.1	0.47	16.4
237	89-421	91.4	126.5	35.1	0.46	16.3
<b>238</b>	<b>LBP043</b>	<b>140.2</b>	<b>150.9</b>	<b>10.7</b>	<b>1.52</b>	<b>16.2</b>
239	94BP-53	83.8	108.2	24.4	0.66	16.2
240	87-165	108.2	115.8	7.6	2.12	16.2
<b>241</b>	<b>LBP035</b>	<b>213.4</b>	<b>227.1</b>	<b>13.7</b>	<b>1.18</b>	<b>16.2</b>
242	93BP-6	61.0	86.9	25.9	0.62	16.1
243	95BP-41	39.6	59.4	19.8	0.81	16.1
244	94BP-46	105.2	140.2	35.1	0.46	16.1
245	94BP-110	112.8	138.7	25.9	0.62	16.1
246	93BP-124	102.1	125.0	22.9	0.70	16.0
247	SH91-23R	7.6	24.4	16.8	0.95	16.0
248	94BP-18	135.6	157.0	21.3	0.75	15.9
249	95BP-37	106.7	128.0	21.3	0.74	15.9
250	92BX-37	3.1	19.8	16.8	0.95	15.9

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	94BP-71	96.0	123.4	27.4	0.58	15.8
252	89-439	30.5	35.1	4.6	3.43	15.7
253	92BX-55	38.1	47.2	9.1	1.71	15.6
254	MGR11-029	150.9	164.6	13.7	1.12	15.4
<b>255</b>	<b>LPB057</b>	<b>0.0</b>	<b>38.1</b>	<b>38.1</b>	<b>0.40</b>	<b>15.4</b>
256	93BP-100	125.0	143.3	18.3	0.84	15.4
257	92BP-121	103.6	129.5	25.9	0.59	15.3
258	88-320	41.2	65.5	24.4	0.63	15.3
259	89-422	47.2	76.2	29.0	0.53	15.3
260	87-116	77.7	96.0	18.3	0.83	15.2
261	92BX-40	24.4	50.3	25.9	0.59	15.2
262	MGR11-019	0.0	32.0	32.0	0.48	15.2
263	MGR11-002	0.0	30.5	30.5	0.50	15.2
264	96BP-26	83.8	93.0	9.1	1.66	15.2
265	95BP-39	54.9	73.2	18.3	0.83	15.2
266	92BX-92	48.8	74.7	25.9	0.58	15.2
<b>267</b>	<b>LBP055</b>	<b>4.6</b>	<b>36.6</b>	<b>32.0</b>	<b>0.47</b>	<b>15.0</b>
268	93BP-46	91.4	105.2	13.7	1.09	15.0
269	88-298	77.7	94.5	16.8	0.89	14.9
270	87-89	44.2	77.7	33.5	0.44	14.9
271	94BX-34	44.2	56.4	12.2	1.22	14.8
272	86-07	48.8	85.3	36.6	0.41	14.8
<b>273</b>	<b>LBP045</b>	<b>179.8</b>	<b>192.0</b>	<b>12.2</b>	<b>1.22</b>	<b>14.8</b>
274	94BP-13	106.7	137.2	30.5	0.49	14.8
275	95BP-54	94.5	120.4	25.9	0.57	14.8
276	92BP-017	51.8	86.9	35.1	0.42	14.8
277	92BP-046	32.0	61.0	29.0	0.51	14.7
278	86-15	51.8	79.3	27.4	0.54	14.7
279	94BP-148	85.3	118.9	33.5	0.44	14.7
280	94BP-14	121.9	146.3	24.4	0.60	14.6
281	93BP-146	44.2	65.5	21.3	0.68	14.6
282	88-273	30.5	85.3	54.9	0.26	14.5
<b>283</b>	<b>LBP055</b>	<b>71.6</b>	<b>99.1</b>	<b>27.4</b>	<b>0.53</b>	<b>14.5</b>
<b>284</b>	<b>LBP003</b>	<b>57.9</b>	<b>85.3</b>	<b>27.4</b>	<b>0.53</b>	<b>14.5</b>
<b>285</b>	<b>LBP041</b>	<b>67.1</b>	<b>106.7</b>	<b>39.6</b>	<b>0.36</b>	<b>14.4</b>
286	83-70	68.6	91.4	22.9	0.63	14.4
287	94BP-138	15.2	42.7	27.4	0.52	14.4
<b>288</b>	<b>LBP032</b>	<b>221.0</b>	<b>243.8</b>	<b>22.9</b>	<b>0.63</b>	<b>14.4</b>
289	92BX-46	16.8	35.1	18.3	0.78	14.3
290	88-359	100.6	121.9	21.3	0.67	14.2
291	93BX-3	9.1	33.5	24.4	0.58	14.2
292	93BX-36	44.2	54.9	10.7	1.33	14.1
293	93BX-105	0.0	18.3	18.3	0.77	14.1
294	94BP-73	32.0	77.7	45.7	0.31	14.1
295	93BP-43	126.5	144.8	18.3	0.77	14.1
296	92BP-011	35.1	68.6	33.5	0.42	14.1
297	95BP-23	41.2	54.9	13.7	1.02	14.0
298	93BP-28	68.6	96.0	27.4	0.51	13.9
299	92BP-118	3.1	24.4	21.3	0.65	13.8
300	94BP-76	59.4	80.8	21.3	0.65	13.8

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
<b>301</b>	<b>LBP006</b>	<b>24.4</b>	<b>32.0</b>	<b>7.6</b>	<b>1.80</b>	<b>13.7</b>
302	95BP-14	83.8	102.1	18.3	0.75	13.7
<b>303</b>	<b>LBP034</b>	<b>294.1</b>	<b>301.8</b>	<b>7.6</b>	<b>1.80</b>	<b>13.7</b>
304	83-32	57.9	97.5	39.6	0.34	13.6
305	SH91-21R	16.8	27.4	10.7	1.27	13.6
306	94BP-142	12.2	27.4	15.2	0.89	13.6
307	94BP-16	76.2	112.8	36.6	0.37	13.5
308	94BP-31	100.6	143.3	42.7	0.31	13.4
309	93BP-38	18.3	44.2	25.9	0.52	13.4
310	94BP-143	33.5	41.2	7.6	1.75	13.3
311	94BP-22	79.3	103.6	24.4	0.55	13.3
312	92BP-05C	34.4	57.1	22.7	0.59	13.3
313	92BP-073	59.4	86.9	27.4	0.48	13.3
314	92BX-39	61.0	76.2	15.2	0.87	13.3
<b>315</b>	<b>LBP045</b>	<b>32.0</b>	<b>54.9</b>	<b>22.9</b>	<b>0.58</b>	<b>13.2</b>
316	89-475	36.6	54.9	18.3	0.72	13.2
317	87-144	36.6	61.0	24.4	0.54	13.2
318	88-321	64.0	91.4	27.4	0.48	13.1
319	87-112	114.3	140.2	25.9	0.50	13.1
<b>320</b>	<b>LBP052</b>	<b>74.7</b>	<b>96.0</b>	<b>21.3</b>	<b>0.61</b>	<b>13.0</b>
321	94BP-22A	109.7	137.2	27.4	0.47	13.0
322	96BX-22	76.2	114.3	38.1	0.34	13.0
323	94BP-82	83.8	115.8	32.0	0.41	13.0
324	83-04	79.3	89.9	10.7	1.22	13.0
325	88-364	91.4	106.7	15.2	0.85	13.0
326	93BP-147	51.8	79.3	27.4	0.47	12.9
327	93BP-98	33.5	45.7	12.2	1.06	12.9
328	94BP-29	141.7	182.9	41.2	0.31	12.9
329	T40-1975	12.2	41.2	29.0	0.44	12.9
330	89-450	48.8	67.1	18.3	0.70	12.8
331	92BP-133	25.9	47.2	21.3	0.60	12.7
332	96BX-42	97.5	129.5	32.0	0.40	12.7
333	94BP-1	53.3	67.1	13.7	0.93	12.7
334	96BX-27	65.5	103.6	38.1	0.33	12.7
335	93BP-128	33.5	54.9	21.3	0.59	12.7
336	MGR11-009	4.6	18.3	13.7	0.92	12.7
337	94BX-46	64.0	79.3	15.2	0.83	12.6
338	88-392	6.1	35.1	29.0	0.44	12.6
339	92BP-120	125.0	131.1	6.1	2.08	12.6
340	MGR11-005	7.6	15.2	7.6	1.65	12.6
341	91BP-050	39.6	67.1	27.4	0.46	12.6
342	92BP-023	54.9	79.3	24.4	0.52	12.6
343	87-246	24.4	36.6	12.2	1.03	12.6
344	MGR11-007	230.1	246.9	16.8	0.75	12.5
345	R2-1974	48.8	54.9	6.1	2.06	12.5
<b>346</b>	<b>LBP056</b>	<b>199.6</b>	<b>225.6</b>	<b>25.9</b>	<b>0.48</b>	<b>12.5</b>
347	94BP-128	39.6	53.3	13.7	0.91	12.5
348	87-147	38.1	67.1	29.0	0.43	12.4
349	92BP-080	35.1	48.8	13.7	0.91	12.4
350	93BP-22	61.0	91.4	30.5	0.41	12.4

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	87-67	47.2	80.8	33.5	0.37	12.3
352	94BP-32	108.2	135.6	27.4	0.45	12.3
353	94BP-149	80.8	108.2	27.4	0.45	12.3
354	97BP-5	105.2	121.9	16.8	0.74	12.3
355	93BP-8	29.0	70.1	41.1	0.30	12.3
356	89-466	0.0	19.8	19.8	0.62	12.3
<b>357</b>	<b>LBP059</b>	<b>170.7</b>	<b>202.7</b>	<b>32.0</b>	<b>0.38</b>	<b>12.2</b>
358	SH90-15R	24.4	32.0	7.6	1.61	12.2
359	94BP-28	76.2	102.1	25.9	0.47	12.2
360	92BP-024	57.9	93.0	35.1	0.35	12.2
361	94BP-118	0.0	15.2	15.2	0.80	12.2
362	88-363	47.2	74.7	27.4	0.44	12.2
363	89-479	48.8	79.3	30.5	0.40	12.1
364	92BX-91	1.5	24.4	22.9	0.53	12.1
365	93BX-93	29.0	61.0	32.0	0.38	12.1
366	89-409	91.4	99.1	7.6	1.59	12.1
367	96BP-6	30.5	61.0	30.5	0.39	12.0
368	91BP-072	44.2	74.7	30.5	0.39	12.0
369	89-522	71.6	97.5	25.9	0.46	12.0
370	93BX-66	73.2	83.8	10.7	1.12	11.9
371	92BP-114	32.0	51.8	19.8	0.60	11.9
372	94BX-80	118.9	134.1	15.2	0.78	11.9
373	MGR11-024	36.6	45.7	9.1	1.29	11.8
374	93BX-111	114.3	137.2	22.9	0.51	11.8
375	94BP-138	54.9	61.0	6.1	1.92	11.7
376	92BX-24	99.1	106.7	7.6	1.53	11.7
377	92BX-66	29.0	39.6	10.7	1.09	11.6
378	92BP-119	6.1	39.6	33.5	0.35	11.6
379	88-350	61.0	68.6	7.6	1.53	11.6
380	MGR11-022	86.9	100.6	13.7	0.84	11.5
381	88-381	30.5	48.8	18.3	0.63	11.5
382	89-470	6.1	24.4	18.3	0.63	11.5
383	92BP-038	18.3	47.2	29.0	0.40	11.4
384	91BP-075	44.2	61.0	16.8	0.68	11.4
385	92BP-037	18.3	50.3	32.0	0.36	11.4
386	87-209	64.0	91.4	27.4	0.42	11.4
387	94BP-5	68.6	86.9	18.3	0.62	11.4
388	87-197	19.8	42.7	22.9	0.50	11.3
<b>389</b>	<b>LBP028</b>	<b>137.2</b>	<b>149.4</b>	<b>12.2</b>	<b>0.93</b>	<b>11.3</b>
390	94BP-115	32.0	45.7	13.7	0.82	11.3
391	92BX-36	45.7	70.1	24.4	0.46	11.3
392	R2-1974	96.0	108.2	12.2	0.92	11.2
393	87-70	64.0	80.8	16.8	0.67	11.2
394	95BP-50	73.2	91.4	18.3	0.61	11.2
<b>395</b>	<b>LBP045</b>	<b>0.0</b>	<b>25.9</b>	<b>25.9</b>	<b>0.43</b>	<b>11.2</b>
396	PG18-84	61.0	64.0	3.1	3.66	11.2
397	88-399	0.0	24.4	24.4	0.46	11.1
398	89-434	0.0	25.9	25.9	0.43	11.1
399	87-121	64.0	85.3	21.3	0.52	11.1
<b>400</b>	<b>LBP015</b>	<b>67.1</b>	<b>85.3</b>	<b>18.3</b>	<b>0.61</b>	<b>11.1</b>

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	93BP-140	77.7	86.9	9.2	1.21	11.0
<b>402</b>	<b>LBP033</b>	<b>204.2</b>	<b>221.0</b>	<b>16.8</b>	<b>0.66</b>	<b>11.0</b>
403	89-478	12.2	30.5	18.3	0.60	10.9
404	93BX-115	9.1	25.9	16.8	0.65	10.9
<b>405</b>	<b>LBP006</b>	<b>44.2</b>	<b>62.5</b>	<b>18.3</b>	<b>0.60</b>	<b>10.9</b>
406	SH90-8R	27.4	32.0	4.6	2.38	10.9
407	87-110	18.3	67.1	48.8	0.22	10.9
408	92BP-003	6.1	32.0	25.9	0.42	10.8
409	87-159	47.2	68.6	21.3	0.51	10.8
410	93BP-33	82.3	100.6	18.3	0.59	10.7
411	86-25	42.7	61.0	18.3	0.59	10.7
412	88-316	41.2	73.2	32.0	0.33	10.7
413	91BP-027	65.5	88.4	22.9	0.47	10.7
414	92BP-054	68.6	79.3	10.7	0.99	10.6
415	79-23	18.3	54.9	36.6	0.29	10.6
416	P35-74	61.0	70.1	9.1	1.15	10.6
417	86-42	57.9	79.3	21.3	0.49	10.5
418	93BX-36	82.3	93.0	10.7	0.98	10.5
<b>419</b>	<b>LBP035</b>	<b>164.6</b>	<b>179.8</b>	<b>15.2</b>	<b>0.69</b>	<b>10.5</b>
420	87-69	73.2	85.3	12.2	0.86	10.5
421	87-126A	85.3	105.2	19.8	0.53	10.5
422	92BX-72	0.0	15.2	15.2	0.69	10.5
423	93BP-94	56.4	86.9	30.5	0.34	10.5
424	80-01	76.2	86.9	10.7	0.98	10.4
425	89-410	86.9	89.9	3.1	3.40	10.4
<b>426</b>	<b>LBP032</b>	<b>62.5</b>	<b>76.2</b>	<b>13.7</b>	<b>0.75</b>	<b>10.3</b>
427	93BP-104	91.4	123.4	32.0	0.32	10.3
428	87-161	56.4	76.2	19.8	0.52	10.3
429	89-477	0.0	18.3	18.3	0.56	10.3
430	91BP-073	41.2	51.8	10.7	0.96	10.3
431	92BP-091	18.3	41.2	22.9	0.45	10.2
432	87-114	54.9	85.3	30.5	0.34	10.2
433	87-124	48.8	71.6	22.9	0.45	10.2
<b>434</b>	<b>LBP062</b>	<b>109.7</b>	<b>118.9</b>	<b>9.1</b>	<b>1.12</b>	<b>10.2</b>
435	95BP-28	30.5	36.6	6.1	1.67	10.2
436	89-496	0.0	16.8	16.8	0.61	10.2
437	P27-74	74.7	97.5	22.9	0.45	10.2
<b>438</b>	<b>LBP065</b>	<b>121.9</b>	<b>149.4</b>	<b>27.4</b>	<b>0.37</b>	<b>10.2</b>
439	87-134	97.5	105.2	7.6	1.33	10.1
440	89-449	68.6	70.1	1.5	6.65	10.1
441	93BX-46	62.5	71.6	9.2	1.10	10.1
442	92BP-122	33.5	50.3	16.8	0.60	10.1
443	94BP-108	91.4	112.8	21.3	0.47	10.0
444	91BP-015	54.9	59.4	4.6	2.17	9.9
445	93BP-2	0.0	13.7	13.7	0.72	9.9
446	94BP-115	4.6	22.9	18.3	0.54	9.9
447	92BP-009	67.1	88.4	21.3	0.47	9.9
448	95BP-23	65.5	85.3	19.8	0.50	9.9
449	94BX-51	53.3	79.3	25.9	0.38	9.9
450	92BX-30	100.6	121.9	21.3	0.46	9.9

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	94BP-46	74.7	86.9	12.2	0.81	9.9
452	SH90-11R	44.2	53.3	9.1	1.08	9.9
<b>453</b>	<b>LBP011</b>	<b>106.7</b>	<b>121.9</b>	<b>15.2</b>	<b>0.65</b>	<b>9.8</b>
454	P6-64	38.1	44.2	6.1	1.61	9.8
455	87-188	1.5	21.3	19.8	0.50	9.8
456	93BP-135	82.3	91.4	9.1	1.07	9.8
457	88-318	27.4	45.7	18.3	0.54	9.8
458	93BX-104	51.8	65.5	13.7	0.71	9.8
459	87-77	62.5	65.5	3.1	3.21	9.8
460	94BP-93	62.5	73.2	10.7	0.92	9.8
461	91BP-007	9.1	35.1	25.9	0.38	9.8
462	95BP-42	56.4	67.1	10.7	0.92	9.8
463	88-363	109.7	121.9	12.2	0.80	9.8
<b>464</b>	<b>LBP058</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.46</b>	<b>9.7</b>
465	96BX-4	109.7	114.3	4.6	2.13	9.7
466	87-113	67.1	103.6	36.6	0.27	9.7
467	89-464	0.0	18.3	18.3	0.53	9.7
468	91BP-042	42.7	68.6	25.9	0.37	9.7
469	96BP-23	103.6	109.7	6.1	1.59	9.7
470	94BX-62	24.4	30.5	6.1	1.59	9.7
471	87-177	67.1	89.9	22.9	0.42	9.7
472	87-79	57.9	68.6	10.7	0.91	9.7
473	94BP-24	50.3	71.6	21.3	0.45	9.7
474	89-523	77.7	102.1	24.4	0.40	9.7
475	93BP-112	54.9	62.5	7.6	1.27	9.7
476	93BX-98	38.1	53.3	15.2	0.63	9.6
477	92BP-015	38.1	64.0	25.9	0.37	9.6
478	93BP-115	74.7	105.2	30.5	0.32	9.6
479	93BP-90	134.1	150.9	16.8	0.57	9.6
480	94BP-52	128.0	157.0	29.0	0.33	9.6
481	86-13	70.1	85.3	15.2	0.63	9.6
<b>482</b>	<b>LBP034</b>	<b>144.8</b>	<b>169.2</b>	<b>24.4</b>	<b>0.39</b>	<b>9.6</b>
483	91BP-030	36.6	50.3	13.7	0.69	9.5
484	93BX-110	9.1	21.3	12.2	0.78	9.5
485	91BP-058	61.0	80.8	19.8	0.48	9.5
486	93BX-74	89.9	106.7	16.8	0.57	9.5
<b>487</b>	<b>LBP058</b>	<b>224.0</b>	<b>239.3</b>	<b>15.2</b>	<b>0.62</b>	<b>9.5</b>
<b>488</b>	<b>LBP068</b>	<b>172.2</b>	<b>184.4</b>	<b>12.2</b>	<b>0.78</b>	<b>9.5</b>
489	93BP-72	7.6	33.5	25.9	0.37	9.5
490	87-123	67.1	85.3	18.3	0.52	9.5
491	87-112	48.8	79.3	30.5	0.31	9.4
492	92BX-46	64.0	89.9	25.9	0.36	9.4
493	PG3-84	32.0	56.4	24.4	0.39	9.4
<b>494</b>	<b>LBP004</b>	<b>51.8</b>	<b>61.0</b>	<b>9.1</b>	<b>1.03</b>	<b>9.4</b>
<b>495</b>	<b>LBP028</b>	<b>44.2</b>	<b>65.5</b>	<b>21.3</b>	<b>0.44</b>	<b>9.3</b>
<b>496</b>	<b>LBP003</b>	<b>96.0</b>	<b>111.3</b>	<b>15.2</b>	<b>0.61</b>	<b>9.3</b>
497	79-6	24.4	27.4	3.1	3.05	9.3
498	93BX-63	62.5	80.8	18.3	0.51	9.3
499	92BP-05C	68.6	85.3	16.6	0.56	9.3
500	86-30	12.2	42.7	30.5	0.31	9.3