

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	LBP043	208.8	262.1	53.3	4.39	234.0
2	LBP064	112.8	175.3	62.5	3.38	211.3
3	LBP062	129.5	173.7	44.2	3.14	138.9
4	LBP088	257.6	318.5	61.0	2.10	128.3
5	LBP002	111.3	189.0	77.7	1.49	116.1
6	LBP029	166.1	207.3	41.1	2.56	105.1
7	LBP051	131.1	172.2	41.1	2.51	103.5
8	89-417	67.1	117.4	50.3	1.98	99.7
9	LBP054	248.4	349.0	100.6	0.95	95.1
10	87-169	79.3	121.9	42.7	2.10	89.6
11	LBP069	160.0	217.9	57.9	1.52	88.1
12	LBP023	204.2	253.0	48.8	1.78	86.9
13	88-357	61.0	121.9	61.0	1.40	85.3
14	LBP021	189.0	236.2	47.2	1.78	84.3
15	92BP-078	21.3	76.2	54.9	1.50	82.1
16	88-366	74.7	86.9	12.2	6.66	81.2
17	LBP066	173.7	243.8	70.1	1.15	80.6
18	92BX-18	1.5	68.6	67.1	1.18	79.2
19	LBP055	190.5	266.7	76.2	0.99	75.6
20	LBP027	143.3	169.2	25.9	2.89	74.9
21	LBP056	231.6	271.3	39.6	1.89	74.7
22	92BX-37	94.5	150.9	56.4	1.30	73.5
23	89-433	19.8	44.2	24.4	2.96	72.1
24	93BP-132	53.4	105.2	51.8	1.31	67.7
25	LBP016	89.9	135.6	45.7	1.46	66.6
26	88-342	41.2	76.2	35.1	1.89	66.2
27	91BP-055	68.6	105.2	36.6	1.81	66.1
28	LBP095	217.9	240.8	22.9	2.83	64.8
29	92BX-14	13.7	48.8	35.1	1.79	62.9
30	LBP015	86.9	115.8	29.0	2.15	62.2
31	94BX-40	36.6	62.5	25.9	2.30	59.6
32	93BX-33	82.3	106.7	24.4	2.38	58.0
33	89-418	94.5	140.2	45.7	1.25	57.0
34	88-342	83.8	109.7	25.9	2.19	56.8
35	94BP-11	85.3	117.4	32.0	1.70	54.3
36	LBP096	227.1	256.0	29.0	1.87	54.1
37	LBP085	143.3	184.4	41.1	1.31	54.1
38	88-391A	0.0	53.3	53.3	1.00	53.6
39	94BP-42	47.2	135.6	88.4	0.60	53.1
40	LBP068	228.6	249.9	21.3	2.43	51.9
41	86-12	97.5	121.9	24.4	2.12	51.6
42	LBP057	173.7	239.3	65.5	0.77	50.7
43	LBP095	157.0	201.2	44.2	1.14	50.3
44	LBP044	253.0	269.7	16.8	2.90	48.5
45	LBP091	141.7	163.1	21.3	2.22	47.3
46	LBP058	251.5	291.1	39.6	1.18	46.8
47	MGR11-017	9.1	53.3	44.2	1.05	46.3
48	96BX-16	64.0	109.7	45.7	1.01	46.1
49	LBP048	208.8	248.4	39.6	1.16	46.0
50	87-58	71.6	83.8	12.2	3.76	45.8

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	LBP043	158.5	167.6	9.1	4.92	45.0
52	LBP014	51.8	89.9	38.1	1.18	44.8
53	96BX-26	45.7	121.9	76.2	0.57	43.8
54	96BP-9	94.5	106.7	12.2	3.59	43.7
55	LBP025	140.2	172.2	32.0	1.36	43.6
56	89-506	76.2	97.5	21.3	2.02	43.2
57	88-398	0.0	48.8	48.8	0.87	42.5
58	89-454	30.5	70.1	39.6	1.07	42.4
59	89-516	76.2	97.5	21.3	1.95	41.7
60	LBP063	213.4	222.5	9.1	4.56	41.7
61	92BP-122	83.8	137.2	53.3	0.76	40.5
62	87-127	135.6	152.4	16.8	2.42	40.5
63	93BP-7	13.7	57.9	44.2	0.91	40.2
64	94BP-146	62.5	106.7	44.2	0.89	39.5
65	89-439	62.5	96.0	33.5	1.15	38.7
66	94BP-63	103.6	109.7	6.1	6.32	38.6
67	94BX-73	62.5	105.2	42.7	0.90	38.5
68	88-339	30.5	91.4	61.0	0.62	38.0
69	LBP090	222.5	259.1	36.6	1.03	37.8
70	94BP-113	64.0	103.6	39.6	0.95	37.7
71	93BP-1	39.6	64.0	24.4	1.54	37.5
72	LBP059	208.8	233.2	24.4	1.53	37.4
73	88-340	44.2	91.4	47.2	0.79	37.2
74	86-22	79.3	103.6	24.4	1.51	36.8
75	83-43	1.5	18.3	16.8	2.17	36.3
76	89-426	36.6	83.8	47.2	0.77	36.2
77	92BX-28	71.6	99.1	27.4	1.30	35.7
78	93BX-34	65.5	83.8	18.3	1.95	35.7
79	87-241	38.1	102.1	64.0	0.56	35.6
80	92BX-77	32.0	79.3	47.3	0.75	35.3
81	93BP-2	33.5	83.8	50.3	0.70	35.1
82	LBP042	240.8	263.7	22.9	1.53	34.9
83	87-229	33.5	79.3	45.7	0.76	34.8
84	87-82	16.8	74.7	57.9	0.60	34.8
85	92BX-52	51.8	64.0	12.2	2.79	34.0
86	86-11	85.3	121.9	36.6	0.92	33.8
87	93BX-60	71.6	106.7	35.1	0.96	33.7
88	LBP089	41.1	79.2	38.1	0.86	32.9
89	87-126	79.3	100.6	21.3	1.52	32.5
90	92BX-28	6.1	47.2	41.1	0.78	32.3
91	LBP094	189.0	224.0	35.1	0.92	32.2
92	91BP-039	96.0	123.4	27.4	1.17	32.1
93	LBP097	137.2	167.6	30.5	1.05	32.0
94	87-61	71.6	106.7	35.1	0.91	31.8
95	93BP-99	48.8	79.3	30.5	1.02	31.1
96	87-66	74.7	96.0	21.3	1.46	31.1
97	94BP-140	65.5	97.5	32.0	0.97	31.0
98	93BP-67	38.1	99.1	61.0	0.51	30.9
99	LBP086	178.3	192.0	13.7	2.25	30.9
100	93BP-27	16.8	24.4	7.6	4.05	30.9

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
101	86-44	64.0	68.6	4.6	6.75	30.8
102	92BP-121	41.2	102.1	61.0	0.50	30.6
103	LBP052	269.7	309.4	39.6	0.77	30.4
104	94BP-147	9.1	56.4	47.3	0.64	30.1
105	LBP092	61.0	106.7	45.7	0.66	30.1
106	87-245	36.6	102.1	65.5	0.46	29.9
107	96BX-29	3.1	70.1	67.1	0.44	29.8
108	87-235	39.6	91.4	51.8	0.56	29.2
109	LBP028	243.8	269.7	25.9	1.11	28.8
110	93BP-129	48.8	77.7	29.0	0.99	28.7
111	92BX-68	33.5	77.7	44.2	0.65	28.6
112	93BP-4	47.2	65.5	18.3	1.56	28.6
113	87-237	38.1	94.5	56.4	0.51	28.5
114	LBP050	230.1	242.3	12.2	2.34	28.5
115	LBP044	192.0	211.8	19.8	1.43	28.4
116	SH90-7R	25.9	59.4	33.5	0.84	28.2
117	94BX-58	13.7	35.1	21.3	1.32	28.2
118	89-437	21.3	67.1	45.7	0.62	28.2
119	93BP-91	150.9	167.6	16.8	1.67	28.0
120	87-145	30.5	57.9	27.4	1.02	27.9
121	MGR11-024	80.8	91.4	10.7	2.59	27.7
122	LBP096	178.3	216.4	38.1	0.72	27.5
123	SH90-13R	0.0	6.1	6.1	4.49	27.4
124	92BP-021	4.6	67.1	62.5	0.44	27.3
125	LBP069	271.3	285.0	13.7	1.96	26.9
126	92BP-125	47.2	67.1	19.8	1.36	26.9
127	93BP-122	89.9	97.5	7.6	3.47	26.4
128	91BP-043	16.8	57.9	41.2	0.64	26.3
129	93BP-101	125.0	179.8	54.9	0.48	26.3
130	94BP-22	27.4	64.0	36.6	0.72	26.3
131	94BP-18	56.4	118.9	62.5	0.42	26.2
132	LBP020	164.6	199.6	35.1	0.75	26.2
133	LBP069	219.5	228.6	9.1	2.85	26.1
134	93BP-92	74.7	115.8	41.1	0.63	26.0
135	93BX-82	102.1	117.4	15.2	1.70	25.9
136	88-318	61.0	74.7	13.7	1.86	25.5
137	MGR11-026	24.4	70.1	45.7	0.56	25.5
138	LBP011	0.0	10.7	10.7	2.37	25.3
139	80-02	79.3	103.6	24.4	1.03	25.1
140	92BX-24	22.9	61.0	38.1	0.65	24.7
141	92BP-022	29.0	85.3	56.4	0.43	24.5
142	93BP-96	70.1	128.0	57.9	0.42	24.3
143	94BP-94	129.5	150.9	21.3	1.14	24.3
144	89-423	19.8	76.2	56.4	0.43	24.1
145	BP90-31	70.1	108.2	38.1	0.63	23.8
146	LBP048	173.7	204.2	30.5	0.78	23.7
147	PG10-84	57.9	89.9	32.0	0.74	23.7
148	LBP034	245.4	266.7	21.3	1.11	23.6
149	87-162	85.3	103.6	18.3	1.28	23.4
150	LBP027	117.3	128.0	10.7	2.18	23.3

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	93BP-134	12.2	53.3	41.2	0.56	23.2
152	LBP090	175.3	216.4	41.1	0.56	23.2
153	LBP002	6.1	45.7	39.6	0.58	23.1
154	LBP004	10.7	35.1	24.4	0.95	23.1
155	83-38	42.7	54.9	12.2	1.88	23.0
156	93BP-108	112.8	144.8	32.0	0.72	22.9
157	96BP-25	99.1	114.3	15.2	1.50	22.9
158	94BP-95	77.7	134.1	56.4	0.40	22.8
159	93BX-42	41.2	71.6	30.5	0.75	22.7
160	LBP072	57.9	94.5	36.6	0.62	22.7
161	88-338A	7.6	54.9	47.2	0.48	22.7
162	96BX-20	9.1	64.0	54.9	0.41	22.5
163	92BP-112	10.7	29.0	18.3	1.21	22.2
164	91BP-028	120.4	128.0	7.6	2.90	22.1
165	LBP068	266.7	301.8	35.1	0.63	22.0
166	R1-1974	6.1	22.9	16.8	1.31	22.0
167	89-419	111.3	118.9	7.6	2.87	21.9
168	PG11-84	53.3	70.1	16.8	1.30	21.9
169	89-459	0.0	42.7	42.7	0.51	21.7
170	LBP038	210.3	248.4	38.1	0.57	21.7
171	SH90-6R	9.1	35.1	25.9	0.84	21.6
172	94BP-15	103.6	135.6	32.0	0.67	21.6
173	92BP-125	79.3	100.6	21.3	1.01	21.6
174	LBP072	277.4	288.0	10.7	1.96	20.9
175	95BP-21	53.3	89.9	36.6	0.57	20.7
176	87-149	57.9	91.4	33.5	0.61	20.4
177	83-69	70.1	106.7	36.6	0.56	20.4
178	94BX-38	0.0	21.3	21.3	0.95	20.4
179	PG13-84	44.2	80.8	36.6	0.55	20.3
180	87-227	41.2	76.2	35.1	0.58	20.2
181	MGR11-006	0.0	47.2	47.2	0.43	20.2
182	P14-64	30.5	47.2	16.8	1.20	20.1
183	87-155	105.2	117.4	12.2	1.64	20.0
184	93BX-39	86.9	108.2	21.3	0.93	19.9
185	94BP-135	24.4	39.6	15.2	1.30	19.8
186	P8-64	77.7	91.4	13.7	1.44	19.8
187	MGR11-003	12.2	44.2	32.0	0.62	19.7
188	94BP-54	70.1	99.1	29.0	0.68	19.6
189	91BP-050	83.8	88.4	4.6	4.28	19.6
190	92BP-050	36.6	51.8	15.2	1.27	19.4
191	87-191	103.6	115.8	12.2	1.59	19.4
192	93BP-19	0.0	45.7	45.7	0.42	19.4
193	87-233	39.6	88.4	48.8	0.40	19.4
194	LBP017	74.7	117.3	42.7	0.45	19.3
195	LBP068	96.0	143.3	47.2	0.41	19.3
196	SH90-5R	16.8	56.4	39.6	0.48	19.2
197	89-472	6.1	50.3	44.2	0.43	19.1
198	95BX-19	71.6	97.5	25.9	0.74	19.1
199	94BP-84	71.6	79.3	7.6	2.49	19.0
200	LBP026	166.1	198.1	32.0	0.59	19.0

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	LBP020	217.9	234.7	16.8	1.12	18.8
202	92BP-131	48.8	76.2	27.4	0.68	18.6
203	92BP-020	59.4	117.4	57.9	0.32	18.6
204	95BP-18	103.6	121.9	18.3	1.01	18.5
205	87-184	57.9	76.2	18.3	1.01	18.4
206	93BP-131	100.6	141.7	41.2	0.45	18.3
207	93BP-28	24.4	65.5	41.2	0.44	18.3
208	93BX-96	22.9	47.2	24.4	0.75	18.3
209	93BP-30	53.3	102.1	48.8	0.37	18.3
210	89-479	0.0	19.8	19.8	0.92	18.2
211	93BP-11	30.5	77.7	47.2	0.38	18.1
212	92BP-041	19.8	65.5	45.7	0.40	18.1
213	95BP-4	62.5	91.4	29.0	0.62	18.0
214	87-231	50.3	82.3	32.0	0.56	18.0
215	LBP055	166.1	184.4	18.3	0.98	18.0
216	86-22	121.9	134.1	12.2	1.47	18.0
217	94BP-33	54.9	91.4	36.6	0.49	17.8
218	95BP-38	115.8	144.8	29.0	0.61	17.7
219	93BX-6	32.0	67.1	35.1	0.51	17.7
220	92BX-36	102.1	128.0	25.9	0.68	17.6
221	89-469	1.5	36.6	35.1	0.50	17.6
222	LBP009	15.2	48.8	33.5	0.52	17.5
223	BP90-4C	65.5	94.5	29.0	0.60	17.5
224	92BX-84	79.3	108.2	29.0	0.60	17.5
225	89-402	4.6	30.5	25.9	0.68	17.5
226	87-166	18.3	67.1	48.8	0.36	17.5
227	94BX-08	0.0	41.2	41.2	0.42	17.5
228	87-188	50.3	76.2	25.9	0.67	17.4
229	LBP019	129.5	172.2	42.7	0.41	17.3
230	87-163	74.7	94.5	19.8	0.87	17.3
231	92BP-101	56.4	77.7	21.3	0.81	17.3
232	LBP038	294.1	313.9	19.8	0.87	17.3
233	LBP060	216.4	248.4	32.0	0.54	17.2
234	95BX-38	0.0	29.0	29.0	0.59	17.1
235	87-252	30.5	67.1	36.6	0.47	17.1
236	86-06	48.8	79.3	30.5	0.56	17.1
237	94BP-27	0.0	39.6	39.6	0.43	17.1
238	BP90-4C	96.0	106.7	10.7	1.60	17.1
239	PG2-84	33.5	67.1	33.5	0.51	17.0
240	94BP-152	16.8	48.8	32.0	0.53	17.0
241	87-135	19.8	33.5	13.7	1.23	16.9
242	89-403	38.1	65.5	27.4	0.62	16.9
243	94BP-131	47.2	76.2	29.0	0.58	16.9
244	SH90-16R	15.2	33.5	18.3	0.92	16.9
245	LBP009	96.0	120.4	24.4	0.69	16.8
246	89-420	61.0	105.2	44.2	0.38	16.8
247	92BP-051	0.0	18.3	18.3	0.91	16.7
248	93BP-14	36.6	67.1	30.5	0.55	16.7
249	BP90-23	44.2	54.9	10.7	1.56	16.6
250	94BP-12	123.4	161.5	38.1	0.43	16.6

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	LBP063	82.3	125.0	42.7	0.39	16.5
252	88-332	57.9	88.4	30.5	0.54	16.5
253	LBP024	181.4	210.3	29.0	0.57	16.5
254	LBP002	88.4	103.6	15.2	1.08	16.4
255	94BP-137	30.5	65.5	35.1	0.47	16.4
256	89-421	91.4	126.5	35.1	0.46	16.3
257	LBP043	140.2	150.9	10.7	1.52	16.2
258	94BP-53	83.8	108.2	24.4	0.66	16.2
259	87-165	108.2	115.8	7.6	2.12	16.2
260	LBP035	213.4	227.1	13.7	1.18	16.2
261	93BP-6	61.0	86.9	25.9	0.62	16.1
262	95BP-41	39.6	59.4	19.8	0.81	16.1
263	94BP-46	105.2	140.2	35.1	0.46	16.1
264	94BP-110	112.8	138.7	25.9	0.62	16.1
265	93BP-124	102.1	125.0	22.9	0.70	16.0
266	SH91-23R	7.6	24.4	16.8	0.95	16.0
267	94BP-18	135.6	157.0	21.3	0.75	15.9
268	95BP-37	106.7	128.0	21.3	0.74	15.9
269	92BX-37	3.1	19.8	16.8	0.95	15.9
270	94BP-71	96.0	123.4	27.4	0.58	15.8
271	89-439	30.5	35.1	4.6	3.43	15.7
272	92BX-55	38.1	47.2	9.1	1.71	15.6
273	MGR11-029	150.9	164.6	13.7	1.12	15.4
274	LBP057	0.0	38.1	38.1	0.40	15.4
275	93BP-100	125.0	143.3	18.3	0.84	15.4
276	92BP-121	103.6	129.5	25.9	0.59	15.3
277	88-320	41.2	65.5	24.4	0.63	15.3
278	89-422	47.2	76.2	29.0	0.53	15.3
279	87-116	77.7	96.0	18.3	0.83	15.2
280	92BX-40	24.4	50.3	25.9	0.59	15.2
281	MGR11-019	0.0	32.0	32.0	0.48	15.2
282	MGR11-002	0.0	30.5	30.5	0.50	15.2
283	96BP-26	83.8	93.0	9.1	1.66	15.2
284	95BP-39	54.9	73.2	18.3	0.83	15.2
285	92BX-92	48.8	74.7	25.9	0.58	15.2
286	LBP055	4.6	36.6	32.0	0.47	15.0
287	93BP-46	91.4	105.2	13.7	1.09	15.0
288	LBP081	195.1	208.8	13.7	1.09	14.9
289	88-298	77.7	94.5	16.8	0.89	14.9
290	87-89	44.2	77.7	33.5	0.44	14.9
291	94BX-34	44.2	56.4	12.2	1.22	14.8
292	86-07	48.8	85.3	36.6	0.41	14.8
293	LBP045	179.8	192.0	12.2	1.22	14.8
294	94BP-13	106.7	137.2	30.5	0.49	14.8
295	95BP-54	94.5	120.4	25.9	0.57	14.8
296	92BP-017	51.8	86.9	35.1	0.42	14.8
297	92BP-046	32.0	61.0	29.0	0.51	14.7
298	86-15	51.8	79.3	27.4	0.54	14.7
299	94BP-148	85.3	118.9	33.5	0.44	14.7
300	94BP-14	121.9	146.3	24.4	0.60	14.6

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
301	93BP-146	44.2	65.5	21.3	0.68	14.6
302	88-273	30.5	85.3	54.9	0.26	14.5
303	LBP055	71.6	99.1	27.4	0.53	14.5
304	LBP041	67.1	106.7	39.6	0.36	14.4
305	83-70	68.6	91.4	22.9	0.63	14.4
306	94BP-138	15.2	42.7	27.4	0.52	14.4
307	LBP032	221.0	243.8	22.9	0.63	14.4
308	92BX-46	16.8	35.1	18.3	0.78	14.3
309	88-359	100.6	121.9	21.3	0.67	14.2
310	93BX-3	9.1	33.5	24.4	0.58	14.2
311	93BX-36	44.2	54.9	10.7	1.33	14.1
312	93BX-105	0.0	18.3	18.3	0.77	14.1
313	94BP-73	32.0	77.7	45.7	0.31	14.1
314	93BP-43	126.5	144.8	18.3	0.77	14.1
315	92BP-011	35.1	68.6	33.5	0.42	14.1
316	LBP003	57.9	85.3	27.4	0.51	14.1
317	95BP-23	41.2	54.9	13.7	1.02	14.0
318	LBP085	4.6	38.1	33.5	0.42	14.0
319	93BP-28	68.6	96.0	27.4	0.51	13.9
320	92BP-118	3.1	24.4	21.3	0.65	13.8
321	94BP-76	59.4	80.8	21.3	0.65	13.8
322	LBP006	24.4	32.0	7.6	1.80	13.7
323	95BP-14	83.8	102.1	18.3	0.75	13.7
324	LBP034	294.1	301.8	7.6	1.80	13.7
325	83-32	57.9	97.5	39.6	0.34	13.6
326	SH91-21R	16.8	27.4	10.7	1.27	13.6
327	94BP-142	12.2	27.4	15.2	0.89	13.6
328	94BP-16	76.2	112.8	36.6	0.37	13.5
329	94BP-31	100.6	143.3	42.7	0.31	13.4
330	LBP081	214.9	230.1	15.2	0.88	13.4
331	93BP-38	18.3	44.2	25.9	0.52	13.4
332	94BP-143	33.5	41.2	7.6	1.75	13.3
333	94BP-22	79.3	103.6	24.4	0.55	13.3
334	92BP-05C	34.4	57.1	22.7	0.59	13.3
335	92BP-073	59.4	86.9	27.4	0.48	13.3
336	92BX-39	61.0	76.2	15.2	0.87	13.3
337	LBP045	32.0	54.9	22.9	0.58	13.2
338	89-475	36.6	54.9	18.3	0.72	13.2
339	87-144	36.6	61.0	24.4	0.54	13.2
340	88-321	64.0	91.4	27.4	0.48	13.1
341	87-112	114.3	140.2	25.9	0.50	13.1
342	LBP071	120.4	132.6	12.2	1.07	13.0
343	LBP052	74.7	96.0	21.3	0.61	13.0
344	94BP-22A	109.7	137.2	27.4	0.47	13.0
345	96BX-22	76.2	114.3	38.1	0.34	13.0
346	94BP-82	83.8	115.8	32.0	0.41	13.0
347	83-04	79.3	89.9	10.7	1.22	13.0
348	88-364	91.4	106.7	15.2	0.85	13.0
349	93BP-147	51.8	79.3	27.4	0.47	12.9
350	93BP-98	33.5	45.7	12.2	1.06	12.9

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	94BP-29	141.7	182.9	41.2	0.31	12.9
352	T40-1975	12.2	41.2	29.0	0.44	12.9
353	89-450	48.8	67.1	18.3	0.70	12.8
354	92BP-133	25.9	47.2	21.3	0.60	12.7
355	96BX-42	97.5	129.5	32.0	0.40	12.7
356	94BP-1	53.3	67.1	13.7	0.93	12.7
357	96BX-27	65.5	103.6	38.1	0.33	12.7
358	93BP-128	33.5	54.9	21.3	0.59	12.7
359	MGR11-009	4.6	18.3	13.7	0.92	12.7
360	LBP081	237.7	246.9	9.1	1.39	12.7
361	94BX-46	64.0	79.3	15.2	0.83	12.6
362	88-392	6.1	35.1	29.0	0.44	12.6
363	92BP-120	125.0	131.1	6.1	2.08	12.6
364	MGR11-005	7.6	15.2	7.6	1.65	12.6
365	91BP-050	39.6	67.1	27.4	0.46	12.6
366	92BP-023	54.9	79.3	24.4	0.52	12.6
367	87-246	24.4	36.6	12.2	1.03	12.6
368	MGR11-007	230.1	246.9	16.8	0.75	12.5
369	R2-1974	48.8	54.9	6.1	2.06	12.5
370	LBP056	199.6	225.6	25.9	0.48	12.5
371	94BP-128	39.6	53.3	13.7	0.91	12.5
372	87-147	38.1	67.1	29.0	0.43	12.4
373	92BP-080	35.1	48.8	13.7	0.91	12.4
374	LBP103	187.5	192.0	4.6	2.72	12.4
375	93BP-22	61.0	91.4	30.5	0.41	12.4
376	87-67	47.2	80.8	33.5	0.37	12.3
377	94BP-32	108.2	135.6	27.4	0.45	12.3
378	94BP-149	80.8	108.2	27.4	0.45	12.3
379	97BP-5	105.2	121.9	16.8	0.74	12.3
380	LBP077	167.6	181.4	13.7	0.90	12.3
381	93BP-8	29.0	70.1	41.1	0.30	12.3
382	89-466	0.0	19.8	19.8	0.62	12.3
383	LBP059	170.7	202.7	32.0	0.38	12.2
384	SH90-15R	24.4	32.0	7.6	1.61	12.2
385	94BP-28	76.2	102.1	25.9	0.47	12.2
386	92BP-024	57.9	93.0	35.1	0.35	12.2
387	94BP-118	0.0	15.2	15.2	0.80	12.2
388	88-363	47.2	74.7	27.4	0.44	12.2
389	LBP084	155.4	173.7	18.3	0.66	12.1
390	89-479	48.8	79.3	30.5	0.40	12.1
391	92BX-91	1.5	24.4	22.9	0.53	12.1
392	93BX-93	29.0	61.0	32.0	0.38	12.1
393	89-409	91.4	99.1	7.6	1.59	12.1
394	96BP-6	30.5	61.0	30.5	0.39	12.0
395	91BP-072	44.2	74.7	30.5	0.39	12.0
396	89-522	71.6	97.5	25.9	0.46	12.0
397	LBP091	4.6	25.9	21.3	0.56	11.9
398	93BX-66	73.2	83.8	10.7	1.12	11.9
399	92BP-114	32.0	51.8	19.8	0.60	11.9
400	94BX-80	118.9	134.1	15.2	0.78	11.9

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	MGR11-024	36.6	45.7	9.1	1.29	11.8
402	93BX-111	114.3	137.2	22.9	0.51	11.8
403	LBP085	51.8	68.6	16.8	0.70	11.7
404	94BP-138	54.9	61.0	6.1	1.92	11.7
405	92BX-24	99.1	106.7	7.6	1.53	11.7
406	92BX-66	29.0	39.6	10.7	1.09	11.6
407	92BP-119	6.1	39.6	33.5	0.35	11.6
408	88-350	61.0	68.6	7.6	1.53	11.6
409	MGR11-022	86.9	100.6	13.7	0.84	11.5
410	88-381	30.5	48.8	18.3	0.63	11.5
411	89-470	6.1	24.4	18.3	0.63	11.5
412	92BP-038	18.3	47.2	29.0	0.40	11.4
413	91BP-075	44.2	61.0	16.8	0.68	11.4
414	92BP-037	18.3	50.3	32.0	0.36	11.4
415	87-209	64.0	91.4	27.4	0.42	11.4
416	94BP-5	68.6	86.9	18.3	0.62	11.4
417	87-197	19.8	42.7	22.9	0.50	11.3
418	LBP028	137.2	149.4	12.2	0.93	11.3
419	94BP-115	32.0	45.7	13.7	0.82	11.3
420	92BX-36	45.7	70.1	24.4	0.46	11.3
421	R2-1974	96.0	108.2	12.2	0.92	11.2
422	87-70	64.0	80.8	16.8	0.67	11.2
423	95BP-50	73.2	91.4	18.3	0.61	11.2
424	LBP045	0.0	25.9	25.9	0.43	11.2
425	LBP100	68.6	96.0	27.4	0.41	11.2
426	PG18-84	61.0	64.0	3.1	3.66	11.2
427	88-399	0.0	24.4	24.4	0.46	11.1
428	89-434	0.0	25.9	25.9	0.43	11.1
429	87-121	64.0	85.3	21.3	0.52	11.1
430	LBP015	67.1	85.3	18.3	0.61	11.1
431	93BP-140	77.7	86.9	9.2	1.21	11.0
432	LBP033	204.2	221.0	16.8	0.66	11.0
433	LBP006	44.2	62.5	18.3	0.60	11.0
434	89-478	12.2	30.5	18.3	0.60	10.9
435	93BX-115	9.1	25.9	16.8	0.65	10.9
436	SH90-8R	27.4	32.0	4.6	2.38	10.9
437	87-110	18.3	67.1	48.8	0.22	10.9
438	92BP-003	6.1	32.0	25.9	0.42	10.8
439	87-159	47.2	68.6	21.3	0.51	10.8
440	93BP-33	82.3	100.6	18.3	0.59	10.7
441	86-25	42.7	61.0	18.3	0.59	10.7
442	88-316	41.2	73.2	32.0	0.33	10.7
443	91BP-027	65.5	88.4	22.9	0.47	10.7
444	92BP-054	68.6	79.3	10.7	0.99	10.6
445	79-23	18.3	54.9	36.6	0.29	10.6
446	P35-74	61.0	70.1	9.1	1.15	10.6
447	86-42	57.9	79.3	21.3	0.49	10.5
448	93BX-36	82.3	93.0	10.7	0.98	10.5
449	LBP035	164.6	179.8	15.2	0.69	10.5
450	87-69	73.2	85.3	12.2	0.86	10.5

Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	87-126A	85.3	105.2	19.8	0.53	10.5
452	92BX-72	0.0	15.2	15.2	0.69	10.5
453	93BP-94	56.4	86.9	30.5	0.34	10.5
454	80-01	76.2	86.9	10.7	0.98	10.4
455	89-410	86.9	89.9	3.1	3.40	10.4
456	LBP032	62.5	76.2	13.7	0.75	10.3
457	93BP-104	91.4	123.4	32.0	0.32	10.3
458	87-161	56.4	76.2	19.8	0.52	10.3
459	89-477	0.0	18.3	18.3	0.56	10.3
460	91BP-073	41.2	51.8	10.7	0.96	10.3
461	92BP-091	18.3	41.2	22.9	0.45	10.2
462	87-114	54.9	85.3	30.5	0.34	10.2
463	87-124	48.8	71.6	22.9	0.45	10.2
464	LBP062	109.7	118.9	9.1	1.12	10.2
465	95BP-28	30.5	36.6	6.1	1.67	10.2
466	89-496	0.0	16.8	16.8	0.61	10.2
467	P27-74	74.7	97.5	22.9	0.45	10.2
468	LBP065	121.9	149.4	27.4	0.37	10.2
469	87-134	97.5	105.2	7.6	1.33	10.1
470	89-449	68.6	70.1	1.5	6.65	10.1
471	93BX-46	62.5	71.6	9.2	1.10	10.1
472	92BP-122	33.5	50.3	16.8	0.60	10.1
473	LBP089	3.0	27.4	24.4	0.41	10.1
474	94BP-108	91.4	112.8	21.3	0.47	10.0
475	LBP071	160.0	172.2	12.2	0.82	10.0
476	91BP-015	54.9	59.4	4.6	2.17	9.9
477	93BP-2	0.0	13.7	13.7	0.72	9.9
478	94BP-115	4.6	22.9	18.3	0.54	9.9
479	92BP-009	67.1	88.4	21.3	0.47	9.9
480	95BP-23	65.5	85.3	19.8	0.50	9.9
481	LBP102	100.6	132.6	32.0	0.31	9.9
482	94BX-51	53.3	79.3	25.9	0.38	9.9
483	92BX-30	100.6	121.9	21.3	0.46	9.9
484	94BP-46	74.7	86.9	12.2	0.81	9.9
485	SH90-11R	44.2	53.3	9.1	1.08	9.9
486	LBP011	106.7	121.9	15.2	0.65	9.8
487	P6-64	38.1	44.2	6.1	1.61	9.8
488	87-188	1.5	21.3	19.8	0.50	9.8
489	93BP-135	82.3	91.4	9.1	1.07	9.8
490	88-318	27.4	45.7	18.3	0.54	9.8
491	93BX-104	51.8	65.5	13.7	0.71	9.8
492	87-77	62.5	65.5	3.1	3.21	9.8
493	94BP-93	62.5	73.2	10.7	0.92	9.8
494	91BP-007	9.1	35.1	25.9	0.38	9.8
495	95BP-42	56.4	67.1	10.7	0.92	9.8
496	88-363	109.7	121.9	12.2	0.80	9.8
497	LBP094	6.1	29.0	22.9	0.43	9.7
498	LBP058	89.9	111.3	21.3	0.46	9.7
499	96BX-4	109.7	114.3	4.6	2.13	9.7
500	87-113	67.1	103.6	36.6	0.27	9.7