

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	LBP043	208.8	262.1	53.3	4.39	234.0
2	LBP064	112.8	175.3	62.5	3.38	211.3
3	LBP067C	188.7	244.5	55.9	2.92	163.3
4	LBP062	129.5	173.7	44.2	3.14	138.9
5	LBP088	257.6	318.5	61.0	2.10	128.3
6	LBP002	111.3	189.0	77.7	1.49	116.1
7	LBP029	166.1	207.3	41.1	2.56	105.1
8	LBP051	131.1	172.2	41.1	2.51	103.5
9	89-417	67.1	117.4	50.3	1.98	99.7
10	LBP054	248.4	349.0	100.6	0.95	95.1
11	87-169	79.3	121.9	42.7	2.10	89.6
12	LBP069	160.0	217.9	57.9	1.52	88.1
13	LBP023	204.2	253.0	48.8	1.78	86.9
14	88-357	61.0	121.9	61.0	1.40	85.3
15	LBP021	189.0	236.2	47.2	1.78	84.3
16	92BP-078	21.3	76.2	54.9	1.50	82.1
17	88-366	74.7	86.9	12.2	6.66	81.2
18	LBP066	173.7	243.8	70.1	1.15	80.6
19	92BX-18	1.5	68.6	67.1	1.18	79.2
20	LBP055	190.5	266.7	76.2	0.99	75.6
21	LBP027	143.3	169.2	25.9	2.89	74.9
22	LBP056	231.6	271.3	39.6	1.89	74.7
23	92BX-37	94.5	150.9	56.4	1.30	73.5
24	89-433	19.8	44.2	24.4	2.96	72.1
25	93BP-132	53.4	105.2	51.8	1.31	67.7
26	LBP016	89.9	135.6	45.7	1.46	66.6
27	88-342	41.2	76.2	35.1	1.89	66.2
28	91BP-055	68.6	105.2	36.6	1.81	66.1
29	LBP095	217.9	240.8	22.9	2.83	64.8
30	92BX-14	13.7	48.8	35.1	1.79	62.9
31	LBP015	86.9	115.8	29.0	2.15	62.2
32	94BX-40	36.6	62.5	25.9	2.30	59.6
33	93BX-33	82.3	106.7	24.4	2.38	58.0
34	89-418	94.5	140.2	45.7	1.25	57.0
35	88-342	83.8	109.7	25.9	2.19	56.8
36	94BP-11	85.3	117.4	32.0	1.70	54.3
37	LBP096	227.1	256.0	29.0	1.87	54.1
38	LBP085	143.3	184.4	41.1	1.31	54.1
39	88-391A	0.0	53.3	53.3	1.00	53.6
40	94BP-42	47.2	135.6	88.4	0.60	53.1
41	LBP068	228.6	249.9	21.3	2.43	51.9
42	86-12	97.5	121.9	24.4	2.12	51.6
43	LBP057	173.7	239.3	65.5	0.77	50.7
44	LBP095	157.0	201.2	44.2	1.14	50.3
45	LBP044	253.0	269.7	16.8	2.90	48.5
46	LBP091	141.7	163.1	21.3	2.22	47.3
47	LBP058	251.5	291.1	39.6	1.18	46.8
48	MGR11-017	9.1	53.3	44.2	1.05	46.3
49	96BX-16	64.0	109.7	45.7	1.01	46.1
50	LBP048	208.8	248.4	39.6	1.16	46.0

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	87-58	71.6	83.8	12.2	3.76	45.8
<b>52</b>	<b>LBP043</b>	<b>158.5</b>	<b>167.6</b>	<b>9.1</b>	<b>4.92</b>	<b>45.0</b>
<b>53</b>	<b>LBP014</b>	<b>51.8</b>	<b>89.9</b>	<b>38.1</b>	<b>1.18</b>	<b>44.8</b>
54	96BX-26	45.7	121.9	76.2	0.57	43.8
55	96BP-9	94.5	106.7	12.2	3.59	43.7
<b>56</b>	<b>LBP025</b>	<b>140.2</b>	<b>172.2</b>	<b>32.0</b>	<b>1.36</b>	<b>43.6</b>
57	89-506	76.2	97.5	21.3	2.02	43.2
<b>58</b>	<b>LBP073C</b>	<b>183.5</b>	<b>206.7</b>	<b>23.2</b>	<b>1.84</b>	<b>42.6</b>
59	88-398	0.0	48.8	48.8	0.87	42.5
60	89-454	30.5	70.1	39.6	1.07	42.4
61	89-516	76.2	97.5	21.3	1.95	41.7
<b>62</b>	<b>LBP063</b>	<b>213.4</b>	<b>222.5</b>	<b>9.1</b>	<b>4.56</b>	<b>41.7</b>
63	92BP-122	83.8	137.2	53.3	0.76	40.5
64	87-127	135.6	152.4	16.8	2.42	40.5
65	93BP-7	13.7	57.9	44.2	0.91	40.2
66	94BP-146	62.5	106.7	44.2	0.89	39.5
67	89-439	62.5	96.0	33.5	1.15	38.7
68	94BP-63	103.6	109.7	6.1	6.32	38.6
69	94BX-73	62.5	105.2	42.7	0.90	38.5
70	88-339	30.5	91.4	61.0	0.62	38.0
<b>71</b>	<b>LBP078C</b>	<b>178.6</b>	<b>194.2</b>	<b>15.5</b>	<b>2.43</b>	<b>37.8</b>
<b>72</b>	<b>LBP090</b>	<b>222.5</b>	<b>259.1</b>	<b>36.6</b>	<b>1.03</b>	<b>37.8</b>
73	94BP-113	64.0	103.6	39.6	0.95	37.7
74	93BP-1	39.6	64.0	24.4	1.54	37.5
<b>75</b>	<b>LBP059</b>	<b>208.8</b>	<b>233.2</b>	<b>24.4</b>	<b>1.53</b>	<b>37.4</b>
76	88-340	44.2	91.4	47.2	0.79	37.2
77	86-22	79.3	103.6	24.4	1.51	36.8
<b>78</b>	<b>LBP087C</b>	<b>142.2</b>	<b>171.3</b>	<b>29.1</b>	<b>1.26</b>	<b>36.7</b>
79	83-43	1.5	18.3	16.8	2.17	36.3
80	89-426	36.6	83.8	47.2	0.77	36.2
81	92BX-28	71.6	99.1	27.4	1.30	35.7
82	93BX-34	65.5	83.8	18.3	1.95	35.7
83	87-241	38.1	102.1	64.0	0.56	35.6
84	92BX-77	32.0	79.3	47.3	0.75	35.3
85	93BP-2	33.5	83.8	50.3	0.70	35.1
<b>86</b>	<b>LBP042</b>	<b>240.8</b>	<b>263.7</b>	<b>22.9</b>	<b>1.53</b>	<b>34.9</b>
87	87-229	33.5	79.3	45.7	0.76	34.8
88	87-82	16.8	74.7	57.9	0.60	34.8
89	92BX-52	51.8	64.0	12.2	2.79	34.0
90	86-11	85.3	121.9	36.6	0.92	33.8
91	93BX-60	71.6	106.7	35.1	0.96	33.7
<b>92</b>	<b>LBP089</b>	<b>41.1</b>	<b>79.2</b>	<b>38.1</b>	<b>0.86</b>	<b>32.9</b>
93	87-126	79.3	100.6	21.3	1.52	32.5
94	92BX-28	6.1	47.2	41.1	0.78	32.3
<b>95</b>	<b>LBP094</b>	<b>189.0</b>	<b>224.0</b>	<b>35.1</b>	<b>0.92</b>	<b>32.2</b>
96	91BP-039	96.0	123.4	27.4	1.17	32.1
<b>97</b>	<b>LBP097</b>	<b>137.2</b>	<b>167.6</b>	<b>30.5</b>	<b>1.05</b>	<b>32.0</b>
98	87-61	71.6	106.7	35.1	0.91	31.8
99	93BP-99	48.8	79.3	30.5	1.02	31.1
100	87-66	74.7	96.0	21.3	1.46	31.1

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
101	94BP-140	65.5	97.5	32.0	0.97	31.0
102	93BP-67	38.1	99.1	61.0	0.51	30.9
<b>103</b>	<b>LBP086</b>	<b>178.3</b>	<b>192.0</b>	<b>13.7</b>	<b>2.25</b>	<b>30.9</b>
104	93BP-27	16.8	24.4	7.6	4.05	30.9
105	86-44	64.0	68.6	4.6	6.75	30.8
106	92BP-121	41.2	102.1	61.0	0.50	30.6
<b>107</b>	<b>LBP052</b>	<b>269.7</b>	<b>309.4</b>	<b>39.6</b>	<b>0.77</b>	<b>30.4</b>
108	94BP-147	9.1	56.4	47.3	0.64	30.1
<b>109</b>	<b>LBP092</b>	<b>61.0</b>	<b>106.7</b>	<b>45.7</b>	<b>0.66</b>	<b>30.1</b>
110	87-245	36.6	102.1	65.5	0.46	29.9
111	96BX-29	3.1	70.1	67.1	0.44	29.8
112	87-235	39.6	91.4	51.8	0.56	29.2
<b>113</b>	<b>LBP028</b>	<b>243.8</b>	<b>269.7</b>	<b>25.9</b>	<b>1.11</b>	<b>28.8</b>
114	93BP-129	48.8	77.7	29.0	0.99	28.7
115	92BX-68	33.5	77.7	44.2	0.65	28.6
116	93BP-4	47.2	65.5	18.3	1.56	28.6
117	87-237	38.1	94.5	56.4	0.51	28.5
<b>118</b>	<b>LBP050</b>	<b>230.1</b>	<b>242.3</b>	<b>12.2</b>	<b>2.34</b>	<b>28.5</b>
<b>119</b>	<b>LBP044</b>	<b>192.0</b>	<b>211.8</b>	<b>19.8</b>	<b>1.43</b>	<b>28.4</b>
120	SH90-7R	25.9	59.4	33.5	0.84	28.2
121	94BX-58	13.7	35.1	21.3	1.32	28.2
122	89-437	21.3	67.1	45.7	0.62	28.2
123	93BP-91	150.9	167.6	16.8	1.67	28.0
124	87-145	30.5	57.9	27.4	1.02	27.9
125	MGR11-024	80.8	91.4	10.7	2.59	27.7
<b>126</b>	<b>LBP096</b>	<b>178.3</b>	<b>216.4</b>	<b>38.1</b>	<b>0.72</b>	<b>27.5</b>
127	SH90-13R	0.0	6.1	6.1	4.49	27.4
128	92BP-021	4.6	67.1	62.5	0.44	27.3
<b>129</b>	<b>LBP069</b>	<b>271.3</b>	<b>285.0</b>	<b>13.7</b>	<b>1.96</b>	<b>26.9</b>
130	92BP-125	47.2	67.1	19.8	1.36	26.9
131	93BP-122	89.9	97.5	7.6	3.47	26.4
132	91BP-043	16.8	57.9	41.2	0.64	26.3
133	93BP-101	125.0	179.8	54.9	0.48	26.3
134	94BP-22	27.4	64.0	36.6	0.72	26.3
135	94BP-18	56.4	118.9	62.5	0.42	26.2
<b>136</b>	<b>LBP020</b>	<b>164.6</b>	<b>199.6</b>	<b>35.1</b>	<b>0.75</b>	<b>26.2</b>
<b>137</b>	<b>LBP069</b>	<b>219.5</b>	<b>228.6</b>	<b>9.1</b>	<b>2.85</b>	<b>26.1</b>
138	93BP-92	74.7	115.8	41.1	0.63	26.0
139	93BX-82	102.1	117.4	15.2	1.70	25.9
140	88-318	61.0	74.7	13.7	1.86	25.5
141	MGR11-026	24.4	70.1	45.7	0.56	25.5
<b>142</b>	<b>LBP011</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>2.37</b>	<b>25.3</b>
143	80-02	79.3	103.6	24.4	1.03	25.1
144	92BX-24	22.9	61.0	38.1	0.65	24.7
145	92BP-022	29.0	85.3	56.4	0.43	24.5
146	93BP-96	70.1	128.0	57.9	0.42	24.3
147	94BP-94	129.5	150.9	21.3	1.14	24.3
148	89-423	19.8	76.2	56.4	0.43	24.1
149	BP90-31	70.1	108.2	38.1	0.63	23.8
<b>150</b>	<b>LBP048</b>	<b>173.7</b>	<b>204.2</b>	<b>30.5</b>	<b>0.78</b>	<b>23.7</b>

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	PG10-84	57.9	89.9	32.0	0.74	23.7
<b>152</b>	<b>LBP034</b>	<b>245.4</b>	<b>266.7</b>	<b>21.3</b>	<b>1.11</b>	<b>23.6</b>
153	87-162	85.3	103.6	18.3	1.28	23.4
<b>154</b>	<b>LBP027</b>	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>2.18</b>	<b>23.3</b>
155	93BP-134	12.2	53.3	41.2	0.56	23.2
<b>156</b>	<b>LBP090</b>	<b>175.3</b>	<b>216.4</b>	<b>41.1</b>	<b>0.56</b>	<b>23.2</b>
<b>157</b>	<b>LBP002</b>	<b>6.1</b>	<b>45.7</b>	<b>39.6</b>	<b>0.58</b>	<b>23.1</b>
<b>158</b>	<b>LBP004</b>	<b>10.7</b>	<b>35.1</b>	<b>24.4</b>	<b>0.95</b>	<b>23.1</b>
159	83-38	42.7	54.9	12.2	1.88	23.0
160	93BP-108	112.8	144.8	32.0	0.72	22.9
161	96BP-25	99.1	114.3	15.2	1.50	22.9
162	94BP-95	77.7	134.1	56.4	0.40	22.8
163	93BX-42	41.2	71.6	30.5	0.75	22.7
<b>164</b>	<b>LBP072</b>	<b>57.9</b>	<b>94.5</b>	<b>36.6</b>	<b>0.62</b>	<b>22.7</b>
165	88-338A	7.6	54.9	47.2	0.48	22.7
166	96BX-20	9.1	64.0	54.9	0.41	22.5
167	92BP-112	10.7	29.0	18.3	1.21	22.2
168	91BP-028	120.4	128.0	7.6	2.90	22.1
<b>169</b>	<b>LBP068</b>	<b>266.7</b>	<b>301.8</b>	<b>35.1</b>	<b>0.63</b>	<b>22.0</b>
170	R1-1974	6.1	22.9	16.8	1.31	22.0
171	89-419	111.3	118.9	7.6	2.87	21.9
172	PG11-84	53.3	70.1	16.8	1.30	21.9
173	89-459	0.0	42.7	42.7	0.51	21.7
<b>174</b>	<b>LBP038</b>	<b>210.3</b>	<b>248.4</b>	<b>38.1</b>	<b>0.57</b>	<b>21.7</b>
175	SH90-6R	9.1	35.1	25.9	0.84	21.6
176	94BP-15	103.6	135.6	32.0	0.67	21.6
177	92BP-125	79.3	100.6	21.3	1.01	21.6
<b>178</b>	<b>LBP072</b>	<b>277.4</b>	<b>288.0</b>	<b>10.7</b>	<b>1.96</b>	<b>20.9</b>
179	95BP-21	53.3	89.9	36.6	0.57	20.7
180	87-149	57.9	91.4	33.5	0.61	20.4
181	83-69	70.1	106.7	36.6	0.56	20.4
182	94BX-38	0.0	21.3	21.3	0.95	20.4
183	PG13-84	44.2	80.8	36.6	0.55	20.3
184	87-227	41.2	76.2	35.1	0.58	20.2
185	MGR11-006	0.0	47.2	47.2	0.43	20.2
186	P14-64	30.5	47.2	16.8	1.20	20.1
187	87-155	105.2	117.4	12.2	1.64	20.0
188	93BX-39	86.9	108.2	21.3	0.93	19.9
189	94BP-135	24.4	39.6	15.2	1.30	19.8
190	P8-64	77.7	91.4	13.7	1.44	19.8
191	MGR11-003	12.2	44.2	32.0	0.62	19.7
192	94BP-54	70.1	99.1	29.0	0.68	19.6
193	91BP-050	83.8	88.4	4.6	4.28	19.6
194	92BP-050	36.6	51.8	15.2	1.27	19.4
195	87-191	103.6	115.8	12.2	1.59	19.4
196	93BP-19	0.0	45.7	45.7	0.42	19.4
197	87-233	39.6	88.4	48.8	0.40	19.4
<b>198</b>	<b>LBP017</b>	<b>74.7</b>	<b>117.3</b>	<b>42.7</b>	<b>0.45</b>	<b>19.3</b>
<b>199</b>	<b>LBP068</b>	<b>96.0</b>	<b>143.3</b>	<b>47.2</b>	<b>0.41</b>	<b>19.3</b>
200	SH90-5R	16.8	56.4	39.6	0.48	19.2

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	89-472	6.1	50.3	44.2	0.43	19.1
202	95BX-19	71.6	97.5	25.9	0.74	19.1
203	94BP-84	71.6	79.3	7.6	2.49	19.0
<b>204</b>	<b>LBP026</b>	<b>166.1</b>	<b>198.1</b>	<b>32.0</b>	<b>0.59</b>	<b>19.0</b>
<b>205</b>	<b>LBP020</b>	<b>217.9</b>	<b>234.7</b>	<b>16.8</b>	<b>1.12</b>	<b>18.8</b>
206	92BP-131	48.8	76.2	27.4	0.68	18.6
207	92BP-020	59.4	117.4	57.9	0.32	18.6
208	95BP-18	103.6	121.9	18.3	1.01	18.5
209	87-184	57.9	76.2	18.3	1.01	18.4
210	93BP-131	100.6	141.7	41.2	0.45	18.3
211	93BP-28	24.4	65.5	41.2	0.44	18.3
212	93BX-96	22.9	47.2	24.4	0.75	18.3
213	93BP-30	53.3	102.1	48.8	0.37	18.3
214	89-479	0.0	19.8	19.8	0.92	18.2
215	93BP-11	30.5	77.7	47.2	0.38	18.1
216	92BP-041	19.8	65.5	45.7	0.40	18.1
217	95BP-4	62.5	91.4	29.0	0.62	18.0
218	87-231	50.3	82.3	32.0	0.56	18.0
<b>219</b>	<b>LBP055</b>	<b>166.1</b>	<b>184.4</b>	<b>18.3</b>	<b>0.98</b>	<b>18.0</b>
220	86-22	121.9	134.1	12.2	1.47	18.0
221	94BP-33	54.9	91.4	36.6	0.49	17.8
222	95BP-38	115.8	144.8	29.0	0.61	17.7
223	93BX-6	32.0	67.1	35.1	0.51	17.7
224	92BX-36	102.1	128.0	25.9	0.68	17.6
225	89-469	1.5	36.6	35.1	0.50	17.6
<b>226</b>	<b>LBP009</b>	<b>15.2</b>	<b>48.8</b>	<b>33.5</b>	<b>0.52</b>	<b>17.5</b>
227	BP90-4C	65.5	94.5	29.0	0.60	17.5
228	92BX-84	79.3	108.2	29.0	0.60	17.5
229	89-402	4.6	30.5	25.9	0.68	17.5
230	87-166	18.3	67.1	48.8	0.36	17.5
231	94BX-08	0.0	41.2	41.2	0.42	17.5
232	87-188	50.3	76.2	25.9	0.67	17.4
<b>233</b>	<b>LBP019</b>	<b>129.5</b>	<b>172.2</b>	<b>42.7</b>	<b>0.41</b>	<b>17.3</b>
234	87-163	74.7	94.5	19.8	0.87	17.3
235	92BP-101	56.4	77.7	21.3	0.81	17.3
<b>236</b>	<b>LBP038</b>	<b>294.1</b>	<b>313.9</b>	<b>19.8</b>	<b>0.87</b>	<b>17.3</b>
<b>237</b>	<b>LBP060</b>	<b>216.4</b>	<b>248.4</b>	<b>32.0</b>	<b>0.54</b>	<b>17.2</b>
238	95BX-38	0.0	29.0	29.0	0.59	17.1
239	87-252	30.5	67.1	36.6	0.47	17.1
240	86-06	48.8	79.3	30.5	0.56	17.1
241	94BP-27	0.0	39.6	39.6	0.43	17.1
242	BP90-4C	96.0	106.7	10.7	1.60	17.1
243	PG2-84	33.5	67.1	33.5	0.51	17.0
244	94BP-152	16.8	48.8	32.0	0.53	17.0
245	87-135	19.8	33.5	13.7	1.23	16.9
246	89-403	38.1	65.5	27.4	0.62	16.9
247	94BP-131	47.2	76.2	29.0	0.58	16.9
248	SH90-16R	15.2	33.5	18.3	0.92	16.9
<b>249</b>	<b>LBP009</b>	<b>96.0</b>	<b>120.4</b>	<b>24.4</b>	<b>0.69</b>	<b>16.8</b>
250	89-420	61.0	105.2	44.2	0.38	16.8

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	92BP-051	0.0	18.3	18.3	0.91	16.7
252	93BP-14	36.6	67.1	30.5	0.55	16.7
253	BP90-23	44.2	54.9	10.7	1.56	16.6
254	94BP-12	123.4	161.5	38.1	0.43	16.6
<b>255</b>	<b>LBP063</b>	<b>82.3</b>	<b>125.0</b>	<b>42.7</b>	<b>0.39</b>	<b>16.5</b>
256	88-332	57.9	88.4	30.5	0.54	16.5
<b>257</b>	<b>LBP024</b>	<b>181.4</b>	<b>210.3</b>	<b>29.0</b>	<b>0.57</b>	<b>16.5</b>
<b>258</b>	<b>LBP002</b>	<b>88.4</b>	<b>103.6</b>	<b>15.2</b>	<b>1.08</b>	<b>16.4</b>
259	94BP-137	30.5	65.5	35.1	0.47	16.4
260	89-421	91.4	126.5	35.1	0.46	16.3
<b>261</b>	<b>LBP043</b>	<b>140.2</b>	<b>150.9</b>	<b>10.7</b>	<b>1.52</b>	<b>16.2</b>
262	94BP-53	83.8	108.2	24.4	0.66	16.2
263	87-165	108.2	115.8	7.6	2.12	16.2
<b>264</b>	<b>LBP035</b>	<b>213.4</b>	<b>227.1</b>	<b>13.7</b>	<b>1.18</b>	<b>16.2</b>
265	93BP-6	61.0	86.9	25.9	0.62	16.1
266	95BP-41	39.6	59.4	19.8	0.81	16.1
267	94BP-46	105.2	140.2	35.1	0.46	16.1
268	94BP-110	112.8	138.7	25.9	0.62	16.1
269	93BP-124	102.1	125.0	22.9	0.70	16.0
270	SH91-23R	7.6	24.4	16.8	0.95	16.0
271	94BP-18	135.6	157.0	21.3	0.75	15.9
272	95BP-37	106.7	128.0	21.3	0.74	15.9
273	92BX-37	3.1	19.8	16.8	0.95	15.9
274	94BP-71	96.0	123.4	27.4	0.58	15.8
275	89-439	30.5	35.1	4.6	3.43	15.7
276	92BX-55	38.1	47.2	9.1	1.71	15.6
<b>277</b>	<b>LBP082C</b>	<b>240.2</b>	<b>264.6</b>	<b>24.4</b>	<b>0.63</b>	<b>15.4</b>
278	MGR11-029	150.9	164.6	13.7	1.12	15.4
<b>279</b>	<b>LBP057</b>	<b>0.0</b>	<b>38.1</b>	<b>38.1</b>	<b>0.40</b>	<b>15.4</b>
280	93BP-100	125.0	143.3	18.3	0.84	15.4
281	92BP-121	103.6	129.5	25.9	0.59	15.3
282	88-320	41.2	65.5	24.4	0.63	15.3
283	89-422	47.2	76.2	29.0	0.53	15.3
284	87-116	77.7	96.0	18.3	0.83	15.2
285	92BX-40	24.4	50.3	25.9	0.59	15.2
286	MGR11-019	0.0	32.0	32.0	0.48	15.2
287	MGR11-002	0.0	30.5	30.5	0.50	15.2
288	96BP-26	83.8	93.0	9.1	1.66	15.2
289	95BP-39	54.9	73.2	18.3	0.83	15.2
290	92BX-92	48.8	74.7	25.9	0.58	15.2
<b>291</b>	<b>LBP055</b>	<b>4.6</b>	<b>36.6</b>	<b>32.0</b>	<b>0.47</b>	<b>15.0</b>
292	93BP-46	91.4	105.2	13.7	1.09	15.0
<b>293</b>	<b>LBP081</b>	<b>195.1</b>	<b>208.8</b>	<b>13.7</b>	<b>1.09</b>	<b>14.9</b>
294	88-298	77.7	94.5	16.8	0.89	14.9
295	87-89	44.2	77.7	33.5	0.44	14.9
296	94BX-34	44.2	56.4	12.2	1.22	14.8
297	86-07	48.8	85.3	36.6	0.41	14.8
<b>298</b>	<b>LBP045</b>	<b>179.8</b>	<b>192.0</b>	<b>12.2</b>	<b>1.22</b>	<b>14.8</b>
299	94BP-13	106.7	137.2	30.5	0.49	14.8
300	95BP-54	94.5	120.4	25.9	0.57	14.8

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
301	92BP-017	51.8	86.9	35.1	0.42	14.8
302	92BP-046	32.0	61.0	29.0	0.51	14.7
303	86-15	51.8	79.3	27.4	0.54	14.7
304	94BP-148	85.3	118.9	33.5	0.44	14.7
305	94BP-14	121.9	146.3	24.4	0.60	14.6
306	93BP-146	44.2	65.5	21.3	0.68	14.6
307	88-273	30.5	85.3	54.9	0.26	14.5
<b>308</b>	<b>LBP055</b>	<b>71.6</b>	<b>99.1</b>	<b>27.4</b>	<b>0.53</b>	<b>14.5</b>
<b>309</b>	<b>LBP041</b>	<b>67.1</b>	<b>106.7</b>	<b>39.6</b>	<b>0.36</b>	<b>14.4</b>
310	83-70	68.6	91.4	22.9	0.63	14.4
311	94BP-138	15.2	42.7	27.4	0.52	14.4
<b>312</b>	<b>LBP032</b>	<b>221.0</b>	<b>243.8</b>	<b>22.9</b>	<b>0.63</b>	<b>14.4</b>
313	92BX-46	16.8	35.1	18.3	0.78	14.3
314	88-359	100.6	121.9	21.3	0.67	14.2
315	93BX-3	9.1	33.5	24.4	0.58	14.2
316	93BX-36	44.2	54.9	10.7	1.33	14.1
317	93BX-105	0.0	18.3	18.3	0.77	14.1
318	94BP-73	32.0	77.7	45.7	0.31	14.1
319	93BP-43	126.5	144.8	18.3	0.77	14.1
320	92BP-011	35.1	68.6	33.5	0.42	14.1
<b>321</b>	<b>LBP003</b>	<b>57.9</b>	<b>85.3</b>	<b>27.4</b>	<b>0.51</b>	<b>14.1</b>
<b>322</b>	<b>LBP093C</b>	<b>46.2</b>	<b>80.2</b>	<b>33.9</b>	<b>0.41</b>	<b>14.0</b>
323	95BP-23	41.2	54.9	13.7	1.02	14.0
<b>324</b>	<b>LBP085</b>	<b>4.6</b>	<b>38.1</b>	<b>33.5</b>	<b>0.42</b>	<b>14.0</b>
325	93BP-28	68.6	96.0	27.4	0.51	13.9
326	92BP-118	3.1	24.4	21.3	0.65	13.8
<b>327</b>	<b>LBP082C</b>	<b>196.8</b>	<b>216.6</b>	<b>19.7</b>	<b>0.70</b>	<b>13.8</b>
328	94BP-76	59.4	80.8	21.3	0.65	13.8
<b>329</b>	<b>LBP006</b>	<b>24.4</b>	<b>32.0</b>	<b>7.6</b>	<b>1.80</b>	<b>13.7</b>
330	95BP-14	83.8	102.1	18.3	0.75	13.7
<b>331</b>	<b>LBP034</b>	<b>294.1</b>	<b>301.8</b>	<b>7.6</b>	<b>1.80</b>	<b>13.7</b>
332	83-32	57.9	97.5	39.6	0.34	13.6
333	SH91-21R	16.8	27.4	10.7	1.27	13.6
334	94BP-142	12.2	27.4	15.2	0.89	13.6
335	94BP-16	76.2	112.8	36.6	0.37	13.5
336	94BP-31	100.6	143.3	42.7	0.31	13.4
<b>337</b>	<b>LBP081</b>	<b>214.9</b>	<b>230.1</b>	<b>15.2</b>	<b>0.88</b>	<b>13.4</b>
338	93BP-38	18.3	44.2	25.9	0.52	13.4
339	94BP-143	33.5	41.2	7.6	1.75	13.3
340	94BP-22	79.3	103.6	24.4	0.55	13.3
341	92BP-05C	34.4	57.1	22.7	0.59	13.3
342	92BP-073	59.4	86.9	27.4	0.48	13.3
343	92BX-39	61.0	76.2	15.2	0.87	13.3
<b>344</b>	<b>LBP045</b>	<b>32.0</b>	<b>54.9</b>	<b>22.9</b>	<b>0.58</b>	<b>13.2</b>
345	89-475	36.6	54.9	18.3	0.72	13.2
346	87-144	36.6	61.0	24.4	0.54	13.2
347	88-321	64.0	91.4	27.4	0.48	13.1
348	87-112	114.3	140.2	25.9	0.50	13.1
<b>349</b>	<b>LBP071</b>	<b>120.4</b>	<b>132.6</b>	<b>12.2</b>	<b>1.07</b>	<b>13.0</b>
<b>350</b>	<b>LBP052</b>	<b>74.7</b>	<b>96.0</b>	<b>21.3</b>	<b>0.61</b>	<b>13.0</b>

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	94BP-22A	109.7	137.2	27.4	0.47	13.0
352	96BX-22	76.2	114.3	38.1	0.34	13.0
353	94BP-82	83.8	115.8	32.0	0.41	13.0
354	83-04	79.3	89.9	10.7	1.22	13.0
355	88-364	91.4	106.7	15.2	0.85	13.0
356	93BP-147	51.8	79.3	27.4	0.47	12.9
357	93BP-98	33.5	45.7	12.2	1.06	12.9
358	94BP-29	141.7	182.9	41.2	0.31	12.9
359	T40-1975	12.2	41.2	29.0	0.44	12.9
360	89-450	48.8	67.1	18.3	0.70	12.8
<b>361</b>	<b>LBP093C</b>	<b>81.7</b>	<b>101.5</b>	<b>19.8</b>	<b>0.64</b>	<b>12.7</b>
362	92BP-133	25.9	47.2	21.3	0.60	12.7
363	96BX-42	97.5	129.5	32.0	0.40	12.7
364	94BP-1	53.3	67.1	13.7	0.93	12.7
365	96BX-27	65.5	103.6	38.1	0.33	12.7
366	93BP-128	33.5	54.9	21.3	0.59	12.7
367	MGR11-009	4.6	18.3	13.7	0.92	12.7
<b>368</b>	<b>LBP081</b>	<b>237.7</b>	<b>246.9</b>	<b>9.1</b>	<b>1.39</b>	<b>12.7</b>
369	94BX-46	64.0	79.3	15.2	0.83	12.6
370	88-392	6.1	35.1	29.0	0.44	12.6
371	92BP-120	125.0	131.1	6.1	2.08	12.6
372	MGR11-005	7.6	15.2	7.6	1.65	12.6
373	91BP-050	39.6	67.1	27.4	0.46	12.6
374	92BP-023	54.9	79.3	24.4	0.52	12.6
375	87-246	24.4	36.6	12.2	1.03	12.6
376	MGR11-007	230.1	246.9	16.8	0.75	12.5
377	R2-1974	48.8	54.9	6.1	2.06	12.5
<b>378</b>	<b>LBP056</b>	<b>199.6</b>	<b>225.6</b>	<b>25.9</b>	<b>0.48</b>	<b>12.5</b>
379	94BP-128	39.6	53.3	13.7	0.91	12.5
380	87-147	38.1	67.1	29.0	0.43	12.4
381	92BP-080	35.1	48.8	13.7	0.91	12.4
<b>382</b>	<b>LBP103</b>	<b>187.5</b>	<b>192.0</b>	<b>4.6</b>	<b>2.72</b>	<b>12.4</b>
383	93BP-22	61.0	91.4	30.5	0.41	12.4
384	87-67	47.2	80.8	33.5	0.37	12.3
385	94BP-32	108.2	135.6	27.4	0.45	12.3
386	94BP-149	80.8	108.2	27.4	0.45	12.3
387	97BP-5	105.2	121.9	16.8	0.74	12.3
<b>388</b>	<b>LBP077</b>	<b>167.6</b>	<b>181.4</b>	<b>13.7</b>	<b>0.90</b>	<b>12.3</b>
389	93BP-8	29.0	70.1	41.1	0.30	12.3
390	89-466	0.0	19.8	19.8	0.62	12.3
<b>391</b>	<b>LBP059</b>	<b>170.7</b>	<b>202.7</b>	<b>32.0</b>	<b>0.38</b>	<b>12.2</b>
392	SH90-15R	24.4	32.0	7.6	1.61	12.2
393	94BP-28	76.2	102.1	25.9	0.47	12.2
394	92BP-024	57.9	93.0	35.1	0.35	12.2
395	94BP-118	0.0	15.2	15.2	0.80	12.2
396	88-363	47.2	74.7	27.4	0.44	12.2
<b>397</b>	<b>LBP084</b>	<b>155.4</b>	<b>173.7</b>	<b>18.3</b>	<b>0.66</b>	<b>12.1</b>
398	89-479	48.8	79.3	30.5	0.40	12.1
399	92BX-91	1.5	24.4	22.9	0.53	12.1
400	93BX-93	29.0	61.0	32.0	0.38	12.1



## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	89-409	91.4	99.1	7.6	1.59	12.1
402	96BP-6	30.5	61.0	30.5	0.39	12.0
403	91BP-072	44.2	74.7	30.5	0.39	12.0
404	89-522	71.6	97.5	25.9	0.46	12.0
<b>405</b>	<b>LBP091</b>	<b>4.6</b>	<b>25.9</b>	<b>21.3</b>	<b>0.56</b>	<b>11.9</b>
406	93BX-66	73.2	83.8	10.7	1.12	11.9
407	92BP-114	32.0	51.8	19.8	0.60	11.9
408	94BX-80	118.9	134.1	15.2	0.78	11.9
409	MGR11-024	36.6	45.7	9.1	1.29	11.8
410	93BX-111	114.3	137.2	22.9	0.51	11.8
<b>411</b>	<b>LBP085</b>	<b>51.8</b>	<b>68.6</b>	<b>16.8</b>	<b>0.70</b>	<b>11.7</b>
412	94BP-138	54.9	61.0	6.1	1.92	11.7
413	92BX-24	99.1	106.7	7.6	1.53	11.7
414	92BX-66	29.0	39.6	10.7	1.09	11.6
415	92BP-119	6.1	39.6	33.5	0.35	11.6
416	88-350	61.0	68.6	7.6	1.53	11.6
417	MGR11-022	86.9	100.6	13.7	0.84	11.5
418	88-381	30.5	48.8	18.3	0.63	11.5
419	89-470	6.1	24.4	18.3	0.63	11.5
420	92BP-038	18.3	47.2	29.0	0.40	11.4
421	91BP-075	44.2	61.0	16.8	0.68	11.4
422	92BP-037	18.3	50.3	32.0	0.36	11.4
423	87-209	64.0	91.4	27.4	0.42	11.4
424	94BP-5	68.6	86.9	18.3	0.62	11.4
425	87-197	19.8	42.7	22.9	0.50	11.3
<b>426</b>	<b>LBP028</b>	<b>137.2</b>	<b>149.4</b>	<b>12.2</b>	<b>0.93</b>	<b>11.3</b>
427	94BP-115	32.0	45.7	13.7	0.82	11.3
428	92BX-36	45.7	70.1	24.4	0.46	11.3
429	R2-1974	96.0	108.2	12.2	0.92	11.2
430	87-70	64.0	80.8	16.8	0.67	11.2
431	95BP-50	73.2	91.4	18.3	0.61	11.2
<b>432</b>	<b>LBP045</b>	<b>0.0</b>	<b>25.9</b>	<b>25.9</b>	<b>0.43</b>	<b>11.2</b>
<b>433</b>	<b>LBP100</b>	<b>68.6</b>	<b>96.0</b>	<b>27.4</b>	<b>0.41</b>	<b>11.2</b>
434	PG18-84	61.0	64.0	3.1	3.66	11.2
435	88-399	0.0	24.4	24.4	0.46	11.1
436	89-434	0.0	25.9	25.9	0.43	11.1
437	87-121	64.0	85.3	21.3	0.52	11.1
<b>438</b>	<b>LBP015</b>	<b>67.1</b>	<b>85.3</b>	<b>18.3</b>	<b>0.61</b>	<b>11.1</b>
439	93BP-140	77.7	86.9	9.2	1.21	11.0
<b>440</b>	<b>LBP033</b>	<b>204.2</b>	<b>221.0</b>	<b>16.8</b>	<b>0.66</b>	<b>11.0</b>
<b>441</b>	<b>LBP006</b>	<b>44.2</b>	<b>62.5</b>	<b>18.3</b>	<b>0.60</b>	<b>11.0</b>
442	89-478	12.2	30.5	18.3	0.60	10.9
443	93BX-115	9.1	25.9	16.8	0.65	10.9
444	SH90-8R	27.4	32.0	4.6	2.38	10.9
445	87-110	18.3	67.1	48.8	0.22	10.9
446	92BP-003	6.1	32.0	25.9	0.42	10.8
447	87-159	47.2	68.6	21.3	0.51	10.8
448	93BP-33	82.3	100.6	18.3	0.59	10.7
449	86-25	42.7	61.0	18.3	0.59	10.7
450	88-316	41.2	73.2	32.0	0.33	10.7

## Black Pine Unmined Intervals

Rank	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	91BP-027	65.5	88.4	22.9	0.47	10.7
452	92BP-054	68.6	79.3	10.7	0.99	10.6
453	79-23	18.3	54.9	36.6	0.29	10.6
454	P35-74	61.0	70.1	9.1	1.15	10.6
455	86-42	57.9	79.3	21.3	0.49	10.5
456	93BX-36	82.3	93.0	10.7	0.98	10.5
<b>457</b>	<b>LBP035</b>	<b>164.6</b>	<b>179.8</b>	<b>15.2</b>	<b>0.69</b>	<b>10.5</b>
458	87-69	73.2	85.3	12.2	0.86	10.5
459	87-126A	85.3	105.2	19.8	0.53	10.5
460	92BX-72	0.0	15.2	15.2	0.69	10.5
461	93BP-94	56.4	86.9	30.5	0.34	10.5
462	80-01	76.2	86.9	10.7	0.98	10.4
463	89-410	86.9	89.9	3.1	3.40	10.4
<b>464</b>	<b>LBP032</b>	<b>62.5</b>	<b>76.2</b>	<b>13.7</b>	<b>0.75</b>	<b>10.3</b>
465	93BP-104	91.4	123.4	32.0	0.32	10.3
466	87-161	56.4	76.2	19.8	0.52	10.3
467	89-477	0.0	18.3	18.3	0.56	10.3
468	91BP-073	41.2	51.8	10.7	0.96	10.3
469	92BP-091	18.3	41.2	22.9	0.45	10.2
470	87-114	54.9	85.3	30.5	0.34	10.2
471	87-124	48.8	71.6	22.9	0.45	10.2
<b>472</b>	<b>LBP062</b>	<b>109.7</b>	<b>118.9</b>	<b>9.1</b>	<b>1.12</b>	<b>10.2</b>
473	95BP-28	30.5	36.6	6.1	1.67	10.2
474	89-496	0.0	16.8	16.8	0.61	10.2
475	P27-74	74.7	97.5	22.9	0.45	10.2
<b>476</b>	<b>LBP065</b>	<b>121.9</b>	<b>149.4</b>	<b>27.4</b>	<b>0.37</b>	<b>10.2</b>
477	87-134	97.5	105.2	7.6	1.33	10.1
478	89-449	68.6	70.1	1.5	6.65	10.1
479	93BX-46	62.5	71.6	9.2	1.10	10.1
480	92BP-122	33.5	50.3	16.8	0.60	10.1
<b>481</b>	<b>LBP089</b>	<b>3.0</b>	<b>27.4</b>	<b>24.4</b>	<b>0.41</b>	<b>10.1</b>
<b>482</b>	<b>LBP067C</b>	<b>170.9</b>	<b>185.2</b>	<b>14.2</b>	<b>0.70</b>	<b>10.0</b>
483	94BP-108	91.4	112.8	21.3	0.47	10.0
<b>484</b>	<b>LBP071</b>	<b>160.0</b>	<b>172.2</b>	<b>12.2</b>	<b>0.82</b>	<b>10.0</b>
485	91BP-015	54.9	59.4	4.6	2.17	9.9
486	93BP-2	0.0	13.7	13.7	0.72	9.9
487	94BP-115	4.6	22.9	18.3	0.54	9.9
488	92BP-009	67.1	88.4	21.3	0.47	9.9
489	95BP-23	65.5	85.3	19.8	0.50	9.9
<b>490</b>	<b>LBP102</b>	<b>100.6</b>	<b>132.6</b>	<b>32.0</b>	<b>0.31</b>	<b>9.9</b>
491	94BX-51	53.3	79.3	25.9	0.38	9.9
492	92BX-30	100.6	121.9	21.3	0.46	9.9
493	94BP-46	74.7	86.9	12.2	0.81	9.9
494	SH90-11R	44.2	53.3	9.1	1.08	9.9
<b>495</b>	<b>LBP011</b>	<b>106.7</b>	<b>121.9</b>	<b>15.2</b>	<b>0.65</b>	<b>9.8</b>
496	P6-64	38.1	44.2	6.1	1.61	9.8
497	87-188	1.5	21.3	19.8	0.50	9.8
498	93BP-135	82.3	91.4	9.1	1.07	9.8
499	88-318	27.4	45.7	18.3	0.54	9.8
500	93BX-104	51.8	65.5	13.7	0.71	9.8