

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
<b>PGS002 (230, -70)</b>	<b>45.7</b>	<b>51.8</b>	<b>6.1</b>	<b>3.27</b>	0.2	117.3	Basal Jasperoid		<b>30.2</b>
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
<b>PGS003 (210, -82)</b>	<b>53.3</b>	<b>93.0</b>	<b>39.6</b>	<b>1.01</b>	0.2	105.2	Basal Jasperoid		<b>40.0</b>
<b>PGS004 (30, -70)</b>	<b>64.0</b>	<b>105.2</b>	<b>41.1</b>	<b>0.84</b>	0.2	190.5	Basal Jasperoid		<b>34.5</b>
Including	76.2	105.2	29.0	1.08	0.5				
<b>PGS005 (195, -45)</b>	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
<b>PGS006 (195, -60)</b>	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
<b>PGS007 (180, -70)</b>	<b>112.8</b>	<b>147.8</b>	<b>35.1</b>	<b>0.85</b>	0.2	221.0	Basal Jasperoid		<b>29.7</b>
Including	140.2	146.3	6.1	1.78	1				
<b>PGS008 (180, -82)</b>	<b>118.9</b>	<b>141.7</b>	<b>22.9</b>	<b>1.68</b>	0.2	172.2	Basal Jasperoid		<b>38.5</b>
Including	126.5	138.7	12.2	2.67	1.0				
<b>PGS009 (180, -55)</b>	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
<b>PGS010 (180, -55)</b>	<b>97.5</b>	<b>134.1</b>	<b>36.6</b>	<b>1.06</b>	0.2	175.3	Basal Jasperoid		<b>38.8</b>
Including	115.8	129.5	13.7	1.89	1				
<b>PGS011 (165, -55)</b>	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
<b>PGS012 (85, -70)</b>	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		<b>52.5</b>
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
<b>PGS013 (190, -65)</b>	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>49.1</b>
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
<b>PGS014 (135, -60)</b>	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		<b>25.4</b>
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					
<b>PGS015 (100, -43)</b>	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS016 (170, -65)</b>	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>21.9</b>
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	<b>170.7</b>	<b>198.1</b>	<b>27.4</b>	<b>0.66</b>					
<b>PGS017 (150, -55)</b>	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
<b>PGS018 (0, -90)</b>	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS019 (80, -50)</b>	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		<b>73.5</b>
incl.	70.1	83.8	13.7	4.42	1				
<b>PGS020 (20, -45)</b>	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		<b>32.6</b>
incl.	166.1	169.2	3.0	2.96	1				
<b>PGS021 (330, -55)</b>			NSR			169.2	Basal Claron		
<b>PGS022 (180, -60)</b>	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
<b>PGS023 (135, -65)</b>	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		<b>19.2</b>
incl.	129.5	134.1	4.6	1.93	1				
<b>PGS024 (230, -55)</b>	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
<b>PGS025 (200, -50)</b>	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		<b>42.8</b>
incl.	131.1	150.9	19.8	1.98	1				
<b>PGS026 (155, -50)</b>	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		<b>68.9</b>
incl.	108.2	138.7	30.5	1.65	1				
<b>PGS027 (0, -90)</b>	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		<b>56.1</b>
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					
<b>PGS028 (180, -65)</b>	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
<b>PGS029 (185, -65)</b>			NSR			132.6	Basal Claron		0.0
<b>PGS030 (185, -45)</b>	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
<b>PGS031 (0, -85)</b>	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS032 (135, -65)</b>	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		<b>25.6</b>
and	132.6	137.2	4.6	0.22					
and	<b>160.0</b>	<b>185.9</b>	<b>25.9</b>	<b>0.80</b>					
incl	<b>181.4</b>	<b>185.9</b>	<b>4.6</b>	<b>1.54</b>					

<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					

<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					

<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					

<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					

<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
--------------------------	-------	-------	------	------	-----	-------	--------------	--	------

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
--------------------------------	----------	--------	------------------	----------	---------------	-----------------------	--------	----------	---------

<b>PGS038 (135, -60)</b>	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					

<b>PGS039 (225, -65)</b>	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		<b>24.38</b>
including	<b>118.9</b>	<b>121.9</b>	<b>3.0</b>	<b>1.65</b>					
and	152.4	153.9	1.5	0.37					

<b>PGS040 (155, -50)</b>	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		<b>48.6</b>
including	<b>137.2</b>	<b>143.3</b>	<b>6.1</b>	<b>1.95</b>	1				
and	<b>166.1</b>	<b>198.1</b>	<b>32.0</b>	<b>0.86</b>	0.2				
including	<b>172.2</b>	<b>182.9</b>	<b>10.7</b>	<b>1.72</b>	1				

<b>PGS041C (52, -60)</b>	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5
and	<b>71.0</b>	<b>101.5</b>	<b>30.5</b>	<b>1.85</b>					
incl	<b>71.0</b>	<b>89.3</b>	<b>18.3</b>	<b>2.63</b>					

<b>PGS042 (0, -90)</b>	NSR				0.2	135.6			0
------------------------	-----	--	--	--	-----	-------	--	--	---

<b>PGS043 (220, -55)</b>	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					

<b>PGS044C (275, -63)</b>	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		<b>58.1</b>
and	116.3	118.0	1.7	0.22					
and	119.3	135.0	15.7	0.47					

<b>PGS045 (180, -48)</b>	NSR					182.9	Basal Claron		0
--------------------------	-----	--	--	--	--	-------	--------------	--	---

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS046C (180, -55)</b>	<b>103.3</b>	<b>148.7</b>	<b>45.4</b>	<b>0.87</b>	<b>0.2</b>	186.8	Basal Claron		40.6	
incl	132.9	136.6	3.7	1.65	1					
and	173.1	177.7	4.6	0.25	0.2					
<b>PGS047 (0, -61)</b>	<b>103.6</b>	<b>140.2</b>	<b>36.6</b>	<b>0.76</b>	<b>0.2</b>	146.3	Basal Claron		27.9	
<b>PGS048 (110, -49)</b>	<b>51.8</b>	<b>89.9</b>	<b>38.1</b>	<b>3.28</b>	<b>0.2</b>	121.9	Basal Claron		125.0	
incl	54.9	77.7	22.9	4.92	1					
incl	65.5	76.2	10.7	8.27	5					
<b>PGS049 (315, -68 )</b>	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9	
and	91.4	152.4	61.0	0.87						
incl	93.0	100.6	7.6	2.83						1
and incl	144.8	147.8	3.0	1.72						1
<b>PGS050 (45, -47)</b>	<b>83.8</b>	<b>117.3</b>	<b>33.5</b>	<b>0.68</b>	<b>0.2</b>	129.5	Basal Claron		22.9	
<b>PGS051C (275, -82)</b>	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7	
and	84.4	86.0	1.5	0.22						
and	92.0	93.6	1.5	0.37						
and	110.3	151.5	41.1	2.64						0.2
incl	119.5	151.5	32.0	3.22						1
incl	133.5	139.3	5.8	6.56	5					
<b>PGS052 (210, -50)</b>	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4	
and	102.1	105.2	3.0	0.21						
and	106.7	111.3	4.6	0.22						
and	114.3	149.4	35.1	0.44						
and	161.5	164.6	3.0	0.26						
and	178.3	179.8	1.5	0.43						
and	182.9	184.4	1.5	0.22						
<b>PGS053 (200, -54)</b>	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1	
incl	143.3	149.4	6.1	1.91	1					
Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS054C (60, -68)</b>	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6	
incl	82.6	94.9	12.3	2.00	1					
and incl	101.9	138.1	36.2	2.77	1					
incl	124.7	127.7	3.0	6.04	5					
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7	
	157.0	161.5	4.6	0.32						
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4	
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8	
and	93.0	117.3	24.4	0.76						
incl	108.2	115.8	7.6	1.34						1
<b>PGS058 (240, -60)</b>	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4	
incl	27.4	47.2	19.8	1.98	1					
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6	
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3	
and	50.3	53.3	3.0	0.50						
and	64.0	73.2	9.1	0.33						
<b>PGS061 (0, -90)</b>			NSR			106.7	Basal Claron	target interval faulted out?	0	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2
PGS064 (180, -70) and	77.7 131.1	103.6 157.0	25.9 25.9	0.52 0.42	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
PGS067C (140, -60) and	112.3 159.7	133.7 187.8	21.3 28.0	0.49 0.52	0.2 0.2	194.6	Clarion and Structures in the PZ	Poor recovery in higher grade	25.1
PGS068 (215, -55) and	109.7 144.8	120.4 152.4	10.7 7.6	0.34 1.97	0.2 0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
PGS071 (0, -90)	NSR					86.9	Basal Claron		
PGS072 (110, -70) and	64.0 123.4	74.7 134.1	10.7 10.7	0.52 0.58	0.2 0.2	176.8	Basal Claron		11.8
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
PGS074 (310, -65) and	12.2 48.8	13.7 59.4	1.5 10.7	0.84 0.40	0.2 0.2	89.9	Basal Claron		5.6
PGS075 (15, -55) and	42.7 53.3	51.8 56.4	9.1 3.0	0.73 0.20	0.2 0.2	91.4	Basal Claron		7.3
PGS076 (0, -90) and incl.	0.0 99.1 100.6	7.6 105.2 105.2	7.6 6.1 4.6	0.41 29.1 38.8	0.2 0.2 5	121.9	Basal Claron	likely old leach pad material  102 ppm met screen sample	180.7
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
PGS078 (60, -65)	NSR					105.2	Basal Claron		
PGS079 (90, -65) and	25.9 42.7	35.1 47.2	9.1 4.6	0.72 0.38	0.2 0.2	117.3	Basal Claron		8.4
PGS080 (200, -70) and and and	18.3 32.0 38.1 54.9	27.4 33.5 42.7 88.4	9.1 1.5 4.6 33.5	0.80 0.95 0.30 0.42	0.2 0.2 0.2 0.2	121.9	Basal Claron		23.9
PGS081 (200, -45)	NSR					121.9	Basal Claron		
PGS082 (0, -90)	NSR					121.9	Basal Claron		
PGS083 (0, -90)	NSR					141.7	Basal Claron		
PGS084 (330, -63) and	126.5 141.7	132.6 152.4	6.1 10.7	0.31 0.32	0.2 0.2	182.9	Basal Claron		5.3
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS087 (215, -60)</b> and	89.9 102.1	94.5 115.8	4.6 13.7	1.06 0.38	0.2 0.2	182.9	Basal Claron		10.0	
<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	
<b>PGS089 (320, -68)</b> incl	86.9 97.5	106.7 102.1	19.8 4.6	0.69 1.52	0.2 1	181.4	Basal Claron		13.7	
<b>PGS090 (0, -85)</b> and incl	0.0 99.1 99.1	7.6 103.6 100.6	7.6 4.6 1.5	0.56 0.90 2.30	0.2 0.2 1.0	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	
							Paleozoic Rocks			
<b>PGS091 (320, -68)</b>	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8	
<b>PGS092 (20, -63)</b> and and	0.0 80.8 94.5	7.6 91.4 97.5	7.6 10.7 3.0	0.28 0.43 1.10	0.2 0.2 0.2	117.3	Historic Leach Pad		10.1	
							Basal Claron			
							Paleozoic Rocks			
<b>PGS093 (313, -75)</b>			NSR			135.6	Basal Claron			
<b>PGS094 (57, -65)</b>			NSR			182.9	Basal Claron			
<b>PGS095 (148, -55)</b> and	118.9 132.6	128.0 146.3	9.1 13.7	0.67 0.44	0.2 0.2	167.6	Basal Claron		12.1	
<b>PGS096 (223, -45)</b> incl	144.8 146.3	163.1 153.9	18.3 7.6	0.90 1.32	0.2 1	213.4	Basal Claron		16.4	
<b>PGS097 (25, -53)</b> incl	88.4 99.1	134.1 105.2	45.7 6.1	1.08 3.06	0.2 1	201.2	Basal Claron		49.2	
<b>PGS098 (175, -55)</b> and incl and	68.6 82.3 105.2 118.9	74.7 111.3 109.7 121.9	6.1 29.0 4.6 3.0	0.46 0.68 1.61 0.40	0.2 0.2 1 0.2	121.9	Basal Claron		23.6	
<b>PGS099 (210, -50)</b> and	76.2 120.4	88.4 123.4	12.2 3.0	0.90 0.45	0.2	152.4	Basal Claron		12.4	
<b>PGS100 (235, -45)</b> and and and	80.8 106.7 111.3 131.1	91.4 108.2 112.8 137.2	10.7 1.5 1.5 6.1	1.06 1.16 0.50 0.60	0.2	167.6	Basal Claron		17.5	
<b>PGS101 (210, -55)</b>	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0	
<b>PGS102 (245, -50)</b> and	77.7 91.4	83.8 109.7	6.1 18.3	0.44 0.49	0.2	157.0	Basal Claron		11.6	
<b>PGS103 (165, -65)</b>	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2	
<b>PGS104 (330, -80)</b> and incl and and	32.0 39.6 57.9 118.9 135.6	33.5 106.7 73.2 129.5 144.8	1.5 67.1 15.2 10.7 9.1	0.38 0.86 2.35 0.74 0.29	0.2 0.2 1 0.2 0.2	190.5	Basal Claron		68.8	
										Paleozoic Rocks
<b>PGS105 (90, -65)</b> and and	32.0 41.1 76.2	35.1 73.2 97.5	3.0 32.0 21.3	0.49 0.44 0.43	0.2 0.2	121.9	Basal Claron		24.7	
<b>PGS106 (125, -75)</b>	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
and	131.1	140.2	9.1	0.50	0.2	132.9	Basal Claron		11.2
<b>PGS107 (180, -84)</b>	<b>100.6</b>	<b>108.2</b>	<b>7.6</b>	<b>2.00</b>	<b>0.2</b>	121.9	Chainman Shale		<b>15.2</b>
<b>PGS108 (240, -45)</b>	<b>126.5</b>	<b>135.6</b>	<b>9.1</b>	<b>0.88</b>	0.2	152.4	Basal Claron		8.1
<b>PGS109 (270, -60)</b>	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
<b>PGS110 (0, -90)</b>	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
<b>PGS111 (220, -55)</b>	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
<b>PGS112 (130, -65)</b>	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
<b>PGS113 (155, -55)</b>	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
<b>PGS114 (265, -55)</b>	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
<b>PGS115 (165, -63)</b>	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
<b>PGS116 (225, -57)</b>	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
<b>PGS117 (190, -70)</b>	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
<b>PGS118 (200, -50)</b>	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
<b>PGS119 (100, -60)</b>	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
<b>PGS120 (210, -70)</b>	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
<b>PGS121 (160, -55)</b>			NSR			144.8			
<b>PGS122 (65, -67)</b>			NSR			117.3			
<b>PGS123 (290, -55)</b>			NSR			213.4			
<b>PGS124 (290, -60)</b>	170.7	176.8	6.1	0.37		208.8			2.2
<b>PGS125 (180, -75)</b>	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
<b>PGS126 (57, -55)</b>	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
<b>PGS127 (125, -45)</b>	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
<b>PGS128 (235, -70)</b>			NSR			135.6		Peg Leg Graben	
<b>PGS129 (90, -65)</b>	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS130 (340, -70)</b>	<b>88.4</b>	<b>120.4</b>	<b>32.0</b>	<b>0.43</b>	0.2	137.2	<b>Basal Claron</b>	Peg Leg Graben	<b>13.9</b>
<b>PGS131 (230, -80)</b>	<b>57.9</b>	<b>80.8</b>	<b>22.9</b>	<b>0.53</b>	0.2	106.7	<b>Basal Claron</b>	Goldstrike Graben	<b>12.0</b>
<b>incl</b>	<b>57.9</b>	<b>62.5</b>	<b>4.6</b>	<b>1.03</b>	0.5				
<b>PGS132 (45, -65)</b>			NSR			105.2		Peg Leg Graben	
<b>PGS133 (310, -45)</b>			NSR			109.7		Dip Slope Zone	
<b>PGS134 (50, -50)</b>	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
<b>and</b>	61.0	73.2	12.2	0.50	0.2				
<b>PGS135 (0, -90)</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.82</b>	<b>0.2</b>	<b>121.9</b>	<b>Basal Claron</b>	Peg Leg Graben	<b>17.5</b>
<b>PGS136 (315, -55)</b>			NSR			86.9	Basal Claron	Dip Slope Zone	
<b>PGS137 (210, -65)</b>	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
<b>PGS138 (135, -75)</b>	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
<b>PGS139 (270, -65)</b>	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
<b>PGS140 (210, -65)</b>			NSR			138.7	Basal Claron	Peg Leg Graben	
<b>PGS141 (270, -70)</b>			NSR			111.3	Basal Claron	Peg Leg Graben	
<b>PGS142 (245, -75)</b>	<b>76.2</b>	<b>117.3</b>	<b>41.1</b>	<b>0.51</b>	0.2	152.4	<b>Basal Claron</b>	Dip Slope Zone	<b>20.9</b>
<b>incl</b>	<b>97.5</b>	<b>103.6</b>	<b>6.1</b>	<b>1.24</b>	0.5				
<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>
<b>and</b>	83.8	97.5	13.7	0.27	0.2				
<b>and</b>	<b>120.4</b>	<b>126.5</b>	<b>6.1</b>	<b>1.14</b>	<b>0.2</b>				
<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>
<b>and</b>	89.9	96.0	6.1	0.47	0.2				
<b>and</b>	115.8	118.9	3.0	0.58	0.2				
<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>
<b>and</b>	<b>47.2</b>	<b>50.3</b>	<b>3.0</b>	<b>2.57</b>	0.2		Chainman Shale		
<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	0.2	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>
<b>incl</b>	111.3	117.3	6.1	0.96	0.5				
<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>
<b>and</b>	<b>108.2</b>	<b>134.1</b>	<b>25.9</b>	<b>0.54</b>	0.2				
<b>and</b>	<b>147.8</b>	<b>158.5</b>	<b>10.7</b>	<b>0.75</b>	0.2				
<b>PGS150 (0, -90)</b>			NSR			117.3	Basal Claron	Dip Slope	



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60) and	111.3 126.5	125.0 134.1	13.7 7.6	0.36 0.66	0.2 0.2	164.6	Basal Claron	Dip Slope	9.9
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)			NSR			189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70) and	21.3 71.6	22.9 82.3	1.5 10.7	0.42 0.63	0.2 0.2	135.6	Basal Claron	Goldstrike Graben	7.4
PGS166 (310, -70) and	118.9 150.9	144.8 158.5	25.9 7.6	0.59 0.26	0.2 0.2	196.6	Basal Claron	Warrior	17.3
PGS167 (0, -90) and	150.9 158.5	155.4 170.7	4.6 12.2	0.25 0.39	0.2 0.2	175.3	Covington Fault	Covington	5.9
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			NSR			201.2		Covington - did not intercept target	
PGS170 (253, -55) incl	112.8 128.0	144.8 132.6	32.0 4.6	0.72 2.07	0.2 1	172.2	Basal Claron/Pz Limestone	Aggie	23.0
PGS171 (0, -90)			NSR			166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			NSR			182.9	Basal Claron	Covington - did not intercept target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS175 (027, -64)</b>	67.1	68.6	1.5	0.30	0.2	164.6	<b>Basal Claron</b>	West Goldstrike Graben	<b>25.3</b>
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	<b>125.0</b>	<b>152.4</b>	<b>27.4</b>	<b>0.84</b>	<b>0.2</b>				
incl	<b>134.1</b>	<b>144.8</b>	<b>10.7</b>	<b>1.55</b>	<b>1</b>				
<b>PGS176 (270, -55)</b>	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
<b>PGS177 (345, -70)</b>	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
<b>PGS178 (50, -45)</b>	24.4	25.9	1.5	0.39	<b>0.2</b>	141.7	<b>Covington Dike</b>	Covington	<b>16.4</b>
and	77.7	79.2	1.5	0.31					
and	<b>80.8</b>	<b>83.8</b>	<b>3.0</b>	<b>0.83</b>					
and	<b>102.1</b>	<b>103.6</b>	<b>1.5</b>	<b>7.36</b>					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
<b>PGS179 (54, -60)</b>	<b>96.0</b>	<b>125.0</b>	<b>29.0</b>	<b>1.78</b>	<b>0.2</b>	160.0	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>51.5</b>
incl	<b>96.0</b>	<b>108.2</b>	<b>12.2</b>	<b>3.54</b>	<b>1</b>				
<b>PGS180 (0, -75)</b>	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
<b>PGS181 (0, -60)</b>	NSR					172.2	Basal Claron	Peg Leg	
<b>PGS182 (230, -75)</b>	12.2	15.2	3.0	0.54	<b>0.2</b>	129.5	<b>Covington Dike</b>	Covington	<b>13.9</b>
and	<b>100.6</b>	<b>111.3</b>	<b>10.7</b>	<b>1.15</b>					
<b>PGS183 (300, -65)</b>	<b>108.2</b>	<b>114.3</b>	<b>6.1</b>	<b>0.90</b>	<b>0.2</b>	196.6	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>30.9</b>
and	<b>121.9</b>	<b>155.4</b>	<b>33.5</b>	<b>0.76</b>	<b>0.2</b>				
incl	<b>125.0</b>	<b>131.1</b>	<b>6.1</b>	<b>1.47</b>	<b>1</b>				
<b>PGS184 (280, -60)</b>	NSR					117.3		Covington hole lost above target	
<b>PGS185 (128, -60)</b>	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	<b>51.8</b>	<b>57.9</b>	<b>6.1</b>	<b>0.74</b>	<b>0.2</b>				
<b>PGS186 (90, -75)</b>	41.1	42.7	1.5	0.63	<b>0.20</b>	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	<b>68.6</b>	<b>80.8</b>	<b>12.2</b>	<b>0.41</b>					
and	89.9	94.5	4.6	0.28					
<b>PGS187 (330, -68)</b>	<b>45.7</b>	<b>64.0</b>	<b>18.3</b>	<b>1.33</b>	<b>0.2</b>	111.3	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>26.8</b>
incl	<b>50.3</b>	<b>62.5</b>	<b>12.2</b>	<b>1.77</b>	<b>1</b>				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
<b>PGS188 (055, -70)</b>	<b>129.5</b>	<b>152.4</b>	<b>22.9</b>	<b>0.86</b>	<b>0.2</b>	155.4	<b>Basal Claron</b>	Warrior	<b>19.7</b>
incl.	<b>137.2</b>	<b>141.7</b>	<b>4.6</b>	<b>1.45</b>	<b>1</b>				
<b>PGS189 (210, -62)</b>	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
<b>PGS190 (151, -60)</b>	NSR					170.7		Covington - did not intercept target	
<b>PGS191 (0, -90)</b>	<b>0.0</b>	<b>6.1</b>	<b>6.1</b>	<b>1.57</b>	<b>0.2</b>	71.6	<b>Covington Dike</b>	Covington	<b>48.8</b>
and	<b>27.4</b>	<b>35.1</b>	<b>7.6</b>	<b>4.10</b>	<b>0.2</b>				
incl	<b>29.0</b>	<b>33.5</b>	<b>4.6</b>	<b>6.32</b>	<b>1</b>				
and	<b>41.1</b>	<b>45.7</b>	<b>4.6</b>	<b>1.76</b>	<b>0.2</b>				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
--------------------------------	----------	--------	------------------	----------	---------------	-----------------------	--------	----------	---------

### Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
--------------------------------	----------	--------	------------------	----------	---------------	-----------------------	--------	----------	---------

PGS192 (285, -70)	NSR					172.2		Warrior	
-------------------	-----	--	--	--	--	-------	--	---------	--

PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				

PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				

PGS195 (100, -65)	NSR					129.5	Warrior to Aggie		
-------------------	-----	--	--	--	--	-------	------------------	--	--

PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				

PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
------------------	-------	-------	------	------	-----	-------	---------	--	------

PGS198 (300, -75)	NSR					172.2	Warrior	Anomalous	
-------------------	-----	--	--	--	--	-------	---------	-----------	--

PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					

PGS200 (135, -45)	NSR					129.5	Dip Slope		
-------------------	-----	--	--	--	--	-------	-----------	--	--

PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				

PGS202 (100, -45)	NSR					160.0	Dip Slope		
-------------------	-----	--	--	--	--	-------	-----------	--	--

PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
-----------------	-------	-------	------	------	-----	-------	-----------	--	-----

PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				

PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	

PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
-------------------	-------	-------	------	------	-----	-------	-----------	-----------------------------	------

PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
-----------------	-------	-------	-----	------	-----	-------	-----------------	-----------------------	-----

PGS208 (275, -73)	NSR					202.7	Western Grabens	Anomalous	
-------------------	-----	--	--	--	--	-------	-----------------	-----------	--

PGS209 (0, -45)	NSR					93.0	Western Grabens	Hole Lost Above Target	
-----------------	-----	--	--	--	--	------	-----------------	------------------------	--

PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
incl	115.8	120.4	4.6	0.89	0.5				

PGS211 (320, -45)	NSR					166.1	Western Grabens		
-------------------	-----	--	--	--	--	-------	-----------------	--	--

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																												
<b>PGS212 (63, -48)</b>	<b>106.7</b>	<b>163.1</b>	<b>56.4</b>	<b>0.41</b>	<b>0.2</b>	172.2	<b>Dip Slope</b>	Hosted in Paleozoic Rocks	<b>23.4</b>																																																																																																																																																																																																																																																																																																																												
incl	143.3	152.4	9.1	1.02	0.5					<b>PGS213 (280, -45)</b>	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3	<b>PGS214 (340, -45)</b>	NSR					187.5	Dip Slope	Target not Intercepted		<b>PGS215 (0, -65)</b>	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7	<b>PGS216 (180, -65)</b>	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2	and	85.3	91.4	6.1	0.28	<b>PGS217 (233, -70)</b>	NSR						Western Grabens			<b>PGS218 (135, -45)</b>	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8	<b>PGS219 (120, -85)</b>	NSR					117.3	Western Grabens			<b>PGS220 (110, -45)</b>	<b>144.8</b>	<b>181.4</b>	<b>36.6</b>	<b>0.66</b>	<b>0.2</b>	210.3	<b>Dip Slope</b>		<b>24.1</b>	incl	152.4	167.6	15.2	1.16	0.5	<b>PGS221 (75, -45)</b>	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0	<b>PGS222 (315, -55)</b>	<b>185.9</b>	<b>204.2</b>	<b>18.3</b>	<b>0.39</b>	0.2	233.2	Peg Leg		7.1	<b>PGS223 (55, -65)</b>	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0	and	196.6	198.1	1.5	0.20	0.2	<b>PGS224 (0, -90)</b>	<b>86.9</b>	<b>115.8</b>	<b>29.0</b>	<b>0.94</b>	0.2	190.5	<b>Peg Leg</b>	Claron Host Rocks	<b>27.8</b>	incl	99.1	115.8	16.8	1.15	0.5	Paleozoic Host Rocks	and	134.1	135.6	1.5	0.41	0.2	<b>PGS225 (340, -65)</b>	NSR					205.7	Dip Slope	Anomalous		<b>PGS226 (285, -45)</b>	NSR					166.1	Peg Leg			<b>PGS227 (275, -55)</b>	<b>62.5</b>	<b>76.2</b>	<b>13.7</b>	<b>1.61</b>	0.2	135.6	<b>Peg Leg</b>		<b>42.0</b>	incl	65.5	74.7	9.1	2.05	1	and	86.9	102.1	15.2	0.98	0.2	incl	89.9	97.5	7.6	1.35	1	and	118.9	126.5	7.6	0.65	0.2	<b>PGS228 (260, -50)</b>	<b>85.3</b>	<b>96.0</b>	<b>10.7</b>	<b>0.73</b>	0.2	166.1	Dip Slope		9.2	incl	91.4	93.0	1.5	2.56	1	and	149.4	153.9	4.6	0.30	0.2	<b>PGS229 (200, -55)</b>	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1	<b>PGS230 (115, -45)</b>	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9	and	91.4	109.7	18.3	0.29	0.2	<b>PGS231 (240, -60)</b>	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0	and	32.0	38.1	6.1	1.31	0.2	<b>PGS232 (205, -77)</b>	NSR					86.9	Dip Slope			<b>PGS233 (270, -55)</b>	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1	<b>PGS234 (200, -50)</b>	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4	<b>PGS235 (5, -55)</b>	82.3	99.1	16.8	0.33	0.2	196.6	<b>Aggie - Warrior</b>		<b>49.2</b>	and	117.3	167.6	50.3	0.85	0.2	incl	129.5
<b>PGS213 (280, -45)</b>	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3																																																																																																																																																																																																																																																																																																																												
<b>PGS214 (340, -45)</b>	NSR					187.5	Dip Slope	Target not Intercepted																																																																																																																																																																																																																																																																																																																													
<b>PGS215 (0, -65)</b>	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7																																																																																																																																																																																																																																																																																																																												
<b>PGS216 (180, -65)</b>	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2																																																																																																																																																																																																																																																																																																																												
and	85.3	91.4	6.1	0.28																																																																																																																																																																																																																																																																																																																																	
<b>PGS217 (233, -70)</b>	NSR						Western Grabens																																																																																																																																																																																																																																																																																																																														
<b>PGS218 (135, -45)</b>	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8																																																																																																																																																																																																																																																																																																																												
<b>PGS219 (120, -85)</b>	NSR					117.3	Western Grabens																																																																																																																																																																																																																																																																																																																														
<b>PGS220 (110, -45)</b>	<b>144.8</b>	<b>181.4</b>	<b>36.6</b>	<b>0.66</b>	<b>0.2</b>	210.3	<b>Dip Slope</b>		<b>24.1</b>																																																																																																																																																																																																																																																																																																																												
incl	152.4	167.6	15.2	1.16	0.5																																																																																																																																																																																																																																																																																																																																
<b>PGS221 (75, -45)</b>	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0																																																																																																																																																																																																																																																																																																																												
<b>PGS222 (315, -55)</b>	<b>185.9</b>	<b>204.2</b>	<b>18.3</b>	<b>0.39</b>	0.2	233.2	Peg Leg		7.1																																																																																																																																																																																																																																																																																																																												
<b>PGS223 (55, -65)</b>	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0																																																																																																																																																																																																																																																																																																																												
and	196.6	198.1	1.5	0.20	0.2																																																																																																																																																																																																																																																																																																																																
<b>PGS224 (0, -90)</b>	<b>86.9</b>	<b>115.8</b>	<b>29.0</b>	<b>0.94</b>	0.2	190.5	<b>Peg Leg</b>	Claron Host Rocks	<b>27.8</b>																																																																																																																																																																																																																																																																																																																												
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks																																																																																																																																																																																																																																																																																																																													
and	134.1	135.6	1.5	0.41	0.2																																																																																																																																																																																																																																																																																																																																
<b>PGS225 (340, -65)</b>	NSR					205.7	Dip Slope	Anomalous																																																																																																																																																																																																																																																																																																																													
<b>PGS226 (285, -45)</b>	NSR					166.1	Peg Leg																																																																																																																																																																																																																																																																																																																														
<b>PGS227 (275, -55)</b>	<b>62.5</b>	<b>76.2</b>	<b>13.7</b>	<b>1.61</b>	0.2	135.6	<b>Peg Leg</b>		<b>42.0</b>																																																																																																																																																																																																																																																																																																																												
incl	65.5	74.7	9.1	2.05	1																																																																																																																																																																																																																																																																																																																																
and	86.9	102.1	15.2	0.98	0.2																																																																																																																																																																																																																																																																																																																																
incl	89.9	97.5	7.6	1.35	1																																																																																																																																																																																																																																																																																																																																
and	118.9	126.5	7.6	0.65	0.2																																																																																																																																																																																																																																																																																																																																
<b>PGS228 (260, -50)</b>	<b>85.3</b>	<b>96.0</b>	<b>10.7</b>	<b>0.73</b>	0.2	166.1	Dip Slope		9.2																																																																																																																																																																																																																																																																																																																												
incl	91.4	93.0	1.5	2.56	1																																																																																																																																																																																																																																																																																																																																
and	149.4	153.9	4.6	0.30	0.2																																																																																																																																																																																																																																																																																																																																
<b>PGS229 (200, -55)</b>	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1																																																																																																																																																																																																																																																																																																																												
<b>PGS230 (115, -45)</b>	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9																																																																																																																																																																																																																																																																																																																												
and	91.4	109.7	18.3	0.29	0.2																																																																																																																																																																																																																																																																																																																																
<b>PGS231 (240, -60)</b>	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0																																																																																																																																																																																																																																																																																																																												
and	32.0	38.1	6.1	1.31	0.2																																																																																																																																																																																																																																																																																																																																
<b>PGS232 (205, -77)</b>	NSR					86.9	Dip Slope																																																																																																																																																																																																																																																																																																																														
<b>PGS233 (270, -55)</b>	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1																																																																																																																																																																																																																																																																																																																												
<b>PGS234 (200, -50)</b>	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4																																																																																																																																																																																																																																																																																																																												
<b>PGS235 (5, -55)</b>	82.3	99.1	16.8	0.33	0.2	196.6	<b>Aggie - Warrior</b>		<b>49.2</b>																																																																																																																																																																																																																																																																																																																												
and	117.3	167.6	50.3	0.85	0.2																																																																																																																																																																																																																																																																																																																																
incl	129.5	144.8	15.2	1.81	0.5																																																																																																																																																																																																																																																																																																																																

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
and	175.3	176.8	1.5	0.66	0.2				
<b>PGS236 (280, -60)</b>	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
<b>PGS237 (320, -60)</b>	<b>73.2</b>	<b>86.9</b>	<b>13.7</b>	<b>1.43</b>	0.2	160.0	Main		19.7
incl	76.2	83.8	7.6	2.33	0.5				
<b>PGS238 (330, -70)</b>	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
<b>PGS239 (90, -65)</b>	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.2				
<b>PGS240 (10, -65)</b>	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9
and	164.6	181.4	16.8	0.33	0.2				
and	182.9	193.5	10.7	0.42	0.2				
<b>PGS241 (95, -62)</b>			NSR			147.8	Warrior		
<b>PGS242 (75, -65)</b>	<b>108.2</b>	<b>134.1</b>	<b>25.9</b>	<b>1.53</b>	<b>0.2</b>	169.1	Warrior		43.2
incl	109.7	118.9	9.1	3.48	1				
and	143.3	153.9	10.7	0.34	0.2				
<b>PGS243 (45, -64)</b>	<b>111.3</b>	<b>161.5</b>	<b>50.3</b>	<b>0.62</b>	<b>0.2</b>	182.8	Warrior		31.1
incl	128.0	135.6	7.6	1.61	1				
<b>PGS244 (180, -65)</b>	<b>99.1</b>	<b>121.9</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	135.6	Peg Leg		11.6
incl	111.3	120.4	9.1	0.84	0.5				
<b>PGS245 (75, -65)</b>	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata	
incl	105.2	117.3	12.2	2.98	1				
<b>PGS246 (5, -45)</b>	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8
and	77.7	89.9	12.2	0.32					
<b>PGS247 (180, -75)</b>	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
<b>PGS248 (70, -70)</b>	<b>80.8</b>	<b>105.2</b>	<b>24.4</b>	<b>0.61</b>	0.2	141.7	East Aggie		14.8
incl.	82.3	89.9	7.6	1.20	1				
<b>PGS249 (270, -55)</b>	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
<b>PGS250 (295, -55)</b>	<b>44.2</b>	<b>54.9</b>	<b>10.7</b>	<b>3.40</b>	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3
incl.	47.2	53.3	6.1	5.59	1				
<b>PGS251 (210, -55)</b>			NSR			109.7	Dip Slope	Bull Valley Wash area	
<b>PGS252 (0, -66)</b>	<b>121.9</b>	<b>167.6</b>	<b>45.7</b>	<b>0.50</b>	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7
<b>PGS253 (90, -65)</b>	<b>45.7</b>	<b>59.4</b>	<b>13.7</b>	<b>1.02</b>	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2
and	108.2	118.9	10.7	0.74				Claron Formation?	
and	157.0	161.5	4.6	0.37					
and	169.2	172.2	3.0	0.23					
<b>PGS254 (90, -45)</b>	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS255 (50, -65)</b>	<b>0.0</b>	<b>25.9</b>	<b>25.9</b>	<b>1.16</b>	<b>0.2</b>	163.1	<b>Mineral Mtn</b>	Claron Formation and intrusive rock	<b>30.0</b>
incl	0.0	4.6	4.6	3.48	1				
and	54.9	56.4	1.5	0.63	0.2				
<b>PGS256 (340, -53)</b>	115.8	117.3	1.5	0.52	0.2	152.4	<b>Dip Slope</b>	Basal Claron Formation	<b>12.1</b>
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata	
<b>PGS257 (345, -67)</b>	<b>157.0</b>	<b>192.0</b>	<b>35.1</b>	<b>0.40</b>	0.2	201.2	<b>Warrior</b>		<b>14.0</b>
<b>PGS258 (75, -50)</b>	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
<b>PGS259 (50, -65)</b>	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata	
<b>PGS260 (30, -70)</b>	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
<b>PGS261 (320, -70)</b>	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
<b>PGS262 (105, -60)</b>	NSR					120.4	Mineral Mtn		
<b>PGS263 (75, -45)</b>	24.4	45.7	21.3	0.71	0.2	114.3	<b>Peg Leg</b>		<b>15.1</b>
incl.	35.1	41.1	6.1	1.46	1				
<b>PGS264 (65, -48)</b>	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
<b>PGS265 (120, -45)</b>	50.3	79.2	29.0	0.79	0.2	111.3	<b>Mineral Mtn</b>		<b>22.9</b>
incl.	65.5	70.1	4.6	1.97	1.0				
<b>PGS266 (255, -65)</b>	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
<b>PGS267 (330, -65)</b>	56.4	62.5	6.1	0.61	0.2	100.6	<b>Peg Leg</b>		<b>3.7</b>
<b>PGS268 (90, -50)</b>	16.8	36.6	19.8	0.39	0.2	121.9	<b>Mineral Mtn</b>		<b>10.9</b>
and	42.7	48.8	6.1	0.53	0.2				
<b>PGS269 (180, -75)</b>	NSR					166.1	Caribou		
<b>PGS270 (90, -70)</b>	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
<b>PGS271 (0, -90)</b>	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
<b>PGS272 (5, -67)</b>	NSR					121.9	Main		
<b>PGS273 (100, -65)</b>	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
<b>PGS274 (330, -55)</b>	NSR					219.5	West GS Graben		
<b>PGS275 (75, -45)</b>	16.8	22.9	6.1	2.03	0.2	150.9	<b>Mineral Mtn</b>		<b>26.7</b>
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
<b>PGS276 (0, -63)</b>	NSR					196.6	Caribou	Hole did not intersect target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0, -90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220, -65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9
PGS284 (330, -75)			NSR			19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180, -65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)			NSR			32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165, -57)			NSR			208.8	Caribou	Hole did not intersect target	
PGS289 (143, -52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80, -65)	65.5	80.8	15.2	0.64	0.2	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170, -53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0, -90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207, -53)	114.3	132.6	18.3	0.34	0.2	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.2				
PGS294 (173, -47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135, -50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155, -55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)			NSR			129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)			NSR			152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.2				
PGS310 (90, -60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0, -90)	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.2				
PGS312 (0, -65)			NSR			152.4	Western	Picaroon - long anomalous interval	
PGS313 (170, -78)	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.2				
PGS314 (0, -90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140, -50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70, -70)			NSR			129.5	Western	Picaroon - long anomalous interval	
PGS317 (150, -45)	19.8	59.4	39.6	0.48	0.2	144.8	Western	Caribou	27.3
and	70.1	76.2	6.1	0.40	0.2				
and	80.8	86.9	6.1	0.97	0.2				
PGS318 (0, -90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0, -75)			NSR			144.8	Western	Picaroon	
PGS320 (110, -55)	29.0	38.1	9.1	0.79	0.2	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.2				
and	70.1	96.0	25.9	0.99	0.2				
incl	82.3	93.0	10.7	1.40	1.0				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS321 (180, -60)			NSR			91.4	Main	Aggie	
PGS322 (90, -45) and	18.3 30.5	22.9 94.5	4.6 64.0	0.77 0.51	0.2 0.2	160.0	Western	Caribou	36.2
PGS323 (0, -90)			NSR			166.1	Western	Picaroon	
PGS324 (62, -55) incl	39.6 48.8	82.3 56.4	42.7 7.6	0.70 1.72	0.2 1	141.7	Western	Caribou	30.0
PGS325 (20, -78) and	73.2 94.5	76.2 108.2	3.0 13.7	0.81 0.52	0.2 0.2	141.7	Main	Aggie	9.5
PGS326 (170, -50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78, -67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0, -90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140, -55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)			NSR			193.5	Western	Picaroon	
PGS332 (225, -65) and	152.4 178.3	167.6 192.0	15.2 13.7	0.41 0.52	0.2 0.2	221.0	Dip Slope	Padre Haul Road	13.3
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65) incl	121.9 125.0	175.3 135.6	53.3 10.7	0.67 1.93	0.2 1	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
PGS336 (170, -45) and	140.2 157.0	153.9 163.1	13.7 6.1	0.50 0.23	0.2 0.2	198.1	Western	Moosehead	8.2
PGS337 (56, -55)			NSR			134.1	Peg Leg		
PGS338 (295, -55) and and	57.9 100.6 128.0	91.4 105.2 129.5	33.5 4.6 1.5	0.64 0.77 0.96	0.2 0.2 0.2	135.6	Peg Leg		26.5
PGS339 (150, -45) and incl	115.8 129.5 146.3	120.4 172.2 157.0	4.6 42.7 10.7	0.33 0.79 1.60	0.2 0.2 1	239.3	Western	Moosehead	35.2
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65) and	137.2 178.3	176.8 189.0	39.6 10.7	0.38 0.96	0.2 0.2	208.8	Dip Slope	Padre Haul Road	25.4
PGS343 (345, -65)			NSR			105.2	Peg Leg		
PGS344 (130, -45) and and	170.7 181.4 190.5	173.7 185.9 202.7	3.0 4.6 12.2	0.82 0.28 1.15	0.2	230.1	Western	Moosehead	17.8
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS346 (145, -68)			NSR			91.4	Peg Leg		
PGS347 (85, -65)	161.5	201.2	39.6	0.69	0.2	224.0	Dip Slope	Padre	27.5
incl	173.7	184.4	10.7	1.35	1				
PGS348 (340, -65)	4.6	6.1	1.5	0.48	0.2	103.6	Peg Leg		2.0
and	71.6	73.2	1.5	0.80	0.2				
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
PGS350 (270, -55)			NSR			147.8	Peg Leg		
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)			NSR			80.8	Peg Leg		
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8
PGS355 (150, -60)	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1
and	134.1	135.6	1.5	0.96	0.2				
PGS356 (115, -55)	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8
and	109.7	132.6	22.9	0.77	0.2				
incl	121.9	125.0	3.0	1.71	1				
PGS357 (0, -90)	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5
and	57.9	70.1	12.2	0.36	0.2				
PGS358 (75, -60)	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2
and	94.5	99.1	4.6	0.29	0.2				
PGS359 (0, -90)	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2
PGS360 (130, -60)			NSR			137.2	Peg Leg		
PGS361 (0, -60)			NSR			135.6	Western		
PGS362 (0, -90)	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8
incl	76.2	89.9	13.7	1.89	1				
PGS363 (80, -55)	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5
incl	67.1	70.1	3.0	2.32	1				
and	91.4	99.1	7.6	0.30	0.2				
PGS364 (120, -45)	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3
incl	56.4	65.5	9.1	1.66	1				
PGS365 (0, -70)	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9
incl	117.3	120.4	3.0	2.03	1				
PGS366 (185, -45)	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3
and	54.9	61.0	6.1	0.34	0.2				
and	158.5	160.0	1.5	1.92	0.2				
PGS367 (0, -90)	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6
PGS368 (90, -55)	83.8	103.6	19.8	0.54	0.2	146.3	Dip Slope	Padre	10.7
incl	86.9	89.9	3.0	1.22	1				
PGS369 (0, -85)			NSR			184.4	Western	Bull Run	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS370 (0,-90)			NSR			160.0	Dip Slope	Padre	
PGS371 (240, -75)	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6
PGS372 (0, -90)	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6
PGS373 (0, -65)	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6
PGS374 (40, -60)	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0
PGS375 (300, -65)	25.9	47.2	21.3	0.60	0.2	129.5	Western		12.8
PGS376 (290, -70)			NSR			214.9	Dip Slope	Padre	
PGS377 (155, -85) and	57.9 160.0	64.0 163.1	6.1 3.0	0.39 0.74	0.2 0.2	178.3	Western		4.6
PGS378 (180, -60)			NSR			211.8	Western	Bull Run	
PGS379 (290, -60)	83.8	105.2	21.3	0.94	0.2	182.9	Dip Slope	Padre	20.0
PGS380 (310, -65)	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3
PGS381 (0, -65) and	36.6 54.9	47.2 59.4	10.7 4.6	0.43 0.32	0.2 0.2	132.6	Western	Western Graben	6.0
PGS382 (0, -60)	77.7	79.2	1.5	0.33	0.2	120.4	Dip Slope	Padre	0.5
PGS383 (150, -85)			NSR			121.9	Western	Western Graben	
PGS384 (0, -65)			NSR			144.8	Western	Bull Run	
PGS385 (0, -80)			NSR			123.4	Western	Bull Run	
PGS386 (200, -65)			NSR			160.0	Dip Slope	Padre	
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
PGS388 (0, -90)			NSR			202.7	Western	Western Graben	
PGS389 (180, -65)			NSR			135.6	Dip Slope	North Padre Pit	
PGS390 (330, -65)			NSR			99.1	Western		
PGS391 (0, -60)			NSR			189.0	Western	Western	
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6
PGS394 (0, -45)			NSR			172.2	Western	Bull Run	
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
PGS396 (90, -50)			NSR			152.4	Dip Slope	Padre Pit	
PGS397 (0, -50) incl	147.8 161.5	202.7 170.7	54.9 9.1	0.64 1.40	0.2 1	208.8	Western	North Moosehead Pit	35.0
PGS398 (0, -90) and	0.0 138.7	10.7 143.3	10.7 4.6	0.47 0.26	0.2 0.2	227.1	Dip Slope	Mineralized Mine Spoils Padre Haul Road	6.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS399 (0, -62)			NSR			74.7	Western	Bull Run	
PGS400 (137, -80)	99.1	147.8	48.8	0.74	0.2	160.0	Western	North Moosehead Pit	36.2
incl	111.3	117.3	6.1	1.93	1				
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.2	243.8	Dip Slope	Padre Haul Road	17.3
PGS402 (0, -88)			NSR			103.6	Bull Run		
PGS403 (195, -80)	141.7	163.1	21.3	0.58	0.2	187.5	Main	Warrior	12.3
incl	155.4	160.0	4.6	1.16	1				
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3
incl	117.3	123.4	6.1	3.24	1				
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7
PGS409 (0, -90)			NSR			304.8	Warrior	Water Test Well	
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	172.2	182.9	10.7	1.46					
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9
PGS412 (0, -90)			NSR			288.0	Covington	Water Test Well	
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7
incl.	39.6	64.0	24.4	1.70	1				
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3
incl.	106.7	117.3	10.7	2.49	1				
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6
incl	77.7	82.3	4.6	3.09	1				
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9
PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3
incl	125.0	144.8	19.8	1.84	1				
PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2
incl	202.7	207.3	4.6	2.06	1				
PGS423 (0, -90)			NSR			86.9	Dip Slope	Lunch Spot	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1
PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2
and	123.4	126.5	3.0	0.75	0.2				
PGS426 (287, -70)			NSR			121.9	Dip Slope	North Hassayampa Pit	
PGS427 (145, -55)			NSR			138.7	Western	West Moosehead	
PGS428 (15, -77)	53.3	65.5	12.2	0.37	0.2	129.5	Dip Slope	North Hassayampa Pit	18.0
and	67.1	80.8	13.7	0.58	0.2				
and	86.9	97.5	10.7	0.51	0.2				
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.2	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.2	221.0	Dip Slope		
PGS431 (0, -90)			NSR			196.6	Western	Beavertail	
PGS432 (0, -90)			NSR			205.7	Dip Slope		
PGS433 (0, -90)	3.0	25.9	22.9	0.72	0.2	129.5	Western	Beavertail	33.4
incl	16.8	21.3	4.6	2.35	1				
and	41.1	48.8	7.6	0.69	0.2				
and	50.3	71.6	21.3	0.55	0.2				
PGS434 (70, -82)			NSR			147.8	Dip Slope	Goldtown Ridge	
PGS435 (90, -65)	178.3	189.0	10.7	0.98	0.2	233.2	Dip Slope		10.4
and	195.1	198.1	3.0	0.69	0.2				
PGS436 (90, -65)	13.7	51.8	38.1	0.76	0.2	117.3	Western	Beavertail	31.1
and	62.5	67.1	4.6	0.50	0.2				
PGS437 (105, -65)			NSR			150.9	Dip Slope	Goldtown Ridge	
PGS438 (0, -90)			NSR			196.6	Western	Beavertail	
PGS439 (320, -75)			NSR			152.4	Dip Slope	Goldtown Ridge	
PGS440 (335, -65)	213.4	234.7	21.3	1.05	0.2	248.4	Dip Slope		22.4
incl	227.1	233.2	6.1	2.23	1				
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.2	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.2				
and	48.8	54.9	6.1	0.37	0.2				
and	62.5	74.7	12.2	0.39	0.2				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.2	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)			NSR			114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.2	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.2	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.2				
and	50.3	53.3	3.0	1.06	0.2				
PGS446 (0, -90)			NSR			243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.2	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.2	152.4	Dip Slope	Goldtown Ridge	4.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS449 (0, -65)	NSR					147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.2	80.8	Dip Slope	Goldtown Ridge	35.1
incl	19.8	29.0	9.1	1.63	1				
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.2	135.6	Western	Beavertail	1.8
PGS452 (0, -90)	Pending				0.2	175.3	Dip Slope		
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.2	108.2	Western	Beavertail	1.3

### Liberty Gold - Goldstrike 2018 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS477C (306, -70)	2.1	27.0	24.8	0.73	0.2	95.1	Dip Slope	Met Core Hole	18.1
incl	0.6	6.9	6.2	1.47	0.5				
PGS478C (98, -65)	0.8	34.2	33.5	0.67	0.2	50.1	Dip Slope	Met Core Hole	22.5
incl	3.7	13.4	9.8	1.45	0.5				
PGS479C (290, -65)	NSR					18.6	Dip Slope	Hole Lost Above Target	
PGS480C (190, -80)	44.0	57.9	13.9	0.43	0.2	92.0	Hassayampa Pit (Dip Slope)	Met Core Hole	8.2
and	68.3	73.1	4.8	0.46	0.2				
PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.2	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4
PGS482C (140, -55)	56.3	96.5	40.2	0.46	0.2	122.5	Caribou Pit (Western)	Met Core Hole	25.4
and	101.2	112.5	11.3	0.60	0.2				
PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.2	159.1	Caribou Pit (Western)	Met Core Hole	61.5
and	59.4	68.1	8.7	0.59	0.2				
and	76.8	146.5	69.6	0.79	0.2				
incl.	138.9	146.5	7.6	2.46	1				
PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4
PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2
and	46.3	60.0	13.7	0.77	0.2				
PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0
PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3
PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3
PGS488CA (150, -65)	18.9	55.6	36.7	0.33	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7
and	67.7	86.0	18.3	0.41	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2	95.3	Beavertail Pit (Western)	Met Core Hole	11.1
PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0
PGS491 (200, -65)	NSR					61.0	Dip Slope		
PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6
PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1
PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8
PGS495 (0, -90)	NSR					56.4	Dip Slope		
PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2
PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5
PGS498 (0, -90)	NSR					105.2	Dip Slope		
PGS499 (300, -65)	NSR					108.2	Dip Slope		
PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8
PGS501 (0, -90)	NSR					91.4	Dip Slope		
PGS502 (0, -90)	NSR					61.0	Dip Slope		
PGS503 (0, -90)	7.6	13.7	6.1	0.80	0.2	89.9	Dip Slope		4.9
PGS504 (0, -90)	0.0	3.0	3.0	0.46	0.2	56.4	Dip Slope		1.4
PGS505 (0, -90) and	19.8 51.8	22.9 59.4	3.0 7.6	0.49 0.68	0.2	68.6	Dip Slope		6.7
PGS506 (210, -80)	56.4	62.5	6.1	0.43	0.2	76.2	Dip Slope		2.6
PGS507 (15, -50)	160.0	166.1	6.1	0.47	0.2	193.5	Dip Slope		2.8
PGS508 (0, -90)	NSR					68.6	Goldtown Back Fill		
PGS509 (0, -90)	NSR					19.8	Goldtown Back Fill	No Back Fill Encountered	
PGS510 (0, -90)	24.4	35.1	10.7	0.72	0.2	105.2	Goldtown Back Fill	Bedrock Below Backfill	7.6
PGS511 (0, -90)	3.0	33.5	30.5	0.40	0.2	121.9	Goldtown Back Fill	Back Fill and Bedrock	12.3
PGS512 (180, -55)	13.7	30.5	16.8	0.43	0.2	121.9	Goldtown Back Fill	Back Fill Material	7.2
PGS513 (0, -90) and	0.0 15.2	7.6 30.5	7.6 15.2	0.56 0.73	0.2 0.2	111.3	Goldtown Back Fill	Back Fill Material Bedrock	15.5
PGS514 (190, -65)	93.0	111.3	18.3	0.36	0.2	129.5	Dip Slope	Hassayampa	6.5
PGS515 (0, -77)	70.1	77.7	7.6	0.33	0.2	178.3	Dip Slope	Hassayampa	2.5
PGS516 (75, -50)	NSR					91.4	Jedi		
PGS517 (118, -45)	45.7	48.8	3.0	0.36	0.2	105.2	Jedi		1.1
PGS518 (272, -50)	NSR					129.5	Peg Leg		
PGS519 (180, -65)	NSR					80.8	Jedi		
PGS520 (225, -50)	NSR					182.9	Peg Leg		
PGS521 (210, -50)	48.8	53.3	4.6	0.57	0.2	91.4	Jedi		2.6
PGS522 (50, -50)	118.9	123.4	4.6	0.27	0.2	152.4	Peg Leg		1.2
PGS523 (263, -83)	10.7	24.4	13.7	0.61	0.2	91.4	Jacks Camp		8.4
PGS524 (180, -60)	19.8	39.6	19.8	0.72	0.2	91.4	Jacks Camp		14.2
PGS525 (50, -50) and	13.7 53.3	24.4 62.5	10.7 9.1	0.64 0.28	0.2	91.4	Jacks Camp		9.4
PGS526 (0, -90) and	0.0 35.1	32.0 47.2	32.0 12.2	0.57 0.32	0.2 0.2	62.5	Leach Pad 1	Leach Pad Material Back Fill Material	22.1
PGS527 (0, -90)	NSR					80.8	Jacks Camp		
PGS528 (90, -50)	94.5	97.5	3.0	0.54	0.2	132.6	Jacks Camp		1.6
PGS529 (0, -90) and and and and	0.0 15.2 41.1 53.3 82.3	13.7 19.8 44.2 59.4 106.7	13.7 4.6 3.0 6.1 24.4	0.64 0.20 0.41 0.31 0.73	0.2	121.9	Leach Pad 1	Leach Pad Material Back Fill Material Bedrock	30.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS530 (180, -50)	NSR					86.9	Jacks Camp		
PGS531 (0, -90)	0.0	30.5	30.5	0.27	0.2	118.9	Leach Pad 1	Leach Pad Material	42.6
and	38.1	48.8	10.7	0.37				Back Fill Material	
and	48.8	89.9	41.1	0.55				Bedrock	
and	105.2	112.8	7.6	1.05					
PGS532 (253, -60)	38.1	45.7	7.6	2.77	0.2	80.8	Fence Line		21.1
PGS533 (320, -85)	0.0	10.7	10.7	0.55	0.2	178.3	Leach Pad1	Leach Pad Material	43.5
and	13.7	29.0	15.2	0.27				Bedrock	
and	131.1	170.7	39.6	0.85					
PGS534 (180, -75)	NSR						Fence Line		
PGS535 (0, -90)	0.0	22.9	22.9	0.22	0.2	29.0	Leach Pad 1	Leach Pad Material	5.1
PGS536 (0, -90)	0.0	15.2	15.2	0.62	0.2	80.8	Leach Pad 2	Leach Pad Material	15.1
and	15.2	50.3	35.1	0.16				0.15	
PGS537 (110, -65)	NSR						Fence Line		
PGS538 (0, -90)	0.0	16.8	16.8	0.23	0.2	41.1	Leach Pad 2	Leach Pad Material	13.6
and	16.8	33.5	16.7	0.58				Back Fill Material	
PGS539 (0, -90)	0.0	22.9	22.9	0.2	0.2	29.0	Leach Pad 2	Leach Pad Material	4.6
PGS540 (0, -90)	0.0	24.4	24.4	0.17	0.15	53.3	Leach Pad 2	Leach Pad Material	9.4
and	24.4	48.8	24.4	0.21				0.2	
PGS541 (0, -90)	0.0	33.5	33.5	0.32	0.2	93.0	Leach Pad 2	Leach Pad Material	14.1
and	47.2	62.5	15.2	0.22				Back Fill Material	
PGS542 (0, -90)	0.0	35.1	35.1	0.52	0.2	56.4	Leach Pad 2	Leach Pad Material	12.3
and	35.1	53.3	18.2	0.35				Back Fill Material	
PGS543 (0, -90)	0.0	15.2	15.2	0.32	0.2	53.3	Leach Pad 2	Leach Pad Material	8.2
and	15.2	28.6	13.4	0.25				0.2	
PGS544 (0, -90)	0.0	29.0	29.0	0.19	0.15	68.6	Leach Pad 2	Leach Pad Material	8.3
and	29.0	36.6	7.6	0.36				0.2	
PGS545 (250, -60)	NSR					117.3	Fence Line		
PGS546 (0, -90)	0.0	41.1	41.1	0.23	0.2	44.2	Leach Pad 2	Leach Pad Material	9.4
PGS547 (0, -90)	0.0	30.5	30.5	0.39	0.2	56.4	Leach Pad 2	Leach Pad Material	12.0
PGS548 (0, -90)	0.0	21.3	21.3	0.31	0.2	80.8	Leach Pad 2	Leach Pad Material	19.5
and	21.3	48.8	27.5	0.28				Back Fill Material	
and	48.8	61.0	12.2	0.42				Bedrock	
PGS549 (0, -90)	16.8	18.3	1.5	0.91	0.2	160.0	Fence Line		1.4
PGS550 (0, -90)	0.0	24.4	24.4	0.34	0.2	61.0	Leach Pad 2	Leach Pad Material	10.2
and	44.2	50.3	6.1	0.32				Back Fill Material	
PGS551 (0, -90)	0.0	36.6	36.6	0.49	0.2	61.0	Leach Pad 2	Leach Pad Material	22.1
and	47.2	53.3	6.1	0.69				Back Fill Material	
PGS552 (20, -75)	NSR					138.7	Big Red		
PGS553 (0, -90)	0.0	42.7	42.7	0.34	0.2	91.4	Leach Pad 2	Leach Pad Material	17.5
and	42.7	51.8	9.1	0.36				Back Fill Material	
PGS554 (0, -90)	0.0	45.7	45.7	0.25	0.2	61.0	Leach Pad 2	Leach Pad Material	11.4
PGS555 (20, -83)	76.2	83.8	7.6	0.40	0.2	141.7	Big Red		3.0
PGS556 (180, -60)	0.0	25.9	25.9	0.21	0.15	99.1	Leach Pad 2	Leach Pad Material	24.9
and	76.2	89.9	13.7	1.42				0.2	
PGS557 (90, -65)	NSR					99.1	Peg Leg		
PGS558 (10, -50)	4.6	9.1	4.6	0.23	0.2	93.0	Big Red		7.1
and	12.2	16.8	4.6	1.12					
and	57.9	61.0	3.0	0.30					
PGS559 (180, -60)	64.0	67.1	3.0	0.58	0.2	138.7	Peg Leg		
PGS560 (10, -60)	24.4	27.4	3.0	0.51	0.2	91.4	Big Red		1.6
PGS561 (0, -50)	NSR					91.4	Big Red		
PGS562 (270, -50)	140.2	152.4	12.2	1.07	0.2	190.5	Peg Leg		13.1



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS563 (100, -60)	7.6	18.3	10.7	0.36	0.2	82.3	Peg Leg		3.9
PGS564 (0, -75)	NSR					100.6	Big Red		
PGS565 (120, -55)	19.8	24.4	4.6	0.94	0.2	135.6	Potter's Peak		4.3
PGS566 (35, -72)	22.9	24.4	1.5	0.23	0.2	182.9	Potter's Peak		0.3
PGS567 (305, -65)	3.0	7.6	4.6	0.71	0.2	51.8	Peg Leg		16.8
and	19.8	21.3	1.5	8.85					
PGS568 (65, -78)	88.4	93.0	4.6	0.75	0.2	126.5	Peg Leg		3.4
PGS569 (300, -45)	35.1	38.1	3.0	0.22	0.2	86.9	Potter's Peak		0.7
PGS570 (65, -45)	48.8	50.3	1.5	0.33	0.2	61.0	Peg Leg		0.5
PGS571 (95, -60)	16.8	19.8	3.0	0.37	0.2	79.3	Peg Leg		1.1
PGS572 (90, -75)	NSR					105.2	Potter's Peak		
PGS573 (270, -50)	NSR					61.0	Peg Leg		
PGS574 (230, -70)	57.9	103.6	45.7	0.79	0.2	141.7	Peg Leg		36.3
incl	61.0	71.6	10.7	1.88	1				
PGS575 (140, -63)	24.4	44.2	19.8	0.31	0.2	121.9	Peg Leg		6.2
PGS576 (255, -55)	38.1	41.1	3.0	0.33	0.2	83.8	Potter's Peak		1.0
PGS577 (145, -45)	0.0	16.8	16.8	0.48	0.2	144.8	Peg Leg		34.1
and	96.0	132.6	36.6	0.71					
PGS578 (0, -50)	NSR					115.8	Potter's Peak		
PGS579 (120, -45)	0.0	32.0	32.0	0.44	0.2	121.9	Peg Leg		62.7
and	77.7	120.4	42.7	1.14	0.2				
incl	100.6	118.9	18.3	2.00	1				
PGS580 (320, -53)	41.1	83.8	42.7	0.57	0.2	129.5	Peg Leg		31.4
incl	62.5	65.5	3.0	3.43	1				
and	86.9	100.6	13.7	0.52	0.2				
PGS581 (150, -70)	NSR					80.8	Potter's Peak		
PGS582 (120, -60)	3.0	7.6	4.6	0.47	0.20	105.2	Peg Leg		9.4
and	13.7	25.9	12.2	0.60					
PGS583 (225, -65)	74.7	77.7	3.0	0.32	0.2	91.4	Potter's Peak		1.0
PGS584 (240, -73)	86.9	108.2	21.3	0.74	0.2	202.7	Main		38.5
and	117.3	166.1	48.8	0.42					
and	178.3	187.5	9.1	0.27					
PGS585 (345, -65)	22.9	36.6	13.7	1.10	0.2	91.4	Fence Line		15.1
PGS586 (177, -60)	118.9	123.4	4.6	0.91	0.2	227.1	Main Zone	Warrior	6.6
and	175.3	181.4	6.1	0.39					
PGS587 (0, -70)	NSR					182.9	Picaron		
PGS588 (0, -45)	NSR					117.3	Main Zone	Aggie Footwall	
PGS589 (230, -65)	7.6	36.6	29.0	0.56	0.2	202.7	Western	Beavertail	30.2
and	48.8	54.9	6.1	0.36					
and	89.9	103.6	13.7	0.85					
PGS590 (0, -70)	NSR					135.6	Main Zone	Aggie Footwall	
PGS591 (145, -65)	0.0	76.2	76.2	0.72	0.2	135.6	Western	Beavertail	55.1
incl	15.2	21.3	6.1	1.26	1				
PGS592 (310, -45)	NSR					80.8	Main Zone	Aggie Footwall	
PGS593 (195, -50)	184.4	190.5	6.1	0.3	0.2	196.6	Main Zone	Aggie	1.8
PGS594 (40, -70)	9.1	24.4	15.2	0.98	0.2	105.2	Western	Beavertail	37.3
and	35.1	62.5	27.4	0.81					
PGS595 (157, -49)	117.3	121.9	4.6	0.32	0.2	196.6	Main Zone	Aggie	34.0
and	132.6	166.1	33.5	0.97	0.2				
incl.	146.3	161.5	15.2	1.64	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS596 (60, -55)	0.0	21.3	21.3	0.79	0.2	196.6	Western	Beavertail	26.5
and	32.0	42.7	10.7	0.26					
and	68.6	77.7	9.1	0.52					
and	93.0	100.6	7.6	0.28					
PGS597 (210, -70)	121.9	138.7	16.8	1.06	0.2	117.3	Main zone	Aggie	17.8
PGS598 (0, -90)	44.2	45.7	1.5	0.36	0.2	102.1	Western	Goldstrike Graben	1.2
and	64.0	67.1	3.0	0.22					
PGS599 (138, -80)	NSR					172.2	Main zone	Aggie	
PGS600 (0, -90)	42.7	45.7	3.0	0.56	0.2	86.9	Western	Goldstrike Graben	1.7
PGS601 (305, -72)	NSR					144.8	Main zone	Aggie	
PGS602 (49, 52)	57.9	64.0	6.1	0.41	0.2	99.1	Western	Goldstrike Graben	5.2
and	65.5	77.7	12.2	0.22					
PGS603 (70, -50)	93.0	112.8	19.8	0.33	0.2	144.8	Main zone		6.5
PGS604 (0, -90)	62.5	65.5	3.0	0.40	0.2	129.5	Western	Goldstrike Graben	1.2
PGS605 (305, -50)	NSR					166.1	Main zone		
PGS606 (30, -50)	126.5	132.6	6.1	0.35	0.2	182.9	Western	Goldstrike Graben	6.5
and	143.3	146.3	3.0	1.03					
and	150.9	153.9	3.0	0.39					
PGS607 (250, -50)	117.3	121.9	4.6	0.36	0.2	182.9	Main zone		1.7
PGS608 (165, -70)	4.6	13.7	9.1	0.52	0.2	147.8	Main zone		20.3
and	38.1	71.6	33.5	0.46					
PGS609 (0, -75)	NSR					152.4	Western	Goldstrike Graben	
PGS610 (180, -45)	7.6	12.2	4.6	1.58	0.2	86.9	Dip Slope	Hassayampa Backfill	7.2
PGS611 (0, -90)	NSR					152.4	Western	Goldstrike Graben	
PGS612 (60, -55)	59.4	65.5	6.1	0.95	0.2	105.2	Dip Slope		5.8
PGS613 (310, -65)	65.5	68.6	3.0	0.24	0.2	123.4	Dip Slope		0.7
PGS614 (0, -80)	NSR					158.5	Western	Goldstrike Graben	
PGS615 (0, -55)	9.1	25.9	16.8	2.09	0.2	117.3	Dip Slope		42.7
incl	12.2	19.8	7.6	3.94	1				
and	56.4	57.9	1.5	0.38	0.2				
and	64.0	76.2	12.2	0.90	0.2				
and	93.0	96.0	3.0	0.37	0.2				
PGS616 (55, -50)	NSR					80.8	Dip Slope		
PGS617 (145, -65)	158.5	161.5	3.0	0.55	0.2	239.3	Western	Goldstrike Graben	1.7
PGS618 (130, -65)	NSR					105.2	Main zone	Aggie	
PGS619 (310, -65)	NSR					86.9	Main zone	Aggie	
PGS620 (145, -65)	NSR					178.3	Western	Goldstrike Graben	
PGS621 (90, -70)	NSR					121.9	Peg Leg		
PGS622 (50, -60)	106.7	109.7	3.0	0.36	0.2	152.4	Peg Leg		1.1
PGS623 (350, -70)	6.1	10.7	4.57	0.54	0.2	160.0	Western	Goldstrike Graben	3.3
and	103.6	105.2	1.52	0.50	0.2				
PGS624 (45, -80)	NSR					111.3	Peg Leg		
PGS625 (50, -70)	0.0	15.2	15.2	0.36	0.2	172.2	Western	Goldstrike Graben	12.9
and	123.4	137.2	13.7	0.54					
PGS626 (190, -55)	0.0	13.7	13.7	0.54	0.2	147.8	Peg Leg		16.9
and	99.1	105.2	6.1	0.55					
and	123.4	135.6	12.2	0.51					
PGS627 (345, -82)	80.8	83.8	3.0	0.40	0.2	202.7	Western	Covington Dyke	1.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS628 (60, -75)	0.0	12.2	12.2	0.61	0.2	140.2	Peg Leg		11.3
and	21.3	24.4	3.0	0.28					
and	68.6	71.6	3.0	0.30					
and	86.9	91.4	4.6	0.28					
and	109.7	111.3	1.5	0.49					
PGS629 (70, -65)	NSR					147.8	Peg Leg		
PGS630 (60, -75)	39.6	106.7	67.1	1.17	0.2	129.5	Peg Leg		78.3
incl	51.8	77.7	25.9	2.21	1.0				
PGS631 (0, -75)	44.2	96.0	51.8	0.99	0.2	120.4	Peg Leg		59.7
incl	74.7	85.3	10.7	2.45	1.0				
and	105.2	109.7	4.6	1.84	0.2				
PGS632 (255, -50)	NSR					178.3	Peg Leg		
PGS633 (180, -55)	0.0	9.1	9.1	1.01	0.2	160.0	Main zone	Hamburg Ext	34.0
and	48.8	59.4	10.7	0.30	0.2				
and	70.1	96.0	25.9	0.80	0.2				
incl	88.4	93.0	4.6	2.03	1				
and	112.8	115.8	3.0	0.31	0.2				
PGS634 (180, -75)	57.9	97.5	39.6	0.65	0.2	135.6	Peg Leg		25.6
PGS635 (180, -60)	44.2	105.2	61.0	0.62	0.2	178.3	Main zone	Hamburg Ext	37.7
incl	86.9	94.5	7.6	1.70	1				
PGS636 (180, -70)	0.0	9.1	9.1	1.63	0.2	141.7	Peg Leg		51.4
and	12.2	16.8	4.6	0.20					
and	68.6	73.2	4.6	0.38					
and	79.2	100.6	21.3	1.59					
PGS637 (0, -90)	56.4	79.2	22.9	0.52	0.2	141.7	Main	Hamburg Ext	11.8
PGS638 (290, -75)	0.0	9.1	9.1	0.80	0.2	152.4	Peg Leg		12.8
and	15.2	24.4	9.1	0.37					
and	134.1	138.7	4.6	0.47					
PGS639 (180, -67)	56.4	80.8	24.4	0.63	0.2	166.1	Main zone	Hamburg Ext	15.5
PGS640 (0, -90)	7.6	30.5	22.9	0.37	0.2	56.3	Main	Hamburg East Backfill	16.9
and	38.1	54.9	16.8	0.50					
PGS641 (0, -90)	NSR					44.2	Main	Hamburg West Backfill	
PGS642 (180, -45)	44.2	47.2	3.0	1.34	0.2	182.9	Main zone	Hamburg Ext	17.0
and	48.8	73.2	24.4	0.53					
PGS643 (180, -67)	NSR					91.4	Western	Picaroon	
PGS644 (0, -65)	NSR					117.3	Western	West Beavertail	
PGS645 (180, -50)	51.8	67.1	15.2	0.36	0.2	166.1	Main	Hamburg Ext	5.5
PGS646 (180, -70)	10.7	18.3	7.6	0.44	0.2	128.0	Western	West Beavertail	3.4
PGS647 (145, -65)	18.3	21.3	3.0	0.36	0.2	135.6	Main	Hamburg Ext	1.1
PGS648 (0, -65)	7.6	27.4	19.8	0.46	0.2	138.7	Western	West Beavertail	9.2
PGS649 (180, -65)	0.0	10.7	10.7	0.40	0.2	134.1	Western	West Beavertail	12.5
and	21.3	29.0	7.6	0.96					
and	39.6	42.7	3.0	0.31					
PGS650 (180, -65)	3.0	4.6	1.5	0.21	0.2	123.4	Western	West Beavertail	26.8
and	6.1	24.4	18.3	1.24					
and	44.2	47.2	3.0	0.44					
and	50.3	54.9	4.6	0.25					
and	57.9	61.0	3.0	0.44					
PGS651 (180, -65)	NSR					129.5	Western	West Beavertail	
PGS652 (0, -90)	NSR					160.0	Western	West Beavertail	
PGS653 (180, -65)	NSR					121.9	Western	West Beavertail	
PGS654 (180, -65)	NSR					99.1	Western	West Beavertail	
PGS655 (325, -69)	3.0	35.1	32.0	0.44	0.2	141.7	Western	Beavertail	32.6
and	42.7	70.1	27.4	0.68					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS656 (67, -65)	3.0	15.2	12.2	0.35	0.2	147.8	Western	Beavertail	29.0
and	29.0	61.0	32.0	0.37					
and	68.6	70.1	1.5	0.42					
and	86.9	89.9	3.0	1.03					
and	100.6	115.8	15.2	0.60					
PGS657 (235, -65)	0.0	27.4	27.4	0.38	0.2	105.2	Western	Beavertail	26.1
and	33.5	42.7	9.1	0.31					
and	48.8	54.9	6.1	0.57					
and	61.0	79.2	18.3	0.51					
PGS658 (100, -57)	0.0	22.9	22.9	0.48	0.2	166.1	Western	Beavertail	12.0
and	132.6	135.6	3.0	0.35					
PGS659 (35, -53)	0.0	44.2	44.2	0.54	0.2	160.0	Western	Beavertail	25.9
and	64.0	70.1	6.1	0.33					
PGS660 (180, -50)	0.0	15.2	15.2	0.39	0.2	129.5	Western	Beavertail	42.6
and	16.8	50.3	33.5	0.88					
incl	33.5	44.2	10.7	1.47					
and	85.3	89.9	4.6	1.51					
PGS661 (65, -45)	0.0	13.7	13.7	0.49	0.2	99.1	Western	Beavertail	37.5
and	19.8	56.4	36.6	0.80					
and	64.0	67.1	3.0	0.46					
PGS662 (0, -90)	NSR					16.8	Western	Moosehead Dump	
PGS663 (0, -90)	0.0	12.2	12.2	0.52	0.2	19.8	Western	Moosehead Dump	6.3
PGS664 (0, -90)	0.0	18.3	18.3	0.31	0.2	25.9	Western	Moosehead Dump	5.7
PGS665 (0, -90)	0.0	7.6	7.6	0.28	0.2	38.1	Western	Moosehead Dump	3.3
	15.2	18.3	3.0	0.36					
PGS666 (0, -90)	0.0	24.4	24.4	0.29	0.2	44.2	Western	Moosehead Dump	7.0
PGS667	112.8	118.9	6.1	0.47	0.2	147.8	Peg Leg		2.8
PGS668	45.7	70.1	24.4	0.70	0.2	157.0	Peg Leg		19.3
and	80.8	86.9	6.1	0.37					
PGS669	70.1	77.7	7.6	0.22	0.2	135.6	Peg Leg		15.4
and	85.3	99.1	13.7	1.00					
PGS670 (350, -75)	68.6	86.9	18.3	2.95	0.2	152.4	Peg Leg		56.1
and	105.2	109.7	4.6	0.47					
PGS671 (135, -55)	67.1	74.7	7.6	0.34	0.2	141.7	Peg Leg		2.6
PGS672 (185, -50)	70.1	76.2	6.1	0.73	0.2	157.0	Peg Leg		7.1
and	123.4	129.5	6.1	0.43					
PGS673 (145, -65)	NSR					166.1	Aggie		
PGS674 (35, -55)	10.7	13.7	3.0	0.39	0.2	105.2	Dip Slope		19.2
and	30.5	32.0	1.5	0.48					
and	38.1	39.6	1.5	0.69					
and	51.8	70.1	18.3	0.49					
and	89.9	93.0	3.0	2.42					
PGS675 (330, -55)	15.2	18.3	3.0	0.28	0.2	117.3	Dip Slope		11.3
and	57.9	62.5	4.6	0.36					
and	71.6	83.8	12.2	0.72					
PGS676 (180, -77)	3.0	9.1	6.1	1.18	0.2	147.8	Hamburg Extension		18.7
and	47.2	56.4	9.1	1.17					
and	65.5	68.6	3.0	0.26					
PGS677 (203, -60)	0.0	7.6	7.6	0.85	0.2	117.3	Hamburg Extension		58.5
and	50.3	86.9	36.6	1.29					
incl	67.1	76.2	9.1	2.82					
and	94.5	97.5	3.0	0.45					
and	103.6	114.3	10.7	0.33					
PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.2	121.9	Hamburg Extension		10.2
PGS679 (158, -54)	47.2	59.4	12.2	0.37	0.2	121.9	Hamburg Extension		7.4
and	64.0	68.6	4.6	0.62					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS680 (285, -75)	50.3	53.3	3.0	0.45	0.2	105.2	Hamburg Extension		3.6
and	74.7	79.2	4.6	0.26					
and	94.5	96.0	1.5	0.69					
PGS681 (0, -85)	18.3	30.5	12.2	0.83	0.2	99.1	West Beavertail		10.1
PGS682 (180, -60)	NSR					117.3	West Beavertail		
PGS683 (180, -60)	NSR					147.8	West Beavertail		
PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.2	121.92	West Beavertail		1.9
PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.2	129.54	West Beavertail		0.6
PGS686 (0, -75)	42.7	44.2	1.5	0.31	0.2	114.3	West Beavertail		2.7
and	48.8	51.8	3.0	0.24					
and	53.3	56.4	3.0	0.51					
PGS687 (180, -45)	7.6	10.7	3.0	0.20	0.2	61.0	West Beavertail		22.8
and	13.7	29.0	15.2	1.45					
incl	13.7	18.3	4.6	3.90	1				
PGS688 (0, -90)	0.0	4.6	4.6	0.20	0.2	108.2	West Beavertail		1.8
and	7.6	9.1	1.5	0.59					
PGS689 (180, -45)	NSR					100.6	West Beavertail		
PGS690 (0, -45)	0.0	16.8	16.8	1.49	0.2	109.73	West Beavertail		25.0
incl	10.7	16.8	6.1	3.37	1				
PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.2	121.9	West Beavertail		3.0
PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.2	121.9	West Beavertail		5.3
PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.2	121.9	West Beavertail		3.7
PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.2	135.6	West Beavertail		4.4
PGS695 (36, -65)	NSR					111.3	West Beavertail		0.0
PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.2	121.9	West Beavertail		14.6
and	22.9	32.0	9.1	0.55					
and	38.1	42.7	4.6	0.43					
PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.2	91.4	West Beavertail		18.6
and	53.3	57.9	4.6	0.32					
PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.2	91.4	West Beavertail		5.4
PGS699 (326, -55)	NSR					91.4	West Beavertail		0.0
PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.2	86.9	West Beavertail		0.9
PGS701 (73, -65)	NSR					91.4	West Beavertail		0.0
PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.2	77.7	West Beavertail		5.2
PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.2	86.9	West Beavertail		19.2
PGS704 (76, -45)	NSR					50.3	West Beavertail		0.0
PGS705 (324, -70)	NSR					108.2	West Beavertail		0.0
PGS706 (340, -61)	NSR					129.5	Beavertail		0.0
PGS707 (160, -56)	NSR					141.7	Beavertail		0.0
PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.2	102.1	Beavertail		10.7
PGS709 (310, -65)	NSR					91.4	West Beavertail		0.0
PGS710 (290, -65)	NSR					61.0	West Beavertail		0.0
PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost	
PGS712 (145, -55)	NSR					118.9	Dip Slope		0.0
PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.2	121.9	Dip Slope		27.8
incl.	100.6	109.7	9.1	2.79	1				
PGS714 (355, -60)	89.9	108.2	18.3	0.71	0.2	140.2	Dip Slope		13.0
PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.2	91.4	Dip Slope		4.2
PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.2	91.4	Dip Slope		2.7
PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.2	74.7	Dip Slope		1.3
PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.2	77.7	Dip Slope		0.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.2	74.7	Dip Slope		7.3
PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.2	50.3	Dip Slope		2.1
PGS721 (0, -60)	157	168	10.7	0.45	0.2	182.9	Dip Slope		4.8
PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.2	99.1	Dip Slope		0.9
PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.2	91.4	Dip Slope		1.2
PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.2	182.9	Dip Slope		1.6
PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.2	74.7	Dip Slope		3.6
PGS726 (339, -70)	59.4	80.8	21.3	0.75	0.2	91.4	Dip Slope		15.9
PGS727 (36, -45)	3.0	12.2	9.1	0.30	0.2	48.8	Dip Slope		9.1
and	21.3	25.9	4.6	0.21					
and	27.4	36.6	9.1	0.59					
PGS728 (308, -45)	1.5	15.2	13.7	0.28	0.2	64.0	Dip Slope		22.7
and	24.4	32.0	7.6	0.57	0.2				
and	36.6	61.0	24.4	0.60	0.2				
PGS729 (251, -51)	51.8	53.3	1.5	0.56	0.2	65.5	Dip Slope		0.8
PGS730 (30, -50)	NSR					59.4	Dip Slope		
PGS731 (300, -50)	NSR					50.3	Dip Slope		
PGS732 (280, -50)	7.6	16.8	9.1	0.39	0.2	45.7	Dip Slope		5.5
and	24.4	27.4	3.0	0.36					
and	33.5	35.1	1.5	0.56					
PGS733 (0, -57)	7.6	35.1	27.4	1.15	0.2	61.0	Dip Slope		31.4
incl	24.4	30.5	6.1	3.39	1				
PGS734 (160, -50)	10.7	16.8	6.1	0.25	0.2	48.8	Dip Slope		1.5
PGS735 (0, -90)	NSR					117.3	Hamburg Extension		
PGS736 (31, -51)	68.6	123.4	54.9	0.50	0.2	146.3	Hamburg Extension		27.7
PGS737 (346, -68)	51.8	54.9	3.0	0.23	0.2	121.9	Hamburg Extension		9.5
and	62.5	82.3	19.8	0.45	0.2				
PGS738 (235, -60)	83.8	85.3	1.5	3.09	0.2	108.2	Hamburg Extension		4.7

### Liberty Gold - Goldstrike 2021 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS739 (0, -90)	4.6	9.1	4.6	0.30	0.2	147.8	Beavertail		24.9	
and	32.0	41.1	9.1	0.40						
and	79.2	91.4	12.2	1.02						
incl	85.3	86.9	1.5	6.01						1
and	117.3	126.5	9.1	0.82						0.2
PGS740 (85, -50)	15.2	18.3	3.0	0.33	0.2	135.7	Beavertail		27.3	
and	77.7	111.3	33.5	0.79						
incl	80.8	88.4	7.6	1.03						1
PGS741 (195, -70)	19.8	27.4	7.6	0.30	0.2	178.3	Beavertail		6.6	
and	44.2	45.7	1.5	0.84						
and	51.8	54.9	3.0	0.68						
and	62.5	65.5	3.0	0.33						
PGS742 (200, -68)	0.0	62.5	62.5	0.46	0.2	120.4	Beavertail		28.8	
incl	35.1	38.1	3.0	1.55	1					
PGS743 (65, -80)	4.6	76.2	71.6	0.38	0.2	147.9	Beavertail		28.7	
incl	62.5	64.0	1.5	2.02	1					
and	94.5	100.6	6.1	0.25	0.2					
PGS744 (135, -50)	33.5	36.6	3.0	0.74	0.2	117.3	Beavertail		2.3	
PGS745 (80, -60)	No Significant Results					129.6	Beavertail			
PGS746 (180, -45)	74.7	88.4	13.7	0.27	0.2	114.3	Hamburg		3.7	
PGS747 (180, -80)	65.5	68.6	3.0	0.30	0.2	117.4	Hamburg		1.0	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS748 (0, -60)</b>	0.0	3.0	3.0	0.40	0.2	114.3	Hamburg		53.1
and	36.6	47.2	10.7	0.39					
and	74.7	97.5	22.9	2.09					
incl	76.2	85.3	9.1	4.36					
<b>PGS749 (270, -60)</b>	50.3	53.3	3.0	0.33	0.2	141.7	Hamburg		9.9
and	70.1	86.9	16.8	0.53					
incl	83.8	85.3	1.5	1.58					
<b>PGS750 (0, -85)</b>	21.3	44.2	22.9	0.90	0.2	135.6	Hamburg		20.5
Incl	21.3	25.9	4.6	2.86	1				
<b>PGS751 (0, -65)</b>	48.8	59.4	10.7	0.84	0.2	120.4	Hamburg		24.8
incl	54.9	56.4	1.5	2.06	1				
and	68.6	86.9	18.3	0.83	0.2				
incl	71.6	74.7	3.0	1.49	1				
and	99.1	100.6	1.5	0.41	0.2				
<b>PGS752 (18, -45)</b>	30.5	47.2	16.8	0.78	0.2	105.2	Hamburg		25.5
and	59.4	65.5	6.1	0.37					
and	76.2	89.9	13.7	0.74					
incl	80.8	86.9	6.1	1.14					
<b>PGS753 (280, -85)</b>	56.4	96.0	39.6	1.19	0.2	141.7	Hamburg		49.9
incl	56.4	57.9	1.5	1.59	1.0				
incl	62.5	65.5	3.0	1.53					
incl	67.1	70.1	3.0	1.01					
incl	73.2	83.8	10.7	1.89					
incl	85.3	93.0	7.6	1.39					
and	102.1	108.2	6.1	0.43					
<b>PGS754 (245, -40)</b>	77.7	93.0	15.2	3.60	0.2	126.5	Hamburg		54.8
incl	77.7	83.8	6.1	7.75	1				
also incl	77.7	82.3	4.6	9.98	5				
<b>PGS755 (220, -57)</b>	56.4	74.7	18.3	1.74	0.2	121.9	Hamburg		31.9
incl	56.4	71.6	15.2	2.03	1				
<b>PGS756 (240, -70)</b>	44.2	62.5	18.3	1.07	0.2	129.5	Hamburg		27.2
also incl	50.3	57.9	7.6	1.52	1.0				
and	80.8	86.9	6.1	0.75	0.2				
incl	82.3	83.8	1.5	1.17	1.0				
and	94.5	96.0	1.5	0.64	0.2				
and	108.2	112.8	4.6	0.48	0.2				
<b>PGS757 (170, -70)</b>	39.6	51.8	12.2	0.95	0.2	132.6	Hamburg		22.1
incl	47.2	50.3	3.0	2.49	1				
and	61.0	68.6	7.6	0.54	0.2				
and	88.4	93.0	4.6	1.02					
incl	88.4	91.4	3.0	1.24					
and	112.8	114.3	1.5	0.74	0.2				
and	115.8	118.9	3.0	0.20					
<b>PGS758 (020, -50)</b>	74.7	141.7	67.1	0.62	0.2	178.3	Hamburg		41.5
incl	77.7	80.8	3.0	1.76	1				
also incl	82.3	83.8	1.5	1.22					
also incl	88.4	89.9	1.5	1.02					
also incl	121.9	123.4	1.5	2.31					
also incl	125.0	126.5	1.5	1.04					
<b>PGS759 (355, -50)</b>	61.0	65.5	4.6	0.22	0.2	141.7	Hamburg		43.7
and	70.1	140.2	70.1	0.61					
incl	94.5	100.6	6.1	1.74					
<b>PGS760 (0, -90)</b>	36.6	41.1	4.6	0.30	0.2	144.8	Hamburg		11.8
and	47.2	71.6	24.4	0.43					
incl	64.0	65.5	1.5	1.12					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS761 (290, -65)</b>	48.8	80.8	32.0	0.38	0.15	166.1	Hamburg		30.5	
also incl	54.9	80.8	25.9	0.42	0.2					
and	89.9	103.6	13.7	0.88	0.15					
incl	89.9	100.6	10.7	1.08	0.2					
also incl	94.5	97.5	3.0	2.70	1					
and	109.7	126.5	16.8	0.38	0.15					
incl	109.7	123.4	13.7	0.42	0.2					
<b>PGS762</b>	0.0	3.0	3.0	0.58	0.2	121.9	Hamburg		2.4	
and	57.9	59.4	1.5	0.41						
<b>PGS763</b>	0.0	3.0	3.0	0.47	0.2	141.7	Hamburg		3.1	
and	44.2	47.2	3.0	0.35						
and	121.9	123.4	1.5	0.37						
<b>PGS764 (200, -80)</b>	0.0	4.6	4.6	0.47		121.9	Hamburg		2.1	
<b>PGS765 (300, -74)</b>	1.5	6.1	4.6	0.47	0.2	121.9	Hamburg		4.5	
and	16.8	18.3	1.5	0.43						
and	65.5	68.6	3.0	0.41						
and	83.8	85.3	1.5	0.34						
<b>PGS766 (350, -60)</b>	No Significant Results						121.9	Hamburg		
<b>PGS767 (250, -60)</b>	No Significant Results						141.7	Hamburg		
<b>PGS768 (10, -45)</b>	No Significant Results						135.6	Hamburg		
<b>PGS769 (0, -60)</b>	No Significant Results						146.3	Hamburg		
<b>PGS770 (335, -50)</b>	22.9	48.8	25.9	0.67	0.2	129.5	Hamburg		17.4	
<b>PGS771 (5, -85)</b>	0.0	33.5	33.5	0.28	0.15	144.8	Hamburg		15.9	
incl	1.5	32.0	30.5	0.29	0.2					
and	35.1	39.6	4.6	0.15	0.15					
and	41.1	53.3	12.2	0.48	0.2					
also incl	48.8	50.3	1.5	1.17	1					
<b>PGS772 (280, -65)</b>	0.0	33.5	33.5	0.32	0.15	121.9	East Hamburg		18.7	
incl	0.0	33.5	33.5	0.32	0.2					
and	41.1	54.9	13.7	0.44	0.15					
incl	44.2	54.9	10.7	0.51	0.2					
also incl	50.3	53.3	3.0	1.14	1					
and	62.5	67.1	4.6	0.45	0.15					
incl	62.5	65.5	3.0	0.58	0.2					
<b>PGS773 (25, -50)</b>	32.0	94.5	62.5	0.79	0.15	105.2	East Hamburg		49.5	
incl	32.0	93.0	61.0	0.81	0.2					
also incl	35.1	36.6	1.5	1.33	1					
also incl	39.6	54.9	15.2	1.48						
also incl	56.4	57.9	1.5	1.06						
also incl	68.6	70.1	1.5	1.05						
also incl	71.6	73.2	1.5	1.24						
<b>PGS774 (345, -75)</b>	35.1	82.3	47.2	0.45	0.15	99.1	East Hamburg		21.3	
incl	38.1	73.2	35.1	0.48	0.2					
also incl	74.7	80.8	6.1	0.59						