

## Liberty Gold - Black Pine 2021 Drilling Current Release

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP482 (245, -70)</b>	61.0	70.1	9.1	0.22	0.15	385.6	Rangefront Central	Step Out	13.5	
including	65.5	70.1	4.6	0.26	0.20					
and	155.5	169.2	13.7	0.22	0.15					
and	185.9	207.3	21.3	0.35	0.20					
including	187.5	195.1	7.6	0.32	0.20					
including	204.2	207.3	3.0	1.03	1.00					
and including	205.7	207.3	1.5	1.09	0.15					
and	365.8	370.3	4.6	0.23	0.15					
<b>LBP490 (210, -62)</b>	47.2	56.4	9.1	0.23	0.20	414.5	Rangefront Central	Resource Upgrade	15.6	
and	112.8	118.9	6.1	0.32						
and	<b>160.0</b>	<b>166.1</b>	<b>6.1</b>	<b>0.92</b>						
including	<b>160.0</b>	<b>163.1</b>	<b>3.0</b>	<b>1.59</b>						1.00
and	<b>208.8</b>	<b>214.9</b>	<b>6.1</b>	<b>0.98</b>						0.20
including	<b>210.3</b>	<b>214.9</b>	<b>4.6</b>	<b>1.23</b>	1.00					
<b>LBP491 (70, -62)</b>	57.9	64.0	6.1	0.31	0.15	495.3	Rangefront D-4	Resource Upgrade	29.7	
including	59.4	64.0	4.6	0.35	0.20					
and	97.5	105.2	7.6	0.18	0.15					
and	172.2	176.8	4.6	0.26						
and	221.0	227.1	6.1	0.23						
including	222.5	227.1	4.6	0.25	0.20					
and	259.1	307.9	48.8	0.24	0.15					
including	269.8	289.6	19.8	0.31	0.20					
including	301.8	304.8	3.0	0.33						
and	344.2	350.5	6.1	0.23						
and	358.1	364.2	6.1	0.23	0.15					
including	359.7	364.2	4.6	0.26	0.20					
and	428.2	432.8	4.6	0.35						
and	451.1	467.9	16.8	0.46						
<b>LBP493 (300, -45)</b>	0.0	4.6	4.6	0.28	0.15	294.1	Rangefront Central	Step-Out	16.1	
and	129.5	135.6	6.1	0.23	0.20					
and	175.3	184.4	9.1	0.53	0.20					
including	181.4	182.9	1.5	1.01	1.00					
and	190.5	201.2	10.7	0.21	0.15					
including	192.0	196.6	4.6	0.24	0.20					
and	221.0	225.6	4.6	1.38	0.20					
including	222.5	224.0	1.5	2.96	1.00					
<b>LBP494 (55, -85)</b>	53.3	57.9	4.6	0.36	0.20	452.6	Rangefront D4	Resource Definition	40.8	
and	96.0	106.7	10.7	0.28						
and	143.3	147.8	4.6	0.19	0.15					
and	175.3	182.9	7.6	0.17						
and	184.4	221.0	36.6	0.19						
including	201.2	208.8	7.6	0.28	0.20					
and	<b>260.6</b>	<b>280.4</b>	<b>19.8</b>	<b>1.02</b>	1.00					
including	<b>263.7</b>	<b>271.3</b>	<b>7.6</b>	<b>1.74</b>						
including	<b>278.9</b>	<b>280.4</b>	<b>1.5</b>	<b>1.59</b>	0.15					
and	321.6	329.2	7.6	0.20						
and	338.3	346.0	7.6	0.23	0.20					
including	342.9	346.0	3.0	0.34						
and	365.8	370.3	4.6	0.35	0.15					
and	422.2	429.8	7.6	0.26	0.20					
including	422.2	428.2	6.1	0.28	0.20					
<b>LBP496 (90, -60)</b>	No Significant Results					384.0	Rangefront South	Reconnaissance		
<b>LBP498 (55, -70)</b>	54.9	59.4	4.6	0.29	0.20	448.1	Rangefront D-4	Resource Definition	50.1	
and	74.7	80.8	6.1	0.19	0.15					
and	146.3	163.1	16.8	0.20						
including	155.5	163.1	7.6	0.25	0.20					
and	176.8	182.9	6.1	0.22	0.15					
and	213.4	222.5	9.1	0.19						
including	213.4	217.9	4.6	0.23	0.20					
and	<b>246.9</b>	<b>309.4</b>	<b>62.5</b>	<b>0.59</b>	0.15					
including	<b>266.7</b>	<b>309.4</b>	<b>42.7</b>	<b>0.77</b>	0.20					
and including	<b>295.7</b>	<b>297.2</b>	<b>1.5</b>	<b>1.40</b>	1.00					
and including	<b>298.7</b>	<b>306.3</b>	<b>7.6</b>	<b>2.68</b>						
and	332.2	336.8	4.6	0.46	0.15					
including	333.8	336.8	3.0	0.60	0.20					
and	364.2	376.4	12.2	0.18	0.15					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP500 (270, -60)</b>	355.1	358.1	3.0	0.52	0.20	364.2	Rangefront South	Reconnaissance	1.6
<b>LBP502 (28, -68)</b>	54.9	59.4	4.6	0.40	0.20	446.5	Rangefront D-4	Resource Definition	67.2
and	140.2	150.9	10.7	0.20	0.15				
including	144.8	149.4	4.6	0.25	0.20				
and	173.7	185.9	12.2	0.20	0.15				
including	175.3	181.4	6.1	0.22	0.20				
and	213.4	225.6	12.2	0.29	0.15				
including	214.9	219.5	4.6	0.46	0.20				
and	<b>243.8</b>	<b>307.9</b>	<b>64.0</b>	<b>0.71</b>	0.15				
including	<b>245.4</b>	<b>307.9</b>	<b>62.5</b>	<b>0.72</b>	0.20				
and including	<b>289.6</b>	<b>291.1</b>	<b>1.5</b>	<b>1.17</b>	1.00				
and	317.0	323.1	6.1	0.38	0.15				
including	317.0	321.6	4.6	0.45	0.20				
and	346.0	359.7	13.7	0.30	0.15				
including	346.0	349.0	3.0	0.65	0.20				
including	355.1	359.7	4.6	0.27	0.20				
and	426.7	443.5	16.8	0.32	0.15				
including	426.7	442.0	15.2	0.33	0.20				
<b>LBP504 (70, -50)</b>	155.5	164.6	9.1	0.27	0.15	355.1	Rangefront Northeast	Reconnaissance	23.4
including	155.5	163.1	7.6	0.30	0.20				
and	178.3	182.9	4.6	0.25	0.15				
and	192.0	256.0	64.0	0.31	0.15				
including	192.0	205.7	13.7	0.30	0.20				
including	208.8	251.5	42.7	0.34	0.20				
<b>LBP506 (185, -75)</b>	163.1	170.7	7.6	0.19	0.15	458.7	Rangefront D-4	Resource Upgrade	63.3
and	196.6	202.7	6.1	0.17					
and	221.0	227.1	6.1	0.21	0.15				
and	<b>236.2</b>	<b>330.7</b>	<b>94.5</b>	<b>0.63</b>	1.00				
including	<b>280.4</b>	<b>285.0</b>	<b>4.6</b>	<b>1.25</b>	0.20				
including	<b>310.9</b>	<b>313.9</b>	<b>3.0</b>	<b>1.45</b>	0.20				
including	<b>324.6</b>	<b>330.7</b>	<b>6.1</b>	<b>3.66</b>	0.20				
and including	<b>329.2</b>	<b>330.7</b>	<b>1.5</b>	<b>7.77</b>	5.00				
<b>LBP507 (310, -50)</b>	144.8	166.1	21.3	0.28	0.15	288.0	Rangefront North	Reconnaissance	11.5
including	144.8	149.4	4.6	0.28	0.20				
including	155.5	166.1	10.7	0.35	0.20				
and	<b>184.4</b>	<b>189.0</b>	<b>4.6</b>	<b>1.20</b>	1.00				
including	<b>187.5</b>	<b>189.0</b>	<b>1.5</b>	<b>2.34</b>	1.00				
<b>LBP510 (345, -45)</b>	67.1	71.6	4.6	0.51	0.20	410.0	Rangefront D-4 South	Reconnaissance	28.0
and	109.7	115.8	6.1	0.21	0.15				
and	<b>176.8</b>	<b>233.2</b>	<b>56.4</b>	<b>0.30</b>	0.20				
including	176.8	182.9	6.1	0.33	0.20				
including	<b>185.9</b>	<b>224.0</b>	<b>38.1</b>	<b>0.35</b>	0.15				
and	234.7	240.8	6.1	0.19	0.15				
and	272.8	288.0	15.2	0.30	0.20				
including	272.8	283.5	10.7	0.36	0.20				
and	405.4	410.0	4.6	0.38	0.15				
<b>LBP514 (185, -65)</b>	146.3	150.9	4.6	0.30	0.15	399.3	Rangefront D-4	Resource Definition	92.3
including	147.8	150.9	3.0	0.36	0.20				
and	<b>240.8</b>	<b>326.1</b>	<b>85.3</b>	<b>0.98</b>	0.15				
including	259.1	326.1	67.1	1.19	0.20				
and including	265.2	292.6	27.4	1.56	1.00				
and including	<b>298.7</b>	<b>306.3</b>	<b>7.6</b>	<b>2.47</b>	0.15				
and including	<b>321.6</b>	<b>324.6</b>	<b>3.0</b>	<b>1.39</b>	0.15				
and	<b>333.8</b>	<b>349.0</b>	<b>15.2</b>	<b>0.48</b>	0.20				
including	<b>333.8</b>	<b>347.5</b>	<b>13.7</b>	<b>0.52</b>	0.20				
and including	<b>344.4</b>	<b>346.0</b>	<b>1.5</b>	<b>1.32</b>	1.00				
<b>LBP515 (165, -45)</b>	88.4	100.6	12.2	0.24	0.15	306.3	Rangefront Northwest	Step-Out	8.4
including	89.9	99.1	9.1	0.26	0.20				
and	173.7	179.8	6.1	0.22	0.15				
including	175.3	179.8	4.6	0.24	0.20				
and	219.5	234.7	15.2	0.27	0.15				
including	219.5	231.7	12.2	0.29	0.20				
<b>LBP517 (90, -70)</b>	196.6	202.7	6.1	0.24	0.15	451.1	Rangefront South	Reconnaissance	1.5

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP518 (90, -55)</b>	47.2	53.3	6.1	0.22	0.15	318.5	Rangefront Northwest	Step-Out	12.3
including	48.8	53.3	4.6	0.23	0.20				
and	153.9	160.0	6.1	0.20	0.15				
and	164.6	173.7	9.1	0.31	0.20				
including	166.1	172.2	6.1	0.38	0.20				
and	190.5	193.6	3.0	0.33	0.20				
and	<b>248.4</b>	<b>257.6</b>	<b>9.1</b>	<b>0.65</b>	1.00				
including	<b>253.0</b>	<b>254.5</b>	<b>1.5</b>	<b>1.80</b>	1.00				
<b>LBP519 (35, -70)</b>	163.1	172.2	9.1	0.17	0.15	396.2	Rangefront D-4	Resource Definition	39.4
and	179.8	192.0	12.2	0.18	0.20				
and	193.6	201.2	7.6	0.24	0.15				
and	221.0	268.2	47.2	0.19	0.20				
including	233.2	237.1	4.6	0.27	0.15				
including	260.6	265.2	4.6	0.29	0.15				
and	<b>288.0</b>	<b>323.1</b>	<b>35.1</b>	<b>0.65</b>	0.20				
including	<b>288.0</b>	<b>307.9</b>	<b>19.8</b>	<b>0.98</b>	1.00				
and including	<b>288.0</b>	<b>294.1</b>	<b>6.1</b>	<b>2.13</b>	1.00				
and including	<b>295.7</b>	<b>297.2</b>	<b>1.5</b>	<b>1.06</b>	0.20				
including	313.9	320.0	6.1	0.33	0.20				
<b>LBP520 (130, -55)</b>	29.0	36.6	7.6	0.22	0.15	361.2	Rangefront	Resource Definition	28.0
and	64.0	80.8	16.8	0.28	0.20				
including	64.0	79.3	15.2	0.29	0.15				
and	134.1	152.4	18.3	0.31	0.20				
including	134.1	138.7	4.6	0.25	0.15				
including	143.3	152.4	9.1	0.45	0.15				
and	163.1	173.7	10.7	0.26	0.20				
and	195.1	204.2	9.1	0.21	0.15				
and	219.5	228.6	9.1	0.2	0.20				
and	265.2	295.7	30.5	0.31	0.20				
including	265.2	271.3	6.1	0.34	1.00				
including	277.4	294.1	16.8	0.39	1.00				
and including	283.5	285.0	1.5	1.05	1.00				
<b>LBP521 (35, -55)</b>	170.7	182.9	12.2	0.43	0.15	403.9	Rangefront	Resource Definition	17.4
including	173.7	182.9	9.1	0.51	0.20				
and	214.9	219.5	4.6	0.27	0.15				
and	230.1	237.7	7.6	0.35	0.20				
including	230.1	236.2	6.1	0.39	0.15				
and	254.5	275.8	21.3	0.24	0.20				
including	256.0	260.6	4.6	0.49	0.15				
and	300.2	312.4	12.2	0.26	0.20				
including	303.3	306.3	3.0	0.55	0.20				
<b>LBP522 (225, -55)</b>	126.5	132.6	6.1	0.27	0.15	266.7	Rangefront Northwest	Step-Out	47.4
and	<b>138.7</b>	<b>157.0</b>	<b>18.3</b>	<b>0.73</b>	0.20				
including	<b>141.7</b>	<b>157.0</b>	<b>15.2</b>	<b>0.84</b>	1.00				
and including	<b>149.4</b>	<b>153.9</b>	<b>4.6</b>	<b>1.67</b>	0.20				
and	<b>207.3</b>	<b>233.2</b>	<b>25.9</b>	<b>1.25</b>	0.20				
including	<b>219.5</b>	<b>221.0</b>	<b>1.5</b>	<b>1.04</b>	1.00				
including	<b>222.5</b>	<b>233.2</b>	<b>10.7</b>	<b>2.14</b>	0.20				
<b>LBP523 (80, -58)</b>	21.3	24.4	3.0	0.48	0.20	367.3	Rangefront	Resource Definition	49.7
and	35.1	45.7	10.7	0.23	0.20				
including	35.1	44.2	9.1	0.24	0.15				
and	67.1	79.3	12.2	0.28	0.20				
and	<b>102.1</b>	<b>115.8</b>	<b>13.7</b>	<b>0.69</b>	0.20				
including	<b>102.1</b>	<b>109.7</b>	<b>7.6</b>	<b>1.12</b>	0.20				
and including	<b>103.6</b>	<b>106.7</b>	<b>3.0</b>	<b>2.12</b>	0.15				
and	125.0	134.1	9.1	0.40	0.20				
including	125.0	132.6	7.6	0.45	0.20				
and	<b>181.4</b>	<b>216.4</b>	<b>35.1</b>	<b>0.73</b>	0.20				
including	<b>184.4</b>	<b>216.4</b>	<b>32.0</b>	<b>0.78</b>	1.00				
and including	<b>190.5</b>	<b>193.6</b>	<b>3.0</b>	<b>1.97</b>	0.20				
and including	<b>207.3</b>	<b>210.3</b>	<b>3.0</b>	<b>2.45</b>	0.15				
and	268.2	285.0	16.8	0.22	0.20				
including	268.2	277.4	9.1	0.24	0.20				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP524 (210, -55)</b>	51.8	67.1	15.2	0.36	0.15	428.2	Rangefront D-4	Resource Definition	68.8
including	51.8	65.5	13.7	0.39	0.20				
and	112.8	117.4	4.6	0.38	0.15				
including	114.3	117.4	3.0	0.5	0.20				
and	147.8	152.4	4.6	0.37	0.15				
including	147.8	150.9	3.0	0.46	0.20				
and	184.4	208.8	24.4	0.26	0.15				
including	193.6	207.3	13.7	0.31	0.20				
and	240.8	259.1	18.3	0.31	0.15				
including	240.8	257.6	16.8	0.32	0.20				
and	269.8	295.7	25.9	0.64	0.15				
including	274.3	291.1	16.8	0.88	0.20				
and including	275.8	277.4	1.5	1.06	1.00				
and including	280.4	281.4	1.5	3.12					
and including	283.5	285.0	1.5	1.37	0.20				
and	301.8	317.0	15.2	0.43	0.20				
including	315.5	317.0	1.5	1.84	1.00				
and	327.7	336.8	9.1	0.62	0.20				
including	327.7	329.2	1.5	1.19	1.00				
and	353.6	362.7	9.1	0.29	0.20				
and	408.4	422.2	13.7	1.20	0.20				
including	410.0	414.5	4.6	2.49	1.00				
<b>LBP526 (10, -78)</b>	25.9	36.6	10.7	0.22	0.15	394.7	Rangefront	Resource Definition	38.4
including	25.9	29.0	3.0	0.38	0.20				
and	89.9	94.5	4.6	0.28	0.15				
including	91.4	94.5	3.0	0.33	0.20				
and	102.1	109.7	7.6	0.27					
and	115.8	149.4	33.5	0.39	0.15				
including	117.4	128.0	10.7	0.83	0.20				
and including	121.9	126.5	4.6	1.14	1.00				
and	161.5	173.7	12.2	0.49	0.20				
including	161.5	164.6	3.0	1.15	1.00				
and	175.3	187.5	12.2	0.17	0.15				
and	214.9	222.5	7.6	0.62					
including	217.9	222.5	4.6	0.93	0.20				
and including	219.5	222.5	3.0	1.24	1.00				
and	228.6	231.7	3.0	0.60	0.20				
and	237.7	242.3	4.6	0.60					
and	262.1	272.8	10.7	0.22					
<b>LBP527 (150, -75)</b>	167.6	175.3	7.6	0.18	0.15	440.4	Rangefront D-4	Resource Definition	45.1
and	243.8	313.9	70.1	0.48	0.20				
including	259.1	265.2	6.1	1.12	1.00				
including	295.7	298.7	3.0	1.56					
including	300.2	301.8	1.5	1.02	0.20				
and	350.5	367.3	16.8	0.60	0.20				
including	352.0	353.6	1.5	1.31	1.00				
including	355.1	356.6	1.5	2.40	0.20				
<b>LBP528 (0, -90)</b>	7.6	21.3	13.7	0.27	0.15	224.0	Rangefront North	Step-Out	37.7
including	7.6	10.7	3.0	0.39	0.20				
including	16.8	21.3	4.6	0.35					
and	51.8	61.0	9.1	0.37	0.15				
including	51.8	59.4	7.6	0.41	0.20				
and	80.8	135.6	54.9	0.24	0.15				
including	88.4	93.0	4.6	0.33	0.20				
including	99.1	112.8	13.7	0.31					
including	118.9	131.1	12.2	0.30	0.15				
and	138.7	152.4	13.7	0.29	0.15				
including	138.7	144.8	6.1	0.34	0.20				
including	146.3	150.9	4.6	0.33					
and	164.6	178.3	13.7	0.60	0.15				
including	170.7	178.3	7.6	0.93	0.20				
and including	175.3	178.3	3.0	1.59	1.00				
<b>LBP529 (180, -65)</b>	16.8	32.0	15.2	0.25	0.15	227.1	Rangefront Northeast	Resource Definition	12.9
including	24.4	32.0	7.6	0.35	0.20				
and	64.0	82.3	18.3	0.20	0.15				
including	76.2	80.8	4.6	0.34	0.20				
and	100.6	106.7	6.1	0.37					
and	153.9	163.1	9.1	0.35	0.15				
including	155.5	163.1	7.6	0.38	0.20				