

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7
Including	140.2	146.3	6.1	1.78	1				
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5
Including	126.5	138.7	12.2	2.67	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8
Including	115.8	129.5	13.7	1.89	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8
PGS016 (170, -65)	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	170.7	198.1	27.4	0.66					
PGS017 (150, -55)	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5	
incl.	70.1	83.8	13.7	4.42	1					
PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6	
incl.	166.1	169.2	3.0	2.96	1					
PGS021 (330, -55)	No Significant Results					169.2	Basal Claron			
PGS022 (180, -60)	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1	
and	132.6	147.8	15.2	0.35						
and	152.4	163.1	10.7	0.38						
PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2	
incl.	129.5	134.1	4.6	1.93	1					
PGS024 (230, -55)	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3	
and	120.4	129.5	9.1	0.32						
and	135.6	138.7	3.0	0.21						
and	140.2	152.4	12.2	0.33						
and	163.1	166.1	3.0	0.70						
PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8	
incl.	131.1	150.9	19.8	1.98	1					
PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9	
incl.	108.2	138.7	30.5	1.65	1					
PGS027 (0, -90)	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		56.1	
and	88.4	89.9	1.5	0.40						
and	94.5	96.0	1.5	0.48						
and	106.7	153.9	47.2	1.14						
including	109.7	117.3	7.6	2.06						
including	120.4	129.5	9.1	1.56						
PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9	
PGS029 (185, -65)	No Significant Results						132.6	Basal Claron		0.0
PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS031 (0, -85)	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					
PGS032 (135, -65)	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		25.6
and	132.6	137.2	4.6	0.22					
and	160.0	185.9	25.9	0.80					
incl	181.4	185.9	4.6	1.54					
PGS033 (180, -75)	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	99.1	125.0	25.9	0.41					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
PGS034 (180, -50)	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
PGS035 (230, -65)	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		37.0
and	115.8	140.2	24.4	1.05					
incl	117.3	128.0	10.7	1.68					
PGS036 (225, -60)	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
PGS037 (180, -65)	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		24.38
including	118.9	121.9	3.0	1.65					
and	152.4	153.9	1.5	0.37					
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6
including	137.2	143.3	6.1	1.95	1				
and	166.1	198.1	32.0	0.86	0.2				
including	172.2	182.9	10.7	1.72	1				
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5
and	71.0	101.5	30.5	1.85					
incl	71.0	89.3	18.3	2.63					
PGS042 (0, -90)	No Significant Results				0.2	135.6			0
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1	
and	116.3	118.0	1.7	0.22	0.2					
and	119.3	135.0	15.7	0.47						
PGS045 (180, -48)	No Significant Results					182.9	Basal Claron		0	
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6	
incl	132.9	136.6	3.7	1.65	1					
and	173.1	177.7	4.6	0.25	0.2					
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9	
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0	
incl	54.9	77.7	22.9	4.92	1					
incl	65.5	76.2	10.7	8.27	5					
PGS049 (315, -68)	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9	
and	91.4	152.4	61.0	0.87						
incl	93.0	100.6	7.6	2.83						1
and incl	144.8	147.8	3.0	1.72						1
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9	
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7	
and	84.4	86.0	1.5	0.22						
and	92.0	93.6	1.5	0.37						
and	110.3	151.5	41.1	2.64						0.2
incl	119.5	151.5	32.0	3.22						1
incl	133.5	139.3	5.8	6.56						5
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4	
and	102.1	105.2	3.0	0.21						
and	106.7	111.3	4.6	0.22						
and	114.3	149.4	35.1	0.44						
and	161.5	164.6	3.0	0.26						
and	178.3	179.8	1.5	0.43						
and	182.9	184.4	1.5	0.22						
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1	
incl	143.3	149.4	6.1	1.91	1					
Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS054C (60, -68)	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6	
incl	82.6	94.9	12.3	2.00	1					
and incl	101.9	138.1	36.2	2.77						
incl	124.7	127.7	3.0	6.04						5
PGS055 (145, -45)	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7	
	157.0	161.5	4.6	0.32						
PGS056C (245, -58)	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4	
PGS057 (250, -65)	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8	
and	93.0	117.3	24.4	0.76						
incl	108.2	115.8	7.6	1.34						1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																														
PGS058 (240, -60)	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4																																																																																																																																																																																																																																																																														
incl	27.4	47.2	19.8	1.98	1					PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6	PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3	and	50.3	53.3	3.0	0.50	and	64.0	73.2	9.1	0.33	PGS061 (0, -90)	No Significant Results					106.7	Basal Claron	target interval faulted out?	0	PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2	PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2	PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4	and	131.1	157.0	25.9	0.42	PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1	PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1	PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Clarion and Structures in the PZ	Poor recovery in higher grade	25.1	and	159.7	187.8	28.0	0.52	0.2	PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7	and	144.8	152.4	7.6	1.97	0.2	PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)	No Significant Results					86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2	102 ppm met screen sample	incl.	100.6	105.2	4.6	38.8	5	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)	No Significant Results					105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7
PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6																																																																																																																																																																																																																																																																														
PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3																																																																																																																																																																																																																																																																														
and	50.3	53.3	3.0	0.50																																																																																																																																																																																																																																																																																			
and	64.0	73.2	9.1	0.33																																																																																																																																																																																																																																																																																			
PGS061 (0, -90)	No Significant Results					106.7	Basal Claron	target interval faulted out?	0																																																																																																																																																																																																																																																																														
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2																																																																																																																																																																																																																																																																														
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2																																																																																																																																																																																																																																																																														
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4																																																																																																																																																																																																																																																																														
and	131.1	157.0	25.9	0.42																																																																																																																																																																																																																																																																																			
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1																																																																																																																																																																																																																																																																														
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1																																																																																																																																																																																																																																																																														
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Clarion and Structures in the PZ	Poor recovery in higher grade	25.1																																																																																																																																																																																																																																																																														
and	159.7	187.8	28.0	0.52	0.2																																																																																																																																																																																																																																																																																		
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7																																																																																																																																																																																																																																																																														
and	144.8	152.4	7.6	1.97	0.2																																																																																																																																																																																																																																																																																		
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8																																																																																																																																																																																																																																																																														
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7																																																																																																																																																																																																																																																																														
PGS071 (0, -90)	No Significant Results					86.9	Basal Claron																																																																																																																																																																																																																																																																																
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8																																																																																																																																																																																																																																																																														
and	123.4	134.1	10.7	0.58	0.2																																																																																																																																																																																																																																																																																		
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5																																																																																																																																																																																																																																																																														
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6																																																																																																																																																																																																																																																																														
and	48.8	59.4	10.7	0.40	0.2																																																																																																																																																																																																																																																																																		
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3																																																																																																																																																																																																																																																																														
and	53.3	56.4	3.0	0.20	0.2																																																																																																																																																																																																																																																																																		
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7																																																																																																																																																																																																																																																																														
and	99.1	105.2	6.1	29.1	0.2			102 ppm met screen sample																																																																																																																																																																																																																																																																															
incl.	100.6	105.2	4.6	38.8	5																																																																																																																																																																																																																																																																																		
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6																																																																																																																																																																																																																																																																														
PGS078 (60, -65)	No Significant Results					105.2	Basal Claron																																																																																																																																																																																																																																																																																
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4																																																																																																																																																																																																																																																																														
and	42.7	47.2	4.6	0.38	0.2																																																																																																																																																																																																																																																																																		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9
and	32.0	33.5	1.5	0.95	0.2				
and	38.1	42.7	4.6	0.30	0.2				
and	54.9	88.4	33.5	0.42	0.2				
PGS081 (200, -45)	No Significant Results					121.9	Basal Claron		
PGS082 (0, -90)	No Significant Results					121.9	Basal Claron		
PGS083 (0, -90)	No Significant Results					141.7	Basal Claron		
PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3
and	141.7	152.4	10.7	0.32	0.2				
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0
and	102.1	115.8	13.7	0.38	0.2				
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
PGS089 (320, -68)	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7
incl	97.5	102.1	4.6	1.52	1				
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks		
incl	99.1	100.6	1.5	2.30	1.0				
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
PGS093 (313, -75)	No Significant Results					135.6	Basal Claron		
PGS094 (57, -65)	No Significant Results					182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60					
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2				
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS121 (160, -55)	No Significant Results					144.8			
PGS122 (65, -67)	No Significant Results					117.3			
PGS123 (290, -55)	No Significant Results					213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)	No Significant Results					135.6		Peg Leg Graben	
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				
and									
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0
incl	57.9	62.5	4.6	1.03	0.5				
PGS132 (45, -65)	No Significant Results					105.2		Peg Leg Graben	
PGS133 (310, -45)	No Significant Results					109.7		Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.2				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)	No Significant Results					86.9	Basal Claron	Dip Slope Zone	
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)	No Significant Results					138.7	Basal Claron	Peg Leg Graben	
PGS141 (270, -70)	No Significant Results					111.3	Basal Claron	Peg Leg Graben	
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9
incl	97.5	103.6	6.1	1.24	0.5				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.2				
and	120.4	126.5	6.1	1.14	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale		
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5
Incl	111.3	117.3	6.1	0.96	0.5				
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.2				
and	147.8	158.5	10.7	0.75	0.2				
PGS150 (0, -90)	No Significant Results					117.3	Basal Claron	Dip Slope	
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.2				
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)	No Significant Results					189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)	No Significant Results					227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)	No Significant Results					77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)	No Significant Results					221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.2				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS169 (180, -50)	No Significant Results					201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
incl	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)	No Significant Results					166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)	No Significant Results					175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)	No Significant Results					182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178 (50, -45)	24.4	25.9	1.5	0.39	0.2	141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
incl	96.0	108.2	12.2	3.54	1				
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)	No Significant Results					172.2	Basal Claron	Peg Leg	
PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.2	129.5	Covington Dike	Covington	13.9
and	100.6	111.3	10.7	1.15					
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
and	121.9	155.4	33.5	0.76	0.2				
incl	125.0	131.1	6.1	1.47	1				
PGS184 (280, -60)	No Significant Results					117.3		Covington hole lost above target	
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.2				
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
incl	50.3	62.5	12.2	1.77	1				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7
incl.	137.2	141.7	4.6	1.45	1				
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)	No Significant Results					170.7		Covington - did not intercept target	
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				

Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)	No Significant Results					172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)	No Significant Results					129.5	Warrior to Aggie		
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)	No Significant Results					172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)	No Significant Results					129.5	Dip Slope		
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				
PGS202 (100, -45)	No Significant Results					160.0	Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)	No Significant Results					202.7	Western Grabens	Anomalous	
PGS209 (0, -45)	No Significant Results					93.0	Western Grabens	Hole Lost Above Target	
PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
incl	115.8	120.4	4.6	0.89	0.5				
PGS211 (320, -45)	No Significant Results					166.1	Western Grabens		
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
incl	143.3	152.4	9.1	1.02	0.5				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)	No Significant Results					187.5	Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					
PGS217 (233, -70)	No Significant Results						Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)	No Significant Results					117.3	Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1
incl	152.4	167.6	15.2	1.16	0.5				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.2				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.2	190.5	Peg Leg	Claron Host Rocks	27.8
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks	
and	134.1	135.6	1.5	0.41	0.2				
PGS225 (340, -65)	No Significant Results					205.7	Dip Slope	Anomalous	
PGS226 (285, -45)	No Significant Results					166.1	Peg Leg		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		42.0
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.2				
PGS232 (205, -77)	No Significant Results					86.9	Dip Slope		
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2
and	117.3	167.6	50.3	0.85	0.2				
incl	129.5	144.8	15.2	1.81	0.5				
and	175.3	176.8	1.5	0.66	0.2				
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7
Incl	76.2	83.8	7.6	2.33	0.5				
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.2				
PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9
and	164.6	181.4	16.8	0.33	0.2				
and	182.9	193.5	10.7	0.42	0.2				
PGS241 (95, -62)	No Significant Results					147.8	Warrior		
PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2
incl	109.7	118.9	9.1	3.48	1				
and	143.3	153.9	10.7	0.34	0.2				
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1
incl	128.0	135.6	7.6	1.61	1				
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6
incl	111.3	120.4	9.1	0.84	0.5				
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata	
incl	105.2	117.3	12.2	2.98	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS246 (5, -45) and	42.7 77.7	48.8 89.9	6.1 12.2	0.31 0.32	0.2	149.4	Peg Leg		5.8
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
PGS248 (70, -70) incl.	80.8 82.3	105.2 89.9	24.4 7.6	0.61 1.20	0.2 1	141.7	East Aggie		14.8
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
PGS250 (295, -55) incl.	44.2 47.2	54.9 53.3	10.7 6.1	3.40 5.59	0.2 1	129.5	Dip Slope	Bull Valley Wash area	36.3
PGS251 (210, -55)	No Significant Results					109.7	Dip Slope	Bull Valley Wash area	
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7
PGS253 (90, -65) and and and	45.7 108.2 157.0 169.2	59.4 118.9 161.5 172.2	13.7 10.7 4.6 3.0	1.02 0.74 0.37 0.23	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock Claron Formation?	24.2
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2
PGS255 (50, -65) incl and	0.0 0.0 54.9	25.9 4.6 56.4	25.9 4.6 1.5	1.16 3.48 0.63	0.2 1 0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0
PGS256 (340, -53) and	115.8 134.1	117.3 140.2	1.5 6.1	0.52 1.85	0.2 0.2	152.4	Dip Slope	Basal Claron Formation Paleozoic strata	12.1
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
PGS259 (50, -65) and	1.5 19.8	13.7 27.4	12.2 7.6	0.27 0.37	0.2 0.2	202.7	Moosehead	Mine Backfill Paleozoic strata	6.2
PGS260 (30, -70) and	32.0 47.2	33.5 50.3	1.5 3.0	0.23 0.22	0.2 0.2	111.3	Peg Leg		1.0
PGS261 (320, -70) and	0.0 27.4	10.7 36.6	10.7 9.1	0.24 0.42	0.2 0.2	233.2	Moosehead	Mine Backfill Paleozoic strata	6.4
PGS262 (105, -60)	No Significant Results					120.4	Mineral Mtn		
PGS263 (75, -45) incl.	24.4 35.1	45.7 41.1	21.3 6.1	0.71 1.46	0.2 1	114.3	Peg Leg		15.1
PGS264 (65, -48) and and and	6.1 18.3 33.5 45.7	9.1 24.4 38.1 53.3	3.0 6.1 4.6 7.6	0.41 0.58 0.26 0.51	0.2	86.9	Mineral Mtn		9.8
PGS265 (120, -45) incl.	50.3 65.5	79.2 70.1	29.0 4.6	0.79 1.97	0.2 1.0	111.3	Mineral Mtn		22.9
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.2				
PGS269 (180, -75)	No Significant Results					166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
PGS272 (5, -67)	No Significant Results					121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)	No Significant Results					219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)	No Significant Results					196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0, -90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220, -65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9
PGS284 (330, -75)	No Significant Results					19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180, -65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)	No Significant Results					32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165,-57)	No Significant Results					208.8	Caribou	Hole did not intersect target	
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.2	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.2	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.2				
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)	No Significant Results					129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)	No Significant Results					152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90) and	115.8 126.5	117.3 129.5	1.5 3.0	0.80 0.27	0.2 0.2	147.8	Western	Picaroon - long anomalous interval	2.1
PGS310 (90, -60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0, -90) and	76.2 86.9	77.7 89.9	1.5 3.0	0.40 0.44	0.2 0.2	120.4	Western	Picaroon - long anomalous interval	1.9
PGS312 (0, -65)	No Significant Results					152.4	Western	Picaroon - long anomalous interval	
PGS313 (170, -78) and	201.2 211.8	207.3 221.0	6.1 9.2	0.32 0.59	0.2 0.2	221.0	Western	hole ended in mineralization	7.4
PGS314 (0, -90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140, -50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70, -70)	No Significant Results					129.5	Western	Picaroon - long anomalous interval	
PGS317 (150, -45) and and	19.8 70.1 80.8	59.4 76.2 86.9	39.6 6.1 6.1	0.48 0.40 0.97	0.2 0.2 0.2	144.8	Western	Caribou	27.3
PGS318 (0, -90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0, -75)	No Significant Results					144.8	Western	Picaroon	
PGS320 (110, -55) and and incl	29.0 44.2 70.1 82.3	38.1 64.0 96.0 93.0	9.1 19.8 25.9 10.7	0.79 0.38 0.99 1.40	0.2 0.2 0.2 1.0	172.2	Western	Caribou	40.3
PGS321 (180, -60)	No Significant Results					91.4	Main	Aggie	
PGS322 (90, -45) and	18.3 30.5	22.9 94.5	4.6 64.0	0.77 0.51	0.2 0.2	160.0	Western	Caribou	36.2
PGS323 (0, -90)	No Significant Results					166.1	Western	Picaroon	
PGS324 (62, -55) incl	39.6 48.8	82.3 56.4	42.7 7.6	0.70 1.72	0.2 1	141.7	Western	Caribou	30.0
PGS325 (20, -78) and	73.2 94.5	76.2 108.2	3.0 13.7	0.81 0.52	0.2 0.2	141.7	Main	Aggie	9.5
PGS326 (170, -50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78, -67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0, -90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140, -55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)	No Significant Results					193.5	Western	Picaroon	
PGS332 (225, -65) and	152.4 178.3	167.6 192.0	15.2 13.7	0.41 0.52	0.2 0.2	221.0	Dip Slope	Padre Haul Road	13.3
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65) incl	121.9 125.0	175.3 135.6	53.3 10.7	0.67 1.93	0.2 1	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
PGS336 (170, -45) and	140.2 157.0	153.9 163.1	13.7 6.1	0.50 0.23	0.2 0.2	198.1	Western	Moosehead	8.2
PGS337 (56, -55)	No Significant Results					134.1	Peg Leg		
PGS338 (295, -55) and and	57.9 100.6 128.0	91.4 105.2 129.5	33.5 4.6 1.5	0.64 0.77 0.96	0.2 0.2 0.2	135.6	Peg Leg		26.5
PGS339 (150, -45) and incl	115.8 129.5 146.3	120.4 172.2 157.0	4.6 42.7 10.7	0.33 0.79 1.60	0.2 0.2 1	239.3	Western	Moosehead	35.2
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65) and	137.2 178.3	176.8 189.0	39.6 10.7	0.38 0.96	0.2 0.2	208.8	Dip Slope	Padre Haul Road	25.4
PGS343 (345, -65)	No Significant Results					105.2	Peg Leg		
PGS344 (130, -45) and and	170.7 181.4 190.5	173.7 185.9 202.7	3.0 4.6 12.2	0.82 0.28 1.15	0.2 0.2 0.2	230.1	Western	Moosehead	17.8
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
PGS346 (145, -68)	No Significant Results					91.4	Peg Leg		
PGS347 (85, -65) incl	161.5 173.7	201.2 184.4	39.6 10.7	0.69 1.35	0.2 1	224.0	Dip Slope	Padre	27.5
PGS348 (340, -65) and	4.6 71.6	6.1 73.2	1.5 1.5	0.48 0.80	0.2 0.2	103.6	Peg Leg		2.0
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
PGS350 (270, -55)	No Significant Results					147.8	Peg Leg		
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)	No Significant Results					80.8	Peg Leg		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8
PGS355 (150, -60)	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1
and	134.1	135.6	1.5	0.96	0.2				
PGS356 (115, -55)	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8
and	109.7	132.6	22.9	0.77	0.2				
incl	121.9	125.0	3.0	1.71	1				
PGS357 (0, -90)	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5
and	57.9	70.1	12.2	0.36	0.2				
PGS358 (75, -60)	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2
and	94.5	99.1	4.6	0.29	0.2				
PGS359 (0, -90)	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2
PGS360 (130, -60)	No Significant Results					137.2	Peg Leg		
PGS361 (0, -60)	No Significant Results					135.6	Western		
PGS362 (0, -90)	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8
incl	76.2	89.9	13.7	1.89	1				
PGS363 (80, -55)	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5
incl	67.1	70.1	3.0	2.32	1				
and	91.4	99.1	7.6	0.30	0.2				
PGS364 (120, -45)	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3
incl	56.4	65.5	9.1	1.66	1				
PGS365 (0, -70)	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9
incl	117.3	120.4	3.0	2.03	1				
PGS366 (185, -45)	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3
and	54.9	61.0	6.1	0.34	0.2				
and	158.5	160.0	1.5	1.92	0.2				
PGS367 (0, -90)	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6
PGS368 (90, -55)	83.8	103.6	19.8	0.54	0.2	146.3	Dip Slope	Padre	10.7
incl	86.9	89.9	3.0	1.22	1				
PGS369 (0, -85)	No Significant Results					184.4	Western	Bull Run	
PGS370 (0, -90)	No Significant Results					160.0	Dip Slope	Padre	
PGS371 (240, -75)	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6
PGS372 (0, -90)	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6
PGS373 (0, -65)	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6
PGS374 (40, -60)	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0
PGS375 (300, -65)	25.9	47.2	21.3	0.60	0.2	129.5	Western		12.8
PGS376 (290, -70)	No Significant Results					214.9	Dip Slope	Padre	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS377 (155, -85) and	57.9 160.0	64.0 163.1	6.1 3.0	0.39 0.74	0.2 0.2	178.3	Western		4.6
PGS378 (180, -60)	No Significant Results								
PGS379 (290, -60)	83.8	105.2	21.3	0.94	0.2	182.9	Dip Slope	Padre	20.0
PGS380 (310, -65)	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3
PGS381 (0, -65) and	36.6 54.9	47.2 59.4	10.7 4.6	0.43 0.32	0.2 0.2	132.6	Western	Western Graben	6.0
PGS382 (0, -60)	77.7	79.2	1.5	0.33	0.2				
PGS383 (150, -85)	No Significant Results					121.9	Western	Western Graben	
PGS384 (0, -65)	No Significant Results					144.8	Western	Bull Run	
PGS385 (0, -80)	No Significant Results					123.4	Western	Bull Run	
PGS386 (200, -65)	No Significant Results					160.0	Dip Slope	Padre	
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
PGS388 (0, -90)	No Significant Results					202.7	Western	Western Graben	
PGS389 (180, -65)	No Significant Results					135.6	Dip Slope	North Padre Pit	
PGS390 (330, -65)	No Significant Results					99.1	Western		
PGS391 (0, -60)	No Significant Results					189.0	Western	Western	
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6
PGS394 (0, -45)	No Significant Results					172.2	Western	Bull Run	
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
PGS396 (90, -50)	No Significant Results					152.4	Dip Slope	Padre Pit	
PGS397 (0, -50) incl	147.8 161.5	202.7 170.7	54.9 9.1	0.64 1.40	0.2 1	208.8	Western	North Moosehead Pit	35.0
PGS398 (0, -90) and	0.0 138.7	10.7 143.3	10.7 4.6	0.47 0.26	0.2 0.2				
								Padre Haul Road	
PGS399 (0, -62)	No Significant Results					74.7	Western	Bull Run	
PGS400 (137, -80) incl	99.1 111.3	147.8 117.3	48.8 6.1	0.74 1.93	0.2 1	160.0	Western	North Moosehead Pit	36.2
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.2				
PGS402 (0, -88)	No Significant Results					103.6	Bull Run		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																					
PGS403 (195, -80)	141.7	163.1	21.3	0.58	0.2	187.5	Main	Warrior	12.3																																																																																																																																																																																																																																																																																																					
incl	155.4	160.0	4.6	1.16	1					PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1	PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3	PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3	incl	117.3	123.4	6.1	3.24	1	PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3	PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7	PGS409 (0, -90)	No Significant Results					304.8	Warrior	Water Test Well		PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0	and	138.7	144.8	6.1	0.47	and	161.5	163.1	1.5	0.61	and	172.2	182.9	10.7	1.46	PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9	PGS412 (0, -90)	No Significant Results					288.0	Covington	Water Test Well		PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4	PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7	incl.	39.6	64.0	24.4	1.70	1	PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3	incl.	106.7	117.3	10.7	2.49	1	PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0	PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8	PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6	incl	77.7	82.3	4.6	3.09	1	PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1	PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9	PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3	incl	125.0	144.8	19.8	1.84	1	PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2	incl	202.7	207.3	4.6	2.06	1	PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results				
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1																																																																																																																																																																																																																																																																																																					
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3																																																																																																																																																																																																																																																																																																					
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3																																																																																																																																																																																																																																																																																																					
incl	117.3	123.4	6.1	3.24	1					PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3	PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7	PGS409 (0, -90)	No Significant Results					304.8	Warrior	Water Test Well		PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0	and	138.7	144.8	6.1	0.47	and	161.5	163.1	1.5	0.61	and	172.2	182.9	10.7	1.46	PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9	PGS412 (0, -90)	No Significant Results					288.0	Covington	Water Test Well		PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4	PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7	incl.	39.6	64.0	24.4	1.70	1	PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3	incl.	106.7	117.3	10.7	2.49	1	PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0	PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8	PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6	incl	77.7	82.3	4.6	3.09	1	PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1	PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9	PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3	incl	125.0	144.8	19.8	1.84	1	PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2	incl	202.7	207.3	4.6	2.06	1	PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																	
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3																																																																																																																																																																																																																																																																																																					
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7																																																																																																																																																																																																																																																																																																					
PGS409 (0, -90)	No Significant Results					304.8	Warrior	Water Test Well																																																																																																																																																																																																																																																																																																						
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0																																																																																																																																																																																																																																																																																																					
and	138.7	144.8	6.1	0.47																																																																																																																																																																																																																																																																																																										
and	161.5	163.1	1.5	0.61																																																																																																																																																																																																																																																																																																										
and	172.2	182.9	10.7	1.46																																																																																																																																																																																																																																																																																																										
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9																																																																																																																																																																																																																																																																																																					
PGS412 (0, -90)	No Significant Results					288.0	Covington	Water Test Well																																																																																																																																																																																																																																																																																																						
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4																																																																																																																																																																																																																																																																																																					
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7																																																																																																																																																																																																																																																																																																					
incl.	39.6	64.0	24.4	1.70	1					PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3	incl.	106.7	117.3	10.7	2.49	1	PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0	PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8	PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6	incl	77.7	82.3	4.6	3.09	1	PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1	PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9	PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3	incl	125.0	144.8	19.8	1.84	1	PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2	incl	202.7	207.3	4.6	2.06	1	PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																						
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3																																																																																																																																																																																																																																																																																																					
incl.	106.7	117.3	10.7	2.49	1					PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0	PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8	PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6	incl	77.7	82.3	4.6	3.09	1	PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1	PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9	PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3	incl	125.0	144.8	19.8	1.84	1	PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2	incl	202.7	207.3	4.6	2.06	1	PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																																						
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0																																																																																																																																																																																																																																																																																																					
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8																																																																																																																																																																																																																																																																																																					
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6																																																																																																																																																																																																																																																																																																					
incl	77.7	82.3	4.6	3.09	1					PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1	PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9	PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3	incl	125.0	144.8	19.8	1.84	1	PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2	incl	202.7	207.3	4.6	2.06	1	PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																																																																										
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1																																																																																																																																																																																																																																																																																																					
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9																																																																																																																																																																																																																																																																																																					
PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3																																																																																																																																																																																																																																																																																																					
incl	125.0	144.8	19.8	1.84	1					PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2	incl	202.7	207.3	4.6	2.06	1	PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																																																																																																														
PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2																																																																																																																																																																																																																																																																																																					
incl	202.7	207.3	4.6	2.06	1					PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot		PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1	PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2	and	123.4	126.5	3.0	0.75	0.2	PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																																																																																																																														
PGS423 (0, -90)	No Significant Results					86.9	Dip Slope	Lunch Spot																																																																																																																																																																																																																																																																																																						
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1																																																																																																																																																																																																																																																																																																					
PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2																																																																																																																																																																																																																																																																																																					
and	123.4	126.5	3.0	0.75	0.2					PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit		PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																																																																																																																																																																		
PGS426 (287, -70)	No Significant Results					121.9	Dip Slope	North Hassayampa Pit																																																																																																																																																																																																																																																																																																						
PGS427 (145, -55)	No Significant Results					138.7	Western	West Moosehead																																																																																																																																																																																																																																																																																																						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS428 (15, -77)	53.3	65.5	12.2	0.37	0.2	129.5	Dip Slope	North Hassayampa Pit	18.0
and	67.1	80.8	13.7	0.58	0.2				
and	86.9	97.5	10.7	0.51	0.2				
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.2	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.2	221.0	Dip Slope		
PGS431 (0, -90)	No Significant Results					196.6	Western	Beavertail	
PGS432 (0, -90)	No Significant Results					205.7	Dip Slope		
PGS433 (0, -90)	3.0	25.9	22.9	0.72	0.2	129.5	Western	Beavertail	33.4
incl	16.8	21.3	4.6	2.35	1				
and	41.1	48.8	7.6	0.69	0.2				
and	50.3	71.6	21.3	0.55	0.2				
PGS434 (70, -82)	No Significant Results					147.8	Dip Slope	Goldtown Ridge	
PGS435 (90, -65)	178.3	189.0	10.7	0.98	0.2	233.2	Dip Slope		10.4
and	195.1	198.1	3.0	0.69	0.2				
PGS436 (90, -65)	13.7	51.8	38.1	0.76	0.2	117.3	Western	Beavertail	31.1
and	62.5	67.1	4.6	0.50	0.2				
PGS437 (105, -65)	No Significant Results					150.9	Dip Slope	Goldtown Ridge	
PGS438 (0, -90)	No Significant Results					196.6	Western	Beavertail	
PGS439 (320, -75)	No Significant Results					152.4	Dip Slope	Goldtown Ridge	
PGS440 (335, -65)	213.4	234.7	21.3	1.05	0.2	248.4	Dip Slope		22.4
incl	227.1	233.2	6.1	2.23	1				
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.2	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.2				
and	48.8	54.9	6.1	0.37	0.2				
and	62.5	74.7	12.2	0.39	0.2				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.2	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)	No Significant Results					114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.2	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.2	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.2				
and	50.3	53.3	3.0	1.06	0.2				
PGS446 (0, -90)	No Significant Results					243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.2	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.2	152.4	Dip Slope	Goldtown Ridge	4.9
PGS449 (0, -65)	No Significant Results					147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.2	80.8	Dip Slope	Goldtown Ridge	35.1
incl	19.8	29.0	9.1	1.63	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.2	135.6	Western	Beavertail	1.8
PGS452 (0, -90)	Pending				0.2	175.3	Dip Slope		
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.2	108.2	Western	Beavertail	1.3
Liberty Gold - Goldstrike 2018 Drill Holes									
Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS477C (306, -70)	2.1	27.0	24.8	0.73	0.2	95.1	Dip Slope	Met Core Hole	18.1
incl	0.6	6.9	6.2	1.47	0.5				
PGS478C (98, -65)	0.8	34.2	33.5	0.67	0.2	50.1	Dip Slope	Met Core Hole	22.5
incl	3.7	13.4	9.8	1.45	0.5				
PGS479C (290, -65)	No Significant Results					18.6	Dip Slope	Hole Lost Above Target	
PGS480C (190, -80)	44.0	57.9	13.9	0.43	0.2	92.0	Hassayampa Pit (Dip Slope)	Met Core Hole	8.2
and	68.3	73.1	4.8	0.46	0.2				
PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.2	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4
PGS482C (140, -55)	56.3	96.5	40.2	0.46	0.2	122.5	Caribou Pit (Western)	Met Core Hole	25.4
and	101.2	112.5	11.3	0.60	0.2				
PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.2	159.1	Caribou Pit (Western)	Met Core Hole	61.5
and	59.4	68.1	8.7	0.59	0.2				
and	76.8	146.5	69.6	0.79	0.2				
incl.	138.9	146.5	7.6	2.46	1				
PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4
PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2
and	46.3	60.0	13.7	0.77	0.2				
PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0
PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3
PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3
PGS488CA (150, -65)	18.9	55.6	36.7	0.33	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7
and	67.7	86.0	18.3	0.41	0.2				
PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2	95.3	Beavertail Pit (Western)	Met Core Hole	11.1
PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0
PGS491 (200, -65)	No Significant Results					61.0	Dip Slope		
PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6
PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1
PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8
PGS495 (0, -90)	No Significant Results					56.4	Dip Slope		
PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2
PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5
PGS498 (0, -90)	No Significant Results					105.2	Dip Slope		
PGS499 (300, -65)	No Significant Results					108.2	Dip Slope		
PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8
PGS501 (0, -90)	No Significant Results					91.4	Dip Slope		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS502 (0, -90)	No Significant Results					61.0	Dip Slope		
PGS503 (0, -90)	7.6	13.7	6.1	0.80	0.2	89.9	Dip Slope		4.9
PGS504 (0, -90)	0.0	3.0	3.0	0.46	0.2	56.4	Dip Slope		1.4
PGS505 (0, -90) and	19.8 51.8	22.9 59.4	3.0 7.6	0.49 0.68	0.2	68.6	Dip Slope		6.7
PGS506 (210, -80)	56.4	62.5	6.1	0.43	0.2	76.2	Dip Slope		2.6
PGS507 (15, -50)	160.0	166.1	6.1	0.47	0.2	193.5	Dip Slope		2.8
PGS508 (0, -90)	No Significant Results					68.6	Goldtown Back Fill		
PGS509 (0, -90)	No Significant Results					19.8	Goldtown Back Fill	No Back Fill Encountered	
PGS510 (0, -90)	24.4	35.1	10.7	0.72	0.2	105.2	Goldtown Back Fill	Bedrock Below Backfill	7.6
PGS511 (0, -90)	3.0	33.5	30.5	0.40	0.2	121.9	Goldtown Back Fill	Back Fill and Bedrock	12.3
PGS512 (180, -55)	13.7	30.5	16.8	0.43	0.2	121.9	Goldtown Back Fill	Back Fill Material	7.2
PGS513 (0, -90) and	0.0 15.2	7.6 30.5	7.6 15.2	0.56 0.73	0.2 0.2	111.3	Goldtown Back Fill	Back Fill Material Bedrock	15.5
PGS514 (190, -65)	93.0	111.3	18.3	0.36	0.2	129.5	Dip Slope	Hassayampa	6.5
PGS515 (0, -77)	70.1	77.7	7.6	0.33	0.2	178.3	Dip Slope	Hassayampa	2.5
PGS516 (75, -50)	No Significant Results					91.4	Jedi		
PGS517 (118, -45)	45.7	48.8	3.0	0.36	0.2	105.2	Jedi		1.1
PGS518 (272, -50)	No Significant Results					129.5	Peg Leg		
PGS519 (180, -65)	No Significant Results					80.8	Jedi		
PGS520 (225, -50)	No Significant Results					182.9	Peg Leg		
PGS521 (210, -50)	48.8	53.3	4.6	0.57	0.2	91.4	Jedi		2.6
PGS522 (50, -50)	118.9	123.4	4.6	0.27	0.2	152.4	Peg Leg		1.2
PGS523 (263, -83)	10.7	24.4	13.7	0.61	0.2	91.4	Jacks Camp		8.4
PGS524 (180, -60)	19.8	39.6	19.8	0.72	0.2	91.4	Jacks Camp		14.2
PGS525 (50, -50) and	13.7 53.3	24.4 62.5	10.7 9.1	0.64 0.28	0.2	91.4	Jacks Camp		9.4
PGS526 (0, -90) and	0.0 35.1	32.0 47.2	32.0 12.2	0.57 0.32	0.2 0.2	62.5	Leach Pad 1	Leach Pad Material Back Fill Material	22.1
PGS527 (0, -90)	No Significant Results					80.8	Jacks Camp		
PGS528 (90, -50)	94.5	97.5	3.0	0.54	0.2	132.6	Jacks Camp		1.6
PGS529 (0, -90) and and and and	0.0 15.2 41.1 53.3 82.3	13.7 19.8 44.2 59.4 106.7	13.7 4.6 3.0 6.1 24.4	0.64 0.20 0.41 0.31 0.73	0.2	121.9	Leach Pad 1	Leach Pad Material Back Fill Material Bedrock	30.6
PGS530 (180, -50)	No Significant Results					86.9	Jacks Camp		
PGS531 (0, -90) and and and	0.0 38.1 48.8 105.2	30.5 48.8 89.9 112.8	30.5 10.7 41.1 7.6	0.27 0.37 0.55 1.05	0.2	118.9	Leach Pad 1	Leach Pad Material Back Fill Material Bedrock	42.6
PGS532 (253, -60)	38.1	45.7	7.6	2.77	0.2	80.8	Fence Line		21.1
PGS533 (320, -85) and and	0.0 13.7 131.1	10.7 29.0 170.7	10.7 15.2 39.6	0.55 0.27 0.85	0.2	178.3	Leach Pad1	Leach Pad Material Bedrock	43.5
PGS534 (180, -75)	No Significant Results						Fence Line		
PGS535 (0, -90)	0.0	22.9	22.9	0.22	0.2	29.0	Leach Pad 1	Leach Pad Material	5.1
PGS536 (0, -90) and	0.0 15.2	15.2 50.3	15.2 35.1	0.62 0.16	0.2 0.15	80.8	Leach Pad 2	Leach Pad Material Back Fill Material	15.1
PGS537 (110, -65)	No Significant Results						Fence Line		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS538 (0, -90)	0.0	16.8	16.8	0.23	0.2	41.1	Leach Pad 2	Leach Pad Material	13.6
and	16.8	33.5	16.7	0.58				Back Fill Material	
PGS539 (0, -90)	0.0	22.9	22.9	0.2	0.2	29.0	Leach Pad 2	Leach Pad Material	4.6
PGS540 (0, -90)	0.0	24.4	24.4	0.17	0.15	53.3	Leach Pad 2	Leach Pad Material	9.4
and	24.4	48.8	24.4	0.21	0.2			Back Fill Material	
PGS541 (0, -90)	0.0	33.5	33.5	0.32	0.2	93.0	Leach Pad 2	Leach Pad Material	14.1
and	47.2	62.5	15.2	0.22				Back Fill Material	
PGS542 (0, -90)	0.0	35.1	35.1	0.52	0.2	56.4	Leach Pad 2	Leach Pad Material	12.3
and	35.1	53.3	18.2	0.35				Back Fill Material	
PGS543 (0, -90)	0.0	15.2	15.2	0.32	0.2	53.3	Leach Pad 2	Leach Pad Material	8.2
and	15.2	28.6	13.4	0.25				0.2	
PGS544 (0, -90)	0.0	29.0	29.0	0.19	0.15	68.6	Leach Pad 2	Leach Pad Material	8.3
and	29.0	36.6	7.6	0.36	0.2			Back Fill Material	
PGS545 (250, -60)	No Significant Results					117.3	Fence Line		
PGS546 (0, -90)	0.0	41.1	41.1	0.23	0.2	44.2	Leach Pad 2	Leach Pad Material	9.4
PGS547 (0, -90)	0.0	30.5	30.5	0.39	0.2	56.4	Leach Pad 2	Leach Pad Material	12.0
PGS548 (0, -90)	0.0	21.3	21.3	0.31	0.2	80.8	Leach Pad 2	Leach Pad Material	19.5
and	21.3	48.8	27.5	0.28				Back Fill Material	
and	48.8	61.0	12.2	0.42				Bedrock	
PGS549 (0, -90)	16.8	18.3	1.5	0.91	0.2	160.0	Fence Line		1.4
PGS550 (0, -90)	0.0	24.4	24.4	0.34	0.2	61.0	Leach Pad 2	Leach Pad Material	10.2
and	44.2	50.3	6.1	0.32				Back Fill Material	
PGS551 (0, -90)	0.0	36.6	36.6	0.49	0.2	61.0	Leach Pad 2	Leach Pad Material	22.1
and	47.2	53.3	6.1	0.69				Back Fill Material	
PGS552 (20, -75)	No Significant Results					138.7	Big Red		
PGS553 (0, -90)	0.0	42.7	42.7	0.34	0.2	91.4	Leach Pad 2	Leach Pad Material	17.5
and	42.7	51.8	9.1	0.36				Back Fill Material	
PGS554 (0, -90)	0.0	45.7	45.7	0.25	0.2	61.0	Leach Pad 2	Leach Pad Material	11.4
PGS555 (20, -83)	76.2	83.8	7.6	0.40	0.2	141.7	Big Red		3.0
PGS556 (180, -60)	0.0	25.9	25.9	0.21	0.15	99.1	Leach Pad 2	Leach Pad Material	24.9
and	76.2	89.9	13.7	1.42	0.2			Bedrock	
PGS557 (90, -65)	No Significant Results					99.1	Peg Leg		
PGS558 (10, -50)	4.6	9.1	4.6	0.23	0.2	93.0	Big Red		7.1
and	12.2	16.8	4.6	1.12					
and	57.9	61.0	3.0	0.30					
PGS559 (180, -60)	64.0	67.1	3.0	0.58	0.2	138.7	Peg Leg		
PGS560 (10, -60)	24.4	27.4	3.0	0.51	0.2	91.4	Big Red		1.6
PGS561 (0, -50)	No Significant Results					91.4	Big Red		
PGS562 (270, -50)	140.2	152.4	12.2	1.07	0.2	190.5	Peg Leg		13.1
PGS563 (100, -60)	7.6	18.3	10.7	0.36	0.2	82.3	Peg Leg		3.9
PGS564 (0, -75)	No Significant Results					100.6	Big Red		
PGS565 (120, -55)	19.8	24.4	4.6	0.94	0.2	135.6	Potter's Peak		4.3
PGS566 (35, -72)	22.9	24.4	1.5	0.23	0.2	182.9	Potter's Peak		0.3
PGS567 (305, -65)	3.0	7.6	4.6	0.71	0.2	51.8	Peg Leg		16.8
and	19.8	21.3	1.5	8.85					
PGS568 (65, -78)	88.4	93.0	4.6	0.75	0.2	126.5	Peg Leg		3.4
PGS569 (300, -45)	35.1	38.1	3.0	0.22	0.2	86.9	Potter's Peak		0.7
PGS570 (65, -45)	48.8	50.3	1.5	0.33	0.2	61.0	Peg Leg		0.5
PGS571 (95, -60)	16.8	19.8	3.0	0.37	0.2	79.3	Peg Leg		1.1
PGS572 (90, -75)	No Significant Results					105.2	Potter's Peak		
PGS573 (270, -50)	No Significant Results					61.0	Peg Leg		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS574 (230, -70)	57.9	103.6	45.7	0.79	0.2	141.7	Peg Leg		36.3
incl	61.0	71.6	10.7	1.88	1				
PGS575 (140, -63)	24.4	44.2	19.8	0.31	0.2	121.9	Peg Leg		6.2
PGS576 (255, -55)	38.1	41.1	3.0	0.33	0.2	83.8	Potter's Peak		1.0
PGS577 (145, -45)	0.0	16.8	16.8	0.48	0.2	144.8	Peg Leg		34.1
and	96.0	132.6	36.6	0.71					
PGS578 (0, -50)	No Significant Results					115.8	Potter's Peak		
PGS579 (120, -45)	0.0	32.0	32.0	0.44	0.2	121.9	Peg Leg		62.7
and	77.7	120.4	42.7	1.14	0.2				
incl	100.6	118.9	18.3	2.00	1				
PGS580 (320, -53)	41.1	83.8	42.7	0.57	0.2	129.5	Peg Leg		31.4
incl	62.5	65.5	3.0	3.43	1				
and	86.9	100.6	13.7	0.52	0.2				
PGS581 (150, -70)	No Significant Results					80.8	Potter's Peak		
PGS582 (120, -60)	3.0	7.6	4.6	0.47	0.20	105.2	Peg Leg		9.4
and	13.7	25.9	12.2	0.60					
PGS583 (225, -65)	74.7	77.7	3.0	0.32	0.2	91.4	Potter's Peak		1.0
PGS584 (240, -73)	86.9	108.2	21.3	0.74	0.2	202.7	Main		38.5
and	117.3	166.1	48.8	0.42					
and	178.3	187.5	9.1	0.27					
PGS585 (345, -65)	22.9	36.6	13.7	1.10	0.2	91.4	Fence Line		15.1
PGS586 (177, -60)	118.9	123.4	4.6	0.91	0.2	227.1	Main Zone	Warrior	6.6
and	175.3	181.4	6.1	0.39					
PGS587 (0, -70)	No Significant Results					182.9	Picaroon		
PGS588 (0, -45)	No Significant Results					117.3	Main Zone	Aggie Footwall	
PGS589 (230, -65)	7.6	36.6	29.0	0.56	0.2	202.7	Western	Beavertail	30.2
and	48.8	54.9	6.1	0.36					
and	89.9	103.6	13.7	0.85					
PGS590 (0, -70)	No Significant Results					135.6	Main Zone	Aggie Footwall	
PGS591 (145, -65)	0.0	76.2	76.2	0.72	0.2	135.6	Western	Beavertail	55.1
incl	15.2	21.3	6.1	1.26	1				
PGS592 (310, -45)	No Significant Results					80.8	Main Zone	Aggie Footwall	
PGS593 (195, -50)	184.4	190.5	6.1	0.3	0.2	196.6	Main Zone	Aggie	1.8
PGS594 (40, -70)	9.1	24.4	15.2	0.98	0.2	105.2	Western	Beavertail	37.3
and	35.1	62.5	27.4	0.81					
PGS595 (157, -49)	117.3	121.9	4.6	0.32	0.2	196.6	Main Zone	Aggie	34.0
and	132.6	166.1	33.5	0.97	0.2				
incl.	146.3	161.5	15.2	1.64	1				
PGS596 (60, -55)	0.0	21.3	21.3	0.79	0.2	196.6	Western	Beavertail	26.5
and	32.0	42.7	10.7	0.26					
and	68.6	77.7	9.1	0.52					
and	93.0	100.6	7.6	0.28					
PGS597 (210, -70)	121.9	138.7	16.8	1.06	0.2	117.3	Main zone	Aggie	17.8
PGS598 (0, -90)	44.2	45.7	1.5	0.36	0.2	102.1	Western	Goldstrike Graben	1.2
and	64.0	67.1	3.0	0.22					
PGS599 (138, -80)	No Significant Results					172.2	Main zone	Aggie	
PGS600 (0, -90)	42.7	45.7	3.0	0.56	0.2	86.9	Western	Goldstrike Graben	1.7
PGS601 (305, -72)	No Significant Results					144.8	Main zone	Aggie	
PGS602 (49, 52)	57.9	64.0	6.1	0.41	0.2	99.1	Western	Goldstrike Graben	5.2
and	65.5	77.7	12.2	0.22					
PGS603 (70, -50)	93.0	112.8	19.8	0.33	0.2	144.8	Main zone		6.5
PGS604 (0, -90)	62.5	65.5	3.0	0.40	0.2	129.5	Western	Goldstrike Graben	1.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS605 (305, -50)	No Significant Results					166.1	Main zone		
PGS606 (30, -50)	126.5	132.6	6.1	0.35	0.2	182.9	Western	Goldstrike Graben	6.5
and	143.3	146.3	3.0	1.03					
and	150.9	153.9	3.0	0.39					
PGS607 (250, -50)	117.3	121.9	4.6	0.36	0.2	182.9	Main zone		1.7
PGS608 (165, -70)	4.6	13.7	9.1	0.52	0.2	147.8	Main zone		20.3
and	38.1	71.6	33.5	0.46					
PGS609 (0, -75)	No Significant Results					152.4	Western	Goldstrike Graben	
PGS610 (180, -45)	7.6	12.2	4.6	1.58	0.2	86.9	Dip Slope	Hassayampa Backfill	7.2
PGS611 (0, -90)	No Significant Results					152.4	Western	Goldstrike Graben	
PGS612 (60, -55)	59.4	65.5	6.1	0.95	0.2	105.2	Dip Slope		5.8
PGS613 (310, -65)	65.5	68.6	3.0	0.24	0.2	123.4	Dip Slope		0.7
PGS614 (0, -80)	No Significant Results					158.5	Western	Goldstrike Graben	
PGS615 (0, -55)	9.1	25.9	16.8	2.09	0.2	117.3	Dip Slope		42.7
incl	12.2	19.8	7.6	3.94	1				
and	56.4	57.9	1.5	0.38	0.2				
and	64.0	76.2	12.2	0.90	0.2				
and	93.0	96.0	3.0	0.37	0.2				
PGS616 (55, -50)	No Significant Results					80.8	Dip Slope		
PGS617 (145, -65)	158.5	161.5	3.0	0.55	0.2	239.3	Western	Goldstrike Graben	1.7
PGS618 (130, -65)	No Significant Results					105.2	Main zone	Aggie	
PGS619 (310, -65)	No Significant Results					86.9	Main zone	Aggie	
PGS620 (145, -65)	No Significant Results					178.3	Western	Goldstrike Graben	
PGS621 (90, -70)	No Significant Results					121.9	Peg Leg		
PGS622 (50, -60)	106.7	109.7	3.0	0.36	0.2	152.4	Peg Leg		1.1
PGS623 (350, -70)	6.1	10.7	4.57	0.54	0.2	160.0	Western	Goldstrike Graben	3.3
and	103.6	105.2	1.52	0.50	0.2				
PGS624 (45, -80)	No Significant Results					111.3	Peg Leg		
PGS625 (50, -70)	0.0	15.2	15.2	0.36	0.2	172.2	Western	Goldstrike Graben	12.9
and	123.4	137.2	13.7	0.54					
PGS626 (190, -55)	0.0	13.7	13.7	0.54	0.2	147.8	Peg Leg		16.9
and	99.1	105.2	6.1	0.55					
and	123.4	135.6	12.2	0.51					
PGS627 (345, -82)	80.8	83.8	3.0	0.40	0.2	202.7	Western	Covington Dyke	1.2
PGS628 (60, -75)	0.0	12.2	12.2	0.61	0.2	140.2	Peg Leg		11.3
and	21.3	24.4	3.0	0.28					
and	68.6	71.6	3.0	0.30					
and	86.9	91.4	4.6	0.28					
and	109.7	111.3	1.5	0.49					
PGS629 (70, -65)	No Significant Results					147.8	Peg Leg		
PGS630 (60, -75)	39.6	106.7	67.1	1.17	0.2	129.5	Peg Leg		78.3
incl	51.8	77.7	25.9	2.21	1.0				
PGS631 (0, -75)	44.2	96.0	51.8	0.99	0.2	120.4	Peg Leg		59.7
incl	74.7	85.3	10.7	2.45	1.0				
and	105.2	109.7	4.6	1.84	0.2				
PGS632 (255, -50)	No Significant Results					178.3	Peg Leg		
PGS633 (180, -55)	0.0	9.1	9.1	1.01	0.2	160.0	Main zone	Hamburg Ext	34.0
and	48.8	59.4	10.7	0.30	0.2				
and	70.1	96.0	25.9	0.80	0.2				
incl	88.4	93.0	4.6	2.03	1				
and	112.8	115.8	3.0	0.31	0.2				
PGS634 (180, -75)	57.9	97.5	39.6	0.65	0.2	135.6	Peg Leg		25.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS635 (180, -60)	44.2	105.2	61.0	0.62	0.2	178.3	Main zone	Hamburg Ext	37.7
incl	86.9	94.5	7.6	1.70	1				
PGS636 (180, -70)	0.0	9.1	9.1	1.63	0.2	141.7	Peg Leg		51.4
and	12.2	16.8	4.6	0.20					
and	68.6	73.2	4.6	0.38					
and	79.2	100.6	21.3	1.59					
PGS637 (0, -90)	56.4	79.2	22.9	0.52	0.2	141.7	Main	Hamburg Ext	11.8
PGS638 (290, -75)	0.0	9.1	9.1	0.80	0.2	152.4	Peg Leg		12.8
and	15.2	24.4	9.1	0.37					
and	134.1	138.7	4.6	0.47					
PGS639 (180, -67)	56.4	80.8	24.4	0.63	0.2	166.1	Main zone	Hamburg Ext	15.5
PGS640 (0, -90)	7.6	30.5	22.9	0.37	0.2	56.3	Main	Hamburg East Backfill	16.9
and	38.1	54.9	16.8	0.50					
PGS641 (0, -90)	No Significant Results					44.2	Main	Hamburg West Backfill	
PGS642 (180, -45)	44.2	47.2	3.0	1.34	0.2	182.9	Main zone	Hamburg Ext	17.0
and	48.8	73.2	24.4	0.53					
PGS643 (180, -67)	No Significant Results					91.4	Western	Picaroon	
PGS644 (0, -65)	No Significant Results					117.3	Western	West Beavertail	
PGS645 (180, -50)	51.8	67.1	15.2	0.36	0.2	166.1	Main	Hamburg Ext	5.5
PGS646 (180, -70)	10.7	18.3	7.6	0.44	0.2	128.0	Western	West Beavertail	3.4
PGS647 (145, -65)	18.3	21.3	3.0	0.36	0.2	135.6	Main	Hamburg Ext	1.1
PGS648 (0, -65)	7.6	27.4	19.8	0.46	0.2	138.7	Western	West Beavertail	9.2
PGS649 (180, -65)	0.0	10.7	10.7	0.40	0.2	134.1	Western	West Beavertail	12.5
and	21.3	29.0	7.6	0.96					
and	39.6	42.7	3.0	0.31					
PGS650 (180, -65)	3.0	4.6	1.5	0.21	0.2	123.4	Western	West Beavertail	26.8
and	6.1	24.4	18.3	1.24					
and	44.2	47.2	3.0	0.44					
and	50.3	54.9	4.6	0.25					
and	57.9	61.0	3.0	0.44					
PGS651 (180, -65)	No Significant Results					129.5	Western	West Beavertail	
PGS652 (0, -90)	No Significant Results					160.0	Western	West Beavertail	
PGS653 (180, -65)	No Significant Results					121.9	Western	West Beavertail	
PGS654 (180, -65)	No Significant Results					99.1	Western	West Beavertail	
PGS655 (325, -69)	3.0	35.1	32.0	0.44	0.2	141.7	Western	Beavertail	32.6
and	42.7	70.1	27.4	0.68					
PGS656 (67, -65)	3.0	15.2	12.2	0.35	0.2	147.8	Western	Beavertail	29.0
and	29.0	61.0	32.0	0.37					
and	68.6	70.1	1.5	0.42					
and	86.9	89.9	3.0	1.03					
and	100.6	115.8	15.2	0.60					
PGS657 (235, -65)	0.0	27.4	27.4	0.38	0.2	105.2	Western	Beavertail	26.1
and	33.5	42.7	9.1	0.31					
and	48.8	54.9	6.1	0.57					
and	61.0	79.2	18.3	0.51					
PGS658 (100, -57)	0.0	22.9	22.9	0.48	0.2	166.1	Western	Beavertail	12.0
and	132.6	135.6	3.0	0.35					
PGS659 (35, -53)	0.0	44.2	44.2	0.54	0.2	160.0	Western	Beavertail	25.9
and	64.0	70.1	6.1	0.33					
PGS660 (180, -50)	0.0	15.2	15.2	0.39	0.2	129.5	Western	Beavertail	42.6
and	16.8	50.3	33.5	0.88	0.2				
incl	33.5	44.2	10.7	1.47	1				
and	85.3	89.9	4.6	1.51	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS661 (65, -45)	0.0	13.7	13.7	0.49	0.2	99.1	Western	Beavertail	37.5
and	19.8	56.4	36.6	0.80					
and	64.0	67.1	3.0	0.46					
PGS662 (0, -90)	No Significant Results					16.8	Western	Moosehead Dump	
PGS663 (0, -90)	0.0	12.2	12.2	0.52	0.2	19.8	Western	Moosehead Dump	6.3
PGS664 (0, -90)	0.0	18.3	18.3	0.31	0.2	25.9	Western	Moosehead Dump	5.7
PGS665 (0, -90)	0.0	7.6	7.6	0.28	0.2	38.1	Western	Moosehead Dump	3.3
	15.2	18.3	3.0	0.36					
PGS666 (0, -90)	0.0	24.4	24.4	0.29	0.2	44.2	Western	Moosehead Dump	7.0
PGS667	112.8	118.9	6.1	0.47	0.2	147.8	Peg Leg		2.8
PGS668	45.7	70.1	24.4	0.70	0.2	157.0	Peg Leg		19.3
and	80.8	86.9	6.1	0.37					
PGS669	70.1	77.7	7.6	0.22	0.2	135.6	Peg Leg		15.4
and	85.3	99.1	13.7	1.00					
PGS670 (350, -75)	68.6	86.9	18.3	2.95	0.2	152.4	Peg Leg		56.1
and	105.2	109.7	4.6	0.47					
PGS671 (135, -55)	67.1	74.7	7.6	0.34	0.2	141.7	Peg Leg		2.6
PGS672 (185, -50)	70.1	76.2	6.1	0.73	0.2	157.0	Peg Leg		7.1
and	123.4	129.5	6.1	0.43					
PGS673 (145, -65)	No Significant Results					166.1	Aggie		
PGS674 (35, -55)	10.7	13.7	3.0	0.39	0.2	105.2	Dip Slope		19.2
and	30.5	32.0	1.5	0.48					
and	38.1	39.6	1.5	0.69					
and	51.8	70.1	18.3	0.49					
and	89.9	93.0	3.0	2.42					
PGS675 (330, -55)	15.2	18.3	3.0	0.28	0.2	117.3	Dip Slope		11.3
and	57.9	62.5	4.6	0.36					
and	71.6	83.8	12.2	0.72					
PGS676 (180, -77)	3.0	9.1	6.1	1.18	0.2	147.8	Hamburg Extension		18.7
and	47.2	56.4	9.1	1.17					
and	65.5	68.6	3.0	0.26					
PGS677 (203, -60)	0.0	7.6	7.6	0.85	0.2	117.3	Hamburg Extension		58.5
and	50.3	86.9	36.6	1.29					
incl	67.1	76.2	9.1	2.82					
and	94.5	97.5	3.0	0.45					
and	103.6	114.3	10.7	0.33					
PGS678 (37, -70)	59.4	71.6	12.2	0.83	0.2	121.9	Hamburg Extension		10.2
PGS679 (158, -54)	47.2	59.4	12.2	0.37	0.2	121.9	Hamburg Extension		7.4
and	64.0	68.6	4.6	0.62					
PGS680 (285, -75)	50.3	53.3	3.0	0.45	0.2	105.2	Hamburg Extension		3.6
and	74.7	79.2	4.6	0.26					
and	94.5	96.0	1.5	0.69					
PGS681 (0, -85)	18.3	30.5	12.2	0.83	0.2	99.1	West Beavertail		10.1
PGS682 (180, -60)	No Significant Results					117.3	West Beavertail		
PGS683 (180, -60)	No Significant Results					147.8	West Beavertail		
PGS684 (180, -90)	42.7	50.3	7.6	0.25	0.2	121.92	West Beavertail		1.9
PGS685 (180, -70)	6.1	7.6	1.5	0.42	0.2	129.54	West Beavertail		0.6
PGS686 (0, -75)	42.7	44.2	1.5	0.31	0.2	114.3	West Beavertail		2.7
and	48.8	51.8	3.0	0.24					
and	53.3	56.4	3.0	0.51					
PGS687 (180, -45)	7.6	10.7	3.0	0.20	0.2	61.0	West Beavertail		22.8
and	13.7	29.0	15.2	1.45					
incl	13.7	18.3	4.6	3.90					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS688 (0, -90)	0.0	4.6	4.6	0.20	0.2	108.2	West Beavertail		1.8																																																																																																																																																																																																																																																																																																																																																																																																																																						
and	7.6	9.1	1.5	0.59						PGS689 (180, -45)	No Significant Results					100.6	West Beavertail			PGS690 (0, -45)	0.0	16.8	16.8	1.49	0.2	109.73	West Beavertail		25.0	incl	10.7	16.8	6.1	3.37	1	PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.2	121.9	West Beavertail		3.0	PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.2	121.9	West Beavertail		5.3	PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.2	121.9	West Beavertail		3.7	PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.2	135.6	West Beavertail		4.4	PGS695 (36, -65)	No Significant Results					111.3	West Beavertail		0.0	PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.2	121.9	West Beavertail		14.6	and	22.9	32.0	9.1	0.55	and	38.1	42.7	4.6	0.43	PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.2	91.4	West Beavertail		18.6	and	53.3	57.9	4.6	0.32	PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.2	91.4	West Beavertail		5.4	PGS699 (326, -55)	No Significant Results					91.4	West Beavertail		0.0	PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.2	86.9	West Beavertail		0.9	PGS701 (73, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.2	77.7	West Beavertail		5.2	PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.2	86.9	West Beavertail		19.2	PGS704 (76, -45)	No Significant Results					50.3	West Beavertail		0.0	PGS705 (324, -70)	No Significant Results					108.2	West Beavertail		0.0	PGS706 (340, -61)	No Significant Results					129.5	Beavertail		0.0	PGS707 (160, -56)	No Significant Results					141.7	Beavertail		0.0	PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.2	102.1	Beavertail		10.7	PGS709 (310, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS710 (290, -65)	No Significant Results					61.0	West Beavertail		0.0	PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost		PGS712 (145, -55)	No Significant Results					118.9	Dip Slope		0.0	PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.2	121.9	Dip Slope		27.8	incl.	100.6	109.7	9.1	2.79	1	PGS714 (355, -60)	89.9	108.2	18.3	0.71	0.2	140.2	Dip Slope		13.0	PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.2	91.4	Dip Slope		4.2	PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.2	91.4	Dip Slope		2.7	PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.2	74.7	Dip Slope		1.3	PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.2	77.7	Dip Slope		0.4	PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.2	74.7	Dip Slope		7.3	PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.2	50.3	Dip Slope		2.1	PGS721 (0, -60)	157	168	10.7	0.45	0.2	182.9	Dip Slope		4.8	PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.2	99.1	Dip Slope		0.9	PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.2	91.4	Dip Slope		1.2	PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.2	182.9	Dip Slope		1.6	PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.2	74.7	Dip Slope		3.6	PGS726 (339, -70)	59.4	80.8	21.3	0.75	0.2	91.4	Dip Slope		15.9	PGS727 (36, -45)	3.0	12.2	9.1	0.30	0.2	48.8	Dip Slope		9.1	and	21.3	25.9	4.6	0.21
PGS689 (180, -45)	No Significant Results					100.6	West Beavertail																																																																																																																																																																																																																																																																																																																																																																																																																																								
PGS690 (0, -45)	0.0	16.8	16.8	1.49	0.2	109.73	West Beavertail		25.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
incl	10.7	16.8	6.1	3.37	1					PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.2	121.9	West Beavertail		3.0	PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.2	121.9	West Beavertail		5.3	PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.2	121.9	West Beavertail		3.7	PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.2	135.6	West Beavertail		4.4	PGS695 (36, -65)	No Significant Results					111.3	West Beavertail		0.0	PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.2	121.9	West Beavertail		14.6	and	22.9	32.0	9.1	0.55	and	38.1	42.7	4.6	0.43	PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.2	91.4	West Beavertail		18.6	and	53.3	57.9	4.6	0.32	PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.2	91.4	West Beavertail		5.4	PGS699 (326, -55)	No Significant Results					91.4	West Beavertail		0.0	PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.2	86.9	West Beavertail		0.9	PGS701 (73, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.2	77.7	West Beavertail		5.2	PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.2	86.9	West Beavertail		19.2	PGS704 (76, -45)	No Significant Results					50.3	West Beavertail		0.0	PGS705 (324, -70)	No Significant Results					108.2	West Beavertail		0.0	PGS706 (340, -61)	No Significant Results					129.5	Beavertail		0.0	PGS707 (160, -56)	No Significant Results					141.7	Beavertail		0.0	PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.2	102.1	Beavertail		10.7	PGS709 (310, -65)	No Significant Results					91.4	West Beavertail		0.0	PGS710 (290, -65)	No Significant Results					61.0	West Beavertail		0.0	PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost		PGS712 (145, -55)	No Significant Results					118.9	Dip Slope		0.0	PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.2	121.9	Dip Slope		27.8	incl.	100.6	109.7	9.1	2.79	1	PGS714 (355, -60)	89.9	108.2	18.3	0.71	0.2	140.2	Dip Slope		13.0	PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.2	91.4	Dip Slope		4.2	PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.2	91.4	Dip Slope		2.7	PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.2	74.7	Dip Slope		1.3	PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.2	77.7	Dip Slope		0.4	PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.2	74.7	Dip Slope		7.3	PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.2	50.3	Dip Slope		2.1	PGS721 (0, -60)	157	168	10.7	0.45	0.2	182.9	Dip Slope		4.8	PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.2	99.1	Dip Slope		0.9	PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.2	91.4	Dip Slope		1.2	PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.2	182.9	Dip Slope		1.6	PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.2	74.7	Dip Slope		3.6	PGS726 (339, -70)	59.4	80.8	21.3	0.75	0.2	91.4	Dip Slope		15.9	PGS727 (36, -45)	3.0	12.2	9.1	0.30	0.2	48.8	Dip Slope		9.1	and	21.3	25.9	4.6	0.21	and	27.4	36.6	9.1	0.59																					
PGS691 (177, -60)	0.0	3.0	3.0	0.98	0.2	121.9	West Beavertail		3.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS692 (270, -50)	0.0	10.7	10.7	0.49	0.2	121.9	West Beavertail		5.3																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS693 (62, -62)	4.6	9.1	4.6	0.81	0.2	121.9	West Beavertail		3.7																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS694 (327, -60)	77.7	85.3	7.6	0.57	0.2	135.6	West Beavertail		4.4																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS695 (36, -65)	No Significant Results					111.3	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS696 (182, -47)	0.0	7.6	7.6	1.00	0.2	121.9	West Beavertail		14.6																																																																																																																																																																																																																																																																																																																																																																																																																																						
and	22.9	32.0	9.1	0.55																																																																																																																																																																																																																																																																																																																																																																																																																																											
and	38.1	42.7	4.6	0.43																																																																																																																																																																																																																																																																																																																																																																																																																																											
PGS697 (286, -60)	1.5	22.9	21.4	0.80	0.2	91.4	West Beavertail		18.6																																																																																																																																																																																																																																																																																																																																																																																																																																						
and	53.3	57.9	4.6	0.32																																																																																																																																																																																																																																																																																																																																																																																																																																											
PGS698 (117, -55)	6.1	15.2	9.1	0.59	0.2	91.4	West Beavertail		5.4																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS699 (326, -55)	No Significant Results					91.4	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS700 (255, -65)	7.6	10.7	3.0	0.29	0.2	86.9	West Beavertail		0.9																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS701 (73, -65)	No Significant Results					91.4	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS702 (302, -56)	22.9	30.5	7.6	0.68	0.2	77.7	West Beavertail		5.2																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS703 (120, -61)	18.3	67.1	48.8	0.39	0.2	86.9	West Beavertail		19.2																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS704 (76, -45)	No Significant Results					50.3	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS705 (324, -70)	No Significant Results					108.2	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS706 (340, -61)	No Significant Results					129.5	Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS707 (160, -56)	No Significant Results					141.7	Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS708 (185, -50)	0.0	33.5	33.5	0.32	0.2	102.1	Beavertail		10.7																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS709 (310, -65)	No Significant Results					91.4	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS710 (290, -65)	No Significant Results					61.0	West Beavertail		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS711 (180, -70)	Hole not submitted					38.1	West Beavertail	hole lost																																																																																																																																																																																																																																																																																																																																																																																																																																							
PGS712 (145, -55)	No Significant Results					118.9	Dip Slope		0.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS713 (225, -55)	93.0	112.8	19.8	1.40	0.2	121.9	Dip Slope		27.8																																																																																																																																																																																																																																																																																																																																																																																																																																						
incl.	100.6	109.7	9.1	2.79	1																																																																																																																																																																																																																																																																																																																																																																																																																																										
PGS714 (355, -60)	89.9	108.2	18.3	0.71	0.2	140.2	Dip Slope		13.0																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS715 (45, -60)	62.5	74.7	12.2	0.34	0.2	91.4	Dip Slope		4.2																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS716 (320, -55)	62.5	73.2	10.7	0.25	0.2	91.4	Dip Slope		2.7																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS717 (225, -55)	50.3	53.3	3.0	0.44	0.2	74.7	Dip Slope		1.3																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS718 (136, -56)	70.1	74.7	4.6	0.22	0.2	77.7	Dip Slope		0.4																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS719 (300, -50)	13.7	30.5	16.8	0.44	0.2	74.7	Dip Slope		7.3																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS720 (130, -48)	9.1	13.7	4.6	0.47	0.2	50.3	Dip Slope		2.1																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS721 (0, -60)	157	168	10.7	0.45	0.2	182.9	Dip Slope		4.8																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS722 (223, -60)	82.3	83.8	1.5	0.57	0.2	99.1	Dip Slope		0.9																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS723 (135, -60)	61.0	65.5	4.6	0.26	0.2	91.4	Dip Slope		1.2																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS724 (326, -68)	161.5	166.1	4.6	0.35	0.2	182.9	Dip Slope		1.6																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS725 (147, -56)	70.1	73.2	3.0	1.17	0.2	74.7	Dip Slope		3.6																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS726 (339, -70)	59.4	80.8	21.3	0.75	0.2	91.4	Dip Slope		15.9																																																																																																																																																																																																																																																																																																																																																																																																																																						
PGS727 (36, -45)	3.0	12.2	9.1	0.30	0.2	48.8	Dip Slope		9.1																																																																																																																																																																																																																																																																																																																																																																																																																																						
and	21.3	25.9	4.6	0.21																																																																																																																																																																																																																																																																																																																																																																																																																																											
and	27.4	36.6	9.1	0.59																																																																																																																																																																																																																																																																																																																																																																																																																																											

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS728 (308, -45)	1.5	15.2	13.7	0.28	0.2	64.0	Dip Slope		22.7
and	24.4	32.0	7.6	0.57	0.2				
and	36.6	61.0	24.4	0.60	0.2				
PGS729 (251, -51)	51.8	53.3	1.5	0.56	0.2	65.5	Dip Slope		0.8
PGS730 (30, -50)	No Significant Results					59.4	Dip Slope		
PGS731 (300, -50)	No Significant Results					50.3	Dip Slope		
PGS732 (280, -50)	7.6	16.8	9.1	0.39	0.2	45.7	Dip Slope		5.5
and	24.4	27.4	3.0	0.36					
and	33.5	35.1	1.5	0.56					
PGS733 (0, -57)	7.6	35.1	27.4	1.15	0.2	61.0	Dip Slope		31.4
incl	24.4	30.5	6.1	3.39	1				
PGS734 (160, -50)	10.7	16.8	6.1	0.25	0.2	48.8	Dip Slope		1.5
PGS735 (0, -90)	No Significant Results					117.3	Hamburg Extension		
PGS736 (31, -51)	68.6	123.4	54.9	0.50	0.2	146.3	Hamburg Extension		27.7
PGS737 (346, -68)	51.8	54.9	3.0	0.23	0.2	121.9	Hamburg Extension		9.5
and	62.5	82.3	19.8	0.45	0.2				
PGS738 (235, -60)	83.8	85.3	1.5	3.09	0.2	108.2	Hamburg Extension		4.7

Liberty Gold - Goldstrike 2021 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS739 (0, -90)	4.6	9.1	4.6	0.30	0.2	147.8	Beavertail		24.9	
and	32.0	41.1	9.1	0.40						
and	79.2	91.4	12.2	1.02						
incl	85.3	86.9	1.5	6.01						1
and	117.3	126.5	9.1	0.82						0.2
PGS740 (85, -50)	15.2	18.3	3.0	0.33	0.2	135.7	Beavertail		27.3	
and	77.7	111.3	33.5	0.79						
incl	80.8	88.4	7.6	1.03						1
PGS741 (195, -70)	19.8	27.4	7.6	0.30	0.2	178.3	Beavertail		6.6	
and	44.2	45.7	1.5	0.84						
and	51.8	54.9	3.0	0.68						
and	62.5	65.5	3.0	0.33						
PGS742 (200, -68)	0.0	62.5	62.5	0.46	0.2	120.4	Beavertail		28.8	
incl	35.1	38.1	3.0	1.55	1					
PGS743 (65, -80)	4.6	76.2	71.6	0.38	0.2	147.9	Beavertail		28.7	
incl	62.5	64.0	1.5	2.02	1					
and	94.5	100.6	6.1	0.25	0.2					
PGS744 (135, -50)	33.5	36.6	3.0	0.74	0.2	117.3	Beavertail		2.3	
PGS745 (80, -60)	No Significant Results					129.6	Beavertail			
PGS746 (180, -45)	74.7	88.4	13.7	0.27	0.2	114.3	Hamburg		3.7	
PGS747 (180, -80)	65.5	68.6	3.0	0.30	0.2	117.4	Hamburg		1.0	
PGS748 (0, -60)	0.0	3.0	3.0	0.40	0.2	114.3	Hamburg		53.1	
and	36.6	47.2	10.7	0.39						
and	74.7	97.5	22.9	2.09						
incl	76.2	85.3	9.1	4.36						1
PGS749 (270, -60)	50.3	53.3	3.0	0.33	0.2	141.7	Hamburg		9.9	
and	70.1	86.9	16.8	0.53						
incl	83.8	85.3	1.5	1.58						1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																																																																							
PGS750 (0, -85)	21.3	44.2	22.9	0.90	0.2	135.6	Hamburg		20.5																																																																																																																																																																																																																																																																																																																																																																							
Incl	21.3	25.9	4.6	2.86	1					PGS751 (0, -65)	48.8	59.4	10.7	0.84	0.2	120.4	Hamburg		24.8	incl	54.9	56.4	1.5	2.06	1	and	68.6	86.9	18.3	0.83	0.2	incl	71.6	74.7	3.0	1.49	1	and	99.1	100.6	1.5	0.41	0.2	PGS752 (18, -45)	30.5	47.2	16.8	0.78	0.2	105.2	Hamburg		25.5	and	59.4	65.5	6.1	0.37	and	76.2	89.9	13.7	0.74	incl	80.8	86.9	6.1	1.14	1	PGS753 (280, -85)	56.4	96.0	39.6	1.19	0.2	141.7	Hamburg		49.9	incl	56.4	57.9	1.5	1.59	1.0	incl	62.5	65.5	3.0	1.53	incl	67.1	70.1	3.0	1.01	incl	73.2	83.8	10.7	1.89	incl	85.3	93.0	7.6	1.39	and	102.1	108.2	6.1	0.43	0.2	PGS754 (245, -40)	77.7	93.0	15.2	3.60	0.2	126.5	Hamburg		54.8	incl	77.7	83.8	6.1	7.75	1	also incl	77.7	82.3	4.6	9.98	5	PGS755 (220, -57)	56.4	74.7	18.3	1.74	0.2	121.9	Hamburg		31.9	incl	56.4	71.6	15.2	2.03	1	PGS756 (240, -70)	44.2	62.5	18.3	1.07	0.2	129.5	Hamburg		27.2	also incl	50.3	57.9	7.6	1.52	1.0	and	80.8	86.9	6.1	0.75	0.2	incl	82.3	83.8	1.5	1.17	1.0	and	94.5	96.0	1.5	0.64	0.2	and	108.2	112.8	4.6	0.48	0.2	PGS757 (170, -70)	39.6	51.8	12.2	0.95	0.2	132.6	Hamburg		22.1	incl	47.2	50.3	3.0	2.49	1	and	61.0	68.6	7.6	0.54	0.2	and	88.4	93.0	4.6	1.02	incl	88.4	91.4	3.0	1.24	1	and	112.8	114.3	1.5	0.74	0.2	and	115.8	118.9	3.0	0.20	PGS758 (020, -50)	74.7	141.7	67.1	0.62	0.2	178.3	Hamburg		41.5	incl	77.7	80.8	3.0	1.76	1	also incl	82.3	83.8	1.5	1.22	also incl	88.4	89.9	1.5	1.02	also incl	121.9	123.4	1.5	2.31	also incl	125.0	126.5	1.5	1.04	PGS759 (355, -50)	61.0	65.5	4.6	0.22	0.2	141.7	Hamburg		43.7	and	70.1	140.2	70.1	0.61	incl	94.5	100.6	6.1	1.74	1	PGS760 (0, -90)	36.6	41.1	4.6	0.30	0.2	144.8	Hamburg		11.8	and	47.2	71.6	24.4	0.43	incl	64.0	65.5	1.5	1.12	1	PGS761 (290, -65)	48.8	80.8	32.0	0.38	0.15	166.1	Hamburg		30.5	also incl	54.9	80.8	25.9	0.42	0.2	and	89.9	103.6	13.7	0.88	0.15	incl	89.9	100.6	10.7	1.08	0.2	also incl	94.5	97.5	3.0	2.70	1	and	109.7	126.5	16.8	0.38	0.15	incl	109.7	123.4	13.7	0.42	0.2	PGS762	0.0	3.0	3.0	0.58	0.2	121.9	Hamburg		2.4	and
PGS751 (0, -65)	48.8	59.4	10.7	0.84	0.2	120.4	Hamburg		24.8																																																																																																																																																																																																																																																																																																																																																																							
incl	54.9	56.4	1.5	2.06	1																																																																																																																																																																																																																																																																																																																																																																											
and	68.6	86.9	18.3	0.83	0.2																																																																																																																																																																																																																																																																																																																																																																											
incl	71.6	74.7	3.0	1.49	1																																																																																																																																																																																																																																																																																																																																																																											
and	99.1	100.6	1.5	0.41	0.2																																																																																																																																																																																																																																																																																																																																																																											
PGS752 (18, -45)	30.5	47.2	16.8	0.78	0.2	105.2	Hamburg		25.5																																																																																																																																																																																																																																																																																																																																																																							
and	59.4	65.5	6.1	0.37																																																																																																																																																																																																																																																																																																																																																																												
and	76.2	89.9	13.7	0.74																																																																																																																																																																																																																																																																																																																																																																												
incl	80.8	86.9	6.1	1.14						1																																																																																																																																																																																																																																																																																																																																																																						
PGS753 (280, -85)	56.4	96.0	39.6	1.19	0.2	141.7	Hamburg		49.9																																																																																																																																																																																																																																																																																																																																																																							
incl	56.4	57.9	1.5	1.59	1.0																																																																																																																																																																																																																																																																																																																																																																											
incl	62.5	65.5	3.0	1.53																																																																																																																																																																																																																																																																																																																																																																												
incl	67.1	70.1	3.0	1.01																																																																																																																																																																																																																																																																																																																																																																												
incl	73.2	83.8	10.7	1.89																																																																																																																																																																																																																																																																																																																																																																												
incl	85.3	93.0	7.6	1.39																																																																																																																																																																																																																																																																																																																																																																												
and	102.1	108.2	6.1	0.43						0.2																																																																																																																																																																																																																																																																																																																																																																						
PGS754 (245, -40)	77.7	93.0	15.2	3.60	0.2	126.5	Hamburg		54.8																																																																																																																																																																																																																																																																																																																																																																							
incl	77.7	83.8	6.1	7.75	1																																																																																																																																																																																																																																																																																																																																																																											
also incl	77.7	82.3	4.6	9.98	5																																																																																																																																																																																																																																																																																																																																																																											
PGS755 (220, -57)	56.4	74.7	18.3	1.74	0.2	121.9	Hamburg		31.9																																																																																																																																																																																																																																																																																																																																																																							
incl	56.4	71.6	15.2	2.03	1																																																																																																																																																																																																																																																																																																																																																																											
PGS756 (240, -70)	44.2	62.5	18.3	1.07	0.2	129.5	Hamburg		27.2																																																																																																																																																																																																																																																																																																																																																																							
also incl	50.3	57.9	7.6	1.52	1.0																																																																																																																																																																																																																																																																																																																																																																											
and	80.8	86.9	6.1	0.75	0.2																																																																																																																																																																																																																																																																																																																																																																											
incl	82.3	83.8	1.5	1.17	1.0																																																																																																																																																																																																																																																																																																																																																																											
and	94.5	96.0	1.5	0.64	0.2																																																																																																																																																																																																																																																																																																																																																																											
and	108.2	112.8	4.6	0.48	0.2																																																																																																																																																																																																																																																																																																																																																																											
PGS757 (170, -70)	39.6	51.8	12.2	0.95	0.2	132.6	Hamburg		22.1																																																																																																																																																																																																																																																																																																																																																																							
incl	47.2	50.3	3.0	2.49	1																																																																																																																																																																																																																																																																																																																																																																											
and	61.0	68.6	7.6	0.54	0.2																																																																																																																																																																																																																																																																																																																																																																											
and	88.4	93.0	4.6	1.02																																																																																																																																																																																																																																																																																																																																																																												
incl	88.4	91.4	3.0	1.24	1																																																																																																																																																																																																																																																																																																																																																																											
and	112.8	114.3	1.5	0.74	0.2																																																																																																																																																																																																																																																																																																																																																																											
and	115.8	118.9	3.0	0.20																																																																																																																																																																																																																																																																																																																																																																												
PGS758 (020, -50)	74.7	141.7	67.1	0.62	0.2	178.3	Hamburg		41.5																																																																																																																																																																																																																																																																																																																																																																							
incl	77.7	80.8	3.0	1.76	1																																																																																																																																																																																																																																																																																																																																																																											
also incl	82.3	83.8	1.5	1.22																																																																																																																																																																																																																																																																																																																																																																												
also incl	88.4	89.9	1.5	1.02																																																																																																																																																																																																																																																																																																																																																																												
also incl	121.9	123.4	1.5	2.31																																																																																																																																																																																																																																																																																																																																																																												
also incl	125.0	126.5	1.5	1.04																																																																																																																																																																																																																																																																																																																																																																												
PGS759 (355, -50)	61.0	65.5	4.6	0.22	0.2	141.7	Hamburg		43.7																																																																																																																																																																																																																																																																																																																																																																							
and	70.1	140.2	70.1	0.61																																																																																																																																																																																																																																																																																																																																																																												
incl	94.5	100.6	6.1	1.74						1																																																																																																																																																																																																																																																																																																																																																																						
PGS760 (0, -90)	36.6	41.1	4.6	0.30	0.2	144.8	Hamburg		11.8																																																																																																																																																																																																																																																																																																																																																																							
and	47.2	71.6	24.4	0.43																																																																																																																																																																																																																																																																																																																																																																												
incl	64.0	65.5	1.5	1.12						1																																																																																																																																																																																																																																																																																																																																																																						
PGS761 (290, -65)	48.8	80.8	32.0	0.38	0.15	166.1	Hamburg		30.5																																																																																																																																																																																																																																																																																																																																																																							
also incl	54.9	80.8	25.9	0.42	0.2																																																																																																																																																																																																																																																																																																																																																																											
and	89.9	103.6	13.7	0.88	0.15																																																																																																																																																																																																																																																																																																																																																																											
incl	89.9	100.6	10.7	1.08	0.2																																																																																																																																																																																																																																																																																																																																																																											
also incl	94.5	97.5	3.0	2.70	1																																																																																																																																																																																																																																																																																																																																																																											
and	109.7	126.5	16.8	0.38	0.15																																																																																																																																																																																																																																																																																																																																																																											
incl	109.7	123.4	13.7	0.42	0.2																																																																																																																																																																																																																																																																																																																																																																											
PGS762	0.0	3.0	3.0	0.58	0.2	121.9	Hamburg		2.4																																																																																																																																																																																																																																																																																																																																																																							
and	57.9	59.4	1.5	0.41																																																																																																																																																																																																																																																																																																																																																																												

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
PGS763	0.0	3.0	3.0	0.47	0.2	141.7	Hamburg		3.1	
and	44.2	47.2	3.0	0.35						
and	121.9	123.4	1.5	0.37						
PGS764 (200, -80)	0.0	4.6	4.6	0.47		121.9	Hamburg		2.1	
PGS765 (300, -74)	1.5	6.1	4.6	0.47	0.2	121.9	Hamburg		4.5	
and	16.8	18.3	1.5	0.43						
and	65.5	68.6	3.0	0.41						
and	83.8	85.3	1.5	0.34						
PGS766 (350, -60)	No Significant Results					121.9	Hamburg			
PGS767 (250, -60)	No Significant Results					141.7	Hamburg			
PGS768 (10, -45)	No Significant Results					135.6	Hamburg			
PGS769 (0, -60)	No Significant Results					146.3	Hamburg			
PGS770 (335, -50)	22.9	48.8	25.9	0.67	0.2	129.5	Hamburg		17.4	
PGS771 (5, -85)	0.0	33.5	33.5	0.28	0.15	144.8	Hamburg		15.9	
incl	1.5	32.0	30.5	0.29	0.2					
and	35.1	39.6	4.6	0.15	0.15					
and	41.1	53.3	12.2	0.48	0.2					
also incl	48.8	50.3	1.5	1.17	1					
PGS772 (280, -65)	0.0	33.5	33.5	0.32	0.15	121.9	East Hamburg		18.7	
incl	0.0	33.5	33.5	0.32	0.2					
and	41.1	54.9	13.7	0.44	0.15					
incl	44.2	54.9	10.7	0.51	0.2					
also incl	50.3	53.3	3.0	1.14	1					
and	62.5	67.1	4.6	0.45	0.15					
incl	62.5	65.5	3.0	0.58	0.2					
PGS773 (25, -50)	32.0	94.5	62.5	0.79	0.15	105.2	East Hamburg		49.5	
incl	32.0	93.0	61.0	0.81	0.2					
also incl	35.1	36.6	1.5	1.33	1					
also incl	39.6	54.9	15.2	1.48						
also incl	56.4	57.9	1.5	1.06						
also incl	68.6	70.1	1.5	1.05						
also incl	71.6	73.2	1.5	1.24						
PGS774 (345, -75)	35.1	82.3	47.2	0.45	0.15	99.1	East Hamburg		21.3	
incl	38.1	73.2	35.1	0.48	0.2					
also incl	74.7	80.8	6.1	0.59						
PGS775 (350, -80)	9.1	15.2	6.1	2.72	1	117.3	Hamburg Pit		18.3	
and	22.9	56.4	33.5	0.58	0.15					
incl	24.4	54.9	30.5	0.61	0.2					
also incl	24.4	25.9	1.5	1.17	1					
also incl	47.2	53.3	6.1	1.24						
and	62.5	70.1	7.6	0.31	0.15					
incl	62.5	68.6	6.1	0.34	0.2					
PGS776 (290, -65)	21.3	53.3	32.0	0.35	0.15	99.1	Hamburg Pit		11.3	
incl	38.1	53.3	15.2	0.54	0.2					
also incl	44.2	45.7	1.5	1.13	1					
PGS777 (250, -60)	18.3	22.9	4.6	0.26	0.15	121.9	Hamburg Pit		15.5	
and	35.1	45.7	10.7	0.42						
incl	35.1	41.1	6.1	0.62						0.2
also incl	39.6	41.1	1.5	1.67						1
and	48.8	57.9	9.1	0.25						0.15
incl	48.8	53.3	4.6	0.34						0.2
and	68.6	76.2	7.6	0.62						0.2
also incl	71.6	74.7	3.0	1.08						1
and	94.5	99.1	4.6	0.62	0.2					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS778 (200, -70)	16.8	27.4	10.7	0.33	0.15	157.0	Hamburg Pit		10.6
incl	16.8	27.4	10.7	0.33	0.2				
and	73.2	77.7	4.6	0.41	0.15				
incl	73.2	77.7	4.6	0.41	0.2				
and	86.9	97.5	10.7	0.49	0.15				
incl	86.9	97.5	10.7	0.49	0.2				
PGS779 (145, 62)	85.3	89.9	4.6	0.58	0.15	135.6	Hamburg Pit		2.7
incl	85.3	89.9	4.6	0.58	0.2				
PGS780 (80, -83)	10.7	19.8	9.1	2.21	0.2	138.7	Hamburg Pit		45.3
incl	12.2	18.3	6.1	3.06	1				
and	25.9	61.0	35.1	0.70	0.15				
incl	25.9	47.2	21.3	0.90	0.2				
also incl	25.9	32.0	6.1	1.82	1				
also incl	33.5	35.1	1.5	1.02					
incl	53.3	61.0	7.6	0.59	0.2				
also incl	54.9	56.4	1.5	1.26	1				
and	83.8	91.4	7.6	0.83	0.15				
incl	83.8	89.9	6.1	0.98	0.2				
also incl	85.3	88.4	3.0	1.60	1				
PGS781 (60, -55)	13.7	27.4	13.7	0.94	0.15	160.0	Hamburg Pit		17.5
incl	13.7	25.9	12.2	1.04	0.2				
also incl	15.2	19.8	4.6	1.75	1				
and	48.8	53.3	4.6	0.45	0.15				
incl	48.8	53.3	4.6	0.45	0.2				
and	103.6	112.8	9.1	0.28	0.15				
incl	103.6	111.3	7.6	0.30	0.2				
PGS782 (187, -75)	7.6	54.9	47.2	0.56	0.15	141.7	Hamburg Pit		26.7
incl	9.1	53.3	44.2	0.59	0.2				
also incl	24.4	25.9	1.5	1.13	1				
also incl	27.4	29.0	1.5	2.54					
also incl	42.7	44.2	1.5	1.64					
PGS783 (170, -55)	7.6	19.8	12.2	0.30	0.15	135.6	Hamburg Pit		20.2
incl	9.1	19.8	10.7	0.31	0.2				
and	30.5	47.2	16.8	0.83					
incl	32.0	42.7	10.7	1.10	1				
and	53.3	57.9	4.6	0.34	0.15				
incl	53.3	56.4	3.0	0.43	0.2				
and	80.8	85.3	4.6	0.26	0.15				
incl	80.8	83.8	3.0	0.30	0.2				
PGS784 (225, -40)	No Significant Results					129.5	West Hamburg		
PGS785 (195, -45)	61.0	77.7	16.8	0.25	0.15	121.9	West Hamburg		4.1
incl	62.5	73.2	10.7	0.29	0.2				
PGS786 (135, -72)	62.5	97.5	35.1	0.76	0.15	199.6	West Hamburg		26.7
incl	62.5	82.3	19.8	1.05	0.2				
also incl	62.5	74.7	12.2	1.37	1				
incl	89.9	97.5	7.6	0.64	0.2				
PGS787 (70, -75)	70.1	114.3	44.2	0.75	0.15	196.6	West Hamburg		33.3
incl	70.1	111.3	41.1	0.80	0.2				
also incl	71.6	74.7	3.0	1.31	1				
also incl	89.9	94.5	4.6	1.05					
also incl	96.0	99.1	3.0	1.94					
also incl	103.6	105.2	1.5	1.16					
PGS788 (0, -90)	19.8	24.4	4.6	0.50	0.2	132.6	Hassayampa		16.6
and	30.5	45.7	15.2	0.25					
and	54.9	61.0	6.1	0.17	0.15				
and	62.5	91.4	29.0	0.33					
incl	62.5	88.4	25.9	0.35					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS789 (90, -60)	30.5	35.1	4.6	0.29	0.15	99.1	Hassayampa		4.8
and	38.1	44.2	6.1	0.18	0.15				
and	48.8	61.0	12.2	0.20	0.15				
PGS790 (40, -50)	30.5	67.1	36.6	0.72	0.2	121.9	Hassayampa		28.9
also incl	36.6	38.1	1.5	1.24	1				
also incl	44.2	45.7	1.5	1.74					
also incl	50.3	51.8	1.5	1.40					
also incl	56.4	59.4	3.0	1.05					
also incl	61.0	65.5	4.6	1.35					
and	85.3	91.4	6.1	0.43	0.2				
PGS791 (340, -60)	29.0	33.5	4.6	0.48	0.15	111.3	Hassayampa		9.2
incl	30.5	33.5	3.0	0.65	0.2				
also incl	32.0	33.5	1.5	1.09	1				
and	54.9	76.2	21.3	0.33	0.15				
incl	56.4	74.7	18.3	0.35	0.2				
PGS792 (0, -57)	No Significant Results					213.4	Hassayampa		
PGS793 (320, -62)	77.7	99.1	21.3	0.63	0.15	152.4	Hassayampa		13.4
incl	77.7	97.5	19.8	0.66	0.2				
also incl	79.2	82.3	3.0	1.92	1				
PGS794 (60, -65)	0.0	15.2	15.2	1.14	0.2	138.7	Hassayampa		22.6
also incl	0.0	9.1	9.1	1.66	1				
and	51.8	56.4	4.6	0.30	0.15				
incl	51.8	54.9	3.0	0.38	0.2				
and	85.3	94.5	9.1	0.18	0.15				
and	109.7	117.3	7.6	0.28					
incl	111.3	117.3	6.1	0.30					
PGS795 (110, 60)	42.7	56.4	13.7	0.70	0.15	178.3	Hassayampa		11.1
incl	42.7	54.9	12.2	0.77	0.2				
also incl	44.2	47.2	3.0	1.88	1				
and	73.2	80.8	7.6	0.20	0.15				
PGS796 (310, -65)	0.0	16.8	16.8	0.51	0.2	172.2	Hassayampa		71.0
also incl	0.0	1.5	1.5	1.38	1				
also incl	15.2	16.8	1.5	1.31					
and	51.8	65.5	13.7	0.77	0.2				
incl	54.9	56.4	1.5	1.29	1				
incl	61.0	64.0	3.0	1.31					
and	85.3	141.7	56.4	0.82	0.15				
incl	86.9	140.2	53.3	0.86	0.2				
also incl	91.4	102.1	10.7	2.48	1				
also incl	93.0	94.5	1.5	5.66	5				
also incl	112.8	114.3	1.5	1.26	1				
also incl	128.0	131.1	3.0	2.10					
and	150.9	164.6	13.7	0.42		0.2			
PGS797 (290, -80)	0.0	7.6	7.6	1.16	0.15	141.7	Hassayampa		52.8
incl	0.0	6.1	6.1	1.41	0.2				
also incl	0.0	1.5	1.5	4.00	1				
and	44.2	67.1	22.9	0.81	0.15				
incl	44.2	53.3	9.1	0.53	0.2				
also incl	47.2	48.8	1.5	1.06	1				
incl	59.4	67.1	7.6	1.73	0.2				
also incl	61.0	65.5	4.6	2.58	1				
also incl	61.0	62.5	1.5	5.06	5				
and	77.7	93.0	15.2	1.17	0.2				
incl	85.3	91.4	6.1	2.01	1				
and	103.6	117.3	13.7	0.56	0.15				
incl	105.2	117.3	12.2	0.61	0.2				
also incl	109.7	111.3	1.5	1.52	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS798 (225, -60)	33.5	93.0	59.4	0.94	0.15	196.6	Hamburg		55.9
incl	41.1	93.0	51.8	1.05	0.2				
also incl	42.7	47.2	4.6	3.73	1				
also incl	53.3	70.1	16.8	1.30					
also incl	71.6	73.2	1.5	1.14					
<i>and also incl</i>	44.2	45.7	1.5	5.71	5				
PGS799 (0, -90)	36.6	39.6	3.0	0.36	0.15	152.4	Hamburg		14.9
incl	36.6	38.1	1.5	0.54	0.2				
and	53.3	79.2	25.9	0.53	0.15				
incl	56.4	77.7	21.3	0.61	0.2				
also incl	68.6	71.6	3.0	1.50	1				
PGS800 (203, -58)	41.1	85.3	44.2	0.72	0.2	137.2	Hamburg		33.3
also incl	67.1	80.8	13.7	1.41	1				
and	91.4	97.5	6.1	0.26	0.15				
incl	91.4	94.5	3.0	0.34	0.2				
PGS801 (200, -50)	45.7	86.9	41.1	0.31	0.15	152.4	Hamburg		12.6
incl	51.8	74.7	22.9	0.39	0.2				
PGS802 (155, -45)	0.0	9.1	9.1	0.37	0.15	152.4	Hamburg		31.3
incl	1.5	9.1	7.6	0.40	0.2				
and	64.0	106.7	42.7	0.59	0.15				
incl	64.0	105.2	41.1	0.61	0.2				
also incl	64.0	68.6	4.6	1.74	1				
also incl	99.1	102.1	3.0	1.61					
and	117.3	125.0	7.6	0.35	0.15				
incl	117.3	120.4	3.0	0.64	0.2				
PGS803 (155, -65)	0.0	4.6	4.6	0.48	0.15	160.0	Hamburg		29.2
incl	0.0	1.5	1.5	1.07	1				
and	57.9	79.2	21.3	0.37	0.15				
incl	57.9	77.7	19.8	0.39	0.2				
and	97.5	131.1	33.5	0.57	0.15				
incl	97.5	123.4	25.9	0.69	0.2				
also incl	102.1	103.6	1.5	1.02	1				
also incl	117.3	123.4	6.1	1.13					
PGS804 (130, -75)	0.0	6.1	6.1	0.40	0.15	144.8	Hamburg		11.1
incl	1.5	4.6	3.0	0.62	0.2				
and	80.8	106.7	25.9	0.28	0.15				
incl	80.8	89.9	9.1	0.39	0.2				
and	128.0	134.1	6.1	0.24	0.15				
PGS805 (60, -85)	73.2	97.5	24.4	0.30	0.15	221.0	Hamburg		23.2
incl	76.2	88.4	12.2	0.42	0.2				
and	135.6	170.7	35.1	0.45					
also incl	163.1	164.6	1.5	1.09	1				
PGS806 (190, -80)	0.0	3.0	3.0	0.35	0.2	213.4	Hamburg		48.6
and	47.2	138.7	91.4	0.52	0.15				
incl	47.2	137.2	89.9	0.53	0.2				
also incl	48.8	50.3	1.5	1.14	1				
also incl	70.1	71.6	1.5	1.32					
also incl	108.2	111.3	3.0	1.30					
also incl	125.0	126.5	1.5	1.53					
PGS807 (190, -63)	0.0	4.6	4.6	0.81	0.2	172.2	Hamburg		53.8
incl	0.0	1.5	1.5	1.45	1				
and	44.2	89.9	45.7	0.64	0.2				
incl	45.7	48.8	3.0	2.08	1				
incl	51.8	53.3	1.5	1.02					
incl	57.9	62.5	4.6	1.43					
and	99.1	135.6	36.6	0.57	0.2				
incl	111.3	115.8	4.6	1.46	1				
incl	121.9	123.4	1.5	1.18					
incl	132.6	134.1	1.5	1.04					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																																																																																																				
PGS808 (0, -90)	137.2	144.8	7.6	0.22	0.15	164.6	Dip Slope Extension		1.7																																																																																																																																																																																																																																																																																																																																																																																																				
incl	137.2	141.7	4.6	0.25	0.2					PGS809 (90, -60)	149.4	164.6	15.2	0.46	0.15	201.2	Dip Slope Extension		6.9	incl	149.4	160.0	10.7	0.57	0.2	also incl	150.9	152.4	1.5	1.53	1	PGS810 (0, -65)	182.9	208.8	25.9	0.78	0.2	274.3	Dip Slope Extension		32.7	incl	198.1	205.7	7.6	1.46	1	and	243.8	263.7	19.8	0.62	0.2	incl	249.9	254.5	4.6	1.26	1	PGS811 (0, -90)	128.0	135.6	7.6	0.20	0.15	166.1	Dip Slope Extension		1.5	incl	128.0	132.6	4.6	0.23	0.2	PGS812 (70, -50)	80.8	86.9	6.1	0.24	0.2	144.8	Dip Slope Extension		5.3	and	126.5	129.5	3.0	1.24	inc	126.5	128.0	1.5	2.23	1	PGS813 (0, -90)	41.1	50.3	9.1	0.27	0.15	93.0	Dip Slope Extension		2.5	PGS814 (0, -90)	13.7	18.3	4.6	0.41	0.2	178.3	Basin		1.9	PGS815 (310, -70)	3.0	10.7	7.6	0.18	0.15	141.7	Basin		16.8	and	12.2	27.4	15.2	0.64	incl	13.7	25.9	12.2	0.75	0.2	also incl	13.7	18.3	4.6	1.39	1	and	56.4	64.0	7.6	0.36	0.15	incl	57.9	62.5	4.6	0.50	0.2	and	71.6	79.2	7.6	0.39	0.15	incl	73.2	79.2	6.1	0.45	0.2	PGS816 (250, -70)	27.4	36.6	9.1	0.73	0.15	121.9	Basin		8.0	also incl	33.5	36.6	3.0	1.88	1	and	44.2	48.8	4.6	0.29	0.15	incl	45.7	48.8	3.0	0.35	0.2	PGS817 (190, -70)	1.5	7.6	6.1	0.21	0.15	141.7	Basin		9.7	incl	3.0	7.6	4.6	0.22	0.2	and	9.1	29.0	19.8	0.28	0.15	incl	21.3	27.4	6.1	0.55	0.2	also incl	22.9	24.4	1.5	1.09	1	and	41.1	50.3	9.1	0.31	0.15	incl	45.7	50.3	4.6	0.46	0.2	PGS818 (150, -50)	3.0	9.1	6.1	0.23	0.15	135.6	Basin		9.5	and	15.2	44.2	29.0	0.28	0.15	incl	15.2	27.4	12.2	0.35	0.2	PGS819 (120, -50)	4.6	9.1	4.6	0.36	0.15	208.8	Basin		20.3	incl	4.6	7.6	3.0	0.45	0.2	and	18.3	36.6	18.3	1.02	0.15	incl	18.3	35.1	16.8	1.10	0.2	also incl	24.4	33.5	9.1	1.71	1	PGS820 (0, -90)	39.6	62.5	22.9	0.45	0.2	152.4	Basin		17.7	incl	51.8	53.3	1.5	1.08	1	and	68.6	80.8	12.2	0.61	0.15	incl	70.1	80.8	10.7	0.67	0.2	also incl	74.7	76.2	1.5	1.18	1	PGS821 (60, -50)	61.0	80.8	19.8	0.52	0.15	152.4	Basin		10.2	incl	61.0	79.2	18.3	0.55	0.2	also incl	68.6	71.6	3.0	1.34	1	PGS822 (20, -50)	44.2	73.2	29.0	0.72	0.2	208.8	Basin		20.9	incl	45.7	48.8	3.0	3.09	1	incl	65.5	67.1	1.5	1.14	1	PGS823 (335, -50)	73.2	77.7	4.6	0.28	0.2	164.6	Basin		1.3	PGS824 (160, -40)	54.9	65.5	10.7	0.27	0.15	138.7	Basin		2.9	incl	54.9
PGS809 (90, -60)	149.4	164.6	15.2	0.46	0.15	201.2	Dip Slope Extension		6.9																																																																																																																																																																																																																																																																																																																																																																																																				
incl	149.4	160.0	10.7	0.57	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	150.9	152.4	1.5	1.53	1																																																																																																																																																																																																																																																																																																																																																																																																								
PGS810 (0, -65)	182.9	208.8	25.9	0.78	0.2	274.3	Dip Slope Extension		32.7																																																																																																																																																																																																																																																																																																																																																																																																				
incl	198.1	205.7	7.6	1.46	1																																																																																																																																																																																																																																																																																																																																																																																																								
and	243.8	263.7	19.8	0.62	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
incl	249.9	254.5	4.6	1.26	1																																																																																																																																																																																																																																																																																																																																																																																																								
PGS811 (0, -90)	128.0	135.6	7.6	0.20	0.15	166.1	Dip Slope Extension		1.5																																																																																																																																																																																																																																																																																																																																																																																																				
incl	128.0	132.6	4.6	0.23	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
PGS812 (70, -50)	80.8	86.9	6.1	0.24	0.2	144.8	Dip Slope Extension		5.3																																																																																																																																																																																																																																																																																																																																																																																																				
and	126.5	129.5	3.0	1.24																																																																																																																																																																																																																																																																																																																																																																																																									
inc	126.5	128.0	1.5	2.23						1																																																																																																																																																																																																																																																																																																																																																																																																			
PGS813 (0, -90)	41.1	50.3	9.1	0.27	0.15	93.0	Dip Slope Extension		2.5																																																																																																																																																																																																																																																																																																																																																																																																				
PGS814 (0, -90)	13.7	18.3	4.6	0.41	0.2	178.3	Basin		1.9																																																																																																																																																																																																																																																																																																																																																																																																				
PGS815 (310, -70)	3.0	10.7	7.6	0.18	0.15	141.7	Basin		16.8																																																																																																																																																																																																																																																																																																																																																																																																				
and	12.2	27.4	15.2	0.64																																																																																																																																																																																																																																																																																																																																																																																																									
incl	13.7	25.9	12.2	0.75						0.2																																																																																																																																																																																																																																																																																																																																																																																																			
also incl	13.7	18.3	4.6	1.39						1																																																																																																																																																																																																																																																																																																																																																																																																			
and	56.4	64.0	7.6	0.36						0.15																																																																																																																																																																																																																																																																																																																																																																																																			
incl	57.9	62.5	4.6	0.50						0.2																																																																																																																																																																																																																																																																																																																																																																																																			
and	71.6	79.2	7.6	0.39						0.15																																																																																																																																																																																																																																																																																																																																																																																																			
incl	73.2	79.2	6.1	0.45						0.2																																																																																																																																																																																																																																																																																																																																																																																																			
PGS816 (250, -70)	27.4	36.6	9.1	0.73	0.15	121.9	Basin		8.0																																																																																																																																																																																																																																																																																																																																																																																																				
also incl	33.5	36.6	3.0	1.88	1																																																																																																																																																																																																																																																																																																																																																																																																								
and	44.2	48.8	4.6	0.29	0.15																																																																																																																																																																																																																																																																																																																																																																																																								
incl	45.7	48.8	3.0	0.35	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
PGS817 (190, -70)	1.5	7.6	6.1	0.21	0.15	141.7	Basin		9.7																																																																																																																																																																																																																																																																																																																																																																																																				
incl	3.0	7.6	4.6	0.22	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
and	9.1	29.0	19.8	0.28	0.15																																																																																																																																																																																																																																																																																																																																																																																																								
incl	21.3	27.4	6.1	0.55	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	22.9	24.4	1.5	1.09	1																																																																																																																																																																																																																																																																																																																																																																																																								
and	41.1	50.3	9.1	0.31	0.15																																																																																																																																																																																																																																																																																																																																																																																																								
incl	45.7	50.3	4.6	0.46	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
PGS818 (150, -50)	3.0	9.1	6.1	0.23	0.15	135.6	Basin		9.5																																																																																																																																																																																																																																																																																																																																																																																																				
and	15.2	44.2	29.0	0.28	0.15																																																																																																																																																																																																																																																																																																																																																																																																								
incl	15.2	27.4	12.2	0.35	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
PGS819 (120, -50)	4.6	9.1	4.6	0.36	0.15	208.8	Basin		20.3																																																																																																																																																																																																																																																																																																																																																																																																				
incl	4.6	7.6	3.0	0.45	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
and	18.3	36.6	18.3	1.02	0.15																																																																																																																																																																																																																																																																																																																																																																																																								
incl	18.3	35.1	16.8	1.10	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	24.4	33.5	9.1	1.71	1																																																																																																																																																																																																																																																																																																																																																																																																								
PGS820 (0, -90)	39.6	62.5	22.9	0.45	0.2	152.4	Basin		17.7																																																																																																																																																																																																																																																																																																																																																																																																				
incl	51.8	53.3	1.5	1.08	1																																																																																																																																																																																																																																																																																																																																																																																																								
and	68.6	80.8	12.2	0.61	0.15																																																																																																																																																																																																																																																																																																																																																																																																								
incl	70.1	80.8	10.7	0.67	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	74.7	76.2	1.5	1.18	1																																																																																																																																																																																																																																																																																																																																																																																																								
PGS821 (60, -50)	61.0	80.8	19.8	0.52	0.15	152.4	Basin		10.2																																																																																																																																																																																																																																																																																																																																																																																																				
incl	61.0	79.2	18.3	0.55	0.2																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	68.6	71.6	3.0	1.34	1																																																																																																																																																																																																																																																																																																																																																																																																								
PGS822 (20, -50)	44.2	73.2	29.0	0.72	0.2	208.8	Basin		20.9																																																																																																																																																																																																																																																																																																																																																																																																				
incl	45.7	48.8	3.0	3.09	1																																																																																																																																																																																																																																																																																																																																																																																																								
incl	65.5	67.1	1.5	1.14	1																																																																																																																																																																																																																																																																																																																																																																																																								
PGS823 (335, -50)	73.2	77.7	4.6	0.28	0.2	164.6	Basin		1.3																																																																																																																																																																																																																																																																																																																																																																																																				
PGS824 (160, -40)	54.9	65.5	10.7	0.27	0.15	138.7	Basin		2.9																																																																																																																																																																																																																																																																																																																																																																																																				
incl	54.9	62.5	7.6	0.31	0.2																																																																																																																																																																																																																																																																																																																																																																																																								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																																																																																																								
PGS825 (110, -45)	68.6	93.0	24.4	0.76	0.2	138.7	Basin		18.4																																																																																																																																																																																																																																																																																																																																																																																																								
incl	73.2	77.7	4.6	1.64	1					PGS826 (335, -65)	0.0	6.1	6.1	0.33	0.15	166.1	Basin		34.1	incl	0.0	4.6	4.6	0.38	0.2	and	30.5	80.8	50.3	0.61	0.15	incl	39.6	41.1	1.5	1.60	1	incl	42.7	44.2	1.5	1.06	1	incl	62.5	80.8	18.3	1.03	0.2	also incl	70.1	74.7	4.6	2.86	1	incl	120.4	123.4	3.0	0.46	0.2	PGS827 (0, -90)	85.3	120.4	35.1	0.70	0.2	172.2	Basin		24.5	incl	111.3	117.3	6.1	1.27	1	PGS828 (20, -75)	97.5	128.0	30.5	0.89	0.2	141.7	Basin		27.0	incl	97.5	102.1	4.6	1.23	1	incl	114.3	117.3	3.0	2.00	PGS829 (300, -77)	106.7	126.5	19.8	0.74	0.15	163.1	Basin		14.6	incl	108.2	126.5	18.3	0.78	0.2	also incl	111.3	112.8	1.5	1.19	1	also incl	117.3	120.4	3.0	1.19	1	PGS830 (175, -55)	129.5	144.8	15.2	0.37	0.2	160.0	Basin		5.6	PGS831 (15, -80)	118.9	129.5	10.7	0.22	0.15	167.6	Basin		2.4	PGS832 (90, -70)	0.0	4.6	4.6	0.23	0.15	182.9	Basin		18.0	incl	0.0	3.0	3.0	0.25	0.2	and	121.9	131.1	9.1	0.36	0.15	incl	121.9	128.0	6.1	0.44	0.2	and	135.6	158.5	22.9	0.60	0.15	incl	137.2	157.0	19.8	0.66	0.2	also incl	146.3	147.8	1.5	2.09	1	also incl	149.4	153.9	4.6	1.05	1	PGS833 (270, -80)	91.4	102.1	10.7	0.68	0.2	182.9	Main		7.3	incl	91.4	93.0	1.5	1.66	1	PGS834 (260, -65)	No Significant Results					147.8	Main			PGS835 (50, -75)	No Significant Results					147.8	Main			PGS836 (180, -40)	No Significant Results					68.6	Dipslope			PGS837 (60, -40)	No Significant Results					61.0	Dipslope			PGS838 (240, -40)	No Significant Results					61.0	Dipslope			PGS839 (135, -40)	3.0	30.5	27.4	0.64	0.2	65.5	Dipslope		17.5	also incl	21.3	24.4	3.0	1.54	1	also incl	25.9	27.4	1.5	1.24	PGS840 (0, -90)	1.5	21.3	19.8	0.88	0.2	61.0	Dipslope		17.5	also incl	9.1	16.8	7.6	1.25	1	PGS841 (355, -75)	3.0	9.1	6.1	0.19	0.15	152.4	Dipslope		3.0	and	25.9	33.5	7.6	0.24	incl	25.9	32.0	6.1	0.26	0.2	PGS842 (20, -50)	80.8	105.2	24.4	0.32	0.15	187.5	Hassayampa		7.8	incl	82.3	103.6	21.3	0.34	0.2	incl	172.2	178.3	6.1	0.33	0.2	PGS843 (90, -45)	3.0	9.1	6.1	0.23	0.2	167.6	Hassayampa		8.3	and	44.2	48.8	4.6	0.25	0.15	and	56.4	76.2	19.8	0.29	incl	56.4	74.7	18.3	0.30	0.2	PGS844 (275, -55)	0.0	15.2	15.2	0.84	0.15	169.16	Hassayampa		15.4	incl	0.0	13.7	13.7	0.91	0.2	also incl	0.0	4.6	4.6	1.30	1	and	51.8	64.0	12.2	0.21	0.15	incl	51.8
PGS826 (335, -65)	0.0	6.1	6.1	0.33	0.15	166.1	Basin		34.1																																																																																																																																																																																																																																																																																																																																																																																																								
incl	0.0	4.6	4.6	0.38	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
and	30.5	80.8	50.3	0.61	0.15																																																																																																																																																																																																																																																																																																																																																																																																												
incl	39.6	41.1	1.5	1.60	1																																																																																																																																																																																																																																																																																																																																																																																																												
incl	42.7	44.2	1.5	1.06	1																																																																																																																																																																																																																																																																																																																																																																																																												
incl	62.5	80.8	18.3	1.03	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	70.1	74.7	4.6	2.86	1																																																																																																																																																																																																																																																																																																																																																																																																												
incl	120.4	123.4	3.0	0.46	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
PGS827 (0, -90)	85.3	120.4	35.1	0.70	0.2	172.2	Basin		24.5																																																																																																																																																																																																																																																																																																																																																																																																								
incl	111.3	117.3	6.1	1.27	1																																																																																																																																																																																																																																																																																																																																																																																																												
PGS828 (20, -75)	97.5	128.0	30.5	0.89	0.2	141.7	Basin		27.0																																																																																																																																																																																																																																																																																																																																																																																																								
incl	97.5	102.1	4.6	1.23	1																																																																																																																																																																																																																																																																																																																																																																																																												
incl	114.3	117.3	3.0	2.00																																																																																																																																																																																																																																																																																																																																																																																																													
PGS829 (300, -77)	106.7	126.5	19.8	0.74	0.15	163.1	Basin		14.6																																																																																																																																																																																																																																																																																																																																																																																																								
incl	108.2	126.5	18.3	0.78	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	111.3	112.8	1.5	1.19	1																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	117.3	120.4	3.0	1.19	1																																																																																																																																																																																																																																																																																																																																																																																																												
PGS830 (175, -55)	129.5	144.8	15.2	0.37	0.2	160.0	Basin		5.6																																																																																																																																																																																																																																																																																																																																																																																																								
PGS831 (15, -80)	118.9	129.5	10.7	0.22	0.15	167.6	Basin		2.4																																																																																																																																																																																																																																																																																																																																																																																																								
PGS832 (90, -70)	0.0	4.6	4.6	0.23	0.15	182.9	Basin		18.0																																																																																																																																																																																																																																																																																																																																																																																																								
incl	0.0	3.0	3.0	0.25	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
and	121.9	131.1	9.1	0.36	0.15																																																																																																																																																																																																																																																																																																																																																																																																												
incl	121.9	128.0	6.1	0.44	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
and	135.6	158.5	22.9	0.60	0.15																																																																																																																																																																																																																																																																																																																																																																																																												
incl	137.2	157.0	19.8	0.66	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	146.3	147.8	1.5	2.09	1																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	149.4	153.9	4.6	1.05	1																																																																																																																																																																																																																																																																																																																																																																																																												
PGS833 (270, -80)	91.4	102.1	10.7	0.68	0.2	182.9	Main		7.3																																																																																																																																																																																																																																																																																																																																																																																																								
incl	91.4	93.0	1.5	1.66	1																																																																																																																																																																																																																																																																																																																																																																																																												
PGS834 (260, -65)	No Significant Results					147.8	Main																																																																																																																																																																																																																																																																																																																																																																																																										
PGS835 (50, -75)	No Significant Results					147.8	Main																																																																																																																																																																																																																																																																																																																																																																																																										
PGS836 (180, -40)	No Significant Results					68.6	Dipslope																																																																																																																																																																																																																																																																																																																																																																																																										
PGS837 (60, -40)	No Significant Results					61.0	Dipslope																																																																																																																																																																																																																																																																																																																																																																																																										
PGS838 (240, -40)	No Significant Results					61.0	Dipslope																																																																																																																																																																																																																																																																																																																																																																																																										
PGS839 (135, -40)	3.0	30.5	27.4	0.64	0.2	65.5	Dipslope		17.5																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	21.3	24.4	3.0	1.54	1																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	25.9	27.4	1.5	1.24																																																																																																																																																																																																																																																																																																																																																																																																													
PGS840 (0, -90)	1.5	21.3	19.8	0.88	0.2	61.0	Dipslope		17.5																																																																																																																																																																																																																																																																																																																																																																																																								
also incl	9.1	16.8	7.6	1.25	1																																																																																																																																																																																																																																																																																																																																																																																																												
PGS841 (355, -75)	3.0	9.1	6.1	0.19	0.15	152.4	Dipslope		3.0																																																																																																																																																																																																																																																																																																																																																																																																								
and	25.9	33.5	7.6	0.24																																																																																																																																																																																																																																																																																																																																																																																																													
incl	25.9	32.0	6.1	0.26						0.2																																																																																																																																																																																																																																																																																																																																																																																																							
PGS842 (20, -50)	80.8	105.2	24.4	0.32	0.15	187.5	Hassayampa		7.8																																																																																																																																																																																																																																																																																																																																																																																																								
incl	82.3	103.6	21.3	0.34	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
incl	172.2	178.3	6.1	0.33	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
PGS843 (90, -45)	3.0	9.1	6.1	0.23	0.2	167.6	Hassayampa		8.3																																																																																																																																																																																																																																																																																																																																																																																																								
and	44.2	48.8	4.6	0.25	0.15																																																																																																																																																																																																																																																																																																																																																																																																												
and	56.4	76.2	19.8	0.29																																																																																																																																																																																																																																																																																																																																																																																																													
incl	56.4	74.7	18.3	0.30						0.2																																																																																																																																																																																																																																																																																																																																																																																																							
PGS844 (275, -55)	0.0	15.2	15.2	0.84	0.15	169.16	Hassayampa		15.4																																																																																																																																																																																																																																																																																																																																																																																																								
incl	0.0	13.7	13.7	0.91	0.2																																																																																																																																																																																																																																																																																																																																																																																																												
also incl	0.0	4.6	4.6	1.30	1																																																																																																																																																																																																																																																																																																																																																																																																												
and	51.8	64.0	12.2	0.21	0.15																																																																																																																																																																																																																																																																																																																																																																																																												
incl	51.8	56.4	4.6	0.30	0.2																																																																																																																																																																																																																																																																																																																																																																																																												

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS845 (290, -80)	120.4	141.7	21.3	0.59	0.2	182.9	Hamburg		13.9
also incl	126.5	129.5	3.0	1.28	1				
and	155.4	158.5	3.0	0.46	0.2				
PGS846 (340, -65)	No Significant Results					32.0	Hamburg	backfill only	