

Cutoff (g/t)	0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

## Liberty Gold - Black Pine Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP001 (200, -70)</b>	No Significant Values					182.9	North B Ex Pit	Deep test to E of B Ex pit		
<b>LBP002 (45, -50)</b>	6.1	45.7	39.6	0.58	0.2	211.8	<b>A Basin</b>	Twinned historic hole and extended mineralization in lower 77.7 metre intercept	<b>155.2</b>	
including	19.8	24.4	4.6	1.54	1					
and	88.4	103.6	15.2	1.08	0.2					
including	89.9	97.5	7.6	1.55	1					
and	111.3	189.0	77.7	1.49	0.2					
including	118.9	134.1	15.2	3.23	1					
including	146.3	149.4	3.0	1.61						
including	181.4	187.5	6.1	5.64						
<b>LBP003 (217, -70)</b>	51.8	56.4	4.6	0.29	0.2	199.6	<b>A Basin</b>	Drilling within upper zone of A Basin mineralization	<b>24.7</b>	
and	57.9	85.3	27.4	0.51	0.2					
including	74.7	76.2	1.5	1.21	1					
and	96.0	111.3	15.2	0.61	0.2					
including	103.6	106.7	3.0	1.53	1					
<b>LBP004 (130, -45)</b>	0.0	7.6	7.6	0.38	0.2	190.5	<b>J Anomaly</b>	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	<b>43.6</b>	
and	10.7	35.1	24.4	0.95						
including	29.0	30.5	1.5	6.18						1
and	51.8	61.0	9.1	1.03						0.2
including	51.8	57.9	6.1	1.28						1
and	111.3	126.5	15.2	0.54						0.2
<b>LBP005 (255, -45)</b>	4.6	13.7	9.1	0.72	0.2	184.4	<b>J Anomaly</b>	Step out drillhole along mineralized structure	<b>13.6</b>	
including	6.1	7.6	1.5	2.65	1					
and	15.2	18.3	3.0	0.47	0.2					
and	44.2	53.3	9.1	0.42						
and	79.2	83.8	4.6	0.38						
<b>LP006 (260, -45)</b>	24.4	32.0	7.6	1.80	0.2	163.1	<b>J Anomaly</b>	Poorly positioned historic site; drillhole only tested lower portion of mineralized zone defined by previous drilling	<b>26.2</b>	
including	24.4	29.0	4.6	2.77	1					
and	44.2	62.5	18.3	0.60	0.2					
including	47.2	48.8	1.5	1.14	1					
and	71.6	77.7	6.1	0.25	0.2					
<b>LBP007 (0, -80)</b>	76.2	79.2	3.0	0.79	0.2	172.2	North B Ex Pit	Deep test to NE of B Ex pit	2.4	
<b>LBP008</b>	73.2	79.2	6.1	0.21	0.2	160.0	North B Ex Pit	Deep test to NE of B Ex pit	4.0	
and	114.3	121.9	7.6	0.36	0.2					
<b>LBP009</b>	15.2	48.8	33.5	0.52	0.2	178.3	<b>North B Ex Pit</b>	Validating and stepping out on gold intercepts E of B Pit	<b>40.6</b>	
including	25.9	29.0	3.0	1.41	1					
including	45.7	47.2	1.5	1.12	1					
and	67.1	76.2	9.1	0.45	0.2					
and	96.0	120.4	24.4	0.69	0.2					
including	96.0	97.5	1.5	2.95	1					
including	100.6	103.6	3.0	1.10	1					
and	135.6	143.3	7.6	0.35	0.2					
<b>LBP010</b>	88.4	93.0	4.6	0.31	0.2	150.8	North B Ex Pit	Deep extension of gold mineralization E of Tallman NE pit	1.4	
<b>LBP011</b>	0.0	10.7	10.7	2.37	0.2	152.4	<b>South B Ex Pit</b>	Open to south and southwest with no drilling or soil geochemistry for >200m	<b>35.1</b>	
including	0.0	9.1	9.1	2.72	1					
and	106.7	121.9	15.2	0.65	0.2					
including	117.3	121.9	4.6	1.38	1					
<b>LBP012</b>	No Significant Values					13.2	Hazel Pine	Hole lost in early 20th century historic mine workings (Ag-Au-Pb-Zn Vein deposits)		
<b>LBP013</b>	62.5	65.5	3.0	0.81	0.2	117.3	Hazel Pine	Elevated Ag and Zn values	2.5	
including	62.5	64.0	1.5	1.40	1					
<b>LBP014</b>	7.6	15.2	7.6	0.49	0.2	196.6	<b>B Pit</b>	LBP014 was drilled to bisect and deepen historic holes 88-357 (61m of 1.4 g/t Au) and 87-169 (43m of 2.1 g/t Au) (4th and 3rd best remaining intercepts, respectively, drilled w/ hard TDs of 400ft ending in grade). After drilling it was determined that the down-dip 88-357 was down-dropped by a normal fault, and incredibly had a hard stop of 500 ft, right at the extent of mineralization	<b>64.5</b>	
and	39.6	50.3	10.7	0.27	0.2					
and	51.8	89.9	38.1	1.18	0.2					
including	62.5	88.4	25.9	1.61	1					
and	128.0	150.9	22.9	0.39	0.2					
including	128.0	129.5	1.5	1.02	1					
and	152.4	158.5	6.1	0.28	0.2					
and	184.4	187.5	3.0	0.82	0.2					
including	185.9	187.5	1.5	1.36	1					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP015	10.7	15.2	4.6	0.36	0.2	196.6	B Pit	LBP015 was drilled to validate through the main body of mineralization and extend a drillhole that ended in 2.1 g/t Au in a modelled lower sequence of gold mineralization. The hole returned a good test through the main body but did not appreciably extend gold mineralization around the historic hole, which was drilled with a hard stop of 400 feet, and again stopped in the only high grade gold at the	81.9
and	67.1	115.8	48.8	1.50	0.2				
including	77.7	80.8	3.0	1.31	1				
including	91.4	94.5	3.0	6.19	1				
and including	91.4	93.0	1.5	10.4	5				
including	100.6	106.7	6.1	5.35	1				
and including	102.1	105.2	3.0	8.03	5				
and	123.4	132.6	9.1	0.32	0.2				
and	138.7	144.8	6.1	0.68	0.2				
including	140.2	141.7	1.5	1.86	1				
LBP016	12.2	16.8	4.6	0.26	0.2	175.3	B Pit	LBP016 was drilled to step out laterally from B Pit mineralization, towards A Basin mineralization and accomplished this task very well, extending high grade oxide by 30 metres towards A Basin	69.3
and	51.8	56.4	4.6	0.29	0.2				
and	89.9	135.6	45.7	1.46	0.2				
including	93.0	121.9	29.0	2.00	1				
and including	102.1	103.6	1.5	7.09	5				
LBP017	9.1	18.3	9.1	0.34	0.2	166.1	B Pit	LBP017 was drilled down-dip of the B pit ore body where mineralization appeared open in hole 88-357 (61 m of 1.4 g/t Au). The down-dip test returned a similar width of lower grade material	25.1
and	25.9	33.5	7.6	0.35	0.2				
and	74.7	117.3	42.7	0.45	0.2				
including	89.9	91.4	1.5	1.11	1				
including	109.7	111.3	1.5	1.82	1				
LBP018 (125, -83)	Not Assayed					16.8		Hole Lost	
LBP019 (319, -74)	18.3	29.0	10.7	0.30	0.2	211.4	B Pit- A Basin (Discovery 1 Zone)	Step out along B Pit to A-Basin Section	23.6
and	88.4	91.4	3.0	0.38	0.2				
and	129.5	172.2	42.7	0.41	0.2				
including	149.4	152.4	3.0	1.24	1				
and	189.0	192.0	3.0	0.55	0.2				
LBP020 (036, -79)	38.1	50.3	12.2	0.40	0.2	257.6	Discovery 1 Zone	150 metre step-out from intercept in hole LBP002, along B Pit to A Basin Section (Discovery 1)	57.3
including	39.6	41.1	1.5	1.31	1				
and	74.7	80.8	6.1	0.21	0.2				
and	88.4	103.6	15.2	0.41	0.2				
including	102.1	103.6	1.5	1.18	1				
and	164.6	199.6	35.1	0.75	0.2				
including	170.7	176.8	6.1	1.27	1				
including	182.9	184.4	1.5	1.09	1				
including	190.5	193.5	3.0	1.21	1				
including	196.6	198.1	1.5	1.19	1				
and	217.9	234.7	16.8	1.12	0.2				
including	227.1	233.2	6.1	2.62	1				
LBP021 (144, -75)	38.1	53.3	15.2	0.36	0.2	266.7	Discovery 1 Zone	250 metre step-out from intercept in hole LBP002, and 300 metre step-out from intercept in hole LBP016, along B Pit to A Basin Section	91.1
and	83.8	89.9	6.1	0.22	0.2				
and	189.0	236.2	47.2	1.78	0.2				
including	199.6	222.5	22.9	3.24	1				
and including	202.7	205.7	3.0	9.99	5				
and including	216.4	217.9	1.5	5.73	5				
including	231.6	233.2	1.5	1.39	1				
LBP022 (017, -73)	29.0	41.1	12.2	0.41	0.2	294.1	Discovery 1 Zone	60 metre offset from LBP021	36.5
and	71.6	82.3	10.7	0.68	0.2				
including	76.2	77.7	1.5	3.05	1				
and	96.0	100.6	4.6	0.24	0.2				
and	121.9	126.5	4.6	0.31	0.2				
and	195.1	199.6	4.6	0.24	0.2				
and	211.8	221.0	9.1	0.76	0.2				
including	211.8	214.9	3.0	1.05	1				
including	219.5	221.0	1.5	1.09	1				
and	242.3	248.4	6.1	0.28	0.2				
and	260.6	265.2	4.6	1.04	0.2				
including	260.6	262.1	1.5	1.82	1				
and	278.9	289.6	10.7	0.68	0.2				
including	285.0	288.0	3.0	1.58	1				
LBP023 (062, -51)	25.9	32.0	6.1	0.32	0.2	278.9	B-A Basin-A pit (Discovery 2)	240 metre offset from LBP021 beneath A Pit Top of intercept is 65 metres below the floor of the historic A Pit.	103.1
and	42.7	50.3	7.6	0.43	0.2				
and	56.4	59.4	3.0	0.69	0.2				
and	102.1	109.7	7.6	0.52	0.2				
and	114.3	120.4	6.1	0.23	0.2				
and	123.4	128.0	4.6	0.27	0.2				
and	204.2	253.0	48.8	1.78	0.2				
including	214.9	216.4	1.5	1.29	1				
including	224.0	239.3	15.2	4.72	1				
and including	225.6	231.6	6.1	7.95	5				
and	272.8	278.9	6.1	0.39	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP024 (248, -64)	56.4	62.5	6.1	0.33	0.2	233.2	Discovery 1 Zone		24.9
and	71.6	76.2	4.6	0.26	0.2				
and	80.8	86.9	6.1	0.24	0.2				
and	134.1	141.7	7.6	0.34	0.2				
and	164.6	169.2	4.6	0.26	0.2				
and	181.4	210.3	29.0	0.57	0.2				
including	198.1	199.6	1.5	1.20	1				
including	201.2	202.7	1.5	2.25	1				
LBP025 (118, -83)	86.9	89.9	3.0	0.33	0.2	224.0	Discovery 1 Zone		49.3
and	100.6	105.2	4.6	0.56	0.2				
and	140.2	172.2	32.0	1.36	0.2				
including	146.3	147.8	1.5	2.08	1				
including	153.9	170.7	16.8	1.95	1				
and	193.5	201.2	7.6	0.28	0.2				
LBP026 (343, -51)	128.0	134.1	6.1	0.20	0.2	242.3	Discovery 1 Zone		25.0
and	135.6	140.2	3.0	1.10	0.2				
including	137.2	138.7	1.5	1.93	1				
and	166.1	198.1	32.0	0.59	0.2				
including	190.5	195.1	4.6	2.47	1				
and	211.8	216.4	4.6	0.32	0.2				
LBP027 (038, -66)	32.0	38.1	6.1	0.50	0.2	269.7	A Basin		101.2
and	117.3	128.0	10.7	2.18	0.2				
including	118.9	126.5	7.6	2.90	1				
and	143.3	169.2	25.9	2.89	0.2				
including	143.3	158.5	15.2	4.52	1				
and including	144.8	150.9	6.1	6.63	5				
and including	152.4	155.4	3.0	5.01	5				
LBP028 (138, -65)	44.2	65.5	21.3	0.44	0.2	300.2	Discovery 1 Zone		63.1
and	91.4	102.1	10.7	0.24	0.2				
and	137.2	149.4	12.2	0.93	0.2				
including	137.2	144.8	7.6	1.25	1				
and	192.0	198.1	6.1	0.23	0.2				
and	211.8	217.9	6.1	0.29	0.2				
and	224.0	234.7	10.7	0.67	0.2				
including	228.6	231.6	3.0	1.35	1				
and	243.8	269.7	25.9	1.14	0.2				
including	253.0	257.6	4.6	4.17	1				
and including	254.5	256.0	1.5	5.60	5				
LBP029 (105, -51)	132.6	158.5	25.9	0.33	0.2	251.5	Discovery 1 Zone	2nd best unmined intercept on property, 150 metres away from best unmined intercept (LBP002).	113.7
and	166.1	207.3	41.1	2.56	0.2				
including	170.7	190.5	19.8	4.47	1				
and including	172.2	176.8	4.6	8.76	5				
including	195.1	196.6	1.5	1.28	1				
including	199.6	202.7	3.0	2.53	1				
LBP030 (067, -65)	39.6	44.2	4.6	0.71	0.2	248.4	Discovery 1 Zone		14.4
including	42.7	44.2	1.5	1.04	1				
and	109.7	114.3	4.6	0.27	0.2				
and	121.9	125.0	3.0	0.33	0.2				
and	153.9	166.1	12.2	0.27	0.2				
and	172.2	178.3	6.1	0.28	0.2				
and	184.4	187.5	3.0	0.39	0.2				
and	213.4	217.9	4.6	0.22	0.2				
and	240.8	243.8	3.0	0.58	0.2				
LBP031 (062, -48)	76.2	83.8	7.6	0.28	0.2	294.1	Discovery 1 Zone		31.7
and	96.0	108.2	12.2	0.26	0.2				
and	109.7	115.8	6.1	0.21	0.2				
and	120.4	131.1	10.7	0.65	0.2				
and including	128.0	129.5	1.5	1.85	1				
and	141.7	167.6	25.9	0.33	0.2				
and	178.3	181.4	3.0	0.33	0.2				
and	211.8	216.4	4.6	0.56	0.2				
and	233.2	245.4	12.2	0.38	0.2				
and	251.5	256.0	4.6	0.33	0.2				
LBP032 (065, -80)	24.4	42.7	18.3	0.33	0.2	288.0	Discovery 1 Zone		31.7
and	62.5	76.2	13.7	0.75	0.2				
including	70.1	71.6	1.5	1.05	1				
and	221.0	243.8	22.9	0.63	0.2				
including	224.0	227.1	3.0	1.86	1				
and	265.2	269.7	4.6	0.22	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP033 (067, -52)</b>	41.1	53.3	12.2	0.34	0.2	291.1	<b>Discovery 1 Zone</b>		<b>26.1</b>
and	100.6	109.7	9.1	0.27	0.2				
and	164.6	170.7	6.1	0.35	0.2				
and	189.0	196.6	7.6	0.23	0.2				
and	<b>204.2</b>	<b>221.0</b>	<b>16.8</b>	<b>0.66</b>	<b>0.2</b>				
including	208.8	210.3	1.5	1.02	1				
including	217.9	221.0	3.0	1.26	1				
and	246.9	263.7	16.8	0.28	0.2				
<b>LBP034 (68, -46)</b>	45.7	71.6	25.9	0.35	0.2	374.9	<b>Discovery 1 Zone</b>	<b>67.9</b>	
and	102.1	106.7	4.6	0.37	0.2				
and	129.5	137.2	7.6	0.38	0.2				
and	<b>144.8</b>	<b>169.2</b>	<b>24.4</b>	<b>0.39</b>	<b>0.2</b>				
and	<b>245.4</b>	<b>266.7</b>	<b>21.3</b>	<b>1.11</b>	<b>0.2</b>				
including	<b>245.4</b>	<b>251.5</b>	<b>6.1</b>	<b>3.19</b>	<b>1</b>				
and	<b>294.1</b>	<b>301.8</b>	<b>7.6</b>	<b>1.80</b>	<b>0.2</b>				
including	<b>295.7</b>	<b>300.2</b>	<b>4.6</b>	<b>2.56</b>	<b>1</b>				
and	307.8	313.9	6.1	0.62	0.2				
and	327.7	335.3	7.6	0.46	0.2				
<b>LBP035 (100, -60)</b>	45.7	65.5	19.8	0.30	0.2	288.0	<b>Discovery 1 Zone</b>	<b>44.8</b>	
and	96.0	100.6	4.6	0.40	0.2				
and	128.0	131.1	3.0	0.46	0.2				
and	150.9	158.5	7.6	0.37	0.2				
and	<b>164.6</b>	<b>179.8</b>	<b>15.2</b>	<b>0.69</b>	<b>0.2</b>				
including	<b>175.3</b>	<b>178.3</b>	<b>3.0</b>	<b>1.94</b>	<b>1</b>				
and	<b>213.4</b>	<b>227.1</b>	<b>13.7</b>	<b>1.18</b>	<b>0.2</b>				
including	<b>221.0</b>	<b>225.6</b>	<b>4.6</b>	<b>2.68</b>	<b>1</b>				
and	239.3	246.9	7.6	0.31	0.2				
and	266.7	269.7	3.0	0.37	0.2				
and	278.9	281.9	3.0	0.89	0.2				
<b>LBP036 (64, -57)</b>	7.6	12.2	4.6	0.24	0.2	259.1	<b>Discovery 1 Zone</b>	<b>19.5</b>	
and	33.5	47.2	13.7	0.57					
and	56.4	61.0	4.6	0.29					
and	111.3	115.8	4.6	0.25					
and	126.5	131.1	4.6	0.23					
and	143.3	147.8	4.6	0.42					
and	160.0	164.6	4.6	0.25					
and	190.5	193.5	3.0	0.35					
and	204.2	207.3	3.0	0.25					
and	242.3	251.5	9.1	0.24					
<b>LBP037 (203, -65)</b>	41.1	53.3	12.2	0.26	0.2	257.6	Discovery 1 Zone	9.6	
and	73.2	85.3	12.2	0.28					
and	182.9	184.4	1.5	0.54					
and	198.1	204.2	6.1	0.35					
<b>LBP038 (0, -90)</b>	22.9	32.0	9.1	0.31	0.2	324.6	<b>Discovery 1 Zone</b>	<b>49.5</b>	
and	83.8	88.4	4.6	0.39					
and	<b>210.3</b>	<b>248.4</b>	<b>38.1</b>	<b>0.57</b>					
and	259.1	281.9	22.9	0.26					
and	<b>294.1</b>	<b>313.9</b>	<b>19.8</b>	<b>0.87</b>					
<b>LBP039 (255, -71)</b>	42.7	50.3	7.6	0.34	0.2	227.1	<b>Discovery 1 Zone</b>	<b>13.1</b>	
and	59.4	64.0	4.6	0.28					
and	111.3	114.3	3.0	1.13					
and	141.7	144.8	3.0	0.56					
and	146.3	150.9	4.6	0.20					
and	155.4	158.5	3.0	0.43					
and	187.5	192.0	4.6	0.40					
<b>LBP040 (142, -72)</b>	22.9	29.0	6.1	0.32	0.2	274.3	<b>Discovery 1 Zone</b>	<b>12.9</b>	
and	50.3	53.3	3.0	0.40					
and	54.9	61.0	6.1	0.22					
and	105.2	106.7	1.5	0.39					
and	147.8	149.4	1.5	0.34					
and	222.5	233.2	10.7	0.55					
and	239.3	242.3	3.0	0.24					
and	257.6	260.6	3.0	0.23					
<b>LBP041 (043, -80)</b>	0.0	1.5	1.5	0.35	0.2	211.8	<b>Discovery 1 Zone</b>	<b>18.1</b>	
and	56.4	57.9	1.5	0.55					
and	59.4	64.0	4.6	0.20					
and	67.1	106.7	39.6	0.36					
and	140.2	143.3	3.0	0.23					
and	147.8	150.9	3.0	0.22					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP042 (094, -58)</b>	32.0	51.8	19.8	0.39	0.2	300.2	<b>Discovery 1 Zone</b>		<b>53.3</b>	
and	56.4	59.4	3.0	0.24						
and	71.6	74.7	3.0	0.42						
and	102.1	109.7	7.6	0.62						
and	121.9	125.0	3.0	0.21						
and	126.5	129.5	3.0	0.37						
and	227.1	233.2	6.1	0.36						
and	240.8	263.7	22.9	1.53						
<b>including</b>	<b>242.3</b>	<b>259.1</b>	<b>16.8</b>	<b>1.88</b>	1					
<b>LBP043 (102, -66)</b>	10.7	21.3	10.7	0.45	0.2	266.7	<b>Discovery 2 Zone</b>	*Interval grades revised due to laboratory error on one sample and reissue of certificate	<b>317.7</b>	
and	27.4	36.6	9.1	0.39						
and	83.8	89.9	6.1	0.54						
and	140.2	150.9	10.7	1.52						
<b>including</b>	<b>143.3</b>	<b>149.4</b>	<b>6.1</b>	<b>2.25</b>						1
and	158.5	167.6	9.1	4.92*						0.2
<b>including</b>	<b>160.0</b>	<b>166.1</b>	<b>6.1</b>	<b>7.22*</b>						1
<b>and including</b>	<b>161.5</b>	<b>166.1</b>	<b>4.6</b>	<b>9.03*</b>						5
and	208.8	262.1	53.3	4.39						0.2
<b>including</b>	<b>214.9</b>	<b>253.0</b>	<b>38.1</b>	<b>5.76</b>						1
<b>and including</b>	<b>221.0</b>	<b>233.2</b>	<b>12.2</b>	<b>12.05</b>						5
<b>and including</b>	<b>240.8</b>	<b>245.4</b>	<b>4.6</b>	<b>7.21</b>	5					
<b>including</b>	<b>254.5</b>	<b>257.6</b>	<b>3.0</b>	<b>2.69</b>	1					
<b>LBP044 (107, -72)</b>	32.0	38.1	6.1	0.29	0.2	269.7	<b>Discovery 2 Zone</b>	Hole Lost in Mineralization	<b>87.2</b>	
and	45.7	54.9	9.1	0.32						
and	56.4	62.5	6.1	0.20						
and	76.2	80.8	4.6	0.31						
and	112.8	117.3	4.6	0.45						
and	192.0	211.8	19.8	1.43						
<b>including</b>	<b>201.2</b>	<b>208.8</b>	<b>7.6</b>	<b>3.33</b>						1
<b>and including</b>	<b>204.2</b>	<b>205.7</b>	<b>1.5</b>	<b>5.14</b>						5
and	234.7	237.7	3.0	0.31						0.2
and	253.0	269.7	16.8	2.90						0.2
<b>including</b>	<b>254.5</b>	<b>265.2</b>	<b>10.7</b>	<b>3.94</b>						1
<b>and including</b>	<b>259.1</b>	<b>262.1</b>	<b>3.0</b>	<b>6.88</b>	5					
<b>LBP045 (022, -66)</b>	0.0	25.9	25.9	0.43	0.2	230.1	<b>Discovery 2 Zone</b>		<b>55.8</b>	
and	32.0	54.9	22.9	0.58						
<b>including</b>	<b>36.6</b>	<b>42.7</b>	<b>6.1</b>	<b>1.36</b>	1					
and	56.4	64.0	7.6	0.74	0.2					
<b>including</b>	<b>59.4</b>	<b>61.0</b>	<b>1.5</b>	<b>1.27</b>	1					
and	89.9	102.1	12.2	0.33	0.2					
and	137.2	147.8	10.7	0.30						
and	167.6	173.7	6.1	0.62						
and	179.8	192.0	12.2	1.22						
<b>including</b>	<b>184.4</b>	<b>187.5</b>	<b>3.0</b>	<b>3.97</b>	1					
<b>and including</b>	<b>185.9</b>	<b>187.5</b>	<b>1.5</b>	<b>6.87</b>	5					
<b>LBP046 (049, -70)</b>	79.2	100.6	21.3	0.27	0.2	243.8		off-trend	<b>7.6</b>	
and	196.6	202.7	6.1	0.29						
<b>LBP047 (072, -62)</b>	79.2	82.3	3.0	0.22	0.2	227.1	<b>Discovery 2 Zone</b>		<b>20.9</b>	
and	88.4	100.6	12.2	0.31						
and	102.1	105.2	3.0	0.21						
and	106.7	108.2	1.5	0.35						
and	132.6	138.7	6.1	0.44						
<b>including</b>	<b>132.6</b>	<b>134.1</b>	<b>1.5</b>	<b>1.10</b>						1
and	166.1	170.7	4.6	1.13						0.2
<b>including</b>	<b>167.6</b>	<b>170.7</b>	<b>3.0</b>	<b>1.39</b>						1
and	178.3	181.4	3.0	0.66						0.2
and	201.2	208.8	7.6	0.70						
<b>LBP048 (061, -63)</b>	0.0	21.3	21.3	0.34	0.2	251.5	<b>Discovery 2 Zone</b>		<b>90.3</b>	
and	25.9	45.7	19.8	0.33						
and	56.4	64.0	7.6	0.26						
and	79.2	89.9	10.7	0.38						
and	111.3	114.3	3.0	0.21						
and	173.7	204.2	30.5	0.78						
<b>including</b>	<b>195.1</b>	<b>196.6</b>	<b>1.5</b>	<b>1.13</b>						1
<b>including</b>	<b>198.1</b>	<b>202.7</b>	<b>4.6</b>	<b>2.91</b>						1
and	208.8	248.4	39.6	1.16						0.2
<b>including</b>	<b>210.3</b>	<b>213.4</b>	<b>3.0</b>	<b>1.95</b>						1
<b>including</b>	<b>225.6</b>	<b>243.8</b>	<b>18.3</b>	<b>1.82</b>	1					
<b>LBP049 (088, -55)</b>	100.6	120.4	19.8	0.34	0.2	269.7	<b>Discovery 2 Zone</b>		<b>16.4</b>	
and	126.5	129.5	3.0	0.24						
and	160.0	166.1	6.1	0.68						
and	173.7	176.8	3.0	0.60						
and	184.4	190.5	6.1	0.48						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP050 (064, -67)</b>	35.1	54.9	19.8	0.32	0.2	272.8	<b>Discovery 2 Zone</b>	Hole stopped short of potential lower target interval	<b>44.7</b>	
and	61.0	68.6	7.6	0.35						
and	74.7	80.8	6.1	0.21						
and	83.8	91.4	7.6	0.39						
and	138.7	141.7	3.0	0.23						
and	205.7	213.4	7.6	0.28						
and	<b>230.1</b>	<b>242.3</b>	<b>12.2</b>	<b>2.34</b>						
including	<b>233.2</b>	<b>240.8</b>	<b>7.6</b>	<b>3.42</b>	1					
<b>LBP051 (187, -66)</b>	1.5	9.1	7.6	0.21	0.2	205.7	<b>Discovery 2 Zone</b>		<b>107.1</b>	
and	77.7	80.8	3.0	0.24						
and	<b>131.1</b>	<b>172.2</b>	<b>41.1</b>	<b>2.51</b>						
including	<b>137.2</b>	<b>144.8</b>	<b>7.6</b>	<b>6.69</b>						1
and including	<b>137.2</b>	<b>141.7</b>	<b>4.6</b>	<b>9.11</b>						5
including	146.3	147.8	1.5	1.07						1
including	<b>149.4</b>	<b>157.0</b>	<b>7.6</b>	<b>4.85</b>						1
and including	<b>152.4</b>	<b>155.4</b>	<b>3.0</b>	<b>8.52</b>						5
including	164.6	166.1	1.5	1.06						1
including	169.2	172.2	3.0	1.14	1					
and	202.7	205.7	3.0	0.42	0.2					
<b>LBP052 (35, -62)</b>	22.9	29.0	6.1	0.64	0.2	342.9	<b>Discovery 2 Zone</b>		<b>64.9</b>	
and	50.3	53.3	3.0	0.39						
and	<b>74.7</b>	<b>96.0</b>	<b>21.3</b>	<b>0.61</b>						
and	102.1	126.5	24.4	0.34						
and	202.7	231.6	29.0	0.28						
and	<b>269.7</b>	<b>309.4</b>	<b>39.6</b>	<b>0.77</b>						
<b>LBP053 (45, -67)</b>	4.6	7.6	3.0	0.25	0.2	257.6	Discovery 2 Zone		7.0	
and	100.6	105.2	4.6	0.59						
and	132.6	135.6	3.0	0.27						
and	233.2	239.3	6.1	0.28						
and	243.8	248.4	4.6	0.22						
<b>LBP054 (52, -66)</b>	<b>39.6</b>	<b>68.6</b>	<b>29.0</b>	<b>0.31</b>	0.2	379.5	<b>Discovery 2 Zone</b>		<b>114.9</b>	
and	70.1	74.7	4.6	0.20						
and	79.2	91.4	12.2	0.23						
and	93.0	96.0	3.0	0.25						
and	150.9	153.9	3.0	0.33						
and	166.1	170.7	4.6	0.21						
and	172.2	176.8	4.6	0.31						
and	207.3	214.9	7.6	0.27						
and	222.5	225.6	3.0	0.33						
and	<b>248.4</b>	<b>349.0</b>	<b>100.6</b>	<b>0.94</b>						
including	<b>253.0</b>	<b>268.2</b>	<b>15.2</b>	<b>1.65</b>						1
and including	<b>335.3</b>	<b>345.9</b>	<b>10.7</b>	<b>2.33</b>						1
<b>LBP055 (88, -68)</b>	4.6	36.6	32.0	0.47						0.2
and	57.9	62.5	4.6	0.46						
and	<b>71.6</b>	<b>99.1</b>	<b>27.4</b>	<b>0.53</b>						
and	<b>166.1</b>	<b>179.8</b>	<b>13.7</b>	<b>1.21</b>						
and	<b>192</b>	<b>265.2</b>	<b>73.2</b>	<b>1.02</b>						
including	<b>192</b>	<b>208.8</b>	<b>16.8</b>	<b>2.39</b>	1					
<b>LBP056 (245, -80)</b>	27.4	33.5	6.1	0.24	0.2	285.0	<b>Discovery 2 Zone</b>	hole ended in grade	<b>93.8</b>	
and	79.2	82.3	3.0	0.35						
and	89.9	99.1	9.1	0.28						
and	120.4	123.4	3.0	0.47						
and	<b>199.6</b>	<b>225.6</b>	<b>25.9</b>	<b>0.48</b>						
and	<b>231.6</b>	<b>271.3</b>	<b>39.6</b>	<b>1.89</b>						
including	<b>231.6</b>	<b>245.4</b>	<b>13.7</b>	<b>4.58</b>						1
and	281.9	285.0	3.0	0.29						0.2
<b>LPB057 (105, -74)</b>	<b>0.0</b>	<b>38.1</b>	<b>38.1</b>	<b>0.40</b>	0.2	266.7	<b>Discovery 2 Zone</b>		<b>71.8</b>	
and	56.4	59.4	3.0	0.43						
and	68.6	74.7	6.1	0.47						
and	<b>173.7</b>	<b>239.3</b>	<b>65.5</b>	<b>0.77</b>						
including	<b>179.8</b>	<b>195.1</b>	<b>15.2</b>	<b>1.68</b>						1
and	248.4	253.0	4.6	0.35						0.2
<b>LBP058 (10, -75)</b>	89.9	111.3	21.3	0.46	0.2	324.6	<b>Discovery 2 Zone</b>		<b>71.2</b>	
and	120.4	131.1	10.7	0.48						
and	224.0	239.3	15.2	0.62						
and	<b>251.5</b>	<b>291.1</b>	<b>39.6</b>	<b>1.18</b>						
including	<b>283.5</b>	<b>288.0</b>	<b>4.6</b>	<b>3.00</b>						1
<b>LBP059 (110, -58)</b>	0.0	16.8	16.8	0.34	0.2	236.2	<b>Discovery 2 Zone</b>		<b>64.3</b>	
and	25.9	35.1	9.1	0.44						
and	147.8	160.0	12.2	0.41						
and	170.7	202.7	32.0	0.38						
and	<b>208.8</b>	<b>233.2</b>	<b>24.4</b>	<b>1.53</b>						
including	<b>210.3</b>	<b>219.5</b>	<b>9.1</b>	<b>3.28</b>						1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP060 (180, -70)	68.6	80.8	12.2	0.26	0.2	318.6	Discovery 2 Zone		30.5
and	86.9	97.5	10.7	0.33					
and	103.6	115.8	12.2	0.37					
and	121.9	128.0	6.1	0.35					
and	216.4	248.4	32.0	0.54					
LBP061 (173, -66)	0.0	13.7	13.7	0.38	0.2	221.0	Discovery 2 Zone		10.2
and	51.8	59.4	7.6	0.21					
and	73.2	77.7	4.6	0.55					
and	102.1	105.2	3.0	0.28					
LBP062 (150, -72)	76.2	85.3	9.1	0.40	0.2	221.0	Discovery 2 Zone	poor recovery between reportable intervals	152.7
and	109.7	118.9	9.1	1.12					
and	129.5	173.7	44.2	3.14					
including	135.6	152.4	16.8	6.53					
and including	140.2	147.83	7.6	11.3					
LBP063 (350, -73)	4.6	6.1	1.5	0.40	0.2	233.2	Discovery 2 Zone		63.1
and	82.3	125.0	42.7	0.39					
and	138.7	143.3	4.6	0.28					
and	155.4	160.0	4.6	0.38					
and	161.5	167.6	6.1	0.20					
and	213.4	222.5	9.1	4.56					
including	214.9	219.5	4.6	7.32					
LBP064 (110, -70)	77.7	80.8	3.0	0.46	0.2	227.1	Discovery Zone 2	Poor recovery at base of intercept	217.8
and	93.0	105.2	12.2	0.35					
and	112.8	175.3	62.5	3.40					
including	141.7	175.3	33.5	5.01					
and including	146.3	167.6	21.3	6.2					
LBP065 (45, -65)	71.6	74.7	3.0	0.42	0.2	304.8	Discovery Zone 2		36.8
and	80.8	86.9	6.1	0.33					
and	94.5	112.8	18.3	0.29					
and	121.9	149.4	27.4	0.37					
and	163.1	169.2	6.1	0.27					
and	210.3	213.4	3.0	1.85					
and	242.3	253.0	10.7	0.79					
including	245.4	249.9	4.6	1.20					
and	259.1	268.2	9.1	0.26					
LBP066 (86, -60)	4.6	7.6	3.0	0.29	0.2	243.8	Discovery Zone 2	Hole ended in grade	100.2
and	12.2	15.2	3.0	0.45					
and	96.0	111.3	15.2	0.29					
and	131.1	146.3	15.2	0.46					
and	164.6	167.6	3.0	1.94					
and	173.7	243.8	70.1	1.15					
including	175.3	190.5	15.2	2.92					
and including	181.4	182.9	1.5	14.65					
LBP067C (104, -66)	11.6	34.6	23.0	0.38	0.2	273.7	Discovery 1 Zone		185.2
and	78.6	81.7	3.0	1.03					
and	170.9	185.2	14.2	0.70					
and	188.7	244.5	55.9	2.92					
including	195.1	217.2	22.1	5.64					
and including	203.9	211.2	7.3	12.39					
LBP068 (360, -75)	74.7	89.9	15.2	0.26	0.2	318.5	Discovery Zone 2		105.5
and	96.0	143.3	47.2	0.41					
and	172.2	184.4	12.2	0.78					
and	228.6	249.9	21.3	2.38					
including	237.7	246.9	9.1	4.89					
and including	239.3	245.4	6.1	5.93					
and	266.7	301.8	35.1	0.63					
LBP069 (74, -78)	12.2	16.8	4.6	0.33	0.2	303.3	Discovery Zone 2		149.6
	22.9	25.9	3.0	0.34					
	70.1	86.9	16.8	0.32					
	160.0	217.9	57.9	1.52					
including	173.7	182.9	9.1	7.42					
and including	176.8	181.4	4.6	12.2					
	219.5	228.6	9.1	2.91					
including	219.5	224.0	4.6	5.38					
	271.3	285.0	13.7	1.96					
including	271.3	281.9	10.7	2.30					
LBP070 (165, -74)	57.9	61.0	3.0	0.33	0.2	306.3	Discovery Zone 2		14.8
and	77.7	91.4	13.7	0.24					
and	109.7	131.1	21.3	0.31					
and	158.5	160.0	1.5	0.57					
and	178.3	184.4	6.1	0.32					
and	230.1	233.2	3.0	0.37					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP071 (355, -73)	7.6	22.9	15.2	0.38	0.2	251.5	Discovery Zone 2		50.5	
and	25.9	36.6	10.7	0.39						
and	71.6	79.2	7.6	0.42						
and	120.4	132.6	12.2	1.07						
and	152.4	153.9	1.5	1.32						
and	160.0	172.2	12.2	0.82						
and	193.5	198.1	4.6	0.24						
and	199.6	204.2	4.6	1.62						
including	199.6	202.7	3.0	2.21						1
and	230.1	239.3	9.1	0.41						0.2
LBP072 (70, -75)	22.9	38.1	15.2	0.47	0.2	306.3	Discovery Zone 2		62.0	
and	57.9	94.5	36.6	0.62						
and	100.6	106.7	6.1	0.24						
and	111.3	118.9	7.6	0.28						
and	128.0	132.6	4.6	0.52						
and	147.8	150.9	3.0	0.26						
and	189.0	192.0	3.0	0.27						
and	199.6	202.7	3.0	0.34						
and	208.8	211.8	3.0	0.28						
and	222.5	225.6	3.0	0.24						
and	234.7	237.7	3.0	0.33						
and	277.4	288.0	10.7	1.96						
including	278.9	281.9	3.0	5.45						1
LBP073C (144, -81)	43.9	50.4	6.5	0.28	0.2	212.8	Discovery Zone 1		50.4	
and	70.0	79.9	9.9	0.25						
and	94.1	100.4	6.4	0.34						
and	165.5	168.3	2.8	0.50						
and	183.5	206.7	23.2	1.84						
including	185.6	199.3	13.7	2.79						1
LBP074 (50, -78)	76.2	89.9	13.7	0.35	0.2	306.3	Discovery Zone 2		16.0	
and	118.9	126.5	7.6	0.24						
and	132.6	135.6	3.0	0.32						
and	227.1	233.2	6.1	1.01						
and	243.8	246.9	3.0	0.74						
LBP075 (80, -60)	0.0	16.8	16.8	0.29	0.2	242.3	Discovery Zone 2		11.2	
and	29.0	32.0	3.0	0.87						
and	205.7	210.3	4.6	0.66						
LBP076 (245, -70)	0.0	7.6	7.6	0.33	0.2	211.8	Discovery Zone 2		12.0	
and	117.3	118.9	1.5	0.51						
and	128.0	134.1	6.1	1.07						
and	155.4	161.5	6.1	0.35						
LBP077 (0, -70)	7.6	12.2	4.6	0.26	0.2	274.3	Discovery Zone 2		34.3	
and	59.4	67.1	7.6	0.25						
and	125.0	129.5	4.6	0.29						
and	167.6	181.4	13.7	0.90						
and	187.5	190.5	3.0	2.34						
and	202.7	216.4	13.7	0.67						
LBP078C (48, -52)	3.7	15.2	11.6	0.83	0.2	194.2	Discovery Zone 1		55.7	
and	22.4	41.8	19.3	0.43						
and	178.6	194.2	15.5	2.43						
including	186.5	192.6	6.1	5.56						1
and including	188.1	191.1	3.0	8.10						5
LBP079 (350, -58)	4.6	16.8	12.2	0.34	0.2	243.8	Discovery Zone 2		21.8	
and	68.6	71.6	3.0	0.32						
and	132.6	143.3	10.7	0.30						
and	166.1	175.3	9.1	0.48						
and	211.8	224.0	12.2	0.60						
LBP080 (345, -83)	10.7	12.2	1.5	1.01	0.2	179.8	Discovery Zone 2		2.3	
and	108.2	109.7	1.5	0.50						
LBP081 (025, -62)	12.2	18.3	6.1	0.35	0.2	275.8	SE step-out on Discovery 2		51.9	
and	19.8	32.0	12.2	0.23						
and	57.9	62.5	4.6	0.27						
and	68.6	76.2	7.6	0.31						
and	111.3	114.3	3.0	0.40						
and	140.2	144.8	4.6	0.23						
and	195.1	208.8	13.7	1.09						
including	202.7	207.3	4.6	2.44						1
and	214.9	230.1	15.2	0.88						0.2
including	214.9	224.0	9.1	1.17						1
and	237.7	246.9	9.1	1.39						0.2
including	240.8	245.4	4.6	2.27	1					



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP082C (15, -82)	24.8	38.1	13.3	0.34	0.2	264.6	Discovery Zone 1		42.4
and	55.5	57.0	1.5	0.77					
and	65.8	82.5	16.7	0.30	0.2	264.6	Discovery Zone 1		42.4
and	183.8	189.7	5.9	0.24					
and	196.8	216.6	19.7	0.70	1	264.6	Discovery Zone 1		42.4
including	200.6	205.1	4.6	1.50					
and	231.0	235.6	4.6	0.25	0.2	264.6	Discovery Zone 1		42.4
and	240.2	264.6	24.4	0.63					
including	251.2	253.9	2.7	1.35	1	264.6	Discovery Zone 1		42.4
LBP083 (100, -69)	54.9	59.4	4.6	0.24	0.2	178.3	Discovery Zone		7.9
and	74.7	77.7	3.0	0.40					
and	94.5	96.0	1.5	0.61	0.2	178.3	Discovery Zone		7.9
and	102.1	112.8	10.7	0.43					
LBP084 (110, -70)	7.6	9.1	1.5	0.42	0.2	257.6	SE step-out Discovery 2		36.5
and	15.2	22.9	7.6	0.45					
and	76.2	79.2	3.0	0.34	0.2	257.6	SE step-out Discovery 2		36.5
and	102.1	103.6	1.5	0.99					
and	155.4	173.7	18.3	0.66	0.2	257.6	SE step-out Discovery 2		36.5
and	184.4	199.6	15.2	0.38					
and	214.9	219.5	4.6	0.69	0.2	257.6	SE step-out Discovery 2		36.5
and	227.1	236.2	9.1	0.96					
LBP085 (65, -82)	4.6	38.1	33.5	0.42	0.2	257.6	Discovery Zone 2		79.7
and	51.8	68.6	16.8	0.70					
and	143.3	184.4	41.1	1.31	1	257.6	Discovery Zone 2		79.7
including	172.2	182.9	10.7	2.22					
LBP086 (270, -65)	18.3	22.9	4.6	0.30	0.2	257.6	Discovery Zone 1		47.3
and	61.0	64.0	3.0	0.23					
and	74.7	77.7	3.0	0.28	0.2	257.6	Discovery Zone 1		47.3
and	106.7	128.0	21.3	0.26					
and	149.4	160.0	10.7	0.74	0.2	257.6	Discovery Zone 1		47.3
and	178.3	192.0	13.7	2.25					
including	181.4	185.9	4.6	5.49	1	257.6	Discovery Zone 1		47.3
LBP087C (120, -80)	15.2	22.2	6.9	0.23	0.2	186.5	Discovery Zone 1		42.2
and	34.4	36.9	2.4	0.40					
and	84.7	87.8	3.0	0.37	0.2	186.5	Discovery Zone 1		42.2
and	100.0	103.8	3.8	0.49					
and	142.2	171.3	29.1	1.26	1	186.5	Discovery Zone 1		42.2
including	162.5	171.3	8.8	1.77					
LBP088 (75, -73)	30.5	41.1	10.7	0.34	0.2	327.7	Discovery Zone 2		150.2
and	48.8	56.4	7.6	0.24					
and	57.9	62.5	4.6	0.43	0.2	327.7	Discovery Zone 2		150.2
and	73.2	79.2	6.1	0.37					
and	88.4	93.0	4.6	0.43	0.2	327.7	Discovery Zone 2		150.2
and	120.4	137.2	16.8	0.29					
and	210.3	214.9	4.6	0.45	0.2	327.7	Discovery Zone 2		150.2
and	237.7	239.3	1.5	2.21					
and	257.6	318.5	61.0	2.10	1	327.7	Discovery Zone 2		150.2
including	257.6	268.2	10.7	6.33					
and including	257.6	260.6	3.0	16.2	5	327.7	Discovery Zone 2		150.2
LBP089 (155, -75)	3.0	27.4	24.4	0.41	0.2	260.6	Discovery Zone 2		50.3
and	41.1	79.2	38.1	0.86					
incl	59.4	70.1	10.7	2.20	1	260.6	Discovery Zone 2		50.3
and	160.0	178.3	18.3	0.40					
LBP090 (35, -80)	39.6	48.8	9.1	0.31	2	312.4	Discovery Zone 1		63.8
and	175.3	216.4	41.1	0.56					
and	222.5	259.1	36.6	1.03	1	312.4	Discovery Zone 1		63.8
including	222.5	228.6	6.1	4.25					
LBP091 (260, -81)	4.6	25.9	21.3	0.56	0.2	243.8	Discovery Zone 2		65.4
and	32.0	45.7	13.7	0.32					
and	141.7	163.1	21.3	2.22	1	243.8	Discovery Zone 2		65.4
including	144.8	161.5	16.8	2.70					
and	181.4	182.9	1.5	1.22	0.2	243.8	Discovery Zone 2		65.4
LBP092 (205, -80)	25.9	33.5	7.6	0.24	0.2	295.7	Discovery Zone 2		44.4
and	61.0	106.7	45.7	0.66					
and	190.5	195.1	4.6	0.25	0.2	295.7	Discovery Zone 2		44.4
and	201.2	208.8	7.6	0.79					
and	234.7	243.8	9.1	0.41	0.2	295.7	Discovery Zone 2		44.4
and	253.0	257.6	4.6	0.33					
LBP093C (0, -90)	21.8	25.3	3.5	0.41	0.2	119.8	Rangefront Target	Hole ended in grade	31.4
and	26.8	32.8	5.9	0.23					
and	46.2	101.5	55.3	0.49	1	119.8	Rangefront Target	Hole ended in grade	31.4
incl	93.2	96.9	3.7	1.80					
and	113.7	119.8	6.1	0.28	0.2	119.8	Rangefront Target	Hole ended in grade	31.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP094 (115, -68)	6.1	29.0	22.9	0.43	0.2	304.8	Discovery Zone 2		58.7
and	79.2	83.8	4.6	0.57					
and	115.8	131.1	15.2	0.34					
and	147.8	150.9	3.0	0.41					
and	160.0	161.5	1.5	0.69					
and	189.0	224.0	35.1	0.92					
including	207.3	213.4	6.1	3.58					
and	242.3	249.9	7.6	0.24					
and	256.0	265.2	9.1	0.26					
and	275.8	285.0	9.1	0.28					
LBP095 (260, -82)	33.5	47.2	13.7	0.27	0.2	285.0	Discovery Zone 2		130.7
and	70.1	80.8	10.7	0.30					
and	88.4	94.5	6.1	0.28					
and	157.0	201.2	44.2	1.14					
including	193.5	196.6	3.0	1.77					
and	217.9	240.8	22.9	2.83					
including	219.5	234.7	15.2	4.03					
and including	227.1	231.6	4.6	5.99					
and	257.6	269.7	12.2	0.57					
LBP096 (160, -70)	4.6	12.2	7.6	0.38	0.2	274.3	Discovery Zone 2		88.5
and	21.3	25.9	4.6	0.25					
and	167.6	170.7	3.0	0.94					
and	178.3	216.4	38.1	0.72					
including	211.8	214.9	3.0	1.18					
and	227.1	256.0	29.0	1.87					
including	228.6	239.3	10.7	4.41					
and including	230.1	233.2	3.0	7.95					
LBP097 (45, -75)	3.0	7.6	4.6	0.23	0.2	213.4	Discovery Zone 2		38.2
and	21.3	29.0	7.6	0.22					
and	77.7	80.8	3.0	0.24					
and	105.2	108.2	3.0	0.27					
and	137.2	167.6	30.5	1.05					
including	147.8	160.0	12.2	1.86					
and	193.5	196.6	3.0	0.63					
and				0.2					
LBP098 (295, -62)	16.8	21.3	4.6	0.29	0.2	227.1	South Discovery Zone 1		15.5
and	105.2	115.8	10.7	0.45					
and	123.4	126.5	3.0	0.50					
and	137.2	144.8	7.6	0.56					
and	150.9	158.5	7.6	0.46					
LBP099 (205, -75)	12.2	15.2	3.0	0.23	0.2	239.3	Sourth step out on Discovery 1		18.2
and	96.0	102.1	6.1	0.46					
and	152.4	157.0	4.6	0.36					
and	166.1	170.7	4.6	0.33					
and	179.8	184.4	4.6	0.70					
and	196.6	205.7	9.1	0.91					
including	198.1	204.2	6.1	1.21					
LBP100 (280, -60)	68.6	96.0	27.4	0.41	0.2	251.5	Ridge SW of Discovery 1		11.2
LBP101 (340, -70)	24.4	27.4	3.0	0.29	0.2	239.3	SE of Discovery 2		8.1
and	29.0	33.5	4.6	0.21					
and	132.6	141.7	9.1	0.35					
and	214.9	224.0	9.1	0.33					
LBP102 (205, -50)	100.6	132.6	32.0	0.31	0.2	263.7	Ridge SW of Discovery 1		17.1
and	190.5	196.6	6.1	0.21					
and	214.9	217.9	3.0	0.56					
and	236.2	253.0	16.8	0.25					
LBP103 (295, -62)	79.2	82.3	3.0	0.23	0.2	280.4	SE step-out on Discovery 2		17.1
and	153.9	158.5	4.6	0.38					
and	187.5	192.0	4.6	2.72					
incl	187.5	190.5	3.0	3.90					
and	199.6	204.2	4.6	0.34					
and	275.8	277.4	1.5	0.41					
LBP104 (115, -50)	65.5	77.7	12.2	0.30	0.2	385.6	Ridge E of A Pit		7.3
and	88.4	91.4	3.0	0.41					
and	272.8	283.5	10.7	0.22					
LBP105 (220, -70)	9.1	12.2	3.0	0.39	0.2	248.4	Ridge SW of Discovery 1		2.9
and	77.7	82.3	4.6	0.38					
LBP106 (250, -70)	157.0	161.5	4.6	0.30	0.2	274.3	SE step-out on Discovery 2		6.7
and	167.6	172.2	4.6	0.23					
and	201.2	202.7	1.5	0.53					
and	222.5	228.6	6.1	0.36					
and	245.4	248.4	3.0	0.43					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP107 (90, -83)	41.1	54.9	13.7	0.38	0.2	312.4	D-2 Infill		49.0
and	61.0	77.7	16.8	0.23					
and	89.9	93.0	3.0	0.42					
and	196.6	207.3	10.7	0.53					
and	239.3	253.0	13.7	0.96					
and	262.1	283.5	21.3	0.92					
incl	268.2	274.3	6.1	2.17	1				
LBP108 (85, -65)	6.1	13.7	7.6	0.40	0.2	221.0	Trough Target (D-2 South)		15.9
and	53.3	59.4	6.1	0.25					
and	137.2	141.7	4.6	1.18					
and	184.4	193.5	9.1	0.50					
and	208.8	211.8	3.0	0.45					
LBP109 (235, -71)	32.0	47.2	15.2	0.26	0.2	324.6	D-2 Infill		51.6
and	53.3	61.0	7.6	0.33					
and	77.7	80.8	3.0	0.34					
and	125.0	129.5	4.6	0.24					
and	169.2	175.3	6.1	0.65					
and	196.6	221.0	24.4	0.58					
incl	214.9	219.5	4.6	1.24					
and	234.7	240.8	6.1	0.35					
and	249.9	265.2	15.2	0.66					
and	297.2	301.8	4.6	1.41					
and	307.8	312.4	4.6	1.32					
LBP110 (70, -50)	3.0	6.1	3.0	0.38	0.2	251.5	Trough Target (D-2 South)		30.4
and	16.8	22.9	6.1	0.25					
and	120.4	134.1	13.7	0.68					
and	152.4	175.3	22.9	0.80					
LBP111 (93, -65)	38.1	42.7	4.6	0.30	0.2	342.9	D-1 to D-2 Transition		85.7
and	68.6	97.5	29.0	0.45					
and	179.8	201.2	21.3	1.27					
and	237.7	245.4	7.6	0.94					
and	265.2	285.0	19.8	0.74					
incl	271.3	275.8	4.6	1.52					
and	318.5	324.6	6.1	2.17					
and	330.7	333.8	3.0	3.05					
LBP112 (270, -47)	No Significant Results					257.6	Ravine Target		
LBP113 (120, -75)	10.7	19.8	9.1	0.43	0.2	330.7	D-1 to D-2 Transition		42.5
and	35.1	47.2	12.2	0.32					
and	64.0	77.7	13.7	0.39					
and	94.5	109.7	15.2	0.58					
and	121.9	125.0	3.0	0.47					
and	137.2	141.7	4.6	0.23					
and	172.2	176.8	4.6	0.40					
and	202.7	207.3	4.6	0.76					
and	243.8	253.0	9.1	1.12					
and	315.5	320.0	4.6	0.50					
LBP114 (240, -55)	153.9	158.5	4.6	0.70	0.2	233.2	Trough Target (D-2 South)		12.3
and	202.7	214.9	12.2	0.75					
LBP115 (300, -80)	27.4	82.3	54.9	0.32	0.2	361.2	D-1 Step Out		68.2
and	144.8	160.0	15.2	0.24					
and	204.2	263.7	59.4	0.65					
incl	259.1	262.1	3.0	2.21					
and	271.3	285.0	13.7	0.62					
LBP116 (150, -55)	No Significant Results					294.1	SE of A Pit		
LBP117 (145, -60)	No Significant Results					361.2	Discovery 1 to E pit deep test		
LBP118 (295, -50)	109.7	114.3	4.6	0.38	0.2	175.3	Trough Target		1.7
LBP119 (215, -55)	178.3	181.4	3.0	0.46	0.2	342.9	Discovery 1 to E pit deep test		1.4
LBP120 (200, -45)	No Significant Results					281.9	Trough Target		
LBP121 (290, -65)	271.3	274.3	3.0	0.44	0.2	295.7	Discovery 1 to E pit deep test		1.3
LBP122 (165, -65)	No Significant Results					349.0			
LBP123 (145, -60)	56.4	61.0	4.6	0.41	0.2	349.0		Good alteration and most assay intervals above detection	4.1
and	86.9	93.0	6.1	0.36					
LBP124 (250, -65)	6.1	13.7	7.6	0.24	0.2	208.8	B Pit to Tallman Pit (D-1 SE extension)		21.9
and	6.1	13.7	7.62	0.24					
and	51.8	61.0	9.1	0.36					
and	85.3	123.4	38.1	0.39					
LBP125 (200, -55)	335.3	345.9	10.7	1.07	0.2	365.8		Hole ended in mineralization	16.6
and	355.1	365.8	10.7	0.48					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP126 (150, -65)</b>	18.3	21.3	3.0	0.34	0.2	208.8	<b>B Pit to Tallman Pit (D-1 SE extension)</b>		<b>30.0</b>
and	44.2	61.0	16.8	0.27					
and	70.1	83.8	13.7	0.44					
and	125.0	129.5	4.6	0.22					
and	<b>131.1</b>	<b>160.0</b>	<b>29.0</b>	<b>0.54</b>					
incl.	<b>150.9</b>	<b>153.9</b>	<b>3.0</b>	<b>1.54</b>					
and	163.1	170.7	7.6	0.24					
<b>LBP127 (60, -58)</b>	89.9	93.0	3.0	0.36	0.2	294.1	<b>D-3</b>	Hole lost; last five assay intervals return > 2 g/t Au; no recovery in some of the lower interval (assigned 0 grade)	<b>109.5</b>
and	128.0	132.6	4.6	0.54					
and	155.4	158.5	3.0	0.57					
and	187.5	201.2	13.7	0.28					
and	<b>224.0</b>	<b>257.6</b>	<b>33.5</b>	<b>1.98</b>					
incl	<b>239.3</b>	<b>254.5</b>	<b>15.2</b>	<b>3.93</b>					
and	<b>263.7</b>	<b>294.1</b>	<b>30.5</b>	<b>1.11</b>					
incl	<b>286.5</b>	<b>294.1</b>	<b>7.6</b>	<b>2.39</b>					
<b>LBP128 (90, -65)</b>	3.0	7.6	4.6	0.29	0.2	213.4	<b>B Pit to Tallman Pit (D-1 SE extension)</b>		<b>18.7</b>
and	64.0	85.3	21.3	0.31					
and	155.4	173.7	18.3	0.59					
incl	164.6	169.2	4.6	1.42					
<b>LBP129 (15, -65)</b>	1.5	12.2	10.7	0.27	0.2	339.9	<b>D-3</b>		<b>69.2</b>
and	32.0	41.1	9.1	0.33					
and	65.5	80.8	15.2	0.41					
and	137.2	157.0	19.8	0.31					
and	<b>222.5</b>	<b>228.6</b>	<b>6.1</b>	<b>0.73</b>					
and	<b>240.8</b>	<b>269.7</b>	<b>29.0</b>	<b>1.60</b>					
incl	<b>243.8</b>	<b>263.7</b>	<b>19.8</b>	<b>2.09</b>					
<b>LBP130 (250, -80)</b>	51.8	73.2	21.3	0.82	0.2	196.6	<b>D-3</b>		<b>25.5</b>
and	74.7	83.8	9.1	0.22					
and	86.9	88.4	1.5	1.20					
and	114.3	117.3	3.0	0.36					
and	173.7	184.4	10.7	0.28					
<b>LBP131 (15, -80)</b>	1.5	4.6	3.0	0.76	0.2	373.4	<b>D-3</b>		<b>92.7</b>
and	19.8	24.4	4.6	0.36					
and	62.5	67.1	4.6	0.24					
and	73.2	77.7	4.6	0.32					
and	96.0	100.6	4.6	0.22					
and	102.1	115.8	13.7	0.25					
and	141.7	144.8	3.0	0.31					
and	<b>169.2</b>	<b>245.4</b>	<b>76.2</b>	<b>0.82</b>					
incl	<b>187.5</b>	<b>210.3</b>	<b>22.9</b>	<b>1.65</b>					
and	257.6	269.7	12.2	0.58					
and	275.8	288.0	12.2	0.77					
and	304.8	307.8	3.0	0.33					
<b>LBP132 (270, -55)</b>	76.2	89.9	13.7	1.27					
incl	77.7	86.9	9.1	1.68					
<b>LBP133 (270, -65)</b>	15.2	45.7	30.5	0.68	0.2	239.3	<b>D-3</b>		<b>35.6</b>
and	53.3	62.5	9.1	0.80					
and	207.3	234.7	27.4	0.28					
<b>LBP134 (10, -55)</b>	99.1	108.2	9.1	0.65	0.2	291.1	<b>D-3</b>		<b>33.5</b>
and	117.3	134.1	16.8	0.52					
and	169.2	195.1	25.9	0.68					
incl	173.7	176.8	3.0	1.97					
and	257.6	260.6	3.0	0.37					
<b>LBP135 (70, -70)</b>	No Significant Results					86.9	<b>D-3</b>	Not Assayed; Hole lost in void	
<b>LBP136 (205, -65)</b>	13.7	19.8	6.1	0.69	0.2	367.3	<b>D-3</b>		<b>56.6</b>
and	50.3	56.4	6.1	0.29					
and	<b>61.0</b>	<b>91.4</b>	<b>30.5</b>	<b>0.44</b>					
and	134.1	138.7	4.6	0.44					
and	176.8	193.5	16.8	0.39					
and	211.8	216.4	4.6	0.52					
and	228.6	233.2	4.6	0.66					
and	260.6	263.7	3.0	0.40					
and	<b>274.3</b>	<b>281.9</b>	<b>7.6</b>	<b>0.60</b>					
and	<b>288.0</b>	<b>301.8</b>	<b>13.7</b>	<b>1.27</b>					
<b>LBP137 (95, -60)</b>	16.8	29.0	12.2	0.29	0.2	211.8	<b>D-2 South</b>	Offset to LBP110 south of D-2 zone	<b>28.1</b>
and	53.3	56.4	3.0	0.65					
and	<b>105.2</b>	<b>111.3</b>	<b>6.1</b>	<b>0.88</b>					
and	117.3	138.7	21.3	0.75					
incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.05</b>					
and	144.8	147.8	3.0	0.38					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP138 (33, -52)	117.3	126.5	9.1	1.43	0.2	284.9	D-3	Hole ended in grade; last assay interval 0.84 g/t Au	97.9
and	199.6	208.8	9.1	0.48					
and	217.9	285.0	67.1	1.20					
incl	217.9	234.7	16.8	2.57					
and incl	227.1	230.1	3.0	8.51	5				
LBP139 (26, -70)	80.8	123.4	42.7	0.85	0.2	227.1	D-2 South	Offset to LBP110 south of D-2 Zone	41.4
incl	88.4	94.5	6.1	1.73					
and	129.5	144.8	15.2	0.34					
LBP140 (240, -70)	61.0	77.7	16.8	0.51	0.2	342.9	D-3		88.1
and	118.9	131.1	12.2	0.52					
and	190.5	196.6	6.1	6.33					
incl	190.5	195.1	4.6	8.29					
and	205.7	221.0	15.2	1.12					
and	231.6	259.1	27.4	0.59					
and	318.5	323.1	4.6	0.29	0.2				
LBP141 (100, -60)	97.5	102.1	4.6	0.31	0.2	227.1	F		3.5
and	111.3	115.8	4.6	0.22					
and	117.3	120.4	3.0	0.40					
LBP142 (120, -65)	21.3	38.1	16.8	0.27	0.2	196.6	D-3		6.9
and	80.8	85.3	4.6	0.53					
LBP143 (240, -70)	70.1	76.2	6.1	0.29	0.2	213.4	F		3.9
and	88.4	94.5	6.1	0.34					
LBP144 (293, -70)	13.7	19.8	6.1	0.42	0.2	312.4	D-3		27.4
and	70.1	88.4	18.3	0.53					
and	245.4	251.5	6.1	1.69					
and	259.1	265.2	6.1	0.79					
LBP145 (320, -65)	No Significant Results					233.2	F		
LBP146 (195, -60)	57.9	67.1	9.1	0.32	0.2	251.5	D-3		2.9
LBP147 (110, -60)	No Significant Results					196.6	F		
LBP148 (293, -60)	71.6	88.4	16.8	0.45	0.2	294.1	D-3		19.4
and	126.5	129.5	3.0	0.36					
and	224.0	227.1	3.0	0.35					
and	234.7	257.6	22.9	0.43					
LBP149 (80, -60)	3.0	32.0	29.0	0.29	0.2	190.5	F		58.9
and	41.1	64.0	22.9	2.21					
incl	44.2	48.8	4.6	7.42					
LBP150 (117, -60)	19.8	22.9	3.0	0.70	0.2	251.5	B Pit to Tallman Pit (D-1 SE extension)		93.4
and	32.0	44.2	12.2	0.33					
and	50.3	56.4	6.1	0.26					
and	79.2	83.8	4.6	0.62					
and	138.7	146.3	7.6	0.83					
and	153.9	176.8	22.9	0.48					
and	185.9	189.0	3.0	0.47					
and	208.8	228.6	19.8	3.04					
incl	208.8	222.5	13.7	4.15					
and incl	217.9	222.5	4.6	8.54					
and	231.6	245.4	13.7	0.29					
LBP151 (35, -70)	30.5	41.1	10.7	0.25	0.2	365.8	D-3		19.4
and	53.3	57.9	4.6	0.53					
and	59.4	64.0	4.6	0.22					
and	97.5	103.6	6.1	0.78					
and	138.7	141.7	3.0	0.55					
and	205.7	216.4	10.7	0.65					
and	291.1	295.7	4.6	3.57					
LBP152 (90, -79)	1.5	10.7	9.1	0.26	0.2	409.9	D-3		152.0
and	18.3	30.5	12.2	0.32					
and	54.9	59.4	4.6	0.28					
and	172.2	176.8	4.6	0.22					
and	219.5	315.5	96.0	1.44					
incl	228.6	260.6	32.0	1.95					
and incl	253.0	254.5	1.5	5.31					
incl	263.7	292.6	29.0	1.86					
and incl	277.4	278.9	1.5	5.58					
incl	294.1	297.2	3.0	1.12					
incl	303.3	306.3	3.0	2.88					
and	332.2	342.9	10.7	0.46					
LBP153 (205, -60)	9.1	13.7	4.6	0.34	0.2	172.2	B Pit to Tallman Pit (D-1 SE extension)		23.1
and	33.5	48.8	15.2	0.32					
and	61.0	79.2	18.3	0.33					
and	102.1	117.3	15.2	0.70					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m					
<b>LBP154 (65, -74)</b>	41.2	48.8	7.6	0.68	0.2	312.4	D-3		19.3					
and	56.4	65.5	9.1	0.24										
and	99.1	103.6	4.6	0.66										
and	158.5	167.6	9.1	0.38										
and	195.1	201.2	6.1	0.39										
and	297.2	301.8	4.6	0.66										
<b>LBP155 (180, -70)</b>	<b>45.7</b>	<b>71.6</b>	<b>25.9</b>	<b>0.69</b>	0.2	166.1	D-1 SE Extension		<b>18.0</b>					
<b>LBP156 (30, -70)</b>	51.8	76.2	24.4	0.39	0.2	166.1	D-1 SE Extension		14.4					
and	82.3	91.4	9.1	0.55										
<b>LBP157 (170, -81)</b>	3.1	16.8	13.7	0.26	0.2	397.8	D-3		41.2					
and	19.8	24.4	4.6	0.25										
and	106.7	115.8	9.1	0.39										
and	126.5	132.6	6.1	0.39										
and	190.5	195.1	4.6	0.51										
and	205.7	208.8	3.0	0.89										
and	<b>260.6</b>	<b>268.2</b>	<b>7.6</b>	<b>1.99</b>										
incl	<b>260.6</b>	<b>266.7</b>	<b>6.1</b>	<b>2.38</b>										
and	<b>277.4</b>	<b>294.1</b>	<b>16.8</b>	<b>0.94</b>										
incl	<b>278.9</b>	<b>283.5</b>	<b>4.6</b>	<b>1.63</b>										
incl	<b>288.0</b>	<b>291.1</b>	<b>3.0</b>	<b>1.14</b>										
and	<b>321.6</b>	<b>327.7</b>	<b>6.1</b>	<b>1.70</b>										
<b>LBP158 (103, -72)</b>	30.5	38.1	7.6	0.32	0.2	341.4	D-3		33.2					
and	<b>39.6</b>	<b>57.9</b>	<b>18.3</b>	<b>0.48</b>										
incl	<b>54.9</b>	<b>56.4</b>	<b>1.5</b>	<b>1.98</b>										
and	99.1	102.1	3.0	0.66										
and	125.0	126.5	1.5	2.36										
and	164.6	173.7	9.1	0.59										
and	204.2	207.3	3.0	0.76										
and	216.4	219.5	3.0	1.20										
and	312.4	315.5	3.0	0.64										
and	317.0	323.1	6.1	0.23										
and	333.8	339.9	6.1	0.28										
<b>LBP159 (12, -65)</b>	4.6	9.1	4.6	0.25						0.2	294.1	F Zone		6.2
and	155.4	166.1	10.7	0.36										
and	199.6	202.7	3.0	0.42										
<b>LBP160 (240, -79)</b>	1.5	27.4	25.9	0.28	0.2	338.3	D-3		13.6					
and	65.5	71.6	6.1	0.46										
and	301.8	306.3	4.6	0.77										
<b>LBP161 (150, -75)</b>	29.0	38.1	9.1	0.47	0.2	385.6	D-3		24.1					
and	47.2	53.3	6.1	0.29										
and	68.6	76.2	7.6	0.23										
and	89.9	93.0	3.0	0.47										
and	111.3	112.8	1.5	0.82										
and	144.8	155.4	10.7	0.58										
and	195.1	196.6	1.5	0.93										
and	345.9	353.6	7.6	0.80										
<b>LBP162 (43, -60)</b>	102.1	111.3	9.1	0.86	0.2	294.1	D-3		44.3					
incl	108.2	109.7	1.5	2.86										
and	129.5	134.1	4.6	0.41										
and	187.5	190.5	3.0	1.67										
incl	187.5	189.0	1.5	3.10										
and	<b>199.6</b>	<b>233.2</b>	<b>33.5</b>	<b>0.82</b>										
incl	<b>199.6</b>	<b>216.4</b>	<b>16.8</b>	<b>1.28</b>										
and	248.4	254.5	6.1	0.30										
<b>LBP163 (302, -68)</b>	3.0	15.2	12.2	0.4	0.2	309.4	D-3		24.4					
and	24.4	27.4	3.0	0.4										
and	<b>155.4</b>	<b>161.5</b>	<b>6.1</b>	<b>0.7</b>										
and	167.6	179.8	12.2	0.3										
and	265.2	285.0	19.8	0.4										
and	295.7	300.2	4.6	0.2										
<b>LBP164 (196, -79)</b>	25.9	36.6	10.7	0.27	0.2	361.2	D-3		27.0					
and	<b>44.2</b>	<b>54.9</b>	<b>10.7</b>	<b>0.61</b>										
and	76.2	80.8	4.6	0.70										
and	<b>129.5</b>	<b>137.2</b>	<b>7.6</b>	<b>1.08</b>										
and	<b>172.2</b>	<b>181.4</b>	<b>9.1</b>	<b>0.68</b>										
<b>LBP165 (95, -75)</b>	<b>62.5</b>	<b>77.7</b>	<b>15.2</b>	<b>1.10</b>	0.2	318.5	D-3		63.2					
incl	<b>67.1</b>	<b>74.7</b>	<b>7.6</b>	<b>1.63</b>										
and	<b>85.3</b>	<b>99.1</b>	<b>13.7</b>	<b>0.68</b>										
incl	89.9	91.4	1.5	2.56										
and	<b>109.7</b>	<b>153.9</b>	<b>44.2</b>	<b>0.70</b>										
incl	<b>126.5</b>	<b>129.5</b>	<b>3.0</b>	<b>1.77</b>										
incl	<b>138.7</b>	<b>143.3</b>	<b>4.6</b>	<b>1.68</b>										
and	170.7	184.4	13.7	0.30										
and	195.1	201.2	6.1	0.36										

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP166 (345, -73)	1.5	9.1	7.6	0.25		379.5	D-3		31.6
and	19.8	24.4	4.6	0.29	0.2				
and	29.0	54.9	25.9	0.45					
incl	38.1	39.6	1.5	1.09	1				
and	91.4	97.5	6.1	0.27					
and	105.2	109.7	4.6	0.28					
and	172.2	176.8	4.6	0.51					
and	217.9	219.5	1.5	0.46	0.2				
and	233.2	239.3	6.1	0.54					
and	245.4	249.9	4.6	0.28					
and	268.2	272.8	4.6	1.18					
incl	269.8	271.3	1.5	2.12	1				
and	350.5	352.0	1.5	0.50	0.2				
LBP167 (285, -75)	25.9	42.7	16.8	0.57	0.2	379.5	D-3		19.1
incl	35.1	38.1	3.0	1.22	1				
and	61.0	77.7	16.8	0.36					
and	120.4	125.0	4.6	0.50	0.2				
and	222.5	227.1	4.6	0.24					
LBP168 (98, -45)	25.9	29.0	3.0	0.51		251.5	D-1 SE Extension		51.6
and	36.6	41.2	4.6	0.29					
and	47.2	48.8	1.5	1.17					
and	79.3	96.0	16.8	0.34					
and	141.7	173.7	32.0	1.06	0.2				
incl	144.8	155.5	10.7	2.34	1				
and	196.6	201.2	4.6	0.53					
and	211.8	217.9	6.1	0.80	0.2				
incl	213.4	214.9	1.5	1.87	1				
LBP169 (128, -71)	13.7	18.3	4.6	0.39		384.0	D-3	Hole Lost in Mineralization	103.4
and	126.5	129.5	3.0	0.38					
and	195.1	199.6	4.6	0.58	0.2				
and	216.4	222.5	6.1	0.32					
and	233.2	313.9	80.8	0.98					
incl	239.3	242.3	3.0	1.71					
incl	248.4	253.0	4.6	1.60	1				
incl	260.6	278.9	18.3	2.32					
and incl	263.7	266.7	3.0	5.60	5				
and	373.4	381.0	7.6	2.19	0.2				
incl	374.9	379.5	4.6	3.17	1				
LBP170 (120, -70)	73.2	89.9	16.8	0.50	0.2	342.9	D-3		19.7
incl	74.7	76.2	1.5	1.24	1				
and	97.5	125.0	27.4	0.37	0.2				
incl	121.9	123.4	1.5	1.22	1				
and	245.4	248.4	3.0	0.37	0.2				
LBP171 (75, -45)	33.5	48.8	15.2	0.29	0.2	257.6	D-1 Southeast Extension		31.8
and	71.6	88.4	16.8	0.36					
incl	79.3	80.8	1.5	1.22	1				
and	164.6	205.7	41.1	0.52	0.2				
incl	167.6	169.2	1.5	3.27					
and incl	181.4	182.9	1.5	1.20	1				
LBP172 (178, -74)	202.7	207.3	4.6	0.55		349.0	D-3		19.1
and	216.4	221.0	4.6	0.39					
and	245.4	256.0	10.7	0.35	0.2				
and	277.4	291.1	13.7	0.32					
and	303.3	317.0	13.7	0.49					
LBP173 (225, -60)	13.7	16.8	3.0	0.44	0.2	263.7	D-1 Northwest Extension		29.2
and	33.5	50.3	16.8	1.18					
incl	33.5	35.1	1.5	1.26					
incl	41.2	48.8	7.6	1.82	1				
and	77.7	88.4	10.7	0.58	0.2				
incl	79.3	80.8	1.5	1.43	1				
and	115.8	120.4	4.6	0.41	0.2				
LBP174 (57, -45)	33.5	36.6	3.0	0.97	0.2	213.3	D-1 Southeast Extension		14.8
incl	35.1	36.6	1.5	1.62	1				
and	76.2	102.1	25.9	0.28					
and	201.2	210.3	9.1	0.51	0.2				
incl	208.8	210.3	1.5	1.27	1				
LBP175 (230, -60)	0.0	6.1	6.1	0.37	0.2	282	D-1 Northwest Extension		2.3
LBP176 (300, -60)	54.9	65.5	10.7	1.26	0.2	141.7	D-1 Southeast Extension		13.5
incl	54.9	62.5	7.6	1.59	1				
LBP177 (315, -74)	100.6	105.2	4.6	0.35		336.8	D-3		19.9
and	240.8	269.8	29.0	0.63	0.2				
incl	242.3	246.9	4.6	1.56	1				
LBP178 (75, -45)	No Significant Results					141.7	D-1 Southeast Extension	Drilled in Footwall to Mineralization	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP179 (70, -65)	0.0	10.7	10.7	0.38	0.2	275.8	D-1 Northwest Extension		31.8
and	21.3	24.4	3.0	0.37					
and	47.2	51.8	4.6	0.37					
and	103.6	128.0	24.4	1.02					
incl	109.7	120.4	10.7	1.38					
LBP180 (270, -50)	No Significant Results					227.1	D-3/Fzone Transition	Anomalous Gold - Drilled into footwall of Mineralization	
LBP181 (15, -68)	0.0	7.6	7.6	0.37	0.2	221.0	D-1 Northwest Extension		6.7
and	64.0	68.6	4.6	0.25					
and	187.5	190.5	3.0	0.52					
and	196.6	199.6	3.0	0.39					
LBP182 (270, -75)	132.6	150.9	18.3	0.38	0.2	361.2	D-3		35.7
and	227.1	242.3	15.2	1.89					
LBP183 (180, -45)	13.7	16.8	3.0	0.40	0.2	227.1	Southwest Extension	Anomalous	1.2
LBP184 (275, -55)	89.9	96.0	6.1	0.28	0.2	214.9	D-1 Northwest Extension		3.6
and	114.3	121.9	7.6	0.25					
LBP185 (20, -50)	50.3	54.9	4.6	0.24	0.2	243.8	D-1 Northwest Extension		11.2
and	68.6	85.3	16.8	0.41					
and	189.0	196.6	7.6	0.42					
LBP186 (45, -70)	112.8	117.4	4.6	0.27	0.2	403.9	Southwest Extension		1.2
LBP187 (45, -75)	65.5	68.6	3.0	0.40	0.2	367.3	D-3		22.1
and	89.9	105.2	15.2	0.37					
and	112.8	143.3	30.5	0.41					
and	147.8	152.4	4.6	0.28					
and	256.0	262.1	6.1	0.24					
LBP188 (110, -70)	71.6	96.0	24.4	0.32	0.2	254.5	D-1 North		21.6
and	111.3	120.4	9.1	1.07					
and	163.1	173.7	10.7	0.39					
LBP189 (195, -62)	65.5	74.7	9.1	0.39	0.2	422.1	D-3 South	Step-Out to the Southeast	80.5
and	94.5	103.6	9.1	0.35					
and	138.7	147.8	9.1	0.45					
and	190.5	195.1	4.6	0.66					
and	213.4	224.0	10.7	0.33					
and	266.7	329.2	62.5	1.01					
incl	300.2	326.1	25.9	1.94					
LBP190C (122, -50)	18.6	20.1	1.5	1.28	0.2	244.1	D-1 Southeast Extension	Metallurgical PQ Core Hole	53.4
and	30.8	41.5	10.7	0.36					
and	49.1	51.8	2.7	1.51					
incl	50.3	51.8	1.5	2.00					
and	74.7	80.8	6.1	0.43					
and	143.7	161.8	18.1	0.69					
incl	145.1	146.9	1.8	1.62					
incl	152.7	156.6	3.9	1.35					
and	162.9	174.3	11.4	0.28					
and	184.7	193.9	9.1	0.46					
incl	190.8	192.3	1.5	1.12					
and	208.9	223.1	14.2	1.61					
incl	213.7	219.8	6.1	3.04					
LBP191 (300, -70)	62.5	70.1	7.6	0.23	0.2	281.9	D-1		11.4
and	71.6	82.3	10.7	0.27					
and	225.6	236.2	10.7	0.23					
and	239.3	248.4	9.1	0.47					
incl	246.9	248.4	1.5	1.17					
LBP192 (120, -45)	53.3	56.4	3.0	0.45	0.2	202.7	Southwest Extension		4.4
and	67.1	70.1	3.0	0.41					
and	192.0	198.1	6.1	0.29					
LBP193 (352, -78)	1.5	6.1	4.6	0.44	0.2	301.8	D-3 South	Stepout to the southeast	47.3
and	91.4	96.0	4.6	0.35					
and	132.6	135.6	3.0	0.40					
and	141.7	160.0	18.3	0.62					
incl	149.4	152.4	3.0	2.04					
and	178.3	214.9	36.6	0.85					
incl	181.4	184.4	3.0	1.85					
incl	187.5	190.5	3.0	1.34					
incl	196.6	204.2	7.6	1.29					



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
<b>LBP194 (218, -73)</b>	64.0	83.8	19.8	0.30	0.2	361.2	<b>D-3</b>		<b>48.6</b>				
<b>and</b>	<b>187.5</b>	<b>198.1</b>	<b>10.7</b>	<b>1.29</b>									
<b>incl</b>	<b>187.5</b>	<b>190.5</b>	<b>3.0</b>	<b>3.10</b>	<b>1</b>								
<b>incl</b>	<b>193.5</b>	<b>196.6</b>	<b>3.0</b>	<b>1.07</b>	<b>1</b>								
<b>and</b>	228.6	236.2	7.6	0.58	0.2								
<b>and</b>	237.7	242.3	4.6	0.22									
<b>incl</b>	233.2	234.7	1.5	1.17	1								
<b>and</b>	<b>265.2</b>	<b>330.7</b>	<b>65.5</b>	<b>0.31</b>	0.2								
<b>and</b>	333.8	341.4	7.6	0.44									
<b>LBP195 (240, -45)</b>	19.8	24.4	4.6	0.33	0.2	172.2	Southwest Extension		3.6				
<b>and</b>	135.6	138.7	3.0	0.68	0.2								
<b>incl</b>	137.2	138.7	1.5	1.10	1								
<b>LBP196 (120, -45)</b>	12.2	15.2	3.0	0.43	0.2	182.9	Southwest Extension		2.6				
<b>and</b>	117.3	120.4	3.0	0.42									
<b>LBP197C (45, -78)</b>	<b>58.8</b>	<b>75.3</b>	<b>16.5</b>	<b>1.44</b>	<b>0.2</b>	322.5	<b>D-3 South</b>	<b>Metallurgical PQ Core Hole</b>	<b>65.6</b>				
<b>incl</b>	<b>61.9</b>	<b>74.1</b>	<b>12.2</b>	<b>1.66</b>	<b>1</b>								
<b>and</b>	88.2	91.1	2.9	0.49	0.2								
<b>and</b>	107.3	110.6	3.4	0.33									
<b>and</b>	116.7	129.8	13.1	0.56									
<b>incl</b>	118.9	119.8	0.9	2.87	1								
<b>and</b>	<b>136.6</b>	<b>151.8</b>	<b>15.2</b>	<b>1.36</b>	0.2								
<b>incl</b>	<b>136.6</b>	<b>147.1</b>	<b>10.5</b>	<b>1.81</b>	<b>1</b>								
<b>and</b>	<b>157.9</b>	<b>165.5</b>	<b>7.6</b>	<b>1.23</b>	0.2								
<b>incl</b>	<b>159.4</b>	<b>164.3</b>	<b>4.9</b>	<b>1.55</b>	<b>1</b>								
<b>and</b>	228.0	232.6	4.6	0.43	0.2								
<b>LBP198 (6, -63)</b>	0.0	4.6	4.6	0.48	0.2	300.2	<b>D-3 South</b>		<b>13.1</b>				
<b>and</b>	166.1	169.2	3.0	0.61									
<b>and</b>	187.5	196.6	9.1	0.37									
<b>and</b>	222.5	227.1	4.6	0.43									
<b>and</b>	239.3	243.8	4.6	0.35									
<b>and</b>	248.4	254.5	6.1	0.35									
<b>LBP199 (252, -79)</b>	<b>62.5</b>	<b>79.2</b>	<b>16.8</b>	<b>0.51</b>	0.2	367.3	<b>D-3 South</b>	Hole ended in grade	<b>42.9</b>				
<b>and</b>	85.3	91.4	6.1	0.48									
<b>and</b>	144.8	153.9	9.1	0.35									
<b>and</b>	<b>214.9</b>	<b>230.1</b>	<b>15.2</b>	<b>0.62</b>									
<b>incl</b>	<b>224.0</b>	<b>227.1</b>	<b>3.0</b>	<b>2.01</b>	1								
<b>and</b>	239.3	246.9	7.6	0.74	0.2								
<b>and</b>	260.6	263.7	3.0	0.35									
<b>and</b>	271.3	281.9	10.7	0.42									
<b>and</b>	295.7	304.8	9.1	0.61									
<b>and</b>	362.7	367.3	4.6	0.45									
<b>LBP200 (45, -45)</b>	<b>0.0</b>	<b>15.2</b>	<b>15.2</b>	<b>0.58</b>	0.2					172.2	Southwest Extension		<b>10.4</b>
<b>and</b>	25.9	30.5	4.6	0.36									
<b>LBP201 (185, -60)</b>	24.4	27.4	3.0	0.32	0.2	330.7	<b>D-3 South</b>		<b>13.6</b>				
<b>and</b>	74.7	76.2	1.5	0.64									
<b>and</b>	82.3	88.4	6.1	0.75									
<b>and</b>	150.9	160.0	9.1	0.47									
<b>and</b>	167.6	173.7	6.1	0.47									
<b>LBP202 (40, -75)</b>	88.4	96.0	7.6	0.48	0.2	208.8	Southwest Extension		3.6				
<b>LBP203 (315, -66)</b>	1.5	6.1	4.6	0.25	0.2	324.6	<b>D-3 South</b>		<b>57.1</b>				
<b>and</b>	<b>77.7</b>	<b>105.2</b>	<b>27.4</b>	<b>1.50</b>									
<b>and</b>	138.7	141.7	3.0	0.51									
<b>and</b>	187.5	192.0	4.6	0.27									
<b>and</b>	205.7	213.4	7.6	0.62									
<b>and</b>	233.2	242.3	9.1	0.28									
<b>and</b>	260.6	275.8	15.2	0.31									
<b>LBP204 (12, -46)</b>	0.0	6.1	6.1	0.38	0.2	300.2	<b>D-3</b>		<b>17.4</b>				
<b>and</b>	65.5	71.6	6.1	0.32									
<b>and</b>	152.4	160.0	7.6	0.61									
<b>incl</b>	153.9	155.5	1.5	1.36	1								
<b>and</b>	187.5	193.6	6.1	0.30	0.2								
<b>and</b>	259.1	263.7	4.6	0.34									
<b>and</b>	275.8	280.4	4.6	0.79									
<b>incl</b>	277.4	278.9	1.5	1.05	1								
<b>and</b>	295.7	298.7	3.0	0.50	0.2								
<b>LBP205 (0, -50)</b>	12.2	15.2	3.0	0.38	0.2					184.4	Southwest Extension		1.1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP206 (52, -77)</b>	0.0	4.6	4.6	0.64	0.2	365.8	<b>D-3</b>		<b>131.1</b>
<i>incl</i>	1.5	3.1	1.5	1.30	1				
<i>and</i>	22.9	27.4	4.6	0.37	0.2				
<i>and</i>	56.4	70.1	13.7	0.37					
<i>and</i>	91.4	103.6	12.2	0.32	0.2				
<i>and</i>	236.2	259.1	22.9	1.41					
<i>incl</i>	243.8	257.6	13.7	1.93	1				
<i>and</i>	271.3	327.7	56.4	1.51	0.2				
<i>incl</i>	277.4	286.5	9.1	1.42	1				
<i>incl</i>	292.6	317.0	24.4	2.36					
<i>and incl</i>	304.8	307.9	3.0	5.86	5				
<i>incl</i>	318.5	326.1	7.6	1.04	1				
<b>LBP207C (240, -50)</b>	30.6	37.2	6.6	0.27	271.9	<b>D-2</b>	<b>Metallurgical PQ Core Hole</b>	<b>133.4</b>	
<i>and</i>	68.7	82.1	13.4	1.12					0.2
<i>incl</i>	68.7	74.5	5.8	1.11					1
<i>incl</i>	76.8	80.0	3.2	2.05					0.2
<i>and</i>	103.0	105.8	2.7	1.80					
<i>incl</i>	103.0	104.2	1.2	2.91					1
<i>and</i>	114.9	146.9	32.0	3.16					0.2
<i>incl</i>	116.4	143.9	27.4	3.58					1
<i>and incl</i>	116.4	118.0	1.5	5.08					5
<i>and incl</i>	122.5	125.6	3.0	10.3					
<i>and incl</i>	140.8	142.3	1.5	6.90					
<i>and</i>	153.0	163.7	10.7	0.84					0.2
<i>incl</i>	159.1	160.6	1.5	2.95					1
<i>and</i>	207.9	212.5	4.6	0.36					0.2
<b>LBP208 (107, -69)</b>	4.6	30.5	25.9	0.26	0.2	434.3	<b>D-3</b>	<b>103.0</b>	
<i>and</i>	179.8	192.0	12.2	0.43					
<i>and</i>	227.1	269.8	42.7	1.25					1
<i>incl</i>	239.3	245.4	6.1	1.29					
<i>incl</i>	257.6	268.2	10.7	3.01					0.2
<i>and</i>	277.4	294.1	16.8	0.68					
<i>incl</i>	285.0	288.0	3.0	1.87					1
<i>and</i>	300.2	330.7	30.5	0.71					0.2
<i>incl</i>	303.3	304.8	1.5	1.09					1
<i>incl</i>	310.9	317.0	6.1	1.02					
<i>incl</i>	318.5	321.6	3.0	1.93					
<i>and</i>	364.2	368.8	4.6	1.00					0.2
<i>incl</i>	364.2	367.3	3.0	1.16					1
<b>LBP209 (60, -70)</b>	70.1	73.2	3.0	0.37	0.2	251.5	Southwest Extension	3.0	
<i>and</i>	86.9	91.4	4.6	0.42					
<b>LBP210 (105, -82)</b>	13.7	16.8	3.0	0.38	0.2	269.7	<b>D-3 South</b>	<b>26.2</b>	
<i>and</i>	53.3	57.9	4.6	0.33					
<i>and</i>	73.2	79.3	6.1	0.30					
<i>and</i>	99.1	103.6	4.6	0.25					
<i>and</i>	131.1	134.1	3.0	0.73					
<i>and</i>	143.3	152.4	9.1	0.48					
<i>and</i>	167.6	182.9	15.2	0.92					
<i>incl</i>	167.6	170.7	3.0	1.01					1
<i>incl</i>	172.2	176.8	4.6	1.67					
<b>LBP211 (72, -60)</b>	27.4	44.2	16.8	0.76					0.2
<i>incl</i>	38.1	42.7	4.6	1.15	1				
<i>and</i>	100.6	111.3	10.7	0.68	0.2				
<i>incl</i>	105.2	106.7	1.5	1.42	1				
<i>and</i>	153.9	158.5	4.6	0.49	0.2				
<i>and</i>	169.2	172.2	3.0	0.37					
<i>and</i>	182.9	189.0	6.1	0.51					
<i>and</i>	222.5	231.7	9.1	0.35					
<b>LBP212 (0, -55)</b>	41.2	44.2	3.0	0.33	0.2	219.5	Hazel Pine Extension	3.3	
<i>and</i>	117.4	120.4	3.0	0.44					
<i>and</i>	153.9	157.0	3.0	0.34					
<b>LBP213 (200, -85)</b>	3.1	9.1	6.1	0.24	0.2	416.1	<b>D-3</b>	<b>35.6</b>	
<i>and</i>	10.7	15.2	4.6	0.36					
<i>and</i>	18.3	24.4	6.1	0.23					
<i>and</i>	61.0	62.5	1.5	1.31					
<i>and</i>	86.9	106.7	19.8	0.42					
<i>and</i>	184.4	202.7	18.3	0.50					
<i>and</i>	254.5	257.6	3.0	0.67					
<i>and</i>	266.7	281.9	15.2	0.38					
<i>and</i>	297.2	301.8	4.6	0.36					
<i>and</i>	336.8	341.4	4.6	0.47					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP214C (125, -77)	69.2	72.2	3.0	0.68	0.2	285.6	D2	Metallurgical PQ Core Hole	185.7	
and	79.9	82.3	2.4	0.59	0.2					
and	95.1	115.4	20.3	0.79	0.2					
incl	101.2	104.3	3.1	2.90	1					
and	124.2	171.6	47.4	3.32	0.2					
incl	127.3	151.0	23.7	5.08	1					
and incl	130.2	135.9	5.8	12.5	5					
and incl	142.0	145.4	3.4	7.99	5					
incl	163.7	170.2	6.6	4.36	1					
and incl	168.3	170.2	2.0	7.63	5					
and	269.0	274.9	5.9	1.49	0.2					
incl	270.2	273.4	3.2	2.35	1					
LBP215 (180, -45)	16.8	21.3	4.6	1.14	0.2	129.5	Hazel Pine Extension		5.2	
LBP216 (126, -62)	1.5	7.6	6.1	0.23	0.2	196.6	D-1 Southeast Extension	32.7		
and	16.8	19.8	3.0	0.53						
and	32.0	38.1	6.1	0.37						
and	45.7	54.9	9.1	0.27						
and	67.1	79.3	12.2	0.44						
and	132.6	143.3	10.7	1.19						
incl	140.2	143.3	3.0	3.24	1					
and	155.5	160.0	4.6	0.34	0.2					
and	166.1	175.3	9.1	0.59						
incl	172.2	173.7	1.5	1.21		1				
LBP217 (280, -45)	50.3	61.0	10.7	0.70	0.2	233.2	M Zone	76.9		
incl	56.4	59.4	3.0	1.39	1					
and	94.5	102.1	7.6	1.79	0.2					
and	109.7	120.4	10.7	0.37	0.2					
and	126.5	152.4	25.9	2.00	0.2					
incl	128.0	149.4	21.3	2.31	1					
LBP218 (330, -80)	35.1	51.8	16.8	0.27	0.2	221.0	D-1 Southeast Extension	13.0		
and	73.2	77.7	4.6	0.58						
and	83.8	88.4	4.6	0.37						
and	132.6	137.2	4.6	0.40						
and	140.2	144.8	4.6	0.23						
and	147.8	150.9	3.0	0.40						
LBP219 (10, -70)	No Significant Results					440.4		West of D-3		
LBP220 (280, -45)	112.8	121.9	9.1	0.47	0.2	211.8	M Zone	15.1		
incl	118.9	120.4	1.5	1.19	1					
and	152.4	163.1	10.7	1.01	0.2					
incl	155.5	158.5	3.0	1.97	1					
LBP221 (310, -58)	4.6	10.7	6.1	0.35	0.2	172.2	D-1 Southeast Extension	23.0		
and	39.6	48.8	9.1	0.58						
and	57.9	61.0	3.0	0.36						
and	67.1	73.2	6.1	0.40						
and	91.4	97.5	6.1	0.44						
and	125.0	146.3	21.3	0.44						
LBP222C (90, -79)	3.1	10.8	7.8	0.32	0.2	345.0	D3	Metallurgical PQ Core Hole	116.1	
and	47.9	59.7	11.9	0.29						
and	74.2	78.0	3.9	0.24						
and	84.4	88.7	4.3	0.40						
and	113.4	114.9	1.5	0.70						
and	134.7	139.4	4.7	0.28						
and	218.1	225.0	6.9	0.73						
incl	223.3	225.0	1.8	1.37						1
and	243.9	252.1	8.1	3.62						0.2
and incl	249.0	250.6	1.5	5.36						5
and	259.1	313.3	54.2	1.27						0.2
incl	262.2	265.8	3.6	2.47						1
incl	275.4	292.4	17.0	2.51						1
and incl	279.8	281.0	1.3	6.37						5
incl	304.9	308.5	3.5	1.48						1
and	319.6	320.7	1.1	1.74						0.2
LBP223 (350, -45)	71.6	83.8	12.2	1.04	0.2	149.4	D-1 Southeast Extension	12.7		
incl	77.7	83.8	6.1	1.63	1					
LBP224 (226, -45)	18.3	68.6	50.3	0.97	0.2	202.7	J Zone	Reduced cyanide solubility	61.9	
incl	33.5	35.1	1.5	3.53	1					
incl	42.7	45.7	3.0	4.09	1					
and incl	44.2	45.7	1.5	5.27	5					
incl	59.4	67.1	7.6	2.24	1					
and	93.0	97.5	4.6	0.44	0.2					
and	128.0	131.1	3.0	0.73						
and	140.2	144.8	4.6	0.35						
and	155.5	166.1	10.7	0.68						
and	163.1	164.6	1.5	1.28						1

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP225 (145, -65)</b>	6.1	33.5	27.4	0.44	0.2	190.5	F Zone		18.5	
incl	7.6	10.7	3.0	1.09	1					
and	56.4	74.7	18.3	0.35	0.2					
<b>LBP226 (290, -70)</b>	257.6	262.1	4.6	0.35	0.2	379.5		West of D-3	1.6	
<b>LBP227 (50, -45)</b>	12.2	86.9	74.7	0.43	0.2	190.5	F Zone		32.1	
incl	50.3	53.3	3.0	1.40	1					
incl	61.0	62.5	1.5	1.31						
incl	71.6	73.2	1.5	1.69						
<b>LBP228 (0, -45)</b>	25.9	30.5	4.6	0.25	0.2	312.4	J Zone	Reduced cyanide solubility	14.1	
and	59.4	73.2	13.7	0.41						
and	269.8	278.9	9.1	0.81	1					
incl	269.8	271.3	1.5	1.07						
incl	274.3	275.8	1.5	1.35						
<b>LBP229 (10, -45)</b>	7.6	13.7	6.1	0.36	0.2	172.2	F Zone		44.2	
and	39.6	102.1	62.5	0.64	1					
incl	73.2	83.8	10.7	1.33						
incl	94.5	97.5	3.0	1.20						
and	115.8	120.4	4.6	0.44						0.2
<b>LBP230 (220, -55)</b>	1.5	7.6	6.1	0.23	0.2	379.5		West of D-3	1.4	
<b>LBP231C (210, -86)</b>	25.3	36.0	10.7	0.28	0.2	279.8	D3	Metallurgical PQ Core Hole	69.6	
and	72.9	78.6	5.7	0.41	0.2					
and	138.6	142.7	4.1	0.65	0.2					
and	147.7	167.5	19.8	0.38	0.2					
incl	147.7	149.4	1.7	1.01	1					
and	173.3	184.0	10.8	0.77	0.2					
incl	174.0	175.4	1.4	1.06	1					
incl	181.1	182.6	1.5	1.17	1					
and	190.2	214.3	24.1	1.23	0.2					
incl	193.2	195.6	2.3	2.72	1					
incl	206.8	211.2	4.4	3.39	1					
incl	212.8	214.3	1.5	1.08	1					
and	223.4	244.9	21.5	0.75	0.2					
incl	236.4	242.0	5.7	1.93	1					
<b>LBP232 (92, -65)</b>	4.6	9.1	4.6	0.78	0.2	251.5	D-3 South		18.2	
incl	6.1	7.6	1.5	1.42	1					
and	25.9	33.5	7.6	0.24	0.2					
and	53.3	68.6	15.2	0.31						
and	94.5	109.7	15.2	0.36						
and	179.8	182.9	3.0	0.34						
and	202.7	207.3	4.6	0.34						
<b>LBP233 (20, -60)</b>	221.0	224.0	3.0	0.40	0.2	227.1	Mineral Gulch		1.2	
<b>LBP234 (42, -70)</b>	4.6	7.6	3.0	0.77	0.2	274.3	D-3		5.0	
and	114.3	123.4	9.1	0.30						
<b>LBP235 (172, -77)</b>	59.4	62.5	3.0	0.77	0.2	349.0	D-3 and D-1		56.3	
and	68.6	77.7	9.1	0.86						
incl	70.1	71.6	1.5	1.64	1					
incl	74.7	76.2	1.5	1.18						
and	147.8	152.4	4.6	0.34	0.2					
and	234.7	280.4	45.7	0.90						
incl	243.8	253.0	9.1	2.35	1					
incl	254.5	256.0	1.5	1.70						
and	323.1	330.7	7.6	0.45	0.2					
<b>LBP236 (40, -55)</b>	3.1	7.6	4.6	0.99	0.2	263.7	D-3		23.2	
incl	4.6	6.1	1.5	1.47	1					
and	61.0	65.5	4.6	0.31	0.2					
and	74.7	83.8	9.1	0.32						
and	96.0	100.6	4.6	0.25						
and	120.4	126.5	6.1	0.27						
and	184.4	192.0	7.6	0.65						
incl	187.5	189.0	1.5	1.02						1
and	198.1	207.3	9.1	0.51						0.2
incl	198.1	199.6	1.5	1.20						1
and	249.9	254.5	4.6	0.43						0.2
<b>LBP237 (0, -60)</b>	No Significant Results					190.5	Mineral Gulch			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP238C (280, -83)</b>	8.5	12.4	3.9	0.43	0.2	159.4	<b>D-2</b>	<b>Metallurgical PQ Core Hole</b>	<b>35.5</b>
and	20.7	22.3	1.5	0.71					
and	28.4	29.6	1.2	0.73					
and	40.5	54.3	13.7	0.24					
and	<b>70.0</b>	<b>91.7</b>	<b>21.7</b>	<b>1.11</b>					
incl	<b>72.5</b>	<b>80.9</b>	<b>8.4</b>	<b>1.58</b>					
incl	81.8	83.2	1.5	1.21					
incl	<b>87.8</b>	<b>91.7</b>	<b>3.9</b>	<b>1.20</b>					
and	99.8	104.6	4.7	0.33					
and	122.4	127.4	5.0	0.23					
and	129.7	133.5	3.8	0.48					
<b>LBP239 (290, -55)</b>	44.2	62.5	18.3	0.39	0.2	268.2	<b>J Zone</b>		<b>27.6</b>
and	<b>82.3</b>	<b>105.2</b>	<b>22.9</b>	<b>0.65</b>					
incl	<b>82.3</b>	<b>85.3</b>	<b>3.0</b>	<b>1.60</b>					
incl	86.9	88.4	1.5	1.02					
incl	94.5	96.0	1.5	1.35					
and	111.3	128.0	16.8	0.33	0.2				
<b>LBP240 (172, -67)</b>	57.9	64.0	6.1	0.33	0.2	391.7	<b>D3</b>	Reduced cyanide solubility in some intervals	<b>66.4</b>
and	99.1	117.4	18.3	0.24					
and	<b>149.4</b>	<b>160.0</b>	<b>10.7</b>	<b>1.80</b>					
and	<b>184.4</b>	<b>198.1</b>	<b>13.7</b>	<b>1.30</b>					
incl	<b>185.9</b>	<b>190.5</b>	<b>4.6</b>	<b>1.25</b>					
incl	<b>192.0</b>	<b>196.6</b>	<b>4.6</b>	<b>2.45</b>					
and	<b>260.6</b>	<b>272.8</b>	<b>12.2</b>	<b>0.65</b>					
incl	<b>262.1</b>	<b>265.2</b>	<b>3.0</b>	<b>1.10</b>					
and	<b>286.5</b>	<b>312.4</b>	<b>25.9</b>	<b>0.43</b>					
incl	291.1	292.6	1.5	1.28					
and	336.8	342.9	6.1	0.64	0.2				
<b>LBP241 (310, -75)</b>	64.0	71.6	7.6	0.29	0.2	182.9		West of D-1	2.2
<b>LBP242C (333, -45)</b>	<b>40.1</b>	<b>53.3</b>	<b>13.3</b>	<b>0.71</b>	0.2	95.4	<b>E Pit</b>		<b>25.6</b>
and	<b>57.7</b>	<b>62.8</b>	<b>5.1</b>	<b>3.19</b>					
incl	<b>57.7</b>	<b>61.3</b>	<b>3.6</b>	<b>4.31</b>					
<b>LBP243 (290, -50)</b>	160.0	163.1	3.0	0.47	0.2	178.3		West of D-1	1.4
<b>LBP244 (0, -90)</b>	56.4	62.5	6.1	0.63	0.2	336.8	<b>D-3</b>		<b>41.3</b>
and	71.6	76.2	4.6	0.71					
and	91.4	96.0	4.6	0.42					
and	106.7	109.7	3.0	0.61					
and	128.0	134.1	6.1	0.26					
and	147.8	160.0	12.2	0.33					
and	161.5	173.7	12.2	0.35					
and	217.9	224.0	6.1	1.71					
incl	221.0	224.0	3.0	2.87					
and	230.1	240.8	10.7	0.33					
and	278.9	288.0	9.1	0.32					
and	294.1	303.3	9.1	0.40					
<b>LBP245 (100, -50)</b>	103.6	117.4	13.7	0.26					
and	120.4	126.5	6.1	0.20					
<b>LBP246 (140, -55)</b>	88.4	94.5	6.1	0.29	0.2	243.8	<b>D-3</b>		<b>1.4</b>
and	125.0	134.1	9.1	0.35					
and	219.5	222.5	3.0	0.39					
<b>LBP247C (32, -55)</b>	42.8	45.9	3.0	0.47	0.2	175.9	<b>D-1 North</b>	Exploration Core Hole	<b>6.3</b>
and	58.7	66.1	7.5	0.27					
and	144.5	149.7	5.1	0.55					
<b>LBP248 (250, -60)</b>	<b>32.0</b>	<b>83.8</b>	<b>51.8</b>	<b>0.37</b>	0.2	202.7	<b>Rangefront Zone</b>		<b>46.7</b>
and	<b>93.0</b>	<b>129.5</b>	<b>36.6</b>	<b>0.76</b>					
incl	<b>96.0</b>	<b>102.1</b>	<b>6.1</b>	<b>1.28</b>					
<b>LBP249 (60, -55)</b>	71.6	79.3	7.6	0.24	0.2	307.8	<b>D-3</b>		<b>44.8</b>
and	<b>115.8</b>	<b>138.7</b>	<b>22.9</b>	<b>0.53</b>					
incl	117.4	118.9	1.5	1.05					
and	<b>152.4</b>	<b>190.5</b>	<b>38.1</b>	<b>0.43</b>					
incl	178.3	179.8	1.5	1.82					
and	199.6	204.2	4.6	0.22					
and	217.9	263.7	45.7	0.25					
and	277.4	278.9	1.5	0.40					
and	285.0	288.0	3.0	0.48					
<b>LBP250 (160, -58)</b>	57.9	67.1	9.1	1.18					
incl	59.4	64.0	4.6	1.74					
and	77.7	97.5	19.8	0.32					
and	<b>176.8</b>	<b>190.5</b>	<b>13.7</b>	<b>4.57</b>					
incl	<b>178.3</b>	<b>189.0</b>	<b>10.7</b>	<b>5.77</b>					
and incl	<b>178.3</b>	<b>184.4</b>	<b>6.1</b>	<b>8.65</b>					
and	214.9	221.0	6.1	0.34	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP251C (258, -55)</b>	<b>64.6</b>	<b>96.6</b>	<b>32.0</b>	<b>0.57</b>	0.2	172.8	<b>CD Pit</b>	<b>Metallurgical HQ Core Hole</b>	<b>30.1</b>	
incl	71.6	73.2	1.5	1.13	1					
and	112.8	124.1	11.3	0.50	0.2					
incl	120.2	121.6	1.4	1.14	1					
and	138.5	155.4	16.9	0.36	0.2					
<b>LBP252 (160, -47)</b>	73.2	76.2	3.0	0.71	0.2	272.8	<b>D-1 Southeast Extension</b>	<b>24.8</b>		
and	83.8	96.0	12.2	0.30						
and	182.9	184.4	1.5	1.35						
and	219.5	239.3	19.8	0.86						
incl	221.0	227.1	6.1	1.50					1	
incl	233.2	234.7	1.5	1.76	1					
<b>LBP253 (0, -90)</b>	7.6	12.2	4.6	0.65	0.2	239.3	Rangefront	8.2		
and	41.2	45.7	4.6	0.22						
and	123.4	128.0	4.6	0.35						
and	135.6	144.8	9.1	0.28						
<b>LBP254 (205, -65)</b>	0.0	6.1	6.1	0.32	0.2	198.1	<b>D-2 South</b>	<b>12.6</b>		
and	109.7	123.4	13.7	0.78						
incl	115.8	118.9	3.0	1.62					1	
<b>LBP255 (118, -75)</b>	48.8	57.9	9.1	1.27	0.2	263.7	<b>D-2 South</b>	Reduced cyanide solubility	<b>68.4</b>	
and	179.8	242.3	62.5	0.91						
incl	189.0	208.8	19.8	1.62						
incl	211.8	213.4	1.5	1.51						1
incl	233.2	239.3	6.1	1.46						
<b>LBP256 (100, -63)</b>	4.6	13.7	9.1	0.51	0.2	182.9	<b>M Zone</b>	<b>55.9</b>		
and	59.4	62.5	3.0	1.07						
incl	59.4	61.0	1.5	1.27					1	
and	89.9	128.0	38.1	1.26					0.2	
incl	99.1	121.9	22.9	1.74					1	
<b>LBP257 (152, -67)</b>	36.6	41.1	4.6	0.32	0.2	365.8	<b>D-3</b>	<b>29.5</b>		
and	108.2	114.3	6.1	0.30						
and	126.5	128.0	1.5	1.60						
and	164.6	169.2	4.6	0.32						
and	272.8	285.0	12.2	0.78						
and	291.1	300.2	9.1	1.40						
<b>LBP258 (118, -55)</b>	82.3	93.0	10.7	0.34	0.2	288.0	<b>D-1 Southeast Extension</b>	<b>102.8</b>		
and	181.4	204.2	22.9	4.34						
incl	181.4	196.6	15.2	6.28					1	
and incl	187.5	193.5	6.1	10.8					5	
<b>LBP259 (315, -73)</b>	132.6	176.8	44.2	1.14	0.2	274.3	<b>D-3</b>	<b>53.2</b>		
incl	141.7	161.5	19.8	1.91					1	
and	189.0	192.0	3.0	0.44						
and	198.1	201.2	3.0	0.45						
<b>LBP260 (170, -45)</b>	123.4	129.5	6.1	1.06	0.2	233.2	<b>D-1 South</b>	<b>6.5</b>		
incl	123.4	126.5	3.0	1.54					1	
<b>LBP261 (100, -80)</b>	33.5	45.7	12.2	0.54	0.2	355.1	<b>D-3</b>	<b>55.0</b>		
and	160.0	167.6	7.6	0.26						
and	179.8	190.5	10.7	0.35						
and	196.6	214.9	18.3	0.50						
incl	204.2	205.7	1.5	1.17					1	
and	240.8	272.8	32.0	0.99					0.2	
incl	248.4	253.0	4.6	1.49					1	
incl	263.7	269.8	6.1	2.53						
and	333.8	341.4	7.6	0.24	0.2					
<b>LBP262 (145, -65)</b>	18.3	27.4	9.1	0.29	0.2	272.8	<b>D-3</b>	<b>19.7</b>		
and	42.7	47.2	4.6	0.32						
and	54.9	59.4	4.6	0.49						
and	96.0	100.6	4.6	0.23						
and	102.1	105.2	3.0	0.37						
and	112.8	115.8	3.0	0.52						
and	140.2	146.3	6.1	0.61						
and	173.7	181.4	7.6	0.77						
incl	175.3	176.8	1.5	2.04					1	
<b>LBP263 (30, -80)</b>	70.1	86.9	16.8	0.91	0.2	303.3	<b>D-3</b>	Poor recovery at base - hole ended in grade	<b>74.9</b>	
incl	79.2	85.3	6.1	1.44						1
and	120.4	125.0	4.6	0.24						
and	147.8	185.9	38.1	0.57						
incl	169.2	173.7	4.6	1.58						1
and	208.8	214.9	6.1	2.99						
and	239.3	243.8	4.6	0.23						
and	245.4	249.9	4.6	0.52						
and	263.7	289.6	25.9	0.53						
and	300.2	303.3	3.0	0.48						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP264 (65, -45)	59.4	96.0	36.6	0.60	0.2	190.5	D-1 South		24.7	
incl	83.8	88.4	4.6	2.23	1					
and	169.2	178.3	9.1	0.30	0.2					
LBP265 (110, -78)	1.5	15.2	13.7	0.26	0.2	396.2	D-3		20.5	
and	64.0	76.2	12.2	0.37						
and	150.9	153.9	3.0	0.33						
and	192.0	199.6	7.6	0.37						
and	251.5	256.0	4.6	0.36						
and	306.3	313.9	7.6	0.92						
incl	309.4	313.9	4.6	1.13						1
LBP266 (180, -78)	4.6	12.2	7.6	0.40	0.2	221.0	D-2		36.2	
and	27.4	33.5	6.1	0.46						
and	44.2	50.3	6.1	0.30						
and	57.9	62.5	4.6	0.30						
and	83.8	89.9	6.1	0.35						
and	97.5	105.2	7.6	0.42						
and	106.7	125.0	18.3	0.47						
and	138.7	143.3	4.6	0.38						
and	150.9	155.5	4.6	2.23						
incl	150.9	153.9	3.0	2.89						1
and	204.2	207.3	3.0	0.41						0.2
LBP267 (130, -60)	74.7	79.3	4.6	0.23						0.2
and	80.8	99.1	18.3	0.29						
LBP268 (145, -63)	144.8	147.8	3.0	0.65	0.2	379.5	D-3		27.2	
and	160.0	170.7	10.7	0.61						
incl	161.5	163.1	1.5	1.59						1
and	227.1	236.2	9.1	0.87						0.2
incl	230.1	231.7	1.5	2.61						1
incl	234.7	236.2	1.5	1.09						
and	251.5	263.7	12.2	0.37						0.2
and	269.8	274.3	4.6	0.30						
and	288.0	301.8	13.7	0.24						
and	330.7	333.8	3.0	0.53						
LBP269 (45, -73)	53.3	83.8	30.5	0.34	0.2	281.9	D-2 North		19.8	
and	99.1	102.1	3.0	0.97						
and	135.6	141.7	6.1	0.29						
and	166.1	178.3	12.2	0.29						
and	265.2	266.7	1.5	0.74						
LBP270 (135, -55)	No Significant Results					202.7	D-1 Northwest			
LBP271 (200, -55)	32.0	36.6	4.6	0.36	0.2	294.1	D-2 East		9.4	
and	38.1	64.0	25.9	0.25						
and	115.8	118.9	3.0	0.44						
LBP272 (10, -60)	213.4	234.7	21.3	0.58	0.2	269.7	D-2 North		15.0	
incl	228.6	230.1	1.5	3.07						1
incl	233.2	234.7	1.5	1.07						
and	246.9	251.5	4.6	0.23						0.2
and	253.0	257.6	4.6	0.34						
LBP273 (200, -45)	166.1	172.2	6.1	0.31	0.2	196.6	D-1 Southeast Extension		1.9	
LBP274 (320, -65)	54.9	65.5	10.7	0.24	0.2	333.8	D-2 East		3.9	
and	71.6	74.7	3.0	0.44						
LBP275 (0, -90)	7.6	12.2	4.6	0.49	0.2	213.4	M Zone		18.4	
and	86.9	96.0	9.1	1.30						
and	175.3	182.9	7.6	0.24						
and	184.4	187.5	3.0	0.82						
LBP276 (90, -75)	18.3	25.9	7.6	0.24	0.2	251.5	Rangefront		11.8	
and	62.5	74.7	12.2	0.41						
and	105.2	111.3	6.1	0.28						
and	123.4	128.0	4.6	0.38						
and	210.3	213.4	3.0	0.52						
LBP277 (90, -70)	260.6	266.7	6.1	0.22	0.15	501.9	Rangefront West	Reconnaissance Target	22.8	
including	262.1	266.7	4.6	0.24						0.2
and	292.6	300.2	7.6	0.21						
and	342.9	347.5	4.6	0.24						
and	364.2	367.3	3.0	6.17						
and including	365.8	367.3	1.5	8.54						5
and including	365.8	367.3	1.5	8.54						5
LBP278 (0, -90)	No Significant Results					239.3	D-3 South	Drilled under target		
LBP279 (30, -65)	99.1	105.2	6.1	0.62	0.2	263.7	D-3 South	Step-Out	3.7	
LBP280 (270, -65)	312.4	315.5	3.0	0.33	0.2	373.4	Rangefront Central	Reconnaissance Target	1.0	
LBP281 (290, -60)	No Significant Results					214.9	D-3 South	Drilled under target		
LBP282 (150, -75)	No Significant Results					422.1	Rangefront Southwest	Reconnaissance Target		
LBP283 (90, -60)	214.9	219.5	4.6	0.29	0.2	385.6	Rangefront Southwest	Reconnaissance Target	1.3	
LBP284 (220, -45)	76.2	80.8	4.6	0.23	0.15	135.6	D-3 South	Drilled under target	1.1	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP285 (125, -45)	41.2	45.7	4.6	0.24	0.15	178.3	D-3 South	Step-Out	11.6
and	54.9	68.6	13.7	0.45	0.2				
and	85.3	86.9	1.5	0.75					
and	112.8	121.9	9.1	0.23	0.15				
and	153.9	158.5	4.6	0.24					
LBP286 (0, -90)	86.9	91.4	4.6	0.23	0.15	233.2	Rangefront Southwest	Reconnaissance Target	1.1
LBP287 (220, -50)	117.4	121.9	4.6	0.39	0.2	342.9	Rangefront Southwest	Reconnaissance Target	7.0
and	202.7	221.0	18.3	0.28	0.15				
including	208.8	221.0	12.2	0.34	0.2				
LBP288 (175, -45)	19.8	25.9	6.1	0.19	0.15	239.3	D-3 South	Step-Out	3.1
and	91.4	97.5	6.1	0.32					
including	91.4	96.0	4.6	0.36	0.2				
LBP289 (135, -60)	48.8	65.5	16.8	0.38	0.15	275.8	Tallman North	Reduced Cyanide Solubility	53.0
including	54.9	64.0	9.1	0.55	0.2				
and including	54.9	56.4	1.5	1.40	1				
and	71.6	79.3	7.6	0.15	0.15				
and	80.8	94.5	13.7	0.34					
and	184.4	211.8	27.4	1.38					
including	184.4	204.2	19.8	1.85					
and including	185.9	192.0	6.1	4.37	1				
and including	198.1	202.7	4.6	1.28	0.2				
and	233.2	246.9	13.7	0.22	0.15				
including	233.2	239.3	6.1	0.23	0.2				
LBP290 (0, -50)	214.9	239.3	24.4	1.03	0.15	342.9	Rangefront Southwest	Reconnaissance Target	25.1
including	217.9	239.3	21.3	1.15	0.2				
and including	224.0	228.6	4.6	4.16	1				
LBP291 (90, -50)	195.1	198.1	3.0	0.66	0.15	318.5	Rangefront Southwest	Reconnaissance Target	2.0
including	196.6	198.1	1.5	1.16	1				
LBP292 (225, -45)	56.4	67.1	10.7	0.36	0.15	300.2	D-3 South	Step-Out	3.9
including	62.5	67.1	4.6	0.61	0.2				
LBP293 (320, -45)	132.6	143.3	10.7	0.24	0.15	147.8	D-1 Southeast Extension	Step-Out	2.6
including	135.6	143.3	7.6	0.26	0.2				
LBP294 (150, -50)	No Significant Results					397.8	Rangefront Southwest	Reconnaissance Target	
LBP295 (270, -75)	150.9	178.3	27.4	0.38	0.15	428.2	Upper F Zone	Reconnaissance Target	11.6
including	150.9	157.0	6.1	0.54	0.2				
including	158.5	175.3	16.8	0.39					
and including	169.2	170.7	1.5	1.06	1				
and	240.8	245.4	4.6	0.26	0.2				
LBP296 (300, -65)	105.2	109.7	4.6	0.35	0.2	198.1	Rangefront Southwest	Reconnaissance Target	1.6
LBP297 (270, -90)	59.4	65.5	6.1	0.45	0.15	460.9	E Zone North	Step-Out Target	16.6
including	59.4	62.5	3.0	0.72	0.2				
and	76.2	82.3	6.1	0.20	0.15				
and	108.2	111.3	3.0	0.98	0.2				
including	108.2	109.7	1.5	1.65	1				
and	181.4	195.1	13.7	0.53	0.2				
including	181.4	182.9	1.5	1.60	1				
and	288.0	291.1	3.0	0.43	0.2				
and	339.9	344.4	4.6	0.24	0.2				
LBP298 (235, -45)	No Significant Results					396.2	Rangefront Southwest	Reconnaissance Target	
LBP299 (200, -50)	No Significant Results					315.5	Rangefront Southwest	Reconnaissance Target	
LBP300 (270, -50)	108.2	121.9	13.7	0.38	0.15	300.2	Upper F Zone	Reconnaissance Target	8.6
including	109.7	121.9	12.2	0.41	0.2				
and	294.1	300.2	6.1	0.55	0.15				
including	295.7	300.2	4.6	0.67	0.2				
and including	295.7	297.2	1.5	1.27	1				
LBP301 (90, -63)	50.3	53.3	3.0	0.39	0.2	304.8	D-1 Southeast	Step-Out	22.4
and	76.2	83.8	7.6	0.22	0.15				
and	187.5	222.5	35.1	0.47					
including	187.5	210.3	22.9	0.55	0.2				
and including	193.6	198.1	4.6	1.28	1				
including	213.4	219.5	6.1	0.51	0.2				
and including	217.9	219.5	1.5	1.18	1				
and	266.7	271.3	4.6	0.66	0.2				
including	268.2	269.8	1.5	1.16	1				
LBP302 (90, -50)	No Significant Results					243.8	Upper F Zone	Reconnaissance Target	
LBP303 (100, -50)	195.1	217.9	22.9	1.73	0.2	320.0	North Tallman	Reduced Cyanide Solubility	47.4
including	195.1	205.7	10.7	3.34	1				
and	245.4	251.5	6.1	0.33	0.15				
including	248.4	251.5	3.0	0.47	0.2				
and	281.9	295.7	13.7	0.42	0.2				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP304 (65, -72)	50.3	56.4	6.1	0.69	0.2	304.8	North Tallman	Reduced Cyanide Solubility	37.9
including	50.3	51.8	1.5	1.51	1				
and	61.0	67.1	6.1	0.17	0.15				
and	74.7	80.8	6.1	0.22					
and	86.9	91.4	4.6	0.25	0.2				
and	193.6	208.8	15.2	0.82					
including	204.2	208.8	4.6	1.43	1				
and	214.9	233.2	18.3	0.60	0.15				
including	219.5	233.2	13.7	0.75	0.2				
and including	219.5	221.0	1.5	2.33	1				
and including	225.6	228.6	3.0	1.33					
and	239.3	248.4	9.1	0.74	0.2				
including	243.8	245.4	1.5	1.12	1				
LBP305 (250, -90)	54.9	68.6	13.7	0.32	0.15	269.7	North Tallman	Reduced Cyanide Solubility	21.1
including	54.9	61.0	6.1	0.53	0.2				
and	86.9	94.5	7.6	0.31	0.15				
including	86.9	93.0	6.1	0.35	0.2				
and	198.1	222.5	24.4	0.59					
LBP306 (270, -50)	No Significant Results					470.9	Upper F	Reconnaissance Target	
LBP307 (250, -75)	68.6	88.4	19.8	0.27	0.2	239.3	North Tallman	Reduced Cyanide Solubility	12.5
and	96.0	105.2	9.1	0.32	0.15				
including	96.0	102.1	6.1	0.39	0.2				
and	114.3	120.4	6.1	0.21	0.15				
including	114.3	118.9	4.6	0.23	0.2				
and	204.2	214.9	10.7	0.28	0.15				
including	205.5	214.9	9.1	0.30	0.2				
LBP308 (90, -47)	82.3	91.4	9.1	0.23	0.2	350.5	North Tallman	Reduced Cyanide Solubility	33.1
and	201.2	219.5	18.3	0.97	0.15				
including	201.2	217.9	16.8	1.05	0.2				
and including	202.7	207.3	4.6	2.56	1				
and	222.5	233.2	10.7	0.16	0.15				
and	277.4	297.2	19.8	0.53					
including	283.5	297.2	13.7	0.69	0.2				
and including	291.1	292.6	1.5	1.13	1				
and	309.4	313.9	4.6	0.23	0.15				
LBP309 (150, -50)	152.4	167.6	15.2	0.6	0.2	233.2	D-1 Southeast Extension	Step-Out	9.3
LBP310 (270, -47)	No Significant Results					242.3	E Zone North	Step-Out	
LBP311 (40, -60)	0.0	7.6	7.6	0.59	0.2	196.6	D-1 Southeast Extension	Step-Out	34.5
including	1.5	3.1	1.5	1.25	1.0				
and	44.2	53.3	9.1	0.38	0.2				
and	71.6	83.8	12.2	0.32					
and	94.5	120.4	25.9	0.42	0.15				
including	94.5	111.3	16.8	0.57	0.2				
and including	96.0	99.1	3.0	1.72	1				
and	121.9	137.2	15.2	0.70	0.15				
including	121.9	132.6	10.7	0.93	0.2				
and including	123.4	126.5	3.0	1.92	1				
and	146.3	152.4	6.1	0.18	0.15				
LBP312 (340, -50)	56.4	59.4	3.0	0.38	0.2	446.5	Upper F	Reconnaissance Target	1.1
LBP313 (80, -50)	0	7.62	7.6	0.65	0.15	239.3	D-1 Southeast Extension	Step-Out	25.9
including	0.0	4.6	4.6	0.99	0.2				
and including	0.0	3.1	3.0	1.31	1				
and	54.9	64.0	9.1	0.41	0.2				
and	86.9	114.3	27.4	0.34	0.15				
including	97.5	114.3	16.8	0.43	0.2				
and including	100.5	102.1	1.5	1.42	1				
and	126.5	146.3	19.8	0.40	0.15				
including	126.5	129.5	3.0	1.27	0.2				
including	138.7	141.7	3.0	0.56					
and including	126.5	128.0	1.5	1.62	1				
LBP314 (20, -60)	114.3	123.4	9.1	0.24	0.15	336.8	E Zone North	Step-Out	10.8
including	114.3	120.4	6.1	0.29	0.2				
and	202.7	216.4	13.7	0.63	0.15				
including	204.2	214.9	10.7	0.76	0.2				
and including	210.3	214.9	4.6	1.36	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP315 (250, -55)	18.3	21.3	3.0	0.35	0.2	304.8	D-1 Southeast Extension	Step-Out	20.3
and	29.0	57.9	29.0	0.29	0.15				
including	33.5	45.7	12.2	0.29	0.2				
including	53.3	57.9	4.6	0.58					
and including	53.3	54.9	1.5	1.08	1				
and	128.0	134.1	6.1	0.91	0.2				
including	129.5	132.6	3.0	1.38	1				
and	158.5	163.1	4.6	0.41	0.2				
and	204.2	205.7	1.5	0.67					
and	231.7	239.3	7.6	0.31	0.15				
including	233.2	239.3	6.1	0.34	0.2				
LBP316 (30, -50)	120.4	129.5	9.1	0.64	0.15	227.1	D-1 Southeast Extension	Step-Out	5.8
including	121.9	128.0	6.1	0.87	0.2				
and including	126.5	128.0	1.5	1.22	1				
LBP317 (65, -50)	160.0	167.6	7.6	0.21	0.15	221.0	D-1 Southeast Extension	Step-Out	1.6
LBP318 (270, -65)	7.6	13.7	6.1	0.26	0.2	257.6	E Zone North	Step-Out	2.9
and	15.2	21.3	6.1	0.21	0.15				
LBP319 (80, -47)	82.3	93.0	10.7	0.22	0.15	342.9	North Tallman	Reduced Cyanide Solubility	37.5
including	82.3	86.9	4.6	0.26	0.2				
and	211.8	225.6	13.7	0.88	0.2				
including	213.4	214.9	1.5	2.46	1				
including	216.4	217.9	1.5	1.15					
and	233.2	239.3	6.1	0.31	0.2				
and	246.9	253.0	6.1	0.19	0.15				
and	304.8	324.6	19.8	1.01	0.15				
including	304.8	321.6	16.8	1.15	0.2				
and including	307.9	315.5	7.6	1.79	1				
and including	317.0	318.5	1.5	1.04					
LBP320 (40, -60)	9.1	12.2	3.0	1.14	1	275.8	Upper F Zone	Reconnaissance	7.8
and	24.4	35.1	10.7	0.28	0.2				
and	50.3	56.4	6.1	0.22	0.15				
including	51.8	56.4	4.6	0.23	0.2				
LBP321 (300, -50)	64.9	57.9	3.0	0.42	0.15	303.3	E Zone North	Step-Out	2.5
including	54.9	56.4	1.5	0.66	0.2				
and	64.0	70.1	6.1	0.20	0.15				
LBP322 (62, -60)	53.3	65.5	12.2	0.20	0.15	288.0	North Tallman	Reduced Cyanide Solubility	21.6
and	91.4	96.0	4.6	0.24					
and	193.6	208.8	15.2	0.39					
including	193.6	207.3	13.7	0.41					
and	221.0	251.5	30.5	0.32					
including	221.0	246.9	25.9	0.35					
and	260.6	266.7	6.1	0.39					
including	260.6	265.2	4.6	0.47					
LBP323 (80, -65)	45.7	50.3	4.6	0.36	0.15	349.0	E Zone North	Step-Out	3.3
including	45.7	48.8	3.0	0.46	0.2				
and	91.4	99.1	7.6	0.21	0.15				
including	94.5	99.1	4.6	0.23	0.2				
LBP324 (160, -45)	33.5	38.1	4.6	0.24	0.15	318.5	Upper F Zone	Reconnaissance	2.3
and	36.9	45.7	6.1	0.19					
LBP325 (62, -47)	80.8	93.0	12.2	0.19	0.15	347.5	North Tallman	Reduced Cyanide Solubility	38.6
including	88.4	93.0	4.6	0.24	0.2				
and	100.6	106.7	6.1	0.31	0.15				
including	100.6	105.2	4.6	0.35	0.2				
and	224.0	280.4	56.4	0.49	0.15				
including	224.0	278.9	54.9	0.50	0.2				
and including	224.0	227.1	3.0	1.29					
and including	231.7	233.2	1.5	1.04	1				
and including	234.7	236.2	1.5	1.78					
and including	256.0	257.6	1.5	1.04					
and	288.0	292.6	4.6	0.28	0.15				
and	304.8	317.0	12.2	0.22					
including	304.8	307.8	3.0	0.39	0.2				
including	313.9	317.0	3.0	0.33					
and	329.2	335.3	6.1	0.46	0.15				
including	329.2	333.8	4.6	0.56	0.2				
LBP326 (05, -45)	77.7	82.3	4.6	0.22	0.15	297.2	E Zone North	Step-Out	10.9
and	99.1	111.3	12.2	0.81	0.2				
including	102.1	105.2	3.0	2.42	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP327 (35, -72)	86.9	96.0	9.1	0.21	0.15	257.6	North Tallman	Reduced Cyanide Solubility	26.8
including	86.9	91.4	4.6	0.24	0.2				
and	106.7	111.3	4.6	0.23	0.15				
and	205.7	240.8	35.1	0.68					
including	207.3	210.3	3.0	0.36	0.2				
including	213.4	240.8	27.4	0.81					
and including	225.6	227.1	1.5	1.06					
and including	228.6	234.7	6.1	2.00	1				
and including	237.7	239.3	1.5	1.28					
LBP328 (310, -45)	0.0	13.7	13.7	0.30	0.15	263.7	E Zone West	Step-Out	24.9
including	0.0	12.2	12.2	0.31	0.2				
and	21.3	25.9	4.6	0.32					
and	50.3	71.6	21.3	0.30	0.15				
including	56.4	71.6	15.2	0.37	0.2				
and	112.8	135.6	22.9	0.22	0.15				
including	112.8	117.4	4.6	0.30	0.2				
including	129.5	135.6	6.1	0.29					
and	143.3	147.8	4.6	0.29	0.15				
including	143.3	146.3	3.0	0.34	0.2				
and	153.9	181.4	27.4	0.24	0.15				
including	153.9	167.6	13.7	0.25	0.2				
including	169.2	181.4	12.2	0.24					
LBP329 (35, -60)	77.7	82.3	4.6	0.31	0.15	274.3	North Tallman	Reduced Cyanide Solubility	25.9
including	77.7	80.8	3.0	0.39	0.2				
and	91.4	102.1	10.7	0.23	0.15				
including	93.0	97.5	4.6	0.30					
and	210.3	213.4	3.0	0.40	0.2				
and	222.5	259.1	36.6	0.57					
including	245.4	248.4	3.0	2.08	1				
including	254.5	256.0	1.5	1.11					
LBP330 (35, -47)	105.2	111.3	6.1	0.24	0.15	300.2	North Tallman	Reduced Cyanide Solubility	8.1
including	105.2	109.7	4.6	0.27	0.2				
and	262.1	283.5	21.3	0.31	0.15				
including	262.1	278.9	16.8	0.34	0.2				
LBP331 (70, -57)	4.6	16.8	12.2	0.27	0.2	324.6	E Zone North	Step-Out	3.3
LBP332 (225, -50)	1.5	4.6	3.0	0.35	0.2	410.0	E Zone	Step-Out	24.1
and	10.7	22.9	12.2	0.28	0.15				
including	13.7	22.9	9.1	0.31	0.2				
and	112.8	158.5	45.7	0.32	0.15				
including	112.8	120.4	7.6	0.22	0.2				
including	121.9	158.5	36.6	0.35					
and	164.6	173.7	9.1	0.24	0.15				
including	166.1	172.2	6.1	0.28	0.2				
and	277.4	281.9	4.6	0.26	0.15				
and	294.1	297.2	3.0	0.55	0.2				
LBP333 (160, -90)	178.3	182.9	4.6	0.38	0.15	274.3	Rangefront Southwest	Reconnaissance Target	1.7
including	179.8	182.9	3.0	0.48	0.2				
LBP334 (160, -72)	167.6	172.2	4.6	0.42	0.15	274.3	Rangefront Southwest	Reconnaissance Target	4.2
including	167.6	170.7	3.0	0.55	0.2				
and	195.1	199.6	4.6	0.26	0.15				
and	221.0	227.1	6.1	0.17					
LBP335 (160, -60)	161.5	164.6	3.0	0.39	0.15	274.3	Rangefront Southwest	Reconnaissance Target	1.2
LBP336 (70, -80)	4.6	13.7	9.1	0.26	0.2	335.3	E Zone North	Step-Out	10.5
and	29.0	36.6	7.6	0.19	0.15				
and	234.7	263.7	29.0	0.23					
including	234.7	251.5	16.8	0.25	0.2				
including	253.0	259.1	6.1	0.23					
LBP337 (220, -75)	153.9	167.6	13.7	2.10	0.2	251.5	Rangefront Southwest	Reconnaissance Target	28.8
including	155.5	164.6	9.1	2.88	1				
and including	155.5	157.0	1.5	6.33	5				
LBP338 (220, -60)	144.8	163.1	18.3	0.29	0.15	263.7	Rangefront Southwest	Reconnaissance Target	8.1
including	146.3	153.9	7.6	0.47	0.20				
and	164.6	172.2	7.6	0.37					
LBP339 (200, -47)	1.5	13.7	12.2	0.77	0.20	342.9	E Zone West	Step-Out	16.0
including	6.1	9.1	3.0	1.86	1.00				
and	199.6	210.3	10.7	0.51	0.15				
including	201.2	207.3	6.1	0.76	0.20				
and including	202.7	204.2	1.5	1.10	1.00				
and	257.6	262.1	4.6	0.25	0.20				
LBP340 (260, -55)	152.4	176.78	24.4	0.42	0.15	227.1	Rangefront Southwest	Reconnaissance Target	10.2
including	152.4	164.6	12.2	0.64	0.2				
and including	150.4	153.9	1.5	1.10	1				
including	170.7	176.8	6.1	0.26	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
LBP341 (130, -58)	202.7	211.8	9.1	0.19	0.15	288.0	Rangefront Southwest	Reconnaissance Target	3.2	
LBP342 (325, -90)	No Significant Results					263.7	Upper F Zone	Reconnaissance Target		
LBP343 (100, -60)	227.1	233.2	6.1	0.24	0.15	304.8	Rangefront Southwest	Reconnaissance Target	1.5	
LBP344 (325, -60)	No Significant Results					342.9	Upper F Zone	Reconnaissance Target		
LBP345 (310, -60)	157.0	175.3	18.3	0.32	0.15	227.1	Rangefront Southwest	Reconnaissance Target	5.9	
including	163.1	175.3	12.2	0.39	0.2					
LBP346 (230, -45)	7.6	12.2	4.6	0.24	0.15	403.9	E Zone	Step-Out	3.0	
and	178.3	187.5	9.1	0.21						
LBP347 (45, -45)	61.0	90.0	29.0	0.52	0.15	152.4	I Pit Extension	Step-Out	15.1	
including	67.1	88.4	21.3	0.64	0.20					
and including	70.1	71.6	1.5	1.43	1					
and including	73.2	74.7	1.5	1.11						
and including	80.8	82.3	1.5	1.45						
LBP348 (0, -45)	No Significant Results					172.2	I Pit Extension	Step-Out		
LBP349 (90, -70)	56.4	61.0	4.6	0.35	0.20	483.1	Rangefront Gap	Reconnaissance	43.9	
and	118.9	129.5	10.7	0.22	0.15					
including	123.4	129.5	6.1	0.26	0.2					
and	143.3	152.4	9.1	0.18	0.15					
and	170.7	182.9	12.2	0.21	0.15					
including	172.2	179.8	7.6	0.23	0.2					
and	198.1	227.1	29.0	0.24	0.15					
including	198.1	208.8	10.7	0.30	0.2					
including	217.9	225.6	7.6	0.26						
and	243.8	254.5	10.7	0.19	0.15					
and	260.6	266.7	6.1	0.17	0.15					
and	281.9	306.3	24.4	0.25	0.15					
including	292.6	306.3	13.7	0.32	0.2					
and	327.7	344.4	16.8	0.81	0.15					
including	327.7	342.9	15.2	0.88	0.2					
and including	329.2	335.3	6.1	1.59	1					
and	429.8	455.7	25.9	0.23	0.15					
including	445.1	452.6	7.6	0.37	0.2					
LBP350 (220, -60)	102.1	103.6	1.5	1.7	1	379.5	Upper F Zone	Reconnaissance	19.7	
and	367.3	379.5	12.2	1.40	0.15					
including	368.8	379.5	10.7	1.58	0.2					
and including	370.3	379.5	9.1	1.76	1					
LBP351 (270, -70)	182.9	221.0	38.1	0.26	0.15	446.5	Rangefront Gap	Reconnaissance	23.6	
including	182.9	187.5	4.6	0.36	0.20					
including	192.0	201.2	9.1	0.22						
including	204.2	221.0	16.8	0.30	0.15					
and	256.0	262.1	6.1	0.17						
and	275.8	285.0	9.1	0.16						
and	315.5	324.6	9.1	0.46						
and	335.3	344.4	9.1	0.26						
including	338.3	344.4	6.1	0.30						0.20
and	365.8	374.9	9.1	0.28						0.15
including	365.8	373.9	7.6	0.30		0.20				
and	388.6	396.2	7.6	0.27	0.15					
LBP352 (120, -45)	10.7	22.9	12.2	0.40	0.15	222.5	CD Zone Extension	Step-Out	14.8	
including	13.7	21.3	7.6	0.52	0.20					
and including	16.8	18.3	1.5	1.08	1.00					
and	89.9	102.1	12.2	0.22	0.15					
including	89.9	96.1	6.1	0.72	0.20					
and	172.2	181.4	9.1	0.30	0.15					
including	173.7	178.3	4.6	0.43	0.20					
and	190.5	204.2	13.7	0.33	0.15					
including	190.5	196.6	6.1	0.54	0.20					
and including	192.0	193.6	1.5	1.06	1					
LBP353 (180, -45)	No Significant Results					318.5	Upper F Zone	Reconnaissance		
LBP354 (180, -60)	67.1	71.6	4.6	0.83	0.20	434.3	Rangefront Gap	Reconnaissance	40.2	
including	68.6	70.1	1.5	1.29	1.00					
and	126.5	132.6	6.1	0.23	0.15					
and	169.2	199.6	30.5	0.42						
including	175.3	199.6	24.4	0.49	0.20					
and including	184.4	187.5	3.0	1.24	1.00					
and	217.9	225.6	7.6	0.25	0.15					
including	217.9	224.0	6.1	0.27	0.20					
and	339.9	396.2	56.4	0.36	0.15					
including	339.9	346.0	6.1	0.28	0.20					
including	347.5	353.6	6.1	0.21						
including	355.1	396.2	41.1	0.41						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP355 (120, -90)</b>	7.6	13.7	6.1	0.38	0.15	318.5	<b>CD Zone Extension</b>	<b>Step Out</b>	<b>23.7</b>
including	9.1	13.7	4.6	0.46	0.20				
and	22.9	30.5	7.6	0.18	0.15				
and	35.05	41.15	6.1	0.27	0.15				
including	35.1	39.6	4.6	0.32	0.20				
and	73.2	82.3	9.1	0.19	0.15				
including	76.2	80.8	4.6	0.22	0.20				
and	160.0	166.1	6.1	0.35	0.15				
including	161.5	166.1	4.6	0.40	0.20				
and	176.8	205.7	29.0	0.50	0.15				
including	179.8	204.2	24.4	0.56	0.20				
and including	179.8	181.4	1.5	1.16	1.00				
and including	196.6	198.1	1.5	1.93	1.00				
<b>LBP356 (0, -55)</b>	94.5	100.6	6.1	0.44	0.20	470.9	<b>Rangefront Gap</b>	<b>Reconnaissance</b>	<b>133.5</b>
and	141.7	157.0	15.2	0.24	0.15				
including	141.7	149.4	7.6	0.23	0.20				
including	150.9	157.0	6.1	0.30	0.15				
and	253.0	339.9	86.9	0.91	0.15				
including	253.0	271.3	18.3	0.25	0.20				
including	285.0	339.9	54.9	1.32	1.00				
and including	286.5	309.4	22.9	2.15	1.00				
and including	315.5	318.5	3.0	2.83	5.00				
and including	320.0	321.6	1.5	1.15	0.20				
and including	289.6	291.1	1.5	5.75	0.20				
and	346.0	367.3	21.3	2.03	1.00				
including	349.0	365.8	16.8	2.52	5.00				
and including	352.0	353.6	1.5	5.15	0.15				
and	374.9	396.2	21.3	0.23	0.20				
including	374.9	382.5	7.6	0.30	0.20				
including	385.6	391.7	6.1	0.26	0.20				
<b>LBP357 (300, -60)</b>	121.9	132.6	10.7	0.30	0.20	336.8	<b>Discovery West</b>	<b>Step-Out</b>	<b>14.9</b>
and	216.4	236.2	19.8	0.45	0.15				
including	228.6	234.7	6.1	1.05	0.20				
and including	228.6	231.7	3.0	1.65	1.00				
and	256.0	263.7	7.6	0.16	0.15				
and	275.8	281.9	6.1	0.26	0.15				
including	277.4	281.9	4.6	0.28	0.20				
<b>LBP358 (45, -50)</b>	61.0	65.5	4.6	0.31	0.20	434.3	<b>Rangefront Gap</b>	<b>Reconnaissance</b>	<b>112.2</b>
and	175.3	178.3	3.0	0.34	0.15				
and	222.5	251.5	29.0	0.22	0.20				
including	225.5	230.1	7.6	0.33	0.20				
and	262.1	286.5	24.4	1.23	0.15				
including	263.7	281.9	18.3	1.58	0.20				
and including	266.7	281.9	15.2	1.85	1.00				
and	295.7	346.0	50.3	1.37	0.15				
including	295.7	339.9	44.2	1.54	0.20				
and including	295.7	297.2	1.5	2.65	1.00				
and including	307.9	330.2	22.9	2.37	5.00				
and including	324.6	326.1	1.5	6.75	0.15				
and	379.5	391.7	12.2	0.24	0.20				
including	379.5	388.6	9.1	0.27	0.20				
and	406.9	413.0	6.1	0.25	0.15				
<b>LBP359 (80, -60)</b>	33.5	39.6	6.1	0.19	0.15	379.5	<b>CD Zone Extension</b>	<b>Step-Out</b>	<b>13.4</b>
and	121.9	125.0	3.0	0.61	1.00				
including	121.9	123.4	1.5	1.06	0.15				
and	185.9	192.0	6.1	0.23	0.20				
including	185.9	190.5	4.6	0.25	0.15				
and	202.7	224.0	21.3	0.27	0.20				
including	204.2	211.8	7.6	0.42	0.15				
and	285.0	291.1	6.1	0.19	0.20				
and	297.2	304.8	7.6	0.27	0.20				
<b>LBP360 (230, -62)</b>	94.5	103.6	9.1	0.21	0.15	196.6	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>7.4</b>
and	118.9	137.2	18.3	0.30	0.20				
including	118.9	134.1	15.2	0.33	0.20				
<b>LBP361 (120, -75)</b>	3.1	7.6	4.6	0.32	0.20	288.0	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>21.5</b>
and	47.4	54.9	7.6	0.17	0.15				
and	68.6	96.0	27.4	0.23	0.20				
including	73.2	94.5	21.3	0.25	0.15				
and	140.2	157.0	16.8	0.38	0.20				
including	141.7	157.0	15.2	0.40	0.15				
and	222.5	231.7	9.1	0.29	0.20				
including	225.6	231.6	6.1	0.36	0.15				
and	239.3	243.8	4.6	0.27	0.20				
and	245.4	251.5	6.1	0.18	0.15				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP362 (120, -60)</b>	13.7	24.4	10.7	0.21	0.15	367.3	Rangefront	Step-Out	33.7
including	18.3	24.4	6.1	0.26	0.20				
and	39.6	74.7	35.1	0.28	0.15				
including	42.7	74.7	32.0	0.29	0.20				
and	85.3	108.2	22.9	0.75	0.15				
including	88.4	91.4	3.0	2.65	1.00				
including	96.0	99.1	3.0	1.06	1.00				
and	205.7	208.8	3.0	0.35	0.20				
and	222.5	233.2	10.7	0.32	0.15				
including	222.5	231.7	9.1	0.35	0.20				
<b>LBP363 (205, -45)</b>	9.1	30.5	21.3	0.40	0.20	257.6	Discovery Zone	Resource Upgrade	19.4
and	118.9	121.9	3.0	0.38	0.20				
and	173.7	190.5	16.8	0.46	0.20				
including	176.8	178.3	1.5	1.09	1.00				
including	179.8	181.4	1.5	1.32	1.00				
and	199.6	205.7	6.1	0.33	0.15				
including	201.2	205.7	4.6	0.38	0.20				
<b>LBP364 (0, -45)</b>	1.5	24.4	22.9	0.22	0.15	233.2	Rangefront	Step-Out	18.0
including	7.6	19.8	12.2	0.26	0.20				
and	25.9	47.2	21.3	0.26	0.15				
including	27.4	38.1	10.7	0.34	0.20				
and	65.5	71.6	6.1	0.19	0.15				
and	85.3	100.6	15.2	0.33	0.15				
including	86.9	97.5	10.7	0.40	0.20				
and	108.2	115.8	7.6	0.16	0.15				
<b>LBP365 (185, -65)</b>	4.6	10.7	6.1	0.37	0.20	257.6	Discovery Zone	Resource Upgrade	15.4
and	18.3	22.9	4.6	0.31	0.15				
and	88.4	93.0	4.6	0.28	0.15				
and	100.6	118.9	18.3	0.29	0.15				
including	109.7	115.8	6.1	0.49	0.20				
and	173.7	175.3	1.5	0.81	0.20				
and	199.6	207.3	7.6	0.28	0.20				
and	217.9	221.0	3.0	0.60	0.20				
<b>LBP366 (300, -47)</b>	67.1	85.3	18.3	0.34	0.15	274.3	Rangefront	Step-Out	12.4
including	68.6	85.3	16.8	0.36	0.20				
and	134.1	146.3	12.2	0.29	0.15				
including	140.2	146.3	6.1	0.39	0.20				
and	184.4	192.0	7.6	0.35	0.15				
including	184.4	190.5	6.1	0.39	0.20				
<b>LBP367 (40, -50)</b>	25.9	56.4	30.5	0.27	0.15	361.2	CD Zone Extension	Step-Out	29.0
including	25.9	30.5	4.6	0.23	0.20				
including	33.5	48.8	15.2	0.36	0.20				
and	74.7	83.8	9.1	0.23	0.15				
and	147.8	166.1	18.3	0.24	0.15				
including	149.4	155.5	6.1	0.38	0.20				
and	198.1	207.3	9.1	0.21	0.15				
including	199.6	204.2	4.6	0.24	0.20				
and	242.3	249.9	7.6	0.37	0.15				
including	245.4	249.9	4.6	0.49	0.20				
and	262.1	289.6	27.4	0.35	0.20				
<b>LBP368 (135, -45)</b>	4.6	35.1	35.1	0.20	0.15	160.0	Discovery Zone	Resource Upgrade	10.8
including	7.6	22.9	15.2	0.24	0.20				
including	27.4	33.5	6.1	0.22	0.20				
and	102.1	123.4	21.3	0.18	0.15				
<b>LBP369 (245, -50)</b>	48.8	53.3	4.60	0.25	0.15	251.5	Rangefront	Step-Out	13.2
and	93.0	100.6	7.60	0.20	0.20				
and	129.5	138.7	9.10	0.34	0.20				
and	208.8	216.4	7.60	0.80	0.20				
including	208.8	210.3	1.50	2.36	1.00				
and	243.8	249.9	6.10	0.23	0.15				
including	245.4	249.9	4.60	0.25	0.20				
<b>LBP370 (90, -48)</b>	1.5	42.7	41.1	0.45	0.20	202.7	Discovery Zone	Resource Upgrade	31.3
including	38.1	39.6	1.5	2.67	1.00				
and	91.4	100.6	9.1	0.48	0.15				
including	93.0	100.6	7.6	0.53	0.20				
and including	93.0	94.5	1.5	1.17	1.00				
and	170.7	187.5	16.8	0.50	0.20				
including	176.8	178.3	1.5	1.22	1.00				
<b>LBP371 (90, -45)</b>	9.1	19.8	10.7	0.21	0.15	100.6	I Pit Extension	Step-Out	4.9
and	74.7	80.8	6.1	0.17	0.15				
and	89.9	96.0	6.1	0.26	0.15				
including	89.9	94.5	4.6	0.28	0.20				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m					
LBP372 (180, -45)	25.9	39.6	13.7	0.28	0.15	202.7	Discovery Zone	Resource Upgrade	10.4					
including	29.0	36.6	7.6	0.36	0.20									
and	54.9	68.6	13.7	0.22	0.15									
including	54.9	64.0	9.1	0.20	0.20									
and	109.7	118.9	9.1	0.21	0.15									
and	193.6	199.6	6.1	0.27	0.15									
including	195.1	199.6	4.6	0.31	0.20									
LBP373 (0, -45)	16.8	71.6	54.9	0.61	0.20	196.6	I Pit Extension	Step-Out	33.5					
including	19.8	24.4	4.6	1.34	1.00									
including	29.0	32.0	3.0	1.04										
including	38.1	41.2	3.0	2.18										
LBP374 (45, -45)	19.8	25.9	6.1	0.18	0.15	208.8	I Pit Extension	Step-Out	43.4					
and	27.4	126.5	99.1	0.37	0.15									
including	30.5	118.9	88.4	0.39	0.20									
and including	82.3	83.8	1.5	1.16	1.00									
and	132.6	147.8	15.2	0.37	0.15									
including	137.2	147.8	10.7	0.46	0.20									
LBP375 (140, -45)	32.0	42.7	10.7	0.28	0.15	221.0	Discovery Zone	Resource upgrade	23.7					
including	32.0	36.6	4.6	0.46	0.20									
and	45.7	68.6	22.9	0.22	0.15									
including	51.8	64.0	12.2	0.27	0.20									
and	77.7	82.3	4.6	0.25	0.15									
and	131.1	141.7	10.7	0.19	0.15									
and	202.7	221.0	18.3	0.68	0.20									
LBP376 (10, -45)	9.1	16.8	7.6	0.24	0.15	324.6	CD Zone Extension	Step-Out	30.8					
and	29.0	35.1	6.1	0.33										
including	29.0	33.5	4.6	0.40										
and	48.8	62.5	13.7	0.23										
including	53.3	61.0	7.6	0.27										
and	85.3	99.1	13.7	0.24										
including	89.9	99.1	9.1	0.27										
and	176.8	189.0	12.2	0.31										
including	179.8	189.0	9.1	0.36										
and	221.0	243.8	22.9	0.73										
including	221.0	239.3	18.3	0.87										
and including	222.5	231.7	9.1	1.32										
LBP377 (330, -60)	19.8	51.8	32.0	0.21						0.15	349.0	Discovery Zone	Resource Upgrade	73.5
including	30.5	47.2	16.8	0.24						0.10				
and	91.4	108.2	16.8	0.37	0.15									
including	91.4	106.7	15.2	0.39	0.20									
and	120.4	129.5	9.1	0.27	0.15									
including	120.4	126.5	6.1	0.32	0.20									
and	131.1	140.2	9.1	0.16	0.15									
including	135.6	140.2	4.6	0.23	0.20									
and	170.7	175.3	4.6	0.61										
including	170.7	172.2	1.5	1.33	1.00									
and	187.5	213.4	25.9	0.58	0.20									
including	196.6	202.7	6.1	1.38	1.00									
and	221.0	237.7	16.8	0.85	0.15									
including	228.6	237.7	9.1	1.41	0.20									
and including	230.1	234.7	4.6	2.57	1.00									
and	251.5	256.0	4.6	0.38	0.15									
including	251.5	254.5	3.0	0.48	0.20									
and	263.7	289.6	25.9	0.88	0.15									
including	263.7	283.5	19.8	1.09	0.20									
and including	263.7	275.8	12.2	1.47	1.00									
LBP378 (300, -45)	16.8	25.9	9.1	0.33	0.15	208.8	I Pit Extension	Step-Out	3.0					
including	16.8	24.4	7.6	0.37	0.20									
LBP379 (120, -45)	No Significant Results					86.9	I Pit Extension	Step-Out						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP380 (25, -60)	19.8	50.3	30.5	0.19	0.15	349.0	Discovery Zone	Resource Upgrade	154.8
including	36.6	42.7	6.1	0.22	0.20				
including	44.2	48.8	4.6	0.31					
and	56.4	76.2	19.8	0.24	0.15				
including	56.4	68.6	12.2	0.28	0.20				
and	86.9	105.2	18.3	0.24	0.15				
including	91.4	97.5	6.1	0.27					
including	102.1	105.2	3.0	0.35	0.20				
and	140.2	170.7	30.5	1.52					
including	146.3	167.6	21.3	1.92	1.00				
and including	164.6	166.1	1.5	5.79	5.00				
and	239.3	257.6	18.3	0.35	0.20				
and	263.7	285.0	21.3	2.44	0.20				
including	265.2	283.5	18.3	2.73	1.00				
and	286.5	326.1	39.6	0.85	0.15				
including	296.6	303.3	10.7	2.08	1.00				
and	344.4	349.0	4.6	0.32	0.20				
LBP381 (30, -45)	44.2	70.1	25.9	0.32	0.15	190.5	Discovery Zone	Resource Upgrade	14.3
including	51.8	70.1	18.3	0.37	0.20				
and	131.1	137.2	6.1	0.28	0.15				
including	132.6	137.2	4.6	0.32	0.20				
and	155.5	176.8	21.3	0.20	0.15				
including	163.1	169.2	6.1	0.26	0.20				
LBP382 (165, -45)	3.1	7.6	4.6	0.31	0.20	190.5	Back Range	Step Out	34.9
and	25.9	36.6	10.7	0.63					
including	32.0	33.5	1.5	1.73	1.00				
and	42.7	71.6	29.0	0.54	0.15				
including	42.7	48.8	6.1	0.23	0.20				
including	51.8	71.6	19.8	0.70					
and including	56.4	59.4	3.0	1.23	1.00				
and	80.8	94.5	13.7	0.30	0.15				
including	89.9	94.5	4.6	0.54	0.20				
and	125.0	132.6	7.6	0.92	0.20				
including	125.0	128.0	3.0	1.37	1.00				
LBP383 (235, -77)	0.0	7.6	7.6	0.17	0.15	330.7	Discovery Zone	Resource Upgrade	26.7
and	16.8	22.9	6.1	0.28	0.20				
and	80.8	99.1	18.3	0.24	0.15				
including	80.8	83.8	3.0	0.44					
including	86.9	99.1	12.2	0.22	0.20				
and	123.4	129.5	6.1	0.35	0.15				
including	125.0	129.5	4.6	0.41	0.20				
and	140.2	170.7	30.5	0.39	0.20				
and	222.5	227.1	4.6	0.26	0.15				
including	234.7	236.2	1.5	0.89	0.20				
and	233.2	236.2	3.0	0.54					
and	259.1	263.7	4.6	0.22	0.15				
and	268.2	275.8	7.6	0.19					
LBP384 (50, -60)	56.4	64.0	7.6	0.25	0.15	202.7	Discovery Zone	Resource Upgrade	5.6
including	59.4	64.0	4.6	0.32	0.20				
and	94.5	102.1	7.6	0.19					
and	146.3	150.9	4.6	0.26	0.15				
and	178.3	184.8	6.1	0.17					
LBP385 (0, -55)	39.6	48.8	9.1	0.25	0.15	202.7	Discovery Zone	Resource Upgrade	10.2
including	39.6	44.2	4.6	0.35					
and	50.3	56.4	6.1	0.29	0.20				
and	77.7	96.0	18.3	0.26					
and	114.3	121.9	7.6	0.18	0.15				
LBP386 (235, -63)	0.0	7.6	7.6	0.18	0.15	330.7	Discovery Zone	Resource Upgrade	61.3
and	16.8	22.9	6.1	0.35					
including	16.8	21.3	4.6	0.4	0.20				
and	79.3	91.4	12.2	0.48	0.15				
including	80.8	89.9	9.1	0.58	0.20				
and including	82.3	83.8	1.5	1.54	1.00				
and	131.1	192.0	61.0	0.36	0.15				
including	132.6	147.8	15.2	0.47					
including	152.4	164.6	12.2	0.27	0.20				
including	169.2	192.0	22.9	0.42					
and including	176.8	178.3	1.5	1.24	1.00				
and	224.0	228.6	4.6	0.41	0.20				
and	249.9	288.0	38.1	0.63	0.15				
including	249.9	278.9	29.0	0.78	0.20				
and including	251.5	259.1	7.6	2.04	1.00				
and	294.1	304.8	10.7	0.38	0.15				
including	298.7	304.8	6.1	0.55	0.20				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP387 (120, -60)	38.1	50.3	12.2	0.20	0.15	160.0	Discovery Zone	Resource Upgrade	7.1
including	39.6	44.2	4.6	0.26	0.2				
and	56.4	64.0	7.6	0.20	0.15				
and	79.3	93.0	13.7	0.23	0.15				
including	86.9	93.0	6.1	0.33	0.2				
LBP388 (75, -45)	4.6	62.5	57.9	0.26	0.15	202.7	Discovery Zone	Resource Upgrade	33.0
including	9.1	59.4	50.3	0.27	0.2				
and	94.5	134.1	39.6	0.27	0.15				
including	94.5	99.1	4.6	0.59	0.2				
including	105.2	115.8	10.7	0.35	0.15				
and	157.0	163.1	6.1	0.18	0.15				
and	176.8	187.5	10.7	0.26	0.15				
including	178.3	187.5	9.1	0.27	0.2				
and	195.1	202.7	7.6	0.45	0.2				
LBP389 (340, -53)	22.9	39.6	16.8	0.39	0.15	233.2	Discovery Zone	Resource Upgrade	36.3
including	24.4	36.6	12.2	0.48	0.20				
and including	32.0	33.5	1.5	1.24	1.00				
and	132.6	150.9	18.3	1.17	0.15				
including	134.1	147.8	13.7	1.50	0.20				
and including	135.6	146.3	10.7	1.73	1.00				
and	166.1	178.3	12.2	0.35	0.20				
and	187.5	190.5	3.0	0.72	0.20				
and	196.6	202.7	6.1	0.31	0.20				
LBP390 (320, -45)	No Significant Results					160.0	Back Range	Step-Out	
LBP391 (295, -45)	65.5	91.4	25.9	0	0.15	99.1	Discovery Zone	Resource Upgrade	7.8
including	65.5	89.9	24.4	0.31	0.20				
LBP392 (15, -55)	27.4	47.2	19.8	0.29	0.15	269.7	Discovery Zone	Resource Upgrade	36.0
including	32.0	47.2	15.2	0.33	0.20				
and	73.2	85.3	12.2	0.48	0.20				
including	83.8	85.3	1.5	1.56	1.00				
and	105.2	138.7	33.5	0.42	0.15				
including	105.2	137.2	32.0	0.43	0.20				
and	178.3	217.9	39.6	0.26	0.15				
including	179.8	190.5	10.7	0.31	0.20				
including	199.6	213.4	13.7	0.34	0.20				
LBP393 (120, -47)	19.8	25.9	6.1	0.29	0.15	221.0	Discovery Zone	Resource Upgrade	37.6
including	21.3	25.9	4.6	0.33	0.20				
and	99.1	163.1	64.0	0.56	0.15				
including	129.5	163.1	33.5	0.89	0.15				
and including	144.8	152.4	7.6	1.93	1.00				
LBP394 (85, -53)	21.3	29.0	7.6	0.23	0.15	251.5	Discovery Zone	Resource Upgrade	37.7
and	80.8	105.2	24.4	0.30	0.20				
and	114.3	131.1	16.8	1.32	0.15				
including	114.3	128.0	13.7	1.57	0.20				
and including	120.4	128.0	7.6	2.62	1.00				
and	141.7	144.8	3.0	0.41	0.20				
and	160.0	173.7	13.7	0.38	0.15				
including	160.0	172.2	12.2	0.40	0.20				
and	239.3	246.9	7.3	0.31	0.20				
LBP395 (255, -45)	13.7	21.3	7.6	0.22	0.15	152.4	Back Range	Step-Out	39.8
and	59.4	99.1	39.6	0.41	0.15				
including	59.4	86.9	27.4	0.50	0.20				
and	88.4	99.1	10.7	0.24	0.20				
and	105.2	112.8	7.6	1.44	0.20				
including	105.2	108.2	3.0	2.29	1.00				
including	109.7	111.3	1.5	1.16	0.20				
and	129.5	132.6	3.0	0.34	0.20				
and	144.8	152.4	7.6	1.30	0.20				
including	146.3	150.9	4.6	1.94	1.00				
LBP396 (50, -55)	42.7	77.7	35.1	0.21	0.15	330.7	Discovery Zone	Resource Upgrade	13.6
including	47.2	51.8	4.6	0.23	0.20				
including	54.9	68.6	13.7	0.27	0.15				
and	80.8	94.5	13.7	0.25	0.15				
including	80.8	86.9	6.1	0.33	0.20				
and	141.7	147.8	6.1	0.26	0.20				
and	211.8	214.9	3.0	0.41	0.20				
LBP397 (45, -45)	64.0	106.7	42.7	0.28	0.15	251.5	Discovery Zone	Resource Upgrade	28.9
including	67.1	100.6	33.5	0.31	0.20				
and	109.7	125.0	15.2	0.66	0.15				
including	118.9	123.4	4.6	1.84	0.20				
and including	118.9	121.9	3.0	2.52	1.00				
and	135.6	141.7	6.1	0.20	0.15				
and	152.4	157.0	4.6	0.22	0.15				
and	198.1	202.7	4.6	1.01	0.20				
including	199.6	202.7	3.0	1.33	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP398 (265, -60)	53.3	79.3	25.9	0.39	0.20	147.8	Back Range	Step-Out	14.4
and	88.4	94.5	6.1	0.39	0.15				
including	88.4	93.0	4.6	0.46	0.20				
and	103.6	108.2	4.6	0.41	0.20				
LBP399 (75, -50)	102.1	111.3	9.1	0.21	0.15	489.2	Rangefront Gap	Reconnaissance	30.8
and	118.9	123.4	4.6	0.23					
and	144.8	150.9	6.1	0.24					
including	146.3	150.9	4.6	0.26					
and	233.2	246.9	13.7	0.27					
including	233.2	245.4	12.2	0.28					
and	263.7	275.8	12.2	0.33					
and	298.7	315.5	16.8	0.66					
including	300.2	315.5	15.2	0.71					
and including	309.4	312.4	3.0	1.31					
and	327.7	333.8	6.1	0.28					
and	423.7	432.8	9.1	0.39					
and	448.1	452.6	4.6	0.51					
LBP400 (85, -75)	6.1	9.1	3.0	0.54	0.20	190.5	Back Range	Step-Out	46.8
and	27.4	56.4	29.0	1.01	0.15				
including	33.5	56.4	22.9	1.22	0.20				
and including	41.2	54.9	13.7	1.66	1.00				
and	96.0	114.3	18.3	0.87	0.15				
including	99.1	112.8	13.7	1.10	0.20				
and including	100.6	109.7	9.1	1.42	1.00				
LBP401 (135, -70)	25.9	48.8	22.9	0.25	0.15	208.8	Discovery Zone	Resource Upgrade	30.3
including	29.0	39.6	10.7	0.33	0.2				
and	57.9	111.3	53.3	0.43	0.15				
including	59.4	109.7	50.3	0.44	0.2				
and	196.6	202.7	6.1	0.27	0.2				
LBP402 (55, -55)	13.7	19.8	6.1	0.22	0.15	312.4	Rangefront	Resource Upgrade	7.3
and	68.6	74.7	6.1	0.22					
and	204.2	216.4	12.2	0.38					
including	204.2	214.9	10.7	0.41					
LBP403 (135, -45)	35.1	41.2	6.1	0.23	0.15	172.2	Discovery Zone	Resource Upgrade	26.6
and	50.3	67.1	16.8	0.20	0.15				
including	51.8	56.4	4.6	0.29	0.20				
and	82.3	135.6	53.3	0.41	0.15				
including	82.3	134.1	51.8	0.42	0.20				
and including	100.6	102.1	1.5	1.10	1.00				
LBP404 (325, -50)	327.7	342.9	15.2	0.76	0.20	477.0	Rangefront D-4	Reconnaissance	17.0
including	330.7	333.8	3.0	1.63	1.00				
and	382.5	391.7	9.1	0.60	0.20				
including	384.1	385.6	1.5	2.02	1.00				
LBP405 (165, -50)	18.3	25.9	7.6	0.21	0.15	318.5	Rangefront	Step-Out	40.6
and	38.1	67.1	29.0	0.30					
including	38.1	50.3	12.2	0.40					
including	56.4	64.0	7.6	0.38					
and	77.7	88.4	10.7	0.21					
and	103.6	108.2	4.6	0.27					
and	137.2	161.5	24.4	0.40					
including	138.7	161.5	22.9	0.42					
and including	140.2	141.7	1.5	1.23					
and	167.6	170.7	3.0	0.53					
including	167.6	169.2	1.5	0.90					
and	173.7	185.9	12.2	0.21					
and	196.6	204.2	7.6	0.19					
and	268.2	289.6	21.3	0.21					
including	283.5	289.6	6.1	0.26					
and	304.8	310.9	6.1	1.14					
and including	306.3	309.4	3.0	1.83					
LBP406 (85, -55)	22.9	38.1	15.2	0.26					
including	24.4	38.1	13.7	0.27	0.20				
and	68.6	121.9	53.3	0.42	0.15				
including	68.6	108.2	39.6	0.51	0.20				
and including	88.4	93.0	4.6	1.12	1.00				
LBP407 (52, -63)	16.8	29.0	12.2	0.31	0.15	306.3	Discovery Zone	Resource Upgrade	30.9
including	22.9	29.0	6.1	0.45	0.20				
and	39.6	42.7	3.0	0.33	0.15				
and	68.6	117.4	48.8	0.49	0.15				
including	68.6	103.6	35.1	0.61	0.20				
and including	79.3	80.8	1.5	1.04	1.00				
and including	85.3	89.9	4.6	1.37	1.00				
and	167.6	175.3	7.6	0.29	0.15				
including	172.2	175.3	3.0	0.51	0.20				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP408 (110, -90)	169.2	179.8	10.7	0.18	0.15	367.3	Rangefront D-4	Reconnaissance	74.7
and	196.6	205.7	9.1	0.19					
and	234.7	347.5	112.8	0.63					
including	236.2	240.8	4.6	0.39					
including	242.3	315.5	73.2	0.74					
including	321.6	347.5	25.9	0.54					
and including	292.6	300.2	7.6	2.55					
and including	306.3	309.4	3.0	1.11					
and including	341.4	349.9	1.5	2.47					
LBP409 (310, -50)	16.8	21.3	4.6	0.41	0.20	397.8	Rangefront	Step-Out	7.9
and	67.1	73.2	6.1	0.18	0.15				
and	108.2	112.8	4.6	0.49	0.20				
and	125.0	128.0	3.0	0.46	0.15				
including	126.5	128.0	1.5	0.74	0.20				
and	141.7	146.3	4.6	0.28					
LBP410 (165, -45)	94.5	99.1	4.6	0.28	0.20	269.7	Discovery Zone	Resource Upgrade	33.3
and	120.4	144.8	24.4	0.40	0.15				
including	121.9	143.3	21.3	0.44	0.20				
and including	137.2	138.7	1.5	1.03	1.00				
and	153.9	163.1	9.1	0.19	0.15				
and	164.6	202.7	38.1	0.40	0.15				
including	166.1	193.6	27.4	0.48	0.20				
and including	176.8	178.3	1.5	1.13	1.00				
and	211.8	230.1	18.3	0.29	0.15				
including	211.8	216.4	4.6	0.29	0.20				
including	219.5	224.0	4.6	0.24					
including	227.1	230.1	3.0	0.86					
and including	228.6	230.1	1.5	1.17					
LBP411 (110, -68)	176.8	182.9	6.1	0.23	0.15				
including	176.8	181.4	4.6	0.25	0.20				
and	219.5	251.5	32.0	0.30	0.15				
including	219.5	227.1	7.6	0.37	0.20				
including	228.6	248.4	19.8	0.31					
and	278.9	307.9	29.0	0.32	0.15				
including	278.9	291.1	12.2	0.48	0.20				
including	298.7	304.8	6.1	0.20					
and including	281.9	283.5	1.5	1.26	1.00				
and	330.7	335.3	4.6	0.43	0.20				
and	346.0	361.2	15.2	0.21	0.15				
including	355.1	358.1	3.0	0.34	0.20				
LBP412 (150, -50)	121.9	128.0	6.1	0.20	0.15	237.7	Crusher	Reconnaissance	1.2
LBP413 (120, -62)	35.1	39.6	4.6	0.38	0.20	184.4	Discovery Zone	Resource Upgrade	17.7
and	74.7	79.3	4.6	0.29					
and	88.4	134.1	45.7	0.32					
including	96.0	132.6	36.6	0.35					
LBP414 (105, -45)	123.4	146.3	22.9	0.53	0.15	153.9	Discovery Zone	Resource Upgrade	12.1
including	125.0	144.8	19.8	0.59	0.20				
and including	134.1	137.2	3.0	1.30	1.00				
LBP415 (100, -45)	22.9	39.6	16.8	0.35	0.20	182.9	Discovery Zone	Resource Upgrade	35.4
and	74.7	88.4	13.7	0.30	0.15				
including	82.3	88.4	6.1	0.48	0.20				
and	103.6	140.2	36.6	0.59	0.20				
including	111.3	112.8	1.5	1.42	1.00				
including	121.9	123.4	1.5	1.18					
and	160.0	166.1	6.1	0.29	0.20				
and	172.2	178.3	6.1	0.33					
LBP416 (185, -45)	59.4	76.2	16.8	0.30	0.15	121.9	Discovery Zone	Resource Upgrade	5.0
including	64.0	76.2	12.2	0.34	0.20				
LBP417 (190, -45)	86.9	93.0	6.1	0.47	0.20	182.9	M Zone	16.3	
and	94.5	115.8	21.3	0.39	0.15				
including	99.1	115.8	16.8	0.46	0.20				
and including	100.6	103.6	3.0	1.10	1.00				
and	129.5	147.8	18.3	0.28	0.20				
LBP418 (0, -62)	176.8	196.6	19.8	0.20	0.15	419.1	Rangefront D-4	Reconnaissance	49.7
including	182.9	187.5	4.6	0.27	0.20				
including	190.5	196.6	6.1	0.25					
and	217.9	260.6	42.7	0.50	0.15				
including	219.5	260.6	41.1	0.51	0.20				
and including	242.3	245.4	3.0	1.42	1.00				
and including	253.0	254.5	1.5	1.18					
and	300.2	324.6	24.4	1.00	0.15				
including	301.8	324.6	22.9	1.06	0.20				
and including	312.4	318.5	6.1	2.64	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP419 (95, -45)	1.5	30.5	29.0	0.27	0.15	152.4	Discovery Zone	Resource Upgrade	17.5
including	1.5	18.3	16.8	0.31	0.20				
including	19.8	30.5	10.7	0.23	0.15				
and	80.8	99.1	18.3	0.28	0.15				
including	85.3	91.4	6.1	0.46	0.20				
and	115.8	129.5	13.7	0.33	0.15				
including	115.8	125.0	9.1	0.42	0.20				
LBP420 (0, -50)	38.1	45.7	7.6	0.86	0.20	263.7	Rangefront North	Reconnaissance	22.3
including	38.1	41.2	3.0	1.46	1.00				
and	65.5	77.7	12.2	0.32	0.15				
including	65.5	76.2	10.7	0.34	0.20				
and	99.1	108.2	9.1	0.43	0.15				
including	99.1	103.6	4.6	0.68	0.20				
and including	100.6	102.1	1.5	1.03	1.00				
and	118.9	149.4	30.5	0.26	0.15				
including	128.0	149.4	21.3	0.24	0.20				
LBP421 (95, -75)	0.0	19.8	19.8	0.29	0.15	121.9	Discovery Zone	Resource Upgrade	14.2
including	10.7	18.3	7.6	0.45	0.20				
and	36.6	50.3	13.7	0.43	0.15				
including	44.2	50.3	6.1	0.73	0.20				
and including	45.7	48.8	3.0	1.13	1.00				
and	62.5	67.1	4.6	0.27	0.15				
and	68.6	76.2	7.6	0.17	0.15				
LBP422 (20, -42)	18.3	29.0	10.7	0.30	0.20	117.3	Discovery Zone	Resource Upgrade	12.3
and	48.8	65.5	16.8	0.25	0.15				
including	50.3	54.9	4.6	0.43	0.20				
and	91.4	115.8	24.4	0.20	0.15				
including	108.2	115.8	7.6	0.22	0.20				
LBP423 (120, -62)	16.8	25.9	9.1	0.43	0.20	202.7	Discovery Zone	Resource Upgrade	28.2
and	51.8	74.7	22.9	0.50	0.15				
including	51.8	71.6	19.8	0.55	0.20				
and	82.3	112.8	30.5	0.19	0.15				
including	83.8	86.9	3.0	0.39	0.20				
and	166.1	192.0	25.9	0.20	0.15				
including	169.2	175.3	6.1	0.29	0.20				
and	193.5	202.7	9.2	0.20	0.15				
LBP424 (330, -42)	30.5	41.2	10.7	0.26	0.15	74.7	Discovery Zone	Resource Upgrade	2.8
including	33.5	39.6	6.1	0.33	0.20				
LBP425 (145, -45)	77.7	85.3	7.6	0.19	0.15	172.2	Discovery Zone	Resource Upgrade	26.9
and	93.0	106.7	13.7	0.46	0.15				
including	94.5	106.7	12.2	0.49	0.20				
and	112.8	169.2	56.4	0.34	0.15				
including	114.3	146.3	32.0	0.46	0.20				
and including	137.2	140.2	3.0	1.33	1.00				
LBP426 (180, -90)	25.9	61.0	35.1	0.30	0.15	263.7	Rangefront North	Reconnaissance	24.6
including	25.9	41.2	15.2	0.38	0.20				
including	47.2	61.0	13.7	0.26	0.15				
and	85.3	96.0	10.7	0.28	0.15				
including	86.9	93.0	6.1	0.36	0.20				
and	106.7	117.4	10.7	0.38	0.15				
and	123.4	132.6	9.1	0.55	0.15				
including	125.0	131.1	6.1	0.74	0.20				
and including	128.0	129.5	1.5	1.40	1.00				
and	157.0	163.1	6.1	0.33	0.15				
including	157.0	161.5	4.6	0.39	0.20				
LBP427 (145, -75)	39.6	57.9	18.3	0.59	0.20	432.8	Rangefront D-4	Reconnaissance	46.0
including	48.8	50.3	1.5	1.56	1.00				
and	143.3	149.4	6.1	0.26	0.20				
and	176.8	198.1	21.3	0.43	0.15				
including	181.4	198.1	16.8	0.49	0.20				
and including	190.5	192.0	1.5	1.28	1.00				
and	221.0	227.1	6.1	0.43	0.20				
and	237.7	246.9	9.1	0.73	0.15				
including	237.7	245.4	7.6	0.84	0.20				
and including	239.3	240.8	1.5	1.29	1.00				
and including	243.8	245.4	1.5	1.01	1.00				
and	263.7	266.7	3.0	0.33	0.20				
and	303.3	310.9	7.6	0.39	0.15				
including	304.8	310.9	6.1	0.45	0.20				
and	323.1	338.3	15.2	0.22	0.15				
including	326.1	335.3	9.1	0.24	0.20				
and	346.0	349.0	3.0	0.26	0.15				
and	417.6	429.8	12.2	0.58	0.20				
including	420.6	422.2	1.5	1.74	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP428 (0, -45)	4.6	12.2	7.6	0.25	0.15	274.3	Discovery Zone	Resource Upgrade	26.4
including	6.1	12.2	6.1	0.26	0.20				
and	25.9	32.0	6.1	0.25	0.15				
including	25.9	30.5	4.6	0.27	0.20				
and	38.1	64.0	25.9	0.31	0.15				
including	42.7	64.0	21.3	0.34	0.20				
and	93.0	100.6	7.6	0.35	0.15				
including	93.0	99.1	6.1	0.39	0.20				
and	126.5	134.1	7.6	0.31	0.15				
and	141.7	157.0	15.2	0.27	0.15				
including	141.7	155.5	13.7	0.28	0.20				
and	233.2	248.4	15.2	0.30	0.15				
including	239.3	245.4	6.1	0.48	0.20				
and	249.9	256.0	6.1	0.20	0.15				
LBP429CA (80, -60)	Pending					280.7	Discovery Zone	Geotechnical Core Hole	
LBP430 (180, -60)	29.0	36.6	7.6	0.34	0.20	300.2	Rangefront North	Reconnaissance	21.2
including	57.9	70.1	12.2	0.21	0.15				
and	103.6	109.7	6.1	0.20	0.20				
and	143.3	146.3	3.0	0.35	0.20				
and	170.7	199.6	29.0	0.43	0.15				
including	172.2	199.6	27.4	0.44	0.20				
and including	193.6	195.1	1.5	1.53	1.00				
and	280.4	285.0	4.6	0.28	0.20				
LBP431 (330, -77)	4.6	21.3	16.8	0.32	0.20	332.2	Discovery Zone	Resource Upgrade	63.6
and	30.5	47.2	16.8	0.30	0.15				
including	36.6	47.2	10.7	0.38	0.20				
and	71.6	82.3	10.7	0.56	0.15				
and	135.6	158.5	22.9	0.22	0.15				
including	138.7	144.8	6.1	0.33	0.20				
and	176.8	199.6	22.9	0.20	0.15				
including	190.5	198.1	7.6	0.25	0.20				
and	205.7	259.1	53.3	0.39	0.15				
including	228.6	259.1	30.5	0.54	0.15				
and including	231.7	233.2	1.5	1.32	1.00				
and including	239.3	240.8	1.5	2.19	1.00				
and	266.7	285.0	18.3	0.23	0.15				
including	266.7	275.8	9.1	0.25	0.20				
including	281.9	285.0	3.0	0.36	0.15				
and	291.1	298.7	7.6	1.66	0.15				
and including	292.6	297.2	4.6	2.41	1.00				
LBP432 (145, -58)	41.2	64.0	22.9	0.45	0.15	477.0	Rangefront D-4	Reconnaissance	64.6
including	41.2	57.9	16.8	0.56	0.20				
and	100.6	112.8	12.2	0.30	0.15				
including	100.6	106.7	6.1	0.44	0.20				
and	153.9	163.1	9.1	0.73	0.15				
including	155.5	163.1	7.6	0.83	0.20				
and including	158.5	161.5	3.0	1.34	1.00				
and	181.4	190.5	9.1	0.26	0.15				
including	181.4	187.5	6.1	0.30	0.20				
and	196.6	214.9	18.3	0.60	0.15				
including	208.8	211.8	3.0	1.20	1.00				
and	234.7	257.6	22.9	0.75	0.20				
including	234.7	239.3	4.6	1.82	1.00				
and	297.2	304.8	7.6	0.23	0.15				
and	341.4	378.0	36.6	0.32	0.15				
including	341.4	359.7	18.3	0.40	0.20				
including	365.8	378.0	12.2	0.27	0.15				
LBP433 (90, -60)	25.9	44.2	18.3	0.23	0.15	269.7	Rangefront North	Reconnaissance	19.2
including	25.9	29.0	3.0	0.34	0.20				
including	38.1	41.2	3.0	0.42	0.15				
and	51.8	57.9	6.1	0.18	0.15				
and	64.0	74.7	10.7	0.20	0.20				
including	65.5	71.6	6.1	0.23	0.20				
and	99.1	102.1	3.0	0.35	0.15				
and	132.6	172.2	39.6	0.27	0.15				
including	132.6	150.9	18.3	0.33	0.20				
including	157.0	166.1	9.1	0.30	0.15				
LBP434 (330, -52)	7.6	51.8	44.2	0.24	0.15	105.2	Discovery Zone	Resource Upgrade	15.4
including	13.7	48.8	35.1	0.27	0.20				
and	70.1	74.7	4.6	0.26	0.15				
and	80.8	83.8	3.0	0.76	0.20				
including	82.3	83.8	1.5	1.14	1.00				
and	85.3	94.5	9.1	0.15	0.15				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m					
<b>LBP435 (100, -60)</b>	38.1	67.1	29.0	0.34	0.15	477.0	<b>Rangefront D-4</b>	<b>Reconnaissance</b>	<b>46.2</b>					
including	42.7	65.5	22.9	0.39	0.20									
and	120.4	128.0	7.6	0.28	0.15									
including	123.4	125.0	1.5	0.70	0.20									
and	138.7	143.3	4.6	0.22	0.15									
and	199.6	219.5	19.8	0.34										
including	201.2	210.3	9.1	0.52	0.20									
and	228.6	242.3	13.7	0.51	0.15									
including	230.1	231.7	1.5	1.91	1.00									
and	<b>260.6</b>	<b>278.9</b>	<b>18.3</b>	<b>0.62</b>	0.20									
including	<b>263.7</b>	<b>266.7</b>	<b>3.0</b>	<b>1.41</b>	1.00									
and	<b>408.4</b>	<b>419.1</b>	<b>10.7</b>	<b>0.62</b>	0.15									
including	<b>408.4</b>	<b>417.6</b>	<b>9.1</b>	<b>0.70</b>	0.20									
and including	<b>408.4</b>	<b>410.0</b>	<b>1.5</b>	<b>2.14</b>	1.00									
and	426.7	432.8	6.1	0.24	0.15									
<b>LBP436 (175, -45)</b>	6.1	22.9	16.8	0.43	0.15	275.8	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>34.0</b>					
including	6.1	21.3	15.2	0.45	0.20									
and	<b>132.6</b>	<b>160.0</b>	<b>27.4</b>	<b>0.69</b>	0.15									
including	132.6	158.5	25.9	0.72	0.20									
and including	<b>134.1</b>	<b>137.2</b>	<b>3.0</b>	<b>3.34</b>	1.00									
and	166.1	169.2	3.0	0.33	0.20									
and	192.0	205.7	13.7	0.50	0.15									
including	193.6	205.7	12.2	0.54	0.20									
and including	<b>199.6</b>	<b>202.7</b>	<b>3.0</b>	<b>1.16</b>	1.00									
<b>LBP437 (270, -50)</b>	85.3	89.9	4.6	0.24	0.15					269.7	<b>Rangefront North</b>	<b>Reconnaissance</b>	<b>25.2</b>	
and	99.1	108.2	9.1	0.26										
including	100.6	106.7	6.1	0.30		0.20								
and	120.4	132.6	12.2	0.37		0.15								
including	120.4	131.1	10.7	0.40		0.20								
and	138.7	143.3	4.6	0.37		0.15								
including	138.7	140.2	1.5	0.78		0.20								
and	146.3	155.5	9.1	0.20		0.15								
and	179.8	185.9	6.1	0.27										
and	<b>213.4</b>	<b>233.2</b>	<b>19.8</b>	<b>0.61</b>		0.20								
including	<b>255.6</b>	<b>227.1</b>	<b>1.5</b>	<b>1.26</b>		1.00								
<b>LBP438 (220, -45)</b>	4.6	25.9	21.3	0.35	0.20	175.3	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>18.3</b>					
including	10.7	12.2	1.5	1.01	1.00									
and	73.2	108.2	35.1	0.31	0.20									
<b>LBP439 (210, -72)</b>	233.2	269.8	36.6	0.22	0.15	410.0	<b>Rangefront D-4</b>	<b>Reconnaissance</b>	<b>31.9</b>					
including	243.8	253.0	9.1	0.34	0.20									
and	<b>272.8</b>	<b>304.8</b>	<b>32.0</b>	<b>0.60</b>	0.15									
including	<b>277.4</b>	<b>304.8</b>	<b>27.4</b>	<b>0.67</b>	0.20									
and including	<b>291.1</b>	<b>292.6</b>	<b>1.5</b>	<b>2.08</b>	1.00									
and including	<b>297.2</b>	<b>298.7</b>	<b>1.5</b>	<b>1.72</b>										
and	313.9	326.1	12.2	0.38	0.15									
including	317.0	324.6	7.6	0.50	0.20									
and including	321.6	323.1	1.5	1.24	1.00									
<b>LBP440 (20, -42)</b>	9.1	39.6	30.5	0.30	0.15					166.1	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>14.2</b>	
including	10.7	18.3	7.6	0.29	0.20									
including	22.9	29.0	6.1	0.72										
and including	22.9	24.4	1.5	1.37	1.00									
and	121.9	138.7	16.8	0.30	0.15									
including	123.4	138.7	15.2	0.32	0.20									
<b>LBP441 (225, -90)</b>	201.2	208.8	7.6	0.42	0.20	231.6	Rangefront Northwest	Reconnaissance	3.2					
including	<b>205.7</b>	<b>207.3</b>	<b>1.5</b>	<b>1.23</b>	1.00									
<b>LBP442 (32, -68)</b>	86.9	97.5	10.7	0.26	0.20	274.3	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>31.9</b>					
and	<b>103.6</b>	<b>121.9</b>	<b>18.3</b>	<b>0.76</b>										
including	<b>106.7</b>	<b>108.2</b>	<b>1.5</b>	<b>1.08</b>										
including	<b>109.7</b>	<b>112.8</b>	<b>3.0</b>	<b>1.36</b>										
including	<b>118.9</b>	<b>120.4</b>	<b>1.5</b>	<b>1.02</b>										
and	132.6	147.8	15.2	0.20						0.15				
including	138.7	146.3	7.6	0.23						0.20				
and	<b>242.3</b>	<b>254.5</b>	<b>12.2</b>	<b>0.62</b>						0.15				
including	<b>245.4</b>	<b>254.5</b>	<b>9.1</b>	<b>0.77</b>						0.20				
and including	<b>249.9</b>	<b>254.5</b>	<b>4.5</b>	<b>1.17</b>						1.00				
and	262.1	274.3	12.2	0.38						0.15				
including	262.1	272.8	10.7	0.41						0.20				
<b>LBP443 (225, -45)</b>	No Significant Results									300.2	Rangefront Northwest	Reconnaissance		
<b>LBP444 (20, -45)</b>	117.4	125.0	7.6	0.46						0.20	128.0	Discovery Zone	Resource Upgrade	3.5
<b>LBP445 (60, -90)</b>	117.4	121.9	4.6	0.24	0.20	446.5	Rangefront D-4 South	Reconnaissance	1.1					
<b>LBP446 (0, -90)</b>	85.3	94.5	9.1	0.22	0.20	117.3	Discovery Zone	Resource Upgrade	4.7					
and	103.6	117.4	13.7	0.20										

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP447 (350, -60)	21.3	39.6	18.3	0.17	0.15	140.2	Discovery Zone	Resource Upgrade	15.1
and	89.9	114.3	24.4	0.49	0.20				
including	97.5	99.1	1.5	1.35	1.00				
LBP448 (0, -45)	85.3	91.4	6.1	0.58	0.15	275.8	Rangefront North	Reconnaissance	24.7
including	85.3	89.9	4.6	0.72	0.20				
and including	86.9	88.4	1.5	1.46	1.00				
and	126.5	131.1	4.6	0.24	0.20				
and	137.2	170.7	33.5	0.28	0.15				
including	137.2	163.1	25.9	0.32	0.20				
and	172.2	198.1	25.9	0.20	0.15				
including	172.2	175.3	3.0	0.34	0.20				
and	204.2	221.0	16.8	0.33	0.15				
LBP449 (320, -45)	96.0	114.3	18.3	0.36	0.20	201.2	Discovery Exploration	Step-Out	6.6
including	109.7	111.3	1.5	1.11	1.00				
LBP450 (60, -55)	228.6	233.2	4.6	0.22	0.15	446.5	Rangefront D-4 South	Reconnaissance	27.8
and	298.7	306.3	7.6	0.21					
and	307.9	313.9	6.1	0.37					
including	309.4	313.9	4.6	0.44					
and	339.9	362.2	22.9	0.40					
and	371.9	399.3	27.4	0.31					
including	373.8	390.1	16.8	0.41					
and including	378.0	379.5	1.5	1.38					
and	419.1	428.2	9.1	0.35					
and	434.3	443.5	9.1	0.23					
LBP451 (290, -45)	30.5	36.6	6.1	0.19	0.15	262.1	E - Discovery Connector	Step-Out	11.3
and	61.0	65.5	4.6	0.28	0.20				
and	97.5	115.8	18.3	0.39	0.15				
including	97.5	114.3	16.8	0.40	0.20				
and	126.5	131.1	4.6	0.38	0.15				
including	126.5	129.5	3.0	0.48	0.20				
LBP452 (240, -45)	15.2	33.5	18.3	0.22	0.15	121.9	E - Discovery Connector	Step-Out	11.4
including	16.8	27.4	10.7	0.25	0.20				
and	45.7	62.5	16.8	0.26	0.20				
and	68.6	73.2	4.6	0.22	0.15				
and	117.4	121.9	4.6	0.43	0.20				
LBP453 (0, -50)	79.3	85.3	6.1	0.24	0.15	317.0	Rangefront North	Reconnaissance	16.0
and	109.7	118.9	9.1	0.23					
including	112.8	117.4	4.6	0.24					
and	126.5	140.2	13.7	0.23					
including	126.5	132.6	6.1	0.28					
and	164.6	185.9	21.3	0.32					
including	166.1	185.9	19.8	0.33					
and	192.0	201.2	9.1	0.27					
LBP454 (310, -60)	16.8	24.4	7.6	0.36	0.15	470.9	Rangefront South	Reconnaissance	28.4
including	19.8	24.4	4.6	0.50	0.20				
and	30.5	42.7	12.2	0.24	0.15				
including	32.0	42.7	10.7	0.25	0.20				
and	111.3	134.1	22.9	0.22	0.15				
including	115.8	125.0	9.1	0.29	0.20				
and	160.0	166.1	6.1	0.19	0.15				
and	219.5	239.3	19.8	0.31	0.20				
including	219.5	233.2	13.7	0.38	0.20				
and	358.1	367.3	9.1	0.30	0.15				
including	359.7	367.3	7.6	0.33	0.20				
and	387.1	391.7	4.6	0.24	0.20				
and	399.3	405.4	6.1	0.25	0.15				
including	400.8	405.4	4.6	0.27	0.20				
and	466.3	470.9	4.6	1.10	0.20				
including	467.9	469.4	1.5	2.00	0.20				
LBP455 (240, -45)	3.1	9.1	6.1	0.30	0.20	153.9	E-Discovery Connector	Step-Out	11.1
and	24.4	35.1	10.7	0.19	0.15				
and	44.2	54.9	10.7	0.28	0.15				
including	44.2	53.3	9.1	0.30	0.20				
and	99.1	114.3	15.2	0.28	0.15				
including	100.6	114.3	13.7	0.30	0.20				
LBP456C (260, -70)	Pending					352.5	Discovery Zone	Metallurgical Drilling	
LBP457 (30, -45)	9.1	13.7	4.6	0.22	0.15	172.2	E-Discovery Connector	Step-Out	1.0
LBP458 (100, -45)	0.0	9.1	9.1	0.29	0.20	195.1	E-Discovery Connector	Step-Out	7.7
and	71.6	76.2	4.6	0.37					
and	141.7	144.8	3.0	0.36					
and	169.2	179.8	10.7	0.21					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP459 (250, -55)	114.3	120.4	6.1	0.36	0.20	304.8	Rangefront North	Reconnaissance	28.0
and	141.7	192.0	50.3	0.29	0.15				
including	141.7	144.8	3.0	0.43	0.20				
including	150.9	176.8	25.9	0.36					
and including	166.1	167.6	1.2	1.12	1.00				
and	198.1	221.0	22.9	0.44	0.15				
including	198.1	208.8	10.7	0.45	0.20				
including	214.9	221.0	6.1	0.78					
and including	217.9	219.5	1.5	1.99	1.00				
and	239.3	243.8	4.6	0.24	0.20				
LBP460 (310, -90)	16.8	25.9	9.1	0.41	0.15	403.9	Rangefront South	Reconnaissance	18.8
including	16.8	22.9	6.1	0.54	0.20				
and	105.2	125.0	19.8	0.20	0.15				
including	109.7	114.3	4.6	0.23	0.20				
including	117.4	121.9	4.6	0.32					
and	152.4	164.6	12.2	0.37	0.15				
including	152.4	163.1	10.7	0.40	0.20				
and including	158.5	160.0	1.5	1.16	1.00				
and	182.9	195.1	12.2	0.27	0.15				
including	192.0	195.1	3.0	0.60					
and	294.1	300.2	6.1	0.26	0.20				
and	315.5	318.5	3.0	0.56					
LBP461 (190, -45)	9.1	29.0	19.8	0.38	0.15	213.4	E-Discovery Connector	Step-Out	7.5
including	15.2	29.0	13.7	0.46	0.20				
LBP462 (290, -45)	135.6	141.7	6.1	0.22	0.15	202.7	E-Discovery Connector	Resource Definition	1.3
LBP462 (290, -45)	135.6	141.7	6.1	0.22	0.15	202.7	E-Discovery Connector	Resource Definition	1.3
LBP463 (0, -65)	27.4	38.1	10.7	0.32	0.20	440.4	Rangefront South	Reconnaissance	32.7
and	76.2	85.3	9.1	0.20	0.15				
including	76.2	80.8	4.6	0.23	0.20				
and	115.8	155.5	39.6	0.26	0.15				
including	115.8	123.4	7.6	0.44					
including	126.5	140.1	13.7	0.27	0.20				
and	179.8	184.4	4.6	0.25					
and	216.4	245.4	29.0	0.22	0.15				
including	222.5	242.3	19.8	0.24	0.20				
and	265.2	277.4	12.2	0.28	0.15				
including	265.2	275.8	10.7	0.29	0.20				
and	291.1	317.0	25.9	0.24					
LBP464 (70, -90)	45.7	74.7	29.0	0.38	0.15	312.4	Rangefront North	Reconnaissance	33.2
including	45.7	71.6	25.9	0.40	0.20				
and	80.8	85.3	4.6	0.23	0.15				
and	93.0	118.9	25.9	0.27					
including	105.2	114.3	9.1	0.39	0.20				
and	129.5	137.2	7.6	0.34	0.15				
including	129.5	135.6	6.1	0.38	0.20				
and	149.4	157.0	7.6	0.18	0.15				
and	182.9	195.1	12.2	0.30	0.20				
and	216.4	233.2	16.8	0.30	0.15				
including	216.4	231.7	15.2	0.33	0.20				
and	234.7	242.3	7.6	0.20	0.15				
including	234.7	239.3	4.6	0.38	0.20				
LBP465 (70, -45)	126.5	138.7	12.2	0.17	0.15	257.6	E-Discovery Connector	Step-Out	3.2
and	210.3	213.4	3.0	0.37	0.20				
LBP466 (46, -65)	65.6	71.6	3.0	0.52	0.20	464.8	Rangefront D-4	Reconnaissance	8.8
and	251.5	256.0	4.6	0.34					
and	373.4	388.6	15.2	0.18	0.15				
including	373.4	378.0	4.6	0.26	0.20				
and	391.7	396.2	4.6	0.63	0.15				
including	391.7	394.7	3.0	0.86	0.20				
LBP467 (135, -50)	9.1	59.4	50.3	0.31	0.15	196.6	E-Discovery Connector	Step-Out	26.9
including	12.2	59.4	47.2	0.32	0.20				
and	68.6	82.3	13.7	0.17	0.15				
and	152.4	160.0	7.6	1.02	0.20				
including	153.9	155.5	1.5	1.14	1.00				
including	157.0	158.5	1.5	2.24					
and	172.2	176.8	4.6	0.26	0.15				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP468 (70, -55)	65.5	79.3	13.7	0.34	0.20	355.1	Rangefront North	Reconnaissance	23.4
and	99.1	106.7	7.6	0.22	0.15				
and	120.4	138.7	18.3	0.22	0.20				
including	120.4	126.5	6.1	0.37	0.20				
and	140.2	155.5	15.2	0.30	0.15				
including	141.7	150.9	9.1	0.40	0.20				
and including	149.4	150.9	1.5	1.11	1.00				
and	163.1	172.2	9.1	0.19	0.15				
and	182.9	211.8	29.0	0.20	0.20				
including	198.1	207.3	9.1	0.27	0.20				
and	246.9	253.0	6.1	0.16	0.15				
LBP469 (0, -42)	21.3	30.5	9.1	0.29	0.15	56.4	Discovery Zone	Resource Upgrade	4.7
including	22.9	30.5	7.6	0.31	0.20				
and	50.3	56.4	6.0	0.35	0.20				
LBP470 (305, -55)	12.2	18.3	6.1	0.39	0.20	152.4	Discovery Zone	Resource Upgrade	8.2
and	108.2	132.6	24.4	0.24	0.15				
including	108.2	128.0	19.8	0.26	0.20				
LBP471 (240, -40)	10.7	15.2	4.6	0.24	0.15	38.1	Discovery Zone	Resource Upgrade	1.1
LBP472 (30, -55)	0.0	12.2	12.2	0.33	0.20	202.7	J Zone	Resource Upgrade	10.1
and	42.7	48.8	6.1	1.00	0.20				
including	44.2	45.7	1.5	2.8	1.00				
LBP473 (310, -65)	137.2	152.4	15.2	0.22	0.15	416.1	Rangefront D-4 North	Reconnaissance	99.9
including	143.3	152.4	9.1	0.24	0.20				
and	167.6	176.8	9.1	0.52	0.15				
including	167.6	175.3	7.6	0.60	0.20				
and	190.5	204.2	13.7	0.42	0.15				
including	198.1	201.2	3.0	1.29	0.20				
and including	198.1	199.6	1.5	1.67	1.00				
and	245.4	262.1	16.8	0.35	0.15				
including	245.4	248.4	3.0	0.46	0.20				
including	254.5	262.1	7.6	0.50	0.20				
and	304.8	346.0	41.1	1.95	0.20				
including	304.8	315.5	10.8	4.43	1.00				
including	333.8	342.9	9.1	2.95	1.00				
LBP474 (250, -60)	45.7	85.3	39.6	0.29	0.15	373.4	Rangefront Central	Reconnaissance	34.4
including	50.3	85.3	35.1	0.31	0.20				
and	112.8	117.4	4.6	0.22	0.15				
and	123.4	132.6	9.1	0.21	0.20				
including	123.4	128.0	4.6	0.23	0.20				
and	147.8	153.9	6.1	0.19	0.15				
and	163.1	169.2	6.1	0.24	0.20				
and	221.0	256.0	35.1	0.40	0.20				
including	248.4	249.9	1.5	1.53	1.00				
and	327.7	332.2	4.6	0.73	0.15				
including	327.7	330.7	3.0	1.00	0.20				
and including	327.7	329.2	1.5	1.64	1.00				
LBP475 (190, -68)	64.0	89.9	25.9	0.23	0.15				
including	71.6	89.9	18.3	0.25	0.20				
and	93.0	109.7	16.8	0.27	0.15				
including	97.5	109.7	12.2	0.30	0.20				
and	123.4	144.8	21.3	0.28	0.15				
including	125.0	143.3	18.3	0.30	0.20				
and	161.5	170.7	9.1	0.18	0.15				
and	239.3	253.0	13.7	0.41	0.20				
LBP476 (325, -65)	56.4	62.5	6.1	0.29	0.20	416.1	Rangefront D-4 North	Reconnaissance	31.6
and	74.7	96.0	21.3	0.31	0.15				
including	83.8	94.5	10.7	0.45	0.20				
and	164.6	172.2	7.6	0.19	0.15				
and	205.7	233.2	27.4	0.56	0.20				
including	225.6	228.6	3.0	1.34	1.00				
and	251.5	262.1	10.7	0.20	0.15				
and	263.7	272.8	9.1	0.34	0.20				
including	263.7	269.8	6.1	0.43	0.20				
and	286.5	289.6	3.0	0.41	0.20				
LBP477 (220, -45)	76.2	85.3	9.1	1.01	0.20	129.5	Discovery Zone	Resource Upgrade	9.2
including	79.3	82.3	3.0	2.34	1.00				
LBP478 (290, -45)	13.7	56.4	42.7	0.31	0.15	80.8	E Pit Main Haul Road	Resource Upgrade	14.5
including	13.7	47.2	33.5	0.34	0.20				
and	62.5	68.6	6.1	0.28	0.20				
LBP479 (10, -45)	1.5	13.7	12.2	0.32	0.20	105.2	E Pit Main Haul Road	Resource Upgrade	27.3
and	19.8	32.0	12.2	0.31	0.15				
and	36.6	73.2	36.6	0.46	0.15				
including	41.2	73.2	32.0	0.50	0.20				
and	80.8	94.5	13.7	0.20	0.15				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP480 (215, -60)</b>	21.3	36.6	15.2	0.42	0.15	172.2	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>11.0</b>
including	22.9	36.6	13.7	0.45	0.20				
and	61.0	65.5	4.6	0.33	0.15				
including	61.0	64.0	3.0	0.41	0.20				
and	86.9	94.5	7.6	0.41					
<b>LBP481 (45, -65)</b>	48.8	61.0	12.2	0.28	0.15	391.7	<b>Rangefront D-4</b>	<b>Reconnaissance</b>	<b>25.6</b>
including	48.8	56.4	7.6	0.34	0.20				
and	131.1	146.3	15.2	0.17	0.15				
and	160.0	172.2	12.2	0.27					
including	166.1	172.2	6.1	0.38	0.20				
and	196.6	202.7	6.1	0.43					
and	240.8	253.0	12.2	0.36	0.15				
including	240.8	249.9	9.1	0.42	0.20				
and	<b>269.8</b>	<b>272.8</b>	<b>3.0</b>	<b>2.21</b>	1.00				
and	294.1	304.8	10.7	0.25	0.15				
including	294.1	303.3	9.1	0.26	0.20				
<b>LBP482 (245, -70)</b>	61.0	70.1	9.1	0.22	0.15	385.6	<b>Rangefront Central</b>	<b>Step Out</b>	<b>13.5</b>
including	65.5	70.1	4.6	0.26	0.20				
and	155.5	169.2	13.7	0.22	0.15				
and	185.9	207.3	21.3	0.35					
including	187.5	195.1	7.6	0.32	0.20				
including	204.2	207.3	3.0	1.03					
and including	205.7	207.3	1.5	1.09	1.00				
and	365.8	370.3	4.6	0.23	0.15				
<b>LBP483 (15, -75)</b>	88.4	94.5	6.1	0.22	0.15	336.8	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>50.1</b>
and	<b>137.2</b>	<b>146.3</b>	<b>9.1</b>	<b>0.63</b>	0.20				
including	140.1	<b>143.3</b>	<b>3.0</b>	<b>1.05</b>	1.00				
and	166.1	170.7	4.6	0.26	0.20				
and	<b>199.6</b>	<b>210.3</b>	<b>10.7</b>	<b>0.98</b>	0.15				
including	<b>199.6</b>	<b>208.8</b>	<b>9.1</b>	<b>1.12</b>	0.20				
and including	<b>201.2</b>	<b>204.2</b>	<b>3.0</b>	<b>2.21</b>	1.00				
and	227.1	<b>233.2</b>	<b>6.1</b>	<b>1.16</b>	0.20				
including	227.1	<b>231.7</b>	<b>4.6</b>	<b>1.44</b>	1.00				
and	240.8	245.4	4.6	0.66	0.20				
and	<b>254.5</b>	<b>286.5</b>	<b>32.0</b>	<b>0.59</b>	0.15				
including	<b>254.5</b>	<b>285.0</b>	<b>30.5</b>	<b>0.61</b>	0.20				
and including	<b>281.9</b>	<b>283.5</b>	<b>1.5</b>	<b>1.49</b>	1.00				
and	301.8	309.4	7.6	0.31	0.15				
including	303.3	307.9	4.6	0.38	0.20				
<b>LBP484 (335, -55)</b>	163.1	189.0	25.9	0.35	0.15	403.9	<b>Rangefront D-4 North</b>	<b>Reconnaissance</b>	<b>49.5</b>
including	170.7	187.5	16.8	0.44	0.20				
and	196.6	221.0	24.4	0.28	0.15				
including	196.6	210.3	13.7	0.37	0.20				
and	246.9	260.6	13.7	0.34					
and	<b>304.8</b>	<b>342.9</b>	<b>38.1</b>	<b>0.76</b>					
including	307.9	<b>318.5</b>	<b>10.7</b>	<b>1.67</b>	1.00				
<b>LBP485C (340, -45)</b>	Pending					170.7	E Zone	Metallurgical Core	
<b>LBP486 (155, -82)</b>	9.1	15.2	6.1	0.28	0.15	396.2	<b>Rangefront</b>	<b>Reconnaissance</b>	<b>24.8</b>
including	10.7	15.2	4.6	0.31	0.20				
and	38.1	44.2	6.1	0.26					
and	71.6	76.2	4.6	0.26					
and	82.3	86.9	4.6	0.26					
and	97.5	109.7	12.2	0.27	0.15				
including	97.5	103.6	6.1	0.38	0.20				
and	<b>146.3</b>	<b>184.4</b>	<b>38.1</b>	<b>0.30</b>	0.15				
including	<b>146.3</b>	<b>170.7</b>	<b>24.4</b>	<b>0.36</b>	0.20				
including	178.3	184.4	6.1	0.27					
and	193.6	202.7	9.1	0.48					
<b>LBP487 (5, -68)</b>	140.2	147.8	7.6	0.28	0.15	410.0	<b>Rangefront</b>	<b>Resource Upgrade</b>	<b>89.9</b>
including	141.7	147.8	6.1	0.31	0.20				
and	202.8	<b>246.9</b>	<b>39.6</b>	<b>0.69</b>	0.15				
including	207.3	245.4	<b>38.1</b>	<b>0.71</b>	0.20				
and including	231.7	<b>234.7</b>	<b>3.0</b>	<b>2.64</b>	1.00				
and including	239.3	<b>240.8</b>	<b>1.5</b>	<b>1.23</b>					
and including	242.3	245.4	3.0	1.33	0.15				
and	227.4	286.5	9.1	0.20					
and	292.6	<b>332.2</b>	<b>39.6</b>	<b>1.48</b>	0.15				
including	292.6	307.9	15.2	3.34	0.20				
and including	295.7	<b>304.8</b>	<b>9.1</b>	<b>5.29</b>	1.00				
and including	297.2	<b>300.2</b>	<b>3.0</b>	<b>10.2</b>	5.00				
including	317.0	<b>330.7</b>	<b>13.7</b>	<b>0.44</b>	0.20				
and including	323.1	<b>324.6</b>	<b>1.5</b>	<b>1.07</b>	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP488 (350, -45)</b>	<b>65.5</b>	<b>77.7</b>	<b>12.2</b>	<b>1.28</b>	0.15	202.7	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>19.0</b>	
<b>including</b>	<b>65.5</b>	<b>70.1</b>	<b>4.6</b>	<b>3.12</b>	1.00					
<b>and including</b>	<b>67.1</b>	<b>68.6</b>	<b>1.5</b>	<b>6.40</b>	5.00					
<b>and</b>	185.9	202.7	16.8	0.20	0.15					
<b>LBP489C (250, -80)</b>	Pending									196.0
<b>LBP490 (210, -62)</b>	47.2	56.4	9.1	0.23	0.20	414.5	<b>Rangefront Central</b>	<b>Resource Upgrade</b>	<b>15.6</b>	
<b>and</b>	112.8	118.9	6.1	0.32						
<b>and</b>	<b>160.0</b>	<b>166.1</b>	<b>6.1</b>	<b>0.92</b>						
<b>including</b>	<b>160.0</b>	<b>163.1</b>	<b>3.0</b>	<b>1.59</b>						1.00
<b>and</b>	<b>208.8</b>	<b>214.9</b>	<b>6.1</b>	<b>0.98</b>						0.20
<b>including</b>	<b>210.3</b>	<b>214.9</b>	<b>4.6</b>	<b>1.23</b>	1.00					
<b>LBP491 (70, -62)</b>	57.9	64.0	6.1	0.31	0.15	495.3	<b>Rangefront D-4</b>	<b>Resource Upgrade</b>	<b>29.7</b>	
<b>including</b>	59.4	64.0	4.6	0.35	0.20					
<b>and</b>	97.5	105.2	7.6	0.18	0.15					
<b>and</b>	172.2	176.8	4.6	0.26						
<b>and</b>	221.0	227.1	6.1	0.23						
<b>including</b>	222.5	227.1	4.6	0.25	0.20					
<b>and</b>	259.1	307.9	48.8	0.24	0.15					
<b>including</b>	269.8	289.6	19.8	0.31	0.20					
<b>including</b>	301.8	304.8	3.0	0.33						
<b>and</b>	344.2	350.5	6.1	0.23						
<b>and</b>	358.1	364.2	6.1	0.23	0.15					
<b>including</b>	359.7	364.2	4.6	0.26	0.20					
<b>and</b>	428.2	432.8	4.6	0.35						
<b>and</b>	451.1	467.9	16.8	0.46						
<b>LBP492 (290, -80)</b>	6.1	10.7	4.6	0.28	0.20					202.7
<b>and</b>	51.8	68.6	16.8	0.44	0.15					
<b>including</b>	53.3	68.6	15.2	0.47	0.20					
<b>and</b>	83.3	86.9	3.0	0.48						
<b>and</b>	123.4	137.2	13.7	0.20	0.15					
<b>including</b>	131.1	135.6	4.6	0.27	0.20					
<b>and</b>	153.9	170.7	16.8	0.30	0.15					
<b>including</b>	153.9	157.0	3.0	0.75	0.20					
<b>including</b>	163.1	169.2	6.1	0.32						
<b>and including</b>	153.9	155.5	1.5	1.06	1.00					
<b>LBP493 (300, -45)</b>	0.0	4.6	4.6	0.28	0.15	294.1	<b>Rangefront Central</b>	<b>Step-Out</b>	<b>16.1</b>	
<b>and</b>	129.5	135.6	6.1	0.23	0.20					
<b>and</b>	175.3	184.4	9.1	0.53	0.20					
<b>including</b>	181.4	182.9	1.5	1.01	1.00					
<b>and</b>	190.5	201.2	10.7	0.21	0.15					
<b>including</b>	192.0	196.6	4.6	0.24	0.20					
<b>and</b>	221.0	225.6	4.6	1.38						
<b>including</b>	222.5	224.0	1.5	2.96	1.00					
<b>LBP494 (55, -85)</b>	53.3	57.9	4.6	0.36	0.20	452.6	<b>Rangefront D-4</b>	<b>Resource Definition</b>	<b>40.8</b>	
<b>and</b>	96.0	106.7	10.7	0.28	0.15					
<b>and</b>	143.3	147.8	4.6	0.19						
<b>and</b>	175.3	182.9	7.6	0.17						
<b>and</b>	184.4	221.0	36.6	0.19	0.20					
<b>including</b>	201.2	208.8	7.6	0.28						
<b>and</b>	<b>260.6</b>	<b>280.4</b>	<b>19.8</b>	<b>1.02</b>	1.00					
<b>including</b>	<b>263.7</b>	<b>271.3</b>	<b>7.6</b>	<b>1.74</b>						
<b>including</b>	<b>278.9</b>	<b>280.4</b>	<b>1.5</b>	<b>1.59</b>						
<b>and</b>	321.6	329.2	7.6	0.20	0.15					
<b>and</b>	338.3	346.0	7.6	0.23						
<b>including</b>	342.9	346.0	3.0	0.34						
<b>and</b>	365.8	370.3	4.6	0.35	0.20					
<b>and</b>	422.2	429.8	7.6	0.26	0.15					
<b>including</b>	422.2	428.2	6.1	0.28	0.20					
<b>LBP495 (140, -45)</b>	<b>117.4</b>	<b>140.2</b>	<b>22.9</b>	<b>0.48</b>	0.20	214.9	<b>Tallman - D1 Southeast</b>	<b>Step-Out</b>	<b>18.1</b>	
<b>and</b>	150.88	173.74	22.9	0.31	0.15					
<b>including</b>	150.9	164.6	13.7	0.40	0.20					
<b>LBP496 (90, -60)</b>	No Significant Results					384.0	Rangefront South	Reconnaissance		
<b>LBP497 (180, -55)</b>	125.0	150.9	25.9	0.33	0.15	266.7	<b>Tallman - D1 Southeast</b>	<b>Step-Out</b>	<b>19.8</b>	
<b>and</b>	158.5	182.9	24.4	0.29						
<b>and</b>	227.1	231.7	4.5	0.22						
<b>and</b>	251.5	259.1	7.6	0.42						0.20

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP498 (55, -70)</b>	54.9	59.4	4.6	0.29	0.20	448.1	<b>Rangefront D-4</b>	<b>Resource Definition</b>	<b>50.1</b>
and	74.7	80.8	6.1	0.19	0.15				
including	146.3	163.1	16.8	0.20	0.20				
and	176.8	182.9	6.1	0.22	0.15				
and	213.4	222.5	9.1	0.19	0.20				
including	213.4	217.9	4.6	0.23	0.20				
and	246.9	309.4	62.5	0.59	0.15				
including	266.7	309.4	42.7	0.77	0.20				
and including	295.7	297.2	1.5	1.40	1.00				
and including	298.7	306.3	7.6	2.68	0.20				
and	332.2	336.8	4.6	0.46	0.15				
including	333.8	336.8	3.0	0.60	0.20				
and	364.2	376.4	12.2	0.18	0.15				
<b>LBP499C (122, -58)</b>	Pending								
<b>LBP500 (270, -60)</b>	355.1	358.1	3.0	0.52	0.20	364.2	Rangefront South	Reconnaissance	1.6
<b>LBP501 (245, -62)</b>	74.7	79.3	4.6	0.26	0.15	202.7	Tallman - D1 Southeast	Step-Out	8.9
and	152.4	166.1	13.7	0.25					
including	153.9	166.1	12.2	0.26					
and	181.4	192.0	10.7	0.40					
<b>LBP502 (28, -68)</b>	54.9	59.4	4.6	0.40	0.20	446.5	<b>Rangefront D-4</b>	<b>Resource Definition</b>	<b>67.2</b>
and	140.2	150.9	10.7	0.20	0.15				
including	144.8	149.4	4.6	0.25	0.20				
and	173.7	185.9	12.2	0.20	0.15				
including	175.3	181.4	6.1	0.22	0.20				
and	213.4	225.6	12.2	0.29	0.15				
including	214.9	219.5	4.6	0.46	0.20				
and	243.8	307.9	64.0	0.71	0.15				
including	245.4	307.9	62.5	0.72	0.20				
and including	289.6	291.1	1.5	1.17	1.00				
and	317.0	323.1	6.1	0.38	0.15				
including	317.0	321.6	4.6	0.45	0.20				
and	346.0	359.7	13.7	0.30	0.15				
including	346.0	349.0	3.0	0.65	0.20				
including	355.1	359.7	4.6	0.27	0.15				
and	426.7	443.5	16.8	0.32	0.15				
including	426.7	442.0	15.2	0.33	0.20				
<b>LBP503 (150, -62)</b>	70.1	80.8	10.7	0.23	0.20	152.4	Discovery Zone	Resource Upgrade	7.2
and	120.4	138.7	18.3	0.26	0.15				
including	132.6	138.7	6.1	0.41	0.20				
<b>LBP504 (70, -50)</b>	155.5	164.6	9.1	0.27	0.15	355.1	<b>Rangefront Northeast</b>	<b>Reconnaissance</b>	<b>23.4</b>
including	155.5	163.1	7.6	0.30	0.20				
and	178.3	182.9	4.6	0.25	0.15				
and	192.0	256.0	64.0	0.31	0.20				
including	192.0	205.7	13.7	0.30	0.20				
including	208.8	251.5	42.7	0.34	0.15				
<b>LBP505 (160, -60)</b>	7.6	15.2	7.6	0.23	0.15	263.7	<b>Discovery Zone</b>	<b>Resource Upgrade</b>	<b>28.9</b>
and	71.6	83.8	12.2	0.20					
and	100.6	108.2	7.6	0.42					
including	102.1	108.2	6.1	0.48					
and	121.9	123.4	1.5	1.85					
and	169.2	178.3	9.1	0.19					
and	185.9	195.1	9.1	1.08					
including	187.5	193.5	6.1	1.39					
and	201.2	221.0	19.8	0.36					
including	202.7	221.0	18.3	0.37					
and including	208.8	210.3	1.5	1.19					
<b>LBP506 (185, -75)</b>	163.1	170.7	7.6	0.19	0.15	458.7	<b>Rangefront D-4</b>	<b>Resource Upgrade</b>	<b>63.3</b>
and	196.6	202.7	6.1	0.17					
and	221.0	227.1	6.1	0.21					
and	236.2	330.7	94.5	0.63					
including	280.4	285.0	4.6	1.25					
including	310.9	313.9	3.0	1.45					
including	324.6	330.7	6.1	3.66					
and including	329.2	330.7	1.5	7.77					
<b>LBP507 (310, -50)</b>	144.8	166.1	21.3	0.28	0.15	288.0	<b>Rangefront North</b>	<b>Reconnaissance</b>	<b>11.5</b>
including	144.8	149.4	4.6	0.28					
including	155.5	166.1	10.7	0.35					
and	184.4	189.0	4.6	1.20					
including	187.5	189.0	1.5	2.34	1.00				
<b>LBP508C (70, -60)</b>	Pending					98.0	F Zone	Metallurgical Core	
<b>LBP509 (25, -45)</b>	3.1	36.6	33.5	0.44	0.15	105.2	<b>F Zone</b>	<b>Step-Out</b>	<b>19.0</b>
including	22.9	36.6	13.7	0.71	0.20				
and	57.9	79.3	21.3	0.2	0.15				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP510 (345, -45)</b>	67.1	71.6	4.6	0.51	0.20	410.0	<b>Rangefront D-4 South</b>	<b>Reconnaissance</b>	<b>28.0</b>
and	109.7	115.8	6.1	0.21	0.15				
and	<b>176.8</b>	<b>233.2</b>	<b>56.4</b>	<b>0.30</b>					
including	176.8	182.9	6.1	0.33	0.20				
including	<b>185.9</b>	<b>224.0</b>	<b>38.1</b>	<b>0.35</b>					
and	234.7	240.8	6.1	0.19	0.15				
and	272.8	288.0	15.2	0.30					
including	272.8	283.5	10.7	0.36	0.20				
and	405.4	410.0	4.6	0.38	0.15				
<b>LBP511CA (17, -62)</b>	59.4	65.5	6.1	0.30	0.15	428.2	<b>Rangefront D-4</b>	<b>Metallurgical Core</b>	<b>148.9</b>
including	61.0	65.5	4.6	0.34	0.20				
and	184.6	192.0	7.4	0.27					
and	245.2	263.8	18.6	0.24	0.15				
including	245.2	248.4	3.2	0.44	0.20				
including	259.8	263.8	3.9	0.25					
and	<b>274.3</b>	<b>374.7</b>	<b>100.4</b>	<b>1.38</b>	0.15				
including	<b>274.3</b>	<b>368.8</b>	<b>94.5</b>	<b>1.45</b>	0.20				
and including	<b>275.8</b>	<b>288.0</b>	<b>12.2</b>	<b>2.84</b>	1.00				
and including	<b>284.6</b>	<b>286.5</b>	<b>1.9</b>	<b>6.60</b>	5.00				
and including	<b>298.0</b>	<b>309.4</b>	<b>11.4</b>	<b>1.71</b>					
and including	<b>316.5</b>	<b>319.0</b>	<b>2.5</b>	<b>2.90</b>					
and including	<b>328.0</b>	<b>332.7</b>	<b>4.7</b>	<b>1.53</b>					
and including	<b>347.0</b>	<b>357.6</b>	<b>10.6</b>	<b>3.80</b>					
and including	<b>349.0</b>	<b>353.6</b>	<b>4.6</b>	<b>6.87</b>	5.00				
including	370.3	374.7	4.4	0.24	0.20				
and	396.4	399.3	2.9	0.82					
including	396.4	397.8	1.4	1.41	1.00				
<b>LBP512 (25, -62)</b>	1.5	9.1	7.6	0.38	0.15	147.8	<b>F Zone</b>	<b>Step-Out</b>	<b>5.7</b>
including	3.1	7.6	4.6	0.51	0.20				
and	48.8	51.8	3.0	0.52					
and	71.6	76.2	4.6	0.28	0.15				
including	73.2	76.2	3.0	0.34	0.20				
<b>LBP513 (255, -45)</b>	1.5	13.7	12.2	0.41	0.20	99.1	<b>F Zone</b>	<b>Step-Out</b>	<b>7.2</b>
and	82.3	91.4	9.1	0.24					
<b>LBP514 (185, -65)</b>	146.3	150.9	4.6	0.30	0.15	399.3	<b>Rangefront D-4</b>	<b>Resource Definition</b>	<b>92.3</b>
including	147.8	150.9	3.0	0.36	0.20				
and	<b>240.8</b>	<b>326.1</b>	<b>85.3</b>	<b>0.98</b>	0.15				
including	259.1	326.1	67.1	1.19	0.20				
and including	265.2	292.6	27.4	1.56					
and including	298.7	306.3	7.6	2.47	1.00				
and including	321.6	324.6	3.0	1.39					
and	333.8	349.0	15.2	0.48	0.15				
including	333.8	347.5	13.7	0.52	0.20				
and including	344.4	346.0	1.5	1.32	1.00				
<b>LBP515 (165, -45)</b>	88.4	100.6	12.2	0.24	0.15	306.3	<b>Rangefront Northwest</b>	<b>Step-Out</b>	<b>8.4</b>
including	89.9	99.1	9.1	0.26	0.20				
and	173.7	179.8	6.1	0.22	0.15				
including	175.3	179.8	4.6	0.24	0.20				
and	219.5	234.7	15.2	0.27	0.15				
including	219.5	231.7	12.2	0.29	0.20				
<b>LBP516CA (240, -45)</b>	Pending					131.4	<b>CD Zone</b>	<b>Metallurgical Core</b>	
<b>LBP517 (90, -70)</b>	196.6	202.7	6.1	0.24	0.15	451.1	<b>Rangefront South</b>	<b>Reconnaissance</b>	<b>1.5</b>
<b>LBP518 (90, -55)</b>	47.2	53.3	6.1	0.22	0.15	318.5	<b>Rangefront Northwest</b>	<b>Step-Out</b>	<b>12.3</b>
including	48.8	53.3	4.6	0.23	0.20				
and	153.9	160.0	6.1	0.20	0.15				
and	164.6	173.7	9.1	0.31					
including	166.1	172.2	6.1	0.38	0.20				
and	190.5	193.6	3.0	0.33					
and	<b>248.4</b>	<b>257.6</b>	<b>9.1</b>	<b>0.65</b>					
including	<b>253.0</b>	<b>254.5</b>	<b>1.5</b>	<b>1.80</b>	1.00				
<b>LBP519 (35, -70)</b>	163.1	172.2	9.1	0.17	0.15	396.2	<b>Rangefront D-4</b>	<b>Resource Definition</b>	<b>39.4</b>
and	179.8	192.0	12.2	0.18					
and	193.6	201.2	7.6	0.24	0.20				
and	221.0	268.2	47.2	0.19	0.15				
including	233.2	237.1	4.6	0.27	0.20				
including	260.6	265.2	4.6	0.29					
and	<b>288.0</b>	<b>323.1</b>	<b>35.1</b>	<b>0.65</b>	0.15				
including	<b>288.0</b>	<b>307.9</b>	<b>19.8</b>	<b>0.98</b>	0.20				
and including	<b>288.0</b>	<b>294.1</b>	<b>6.1</b>	<b>2.13</b>	1.00				
and including	<b>295.7</b>	<b>297.2</b>	<b>1.5</b>	<b>1.06</b>					
including	313.9	320.0	6.1	0.33	0.20				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP520 (130, -55)	29.0	36.6	7.6	0.22	0.15	361.2	Rangefront	Resource Definition	28.0
and	64.0	80.8	16.8	0.28					
including	64.0	79.3	15.2	0.29	0.20				
and	134.1	152.4	18.3	0.31	0.15				
including	134.1	138.7	4.6	0.25	0.20				
including	143.3	152.4	9.1	0.45					
and	163.1	173.7	10.7	0.26	0.15				
and	195.1	204.2	9.1	0.21					
and	219.5	228.6	9.1	0.2					
and	265.2	295.7	30.5	0.31	0.20				
including	265.2	271.3	6.1	0.34					
including	277.4	294.1	16.8	0.39					
and including	283.5	285.0	1.5	1.05	1.00				
LBP521 (35, -55)	170.7	182.9	12.2	0.43	0.15	403.9	Rangefront	Resource Definition	17.4
including	173.7	182.9	9.1	0.51	0.20				
and	214.9	219.5	4.6	0.27	0.15				
and	230.1	237.7	7.6	0.35					
including	230.1	236.2	6.1	0.39	0.20				
and	254.5	275.8	21.3	0.24	0.15				
including	256.0	260.6	4.6	0.49	0.20				
and	300.2	312.4	12.2	0.26	0.15				
including	303.3	306.3	3.0	0.55	0.20				
LBP522 (225, -55)	126.5	132.6	6.1	0.27	0.15				
and	138.7	157.0	18.3	0.73					
including	141.7	157.0	15.2	0.84	0.20				
and including	149.4	153.9	4.6	1.67	1.00				
and	207.3	233.2	25.9	1.25	0.20				
including	219.5	221.0	1.5	1.04	1.00				
including	222.5	233.2	10.7	2.14					
LBP523 (80, -58)	21.3	24.4	3.0	0.48	0.20	367.3	Rangefront	Resource Definition	49.7
and	35.1	45.7	10.7	0.23	0.15				
including	35.1	44.2	9.1	0.24	0.20				
and	67.1	79.3	12.2	0.28					
and	102.1	115.8	13.7	0.69	0.15				
including	102.1	109.7	7.6	1.12	0.20				
and including	103.6	106.7	3.0	2.12	1.00				
and	125.0	134.1	9.1	0.40	0.15				
including	125.0	132.6	7.6	0.45	0.20				
and	181.4	216.4	35.1	0.73	0.15				
including	184.4	216.4	32.0	0.78	0.20				
and including	190.5	193.6	3.0	1.97	1.00				
and including	207.3	210.3	3.0	2.45					
and	268.2	285.0	16.8	0.22	0.15				
including	268.2	277.4	9.1	0.24	0.20				
LBP524 (210, -55)	51.8	67.1	15.2	0.36	0.15	428.2	Rangefront D-4	Resource Definition	68.8
including	51.8	65.5	13.7	0.39	0.20				
and	112.8	117.4	4.6	0.38	0.15				
including	114.3	117.4	3.0	0.5	0.20				
and	147.8	152.4	4.6	0.37	0.15				
including	147.8	150.9	3.0	0.46	0.20				
and	184.4	208.8	24.4	0.26	0.15				
including	193.6	207.3	13.7	0.31	0.20				
and	240.8	259.1	18.3	0.31	0.15				
including	240.8	257.6	16.8	0.32	0.20				
and	269.8	295.7	25.9	0.64	0.15				
including	274.3	291.1	16.8	0.88	0.20				
and including	275.8	277.4	1.5	1.06	1.00				
and including	280.4	281.4	1.5	3.12					
and including	283.5	285.0	1.5	1.37					
and	301.8	317.0	15.2	0.43	0.20				
including	315.5	317.0	1.5	1.84	1.00				
and	327.7	336.8	9.1	0.62	0.20				
including	327.7	329.2	1.5	1.19	1.00				
and	353.6	362.7	9.1	0.29	0.20				
and	408.4	422.2	13.7	1.20	0.20				
including	410.0	414.5	4.6	2.49	1.00				
LBP525C (30, -45)	Pending					135.9	I Pit	Metallurgical Core	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP526 (10, -78)	25.9	36.6	10.7	0.22	0.15	394.7	Rangefront	Resource Definition	38.4
including	25.9	29.0	3.0	0.38	0.20				
and	89.9	94.5	4.6	0.28	0.15				
including	91.4	94.5	3.0	0.33	0.20				
and	102.1	109.7	7.6	0.27					
and	115.8	149.4	33.5	0.39	0.15				
including	117.4	128.0	10.7	0.83	0.20				
and including	121.9	126.5	4.6	1.14	1.00				
and	161.5	173.7	12.2	0.49	0.20				
including	161.5	164.6	3.0	1.15	1.00				
and	175.3	187.5	12.2	0.17	0.15				
and	214.9	222.5	7.6	0.62					
including	217.9	222.5	4.6	0.93	0.20				
and including	219.5	222.5	3.0	1.24	1.00				
and	228.6	231.7	3.0	0.60	0.20				
and	237.7	242.3	4.6	0.60					
and	262.1	272.8	10.7	0.22					
LBP527 (150, -75)	167.6	175.3	7.6	0.18	0.15	440.4	Rangefront D-4	Resource Definition	45.1
and	243.8	313.9	70.1	0.48	0.20				
including	259.1	265.2	6.1	1.12	1.00				
including	295.7	298.7	3.0	1.56					
including	300.2	301.8	1.5	1.02	0.20				
and	350.5	367.3	16.8	0.60					
including	352.0	353.6	1.5	1.31	1.00				
including	355.1	356.6	1.5	2.40					
LBP528 (0, -90)	7.6	21.3	13.7	0.27	0.15	224.0	Rangefront North	Step-Out	37.7
including	7.6	10.7	3.0	0.39	0.20				
including	16.8	21.3	4.6	0.35					
and	51.8	61.0	9.1	0.37	0.15				
including	51.8	59.4	7.6	0.41					
and	80.8	135.6	54.9	0.24	0.15				
including	88.4	93.0	4.6	0.33	0.20				
including	99.1	112.8	13.7	0.31					
including	118.9	131.1	12.2	0.30	0.20				
and	138.7	152.4	13.7	0.29					
including	138.7	144.8	6.1	0.34	0.20				
including	146.3	150.9	4.6	0.33					
and	164.6	178.3	13.7	0.60	0.15				
including	170.7	178.3	7.6	0.93	0.20				
and including	175.3	178.3	3.0	1.59	1.00				
LBP529 (180, -65)	16.8	32.0	15.2	0.25	0.15	227.1	Rangefront Northeast	Resource Definition	12.9
including	24.4	32.0	7.6	0.35	0.20				
and	64.0	82.3	18.3	0.20	0.15				
including	76.2	80.8	4.6	0.34	0.20				
and	100.6	106.7	6.1	0.37					
and	153.9	163.1	9.1	0.35	0.15				
including	155.5	163.1	7.6	0.38	0.20				
LBP530C (220, -50)	Pending					143.6	M Zone	Metallurgical Core	
LBP531A (0, -55)	33.5	39.6	6.1	0.24	0.20	335.3	Rangefront		27.6
and	111.3	117.3	6.1	0.27	0.15				
including	112.8	117.3	4.6	0.30	0.20				
and	161.5	179.8	18.3	0.24	0.15				
including	164.6	176.8	12.2	0.28	0.20				
and	187.5	211.8	24.4	0.28	0.15				
including	193.5	208.8	15.2	0.34	0.20				
and	224.0	248.4	24.4	0.55	0.15				
including	224.0	242.3	18.3	0.68	0.20				
and including	224.0	228.6	4.6	1.39	1.00				
LBP532 (270, -50)	93.0	100.6	7.6	0.21	0.15	306.3	Rangefront		25.3
including	93.0	97.5	4.6	0.23	0.20				
and	167.6	185.9	18.3	0.20	0.15				
including	173.7	179.8	6.1	0.24	0.20				
and	227.1	257.6	30.5	0.66	0.15				
including	228.6	249.9	21.3	0.86	0.20				
and including	240.8	246.9	6.1	2.06	1.00				
LBP533C (120, -63)	Pending					132.9	Rangefront	Metallurgical core hole	
LBP534 (95, -50)	102.1	138.7	36.6	0.34	0.15	349.0	Rangefront Northeast	Resource Definition	19.1
including	102.1	131.1	29.0	0.38	0.20				
and	175.3	192.0	16.8	0.25	0.15				
including	175.3	189.0	13.7	0.27	0.20				
and	256.0	265.2	9.1	0.28	0.15				
including	256.0	263.7	7.6	0.31	0.20				
LBP535 (245, -90)	No Significant Results					121.9	M Zone		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP536 (180, -70)	83.8	94.5	10.7	0.35	0.15	300.2	Rangefront Central	Resource Definition	33.3
including	83.8	93.0	9.1	0.38	0.20				
and	102.1	111.3	9.1	0.38	0.15				
including	102.1	109.7	7.6	0.42	0.20				
and	190.5	217.9	27.4	0.65	0.15				
including	190.5	202.7	12.2	0.94	0.20				
and including	190.5	199.6	9.1	1.15	1.00				
including	208.8	216.4	7.6	0.69	0.20				
and including	211.8	213.4	1.5	1.12	1.00				
and	236.2	243.8	7.6	0.31	0.20				
and	251.5	266.7	15.2	0.39	0.15				
including	253.0	266.7	13.7	0.41	0.20				
LBP537 (245, -45)	45.7	86.9	41.1	0.52	0.15	152.4	M Zone	Step-out	31.1
including	47.2	86.9	39.6	0.54	0.20				
and	94.5	102.1	7.6	1.05	0.15				
including	94.5	100.6	6.1	1.26	0.20				
and including	97.5	100.6	3.0	1.64	1.00				
and	108.2	112.8	4.6	0.33	0.15				
including	111.3	112.8	1.5	0.66	0.20				
LBP538 (350, -80)	105.16	111.25	6.10	0.46	0.15	129.54	M Zone	Step-Out	2.8
including	106.68	109.73	3.05	0.75	0.20				
and including	106.68	108.20	1.52	1.24	1.00				
LBP539 (310, -50)	217.9	257.6	39.6	0.28	0.15	385.6	Rangefront Central	Resource Definition	40.4
including	228.6	257.6	29.0	0.33	0.20				
and	263.7	268.2	4.6	0.25	0.15				
and	326.1	344.4	18.3	1.53	0.20				
including	327.7	339.9	12.2	2.06	1.00				
LBP540 (315, -55)	83.8	109.7	25.9	0.21	0.15	336.8	Rangefront North	Resource Definition	49.7
including	88.4	94.5	6.1	0.24	0.20				
including	102.1	106.7	4.6	0.37					
and	150.9	169.2	18.3	0.23	0.15				
including	157.0	169.2	12.2	0.25	0.20				
and	187.5	292.6	105.2	0.38	0.15				
including	189.0	193.5	4.6	0.32	0.20				
including	205.7	266.7	61.0	0.51					
and including	239.3	246.9	7.6	1.18	1.00				
including	285.0	291.1	6.1	0.26	0.20				
LBP541C (0, -70)	Pending					349.6	Rangefront	Metallurgical Core	
LBP542 (350, -45)	93.0	146.3	53.3	0.56	0.15	147.8	M Zone	Step-Out	29.7
including	93.0	144.8	51.8	0.57	0.20				
and including	115.8	117.3	1.5	1.03	1.00				
LBP543 (340, -90)	68.6	80.8	12.2	0.29	0.15	396.2	Rangefront Central	Resource Definition	31.5
including	74.7	80.8	6.1	0.39	0.20				
and	150.9	192.0	41.1	0.30	0.15				
including	153.9	160.0	6.1	0.21	0.20				
including	161.5	189.0	27.4	0.36					
and	198.1	205.7	7.6	0.24	0.15				
and	263.7	288.0	24.4	0.56	0.15				
including	263.7	283.5	19.8	0.65	0.20				
and including	265.2	269.7	4.6	1.71	1.00				
LBP544 (18, -50)	225.6	230.1	4.6	0.24	0.20				
and	237.7	240.8	3.0	0.71	0.20				
including	237.7	239.3	1.5	1.14	1.00				
and	260.6	265.2	4.6	0.36	0.20				
and	307.8	324.6	16.8	0.48	0.15				
including	309.4	324.6	15.2	0.51	0.20				
LBP545 (90, -50)	7.6	18.3	10.7	0.20	0.15	147.8	M Zone	Step-Out	6.9
and	76.2	94.5	18.3	0.26	0.20				
LBP546 (340, -45)	135.6	143.3	7.6	0.34	0.15	300.2	Rangefront North	Resource Definition	18.5
including	137.2	143.3	6.1	0.37	0.20				
and	190.5	208.8	18.3	0.23					
and	221.0	254.5	33.5	0.29	0.15				
including	230.1	251.5	21.3	0.34	0.20				
and	269.7	275.8	6.1	0.34					
LBP547 (355, -50)	179.8	192.0	12.2	0.22	0.15	362.7	Rangefront Central	Resource Definition	21.3
including	184.4	189.0	4.6	0.31	0.20				
and	207.3	225.6	18.3	0.20	0.15				
including	207.3	210.3	3.0	0.40	0.20				
and	227.1	242.3	15.2	0.51	0.15				
including	227.1	240.8	13.7	0.54	0.20				
and including	228.6	231.6	3.0	1.16	1.00				
and	249.9	262.1	12.2	0.29	0.15				
including	249.9	260.6	10.7	0.30	0.20				
and	268.2	278.9	10.7	0.35	0.15				
including	268.2	277.4	9.1	0.38	0.20				



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
LBP548 (0, -90)	19.8	25.9	6.1	0.17	0.15	99.1	M Zone	Step-Out	2.5
and	62.5	68.6	6.1	0.24					
including	62.5	67.1	4.6	0.26	0.20				
LBP549 (160, -45)	71.6	77.7	6.1	0.17	0.15	202.7	Rangefront Central	Resource Definition	10.7
and	83.8	106.7	22.9	0.21					
including	93.0	100.6	7.6	0.29	0.20				
and	163.1	176.8	13.7	0.36	0.15				
including	169.2	176.8	7.6	0.49	0.20				
LBP550 (310, -45)	74.7	129.5	54.9	0.42	0.15	129.5	M Zone	Step-Out	23.0
including	76.2	93.0	16.8	0.58	0.20				
and including	77.7	80.8	3.0	1.13	1.00				
including	99.1	108.2	9.1	0.93	0.20				
and including	100.6	105.2	4.6	1.48	1.00				
LBP551 (50, -80)	51.8	56.4	4.6	0.26	0.15	361.2	Rangefront Central	Resource Definition	27.5
and	100.6	105.2	4.6	0.26	0.20				
and	126.5	141.7	15.2	0.18	0.15				
including	134.1	138.7	4.6	0.25	0.20				
and	149.4	201.2	51.8	0.25	0.15				
including	149.4	155.4	6.1	0.20	0.20				
including	157.0	198.1	41.1	0.27	0.20				
and	228.6	243.8	15.2	0.39	0.15				
including	230.1	243.8	13.7	0.41	0.20				
and	278.9	292.6	13.7	0.25	0.15				
including	278.9	281.9	3.0	0.46	0.20				
including	283.5	292.6	9.1	0.21	0.20				
LBP552 (0, -80)	39.6	57.9	18.3	0.25	0.15				
including	42.7	48.8	6.1	0.36	0.20				
and	80.8	85.3	4.6	0.33	0.20				
and	91.4	96.0	4.6	0.46	0.15				
and	111.3	115.8	4.6	0.52	0.15				
including	111.3	114.3	3.0	0.70	0.20				
and	129.5	137.2	7.6	0.34	0.15				
including	129.5	132.6	3.0	0.57	0.20				
and	161.5	198.1	36.6	0.30	0.20				
and	216.4	221.0	4.6	0.36	0.15				
including	217.9	221.0	3.0	0.44	0.20				
and	237.7	248.4	10.7	0.49	0.15				
including	239.3	246.9	7.6	0.61	0.20				
LBP553 (310, -60)	12.2	18.3	6.1	0.20	0.15	105.2	M Zone	Step-out	1.2
LBP554 (170, -45)	61.0	65.5	4.6	0.27	0.15	294.1	Rangefront Central	Resource Definition	104.6
and	88.4	100.6	12.2	0.21	0.20				
including	94.5	100.6	6.1	0.22	0.20				
and	117.3	121.9	4.6	0.25	0.20				
and	128.0	137.2	9.1	0.84	0.20				
including	128.0	129.5	1.5	1.17	1.00				
including	134.1	135.6	1.5	1.39	1.00				
and	144.8	199.6	54.9	1.49	0.15				
including	144.8	192.0	47.2	1.71	0.20				
and including	134.1	135.6	1.5	1.39	1.00				
and including	147.8	160.0	12.2	3.99	1.00				
and including	150.9	152.4	1.5	5.41	5.00				
and including	155.4	157.0	1.5	5.17	5.00				
and including	166.1	175.3	9.1	1.83	1.00				
and including	176.8	178.3	1.5	1.02	1.00				
and including	185.9	187.5	1.5	1.77	1.00				
and	219.5	248.4	29.0	0.35	0.15				
including	224.0	248.4	24.4	0.38	0.20				
LBP555 (220, -45)	33.5	39.6	6.1	0.40	0.20	125.0	M Zone	Step-Out	7.1
and	53.3	57.9	4.6	1.02	0.20				
including	54.9	56.4	1.5	1.84	1.00				
LBP556 (0, -70)			Pending			170.7	Rangefront North	Metallurgical Hole Pre-collar	
LBP556C (0, -70)			Pending			189.0	Rangefront North	Metallurgical Core	
LBP557 (225, -68)	141.7	153.9	12.2	0.19	0.15	281.9	Rangefront Northwest	Step-Out	28.3
and	160.0	170.7	10.7	0.32	0.20				
and	214.9	231.6	16.8	1.34	0.20				
including	214.9	227.1	12.2	1.59	1.00				
LBP558 (10, -45)	38.1	41.1	3.0	0.33	0.15	117.3	M Zone		2.2
and	64.0	68.6	4.6	0.25	0.20				
LBP559 (355, -80)	131.1	143.3	12.2	0.40	0.20	349.0	Rangefront Northeast	Step-Out	20.3
and	185.9	224.0	38.1	0.30	0.15				
including	196.6	224.0	27.4	0.35	0.20				
and	234.7	242.3	7.6	0.52	0.20				
including	239.3	240.8	1.5	1.05	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP560 (225, -50)</b>	54.9	59.4	4.6	0.25		309.372	Rangefront North	Resource Definition	15.6
and	204.2	211.8	7.6	0.20	0.15				
and	249.9	265.2	15.2	0.85					
including	251.5	265.2	13.7	0.93	0.20				
and including	254.5	256.0	1.5	2.59	1.00				
and including	257.6	263.7	6.1	1.06					
<b>LBP561 (55, -50)</b>	105.2	117.3	12.2	0.35	0.15	160.0	M Zone	Step-Out	4.3
including	106.7	117.3	10.7	0.38	0.20				
<b>LBP562 (225, -45)</b>	76.2	112.8	36.6	0.67	0.15	123.4	M Zone	Step-out	24.4
including	80.8	112.8	32.0	0.73	0.20				
and including	86.9	97.5	10.7	1.29					
and including	99.1	100.6	1.5	1.06	1.00				
<b>LBP563 (265, -68)</b>	143.3	149.4	6.1	0.17	0.15	336.8	Rangefront Northwest	Step-out	19.6
and	153.9	176.8	22.9	0.39	0.20				
and	217.9	224.0	6.1	0.50					
and	231.6	240.8	9.1	0.72	0.15				
including	233.2	240.8	7.6	0.83	0.20				
and including	233.2	234.7	1.5	1.31	1.00				
<b>LBP564 (0, -45)</b>	53.3	61.0	7.6	0.64	0.20	152.4	M Zone	Step-Out	52.7
including	53.3	54.9	1.5	1.04	1.00				
and	80.8	96.0	15.2	2.51	0.20				
including	83.8	94.5	10.7	3.40	1.00				
and including	89.9	93.0	3.0	6.65	5.00				
and	105.2	115.8	10.7	0.36	0.15				
including	105.2	114.3	9.1	0.39	0.20				
and	134.1	143.3	9.1	0.63	0.20				
including	140.2	141.7	1.5	1.30	1.00				
<b>LBP565 (45, -45)</b>	51.8	62.5	10.7	0.39	0.20	294.1	Rangefront North	Step-Out	49.4
and	80.8	196.6	115.8	0.34	0.15				
including	80.8	85.3	4.6	0.29					
including	106.7	115.8	9.1	0.34	0.20				
including	121.9	125.0	3.0	0.61					
including	131.1	196.6	65.5	0.41					
and including	138.7	140.2	1.5	1.72	1.00				
and including	193.5	195.1	1.5	1.07					
and	228.6	246.9	18.3	0.35	0.15				
including	228.6	243.8	15.2	0.38	0.20				
<b>LBP566 (355, -45)</b>	51.8	59.4	7.6	0.22	0.15	184.404	Rangefront Northeast	Step-out	4.0
including	51.8	56.4	4.6	0.27	0.20				
and	176.8	182.9	6.1	0.38	0.15				
including	176.8	181.4	4.6	0.45	0.20				
<b>LBP567 (340, -60)</b>	41.1	48.8	7.6	0.54	0.20	221.0	Rangefront	Resource Definition	36.6
and	54.9	140.2	85.3	0.30	0.15				
including	56.4	64.0	7.6	0.47	0.20				
including	79.2	129.5	50.3	0.34					
and	149.4	152.4	3.0	0.36	0.15				
and	158.5	178.3	19.8	0.31					
including	161.5	172.2	10.7	0.43	0.20				
and including	166.1	167.6	1.5	1.21	1.00				
<b>LBP568 (120, -55)</b>	29.0	35.1	6.1	0.36	0.20	274.3	Rangefront Northwest	Resource Definition	70.5
and	44.2	53.3	9.1	0.26	0.15				
including	47.2	53.3	6.1	0.31	0.20				
and	85.3	153.9	68.6	0.39	0.15				
including	86.9	147.8	61.0	0.41	0.20				
and including	109.7	112.8	3.0	1.16	1.00				
and including	138.7	141.7	3.0	1.48					
and	170.7	205.7	35.1	1.13	0.15				
including	172.2	205.7	33.5	1.17	0.20				
and including	179.8	185.9	6.1	4.31	1.00				
and including	181.4	184.4	3.0	6.22	5.00				
and including	190.5	192.0	1.5	1.22	1.00				
<b>LBP569 (220, -60)</b>	7.6	27.4	19.8	0.43	0.20	263.7	Rangefront North	Step-Out	40.8
and	68.6	83.8	15.2	0.23	0.15				
including	70.1	80.8	10.7	0.27	0.20				
and	106.7	114.3	7.6	0.24	0.15				
including	108.2	111.3	3.0	0.37	0.20				
and	131.1	157.0	25.9	0.45	0.15				
including	131.1	153.9	22.9	0.49	0.20				
and including	149.4	150.9	1.5	1.01	1.00				
and	217.9	248.4	30.5	0.49	0.15				
including	221.0	248.4	27.4	0.53	0.20				
and including	231.6	234.7	3.0	1.72	1.00				
<b>LBP570 (315, -60)</b>	27.4	36.6	9.1	0.22	0.15	300.2	Rangefront South	Step-Out	9.5
and	160.0	181.4	21.3	0.28	0.20				
and	204.2	210.3	6.1	0.24	0.15				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP571 (5, -78)</b>	117.3	141.7	24.4	0.64	0.20	342.9	Rangefront	Resource Definition	26.5
and	163.1	166.1	3.0	0.46					
and	198.1	217.9	19.8	0.48	0.15				
including	198.1	214.9	16.8	0.53	0.20				
and including	210.3	211.8	1.5	1.38	1.00				
<b>LBP572 (90, -50)</b>	309.4	317.0	7.6	0.21	0.15	422.148	Rangefront Northeast	Step-Out	
including	310.9	317.0	6.1	0.22	0.20				
and	323.1	338.3	15.2	0.22	0.15				
including	324.6	330.7	6.1	0.32	0.20				
and	355.1	373.4	18.3	0.19	0.15				
<b>LBP573C (240, -60)</b>	Pending					113.5	M Zone	Metallurgical Core	
<b>LBP574 (295, -55)</b>	132.6	152.4	19.8	0.23	0.15	300.2	Rangefront	Resource Definition	22.5
including	132.6	143.3	10.7	0.20	0.20				
including	144.8	149.4	4.6	0.39	0.15				
and	164.6	222.5	57.9	0.31	0.15				
including	213.4	222.5	9.1	0.50	0.15				
<b>LBP575 (260, -45)</b>	41.1	57.9	16.8	0.22	0.15	202.7	Rangefront	Resource Definition	13.8
including	42.7	45.7	3.0	0.41	0.20				
including	47.2	53.3	6.1	0.20	0.15				
and	135.6	140.2	4.6	0.37	0.15				
including	135.6	138.7	3.0	0.46	0.20				
and	184.4	199.6	15.2	0.55	0.15				
including	184.4	196.6	12.2	0.65	0.20				
and including	192.0	193.5	1.5	2.18	1.00				
<b>LBP576 (250, -90)</b>	68.6	79.2	10.7	0.19	0.15	281.9	Rangefront Northeast	Step-Out	31.7
including	68.6	73.2	4.6	0.25	0.20				
and	80.8	106.7	25.9	0.25	0.15				
including	80.8	96.0	15.2	0.29	0.20				
and	108.2	147.8	39.6	0.29	0.15				
including	111.3	146.3	35.1	0.31	0.20				
and	155.4	164.6	9.1	0.27	0.15				
including	158.5	164.6	6.1	0.30	0.20				
and	172.2	190.5	18.3	0.50	0.15				
including	184.4	187.5	3.0	1.53	1.00				
<b>LBP577 (250, -50)</b>	64.0	68.6	4.6	0.26	0.15	251.5	Rangefront Northeast	Step-Out	27.7
and	77.7	83.8	6.1	0.55	0.20				
and	117.3	134.1	16.8	0.20	0.15				
including	120.4	125.0	4.6	0.28	0.20				
and	140.2	205.7	65.5	0.30	0.15				
including	157.0	175.3	18.3	0.24	0.20				
including	176.8	201.2	24.4	0.47	0.15				
<b>LBP578 (145, -50)</b>	158.5	230.1	71.6	0.43	0.15	294.1	Rangefront Northeast	Step-out	31.1
including	158.5	228.6	70.1	0.44	0.20				
and including	208.8	214.9	6.1	1.45	1.00				
<b>LBP579 (3, -60)</b>	138.7	147.8	9.1	0.20	0.15	349.0	Rangefront South	Resource Definition	34.9
including	138.7	143.3	4.6	0.23	0.20				
and	166.1	239.3	73.2	0.42	0.15				
including	166.1	224.0	57.9	0.48	0.20				
and including	167.6	169.2	1.5	1.15	1.00				
and including	170.7	172.2	1.5	1.01	0.15				
and including	184.4	185.9	1.5	1.00	0.15				
and	298.7	306.3	7.6	0.16	0.15				
and	332.2	336.8	4.6	0.23	0.15				
<b>LBP580 (345, -50)</b>	135.6	147.8	12.2	0.18	0.15	335.3	Rangefront Northeast	Step-Out	20.3
and	167.6	170.7	3.0	0.35	0.20				
and	190.5	199.6	9.1	0.23	0.15				
including	190.5	198.1	7.6	0.24	0.20				
and	213.4	265.2	51.8	0.29	0.15				
including	216.4	260.6	44.2	0.31	0.20				
<b>LBP581C (135, -65)</b>	Abandoned, not sampled					19.2	Rangefront	Metallurgical Core	
<b>LBP582 (90, -45)</b>	No Significant Results					422.1	Southeast Rangefront	Reconnaissance	
<b>LBP583 (145, -75)</b>	32.0	38.1	6.1	0.21	0.15	257.6	Rangefront Northeast	Step-Out	12.2
and	123.4	138.7	15.2	0.17					
and	149.4	158.5	9.1	0.19					
and	169.2	187.5	18.3	0.36					
<b>LBP584 (25, -60)</b>	103.6	131.1	27.4	0.25	0.15	300.2	Rangefront	Resource Definition	25.2
including	108.2	115.8	7.6	0.29	0.20				
including	121.9	131.1	9.1	0.32	0.15				
and	147.8	150.9	3.0	0.33	0.15				
and	195.1	234.7	39.6	0.32	0.15				
including	208.8	233.2	24.4	0.40	0.20				
and	249.9	272.8	22.9	0.20	0.15				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP585 (65, -55)</b>	12.2	18.3	6.1	0.19	0.15	300.2	Rangefront Central	Resource Definition	37.3
and	57.9	68.6	10.7	0.22					
and	117.3	128.0	10.7	0.18					
and	152.4	216.4	64.0	0.39					
including	184.4	199.6	15.2	0.68	0.20				
and including	185.9	190.5	4.6	1.45	1.00				
including	204.2	214.9	10.7	0.72	0.20				
and including	208.8	211.8	3.0	1.25	1.00				
and	225.6	236.2	10.7	0.64	0.15				
including	225.6	234.7	9.1	0.72	0.20				
and including	225.6	228.6	3.0	1.67	1.00				