

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off (g/t Au)	Hole Length (m)	Target	Comments	Au g/t x m
LBP749 (100, -45)	12.2	48.8	36.6	0.26	0.15	202.7	Rangefront	Resource Upgrade	21.9
including	15.2	21.3	6.1	0.20	0.20				
including	24.4	48.8	24.4	0.30					
and	80.8	93.0	12.2	0.22	0.15				
including	89.9	93.0	3.0	0.36	0.20				
and	157.0	163.1	6.1	0.36					
and	167.6	193.5	25.9	0.26	0.15				
including	170.7	182.9	12.2	0.38	0.20				
and	195.1	198.1	3.0	0.33					
LBP779 (295, -68)	53.3	91.4	38.1	0.35	0.15	373.4	Rangefront	Resource Upgrade	45.0
including	71.6	91.4	19.8	0.46	0.20				
and	120.4	141.7	21.3	0.19	0.15				
including	135.6	140.2	4.6	0.23	0.20				
and	204.2	228.6	24.4	0.34					
and	266.7	272.8	6.1	0.44	0.15				
including	266.7	269.7	3.0	0.73	0.20				
and including	268.2	269.7	1.5	1.20	1.00				
and	274.3	318.5	44.2	0.26	0.15				
including	277.4	312.4	35.1	0.29	0.20				
and	320.0	326.1	6.1	0.63					
including	323.1	324.6	1.5	1.38	1.00				
and	358.1	361.2	3.0	0.43	0.20				
LBP780 (10, -45)	0.0	6.1	6.1	0.25	0.20	251.5	Rangefront	Resource Upgrade	12.4
and	7.6	13.7	6.1	0.19	0.15				
and	38.1	50.3	12.2	0.26					
including	38.1	47.2	9.1	0.28	0.20				
and	57.9	68.6	10.7	0.23	0.15				
including	57.9	61.0	3.0	0.36	0.20				
and	82.3	94.5	12.2	0.17	0.15				
and	195.1	199.6	4.6	0.45	0.20				
LBP783 (320, -45)	13.7	21.3	7.6	0.18	0.15	257.6	Rangefront	Resource Upgrade	15.7
and	36.6	44.2	7.6	0.21					
and	50.3	54.9	4.6	0.39	0.20				
and	57.9	65.5	7.6	0.20	0.15				
and	82.3	88.4	6.1	0.21					
and	99.1	105.2	6.1	0.40	0.20				
including	100.6	105.2	4.6	0.48					
and	106.7	125.0	18.3	0.17	0.15				
and	129.5	134.1	4.6	0.28	0.20				
and	187.5	193.5	6.1	0.23	0.15				
LBP786 (172, -82)	44.2	59.4	15.2	0.44	0.15	365.8	Rangefront	Resource Upgrade	37.2
including	45.7	59.4	13.7	0.47	0.20				
and	103.6	108.2	4.6	0.33	0.15				
including	105.2	108.2	3.0	0.39	0.20				
and	129.5	141.7	12.2	0.29	0.15				
including	129.5	138.7	9.1	0.33	0.20				
and	169.2	193.5	24.4	0.55					
including	169.2	170.7	1.5	1.10	1.00				
including	179.8	181.4	1.5	1.22					
including	189.0	190.5	1.5	1.12	0.20				
and	222.5	225.6	3.0	0.46					
and	227.1	239.3	12.2	0.35	0.15				
including	231.6	239.3	7.6	0.47	0.20				
and	245.4	256.0	10.7	0.20	0.15				
and	298.7	315.5	16.8	0.26					
including	300.2	306.3	6.1	0.41	0.20				
LBP787 (320, -85)	48.8	56.4	7.6	0.18	0.15	221.0	Rangefront	Resource Upgrade	4.5
and	166.1	172.2	6.1	0.51	0.20				
LBP789 (0, -90)	42.7	47.2	4.6	0.2	0.20	181.4	Rangefront	Resource Upgrade	6.3
and	73.2	89.9	16.8	0.3	0.15				
including	73.2	83.8	10.7	0.4	0.20				
and including	73.2	74.7	1.5	1.3	1.00				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off (g/t Au)	Hole Length (m)	Target	Comments	Au g/t x m
LBP790 (172, -65)	41.1	56.4	15.2	0.30	0.15	367.3	Rangefront	Resource Upgrade	59.6
including	41.1	45.7	4.6	0.35	0.20				
including	47.2	56.4	9.1	0.29					
and	76.2	80.8	4.6	0.34	0.15				
including	77.7	80.8	3.0	0.42	0.20				
and	153.9	170.7	16.8	0.28	0.15				
including	155.4	166.1	10.7	0.33	0.20				
and	181.4	208.8	27.4	0.92	0.15				
including	181.4	204.2	22.9	1.06	0.20				
and including	190.5	193.5	3.0	2.43	1.00				
and including	198.1	202.7	4.5	2.29					
and	239.3	257.6	18.3	0.49	0.15				
including	242.3	257.6	15.2	0.55	0.20				
and	277.4	281.9	4.6	0.32					
and	306.3	320.0	13.7	0.30					
and	330.7	353.6	22.9	0.40	0.15				
including	336.8	352.0	15.2	0.51	0.20				
and including	338.3	339.9	1.5	1.43	1.00				
LBP792 (270, -62)	0.0	4.6	4.6	0.26	0.20	239.3	Rangefront	Resource Upgrade	22.0
and	15.2	24.4	9.1	0.23	0.15				
including	16.8	24.4	7.6	0.24	0.20				
and	35.1	41.1	6.1	0.19	0.15				
and	97.5	128.0	30.5	0.43					
including	112.8	126.5	13.7	0.73	0.20				
and including	114.3	117.3	3.0	1.75	1.00				
and	146.3	155.4	9.1	0.36	0.20				
and	217.9	221.0	3.0	0.38					
LBP793 (30, -68)	176.8	187.5	10.7	0.20	0.15	373.4	Rangefront	Resource Upgrade	60.3
and	230.1	266.7	36.6	0.33					
including	231.6	248.4	16.8	0.43	0.20				
and	286.5	304.8	18.3	2.13	0.15				
including	286.5	303.3	16.8	2.31	0.20				
and including	286.5	300.2	13.7	2.75	1.00				
and including	286.5	288.0	1.5	10.3	5.00				
and	309.4	329.2	19.8	0.36	0.15				
including	315.5	329.2	13.7	0.45	0.20				
LBP795 (180, -70)	91.4	97.5	6.1	0.27	0.20	300.2	Rangefront	Resource Upgrade	49.8
and	100.6	108.2	7.6	0.17	0.15				
and	128.0	134.1	6.1	0.37					
including	128.0	129.5	1.5	0.94	0.20				
and	143.3	175.3	32.0	0.53	0.15				
including	164.6	175.3	10.7	1.18	0.20				
and including	166.1	173.7	7.6	1.49	1.00				
and	195.1	219.5	24.4	0.69	0.15				
including	195.1	202.7	7.6	1.80	0.20				
and including	196.6	199.6	3.0	3.68	1.00				
and including	196.6	198.1	1.5	5.63	5.00				
and	230.1	233.2	3.0	0.38	0.20				
and	259.1	274.3	15.2	0.31	0.15				
including	259.1	262.1	3.0	0.65	0.20				
including	268.2	274.3	6.1	0.29					
and	285.0	300.2	15.2	0.32					
including	285.0	295.7	10.7	0.36	0.20				
LBP798 (240, -75)	228.6	248.4	19.8	0.64	0.15	361.2	Rangefront	Resource Upgrade	45.6
including	237.7	245.4	7.6	1.37	0.20				
and including	237.7	242.3	4.6	1.68	1.00				
and	297.2	315.5	18.3	2.02	0.20				
including	298.7	313.9	15.2	2.37	1.00				
and including	300.2	301.8	1.5	8.57	5.00				
LBP804 (245, -55)	120.4	129.5	9.1	0.21	0.15	341.4	Rangefront	Resource Upgrade	38.2
and	164.6	170.7	6.1	0.39	0.20				
and	227.1	245.4	18.3	0.86					
including	228.6	236.2	7.6	1.44	1.00				
and	248.4	254.5	6.1	0.18	0.15				
and	268.2	291.1	22.9	0.66					
including	268.2	289.6	21.3	0.69					
and including	275.8	280.4	4.6	1.22	1.00				
and	304.8	309.4	4.6	0.46	0.15				
including	304.8	307.8	3.0	0.60	0.20				
LBP808 (0, -82)	15.2	19.8	4.6	0.25	0.20	202.7	Rangefront	Resource Expansion	12.2
and	111.3	128.0	16.8	0.29	0.15				
including	112.8	128.0	15.2	0.30	0.20				
and	137.2	153.9	16.8	0.27					
and	161.5	164.6	3.0	0.56					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off (g/t Au)	Hole Length (m)	Target	Comments	Au g/t x m					
LBP809 (287, -52)	199.64	205.74	6.1	0.32	0.15	330.71	Rangefront	Resource Upgrade	47.7					
and	225.55	242.32	16.8	0.34										
and	249.94	283.46	33.5	1.19										
including	268.22	272.80	4.6	3.33						1.00				
LBP810 (15, -50)	21.3	24.4	3.0	0.44	0.20	324.6	Rangefront	Resource Upgrade	25.1					
and	94.5	111.3	16.8	0.29						0.15				
including	94.5	109.7	15.2	0.30						0.20				
and	157.0	175.3	18.3	0.29										
and	202.7	208.8	6.1	0.20						0.15				
and	214.9	256.0	41.1	0.21										
including	214.9	222.5	7.6	0.30						0.20				
including	249.9	256.0	6.1	0.24										
and	266.7	271.3	4.6	0.59						0.15				
including	266.7	269.7	3.0	0.79						0.20				
and including	268.2	269.7	1.5	1.26						1.00				
and	297.2	300.2	3.0	0.35						0.20				
LBP812 (60, -60)	10.7	15.2	4.6	0.23						0.15	239.3	Rangefront	Resource Upgrade	60.3
and	41.1	47.2	6.1	0.24										
including	41.1	45.7	4.6	0.26	0.20									
and	51.8	62.5	10.7	0.50	0.15									
including	51.8	61.0	9.1	0.55	0.20									
and including	56.4	57.9	1.5	1.01	1.00									
and	68.6	73.2	4.6	0.27	0.20									
and	80.8	161.5	80.8	0.35	0.15									
including	155.4	158.5	3.0	1.48	1.00									
and	172.2	199.6	27.4	0.83	0.15									
including	172.2	198.1	25.9	0.87	0.20									
and including	173.7	175.3	1.5	1.21	1.00									
and including	176.8	184.4	7.6	1.86										
LBP814 (190, -70)	12.2	21.3	9.1	0.19	0.15	208.8	Rangefront	Resource Expansion	23.0					
and	32.0	41.1	9.1	0.19										
and	57.9	64.0	6.1	0.23										
and	106.7	114.3	7.6	0.31										
including	106.7	109.7	3.0	0.50						0.20				
and	131.1	166.1	35.1	0.36										
including	147.8	149.4	1.5	1.02						1.00				
and	178.3	181.4	3.0	0.43						0.15				
including	179.8	181.4	1.5	0.71						0.20				
and	189.0	198.1	9.1	0.19						0.15				
LBP815 (320, -62)	175.3	182.9	7.6	0.22	0.15	367.3	Rangefront	Resource Upgrade	67.8					
including	176.8	182.9	6.1	0.23						0.20				
and	208.8	214.9	6.1	0.28						0.15				
including	210.3	214.9	4.6	0.31						0.20				
and	217.9	227.1	9.1	0.16						0.15				
and	243.8	307.8	64.0	0.69										
including	257.6	269.7	12.2	1.38						0.20				
and including	260.6	269.7	9.1	1.70						1.00				
including	271.3	306.3	35.1	0.70						0.20				
and including	275.8	277.4	1.5	1.25						1.00				
and including	283.5	288.0	4.6	1.53										
and including	301.8	304.8	3.0	1.14						0.15				
and	323.1	339.9	16.8	0.28										
including	323.1	327.7	4.6	0.53						0.20				
and	349.0	362.7	13.7	1.03										
including	350.5	358.1	7.6	1.57	1.00									
LBP820 (295, -68)	64.0	68.6	4.6	0.24	0.15	428.2	Rangefront West	Resource Expansion	87.1					
and	115.8	120.4	4.6	0.44										
including	117.3	120.4	3.0	0.57						0.20				
and	195.1	315.5	120.4	0.58						0.15				
including	195.1	196.6	1.5	0.88						0.20				
including	240.8	315.5	74.7	0.77										
and including	243.8	246.9	3.0	1.17						1.00				
and including	257.6	262.1	4.6	2.34										
and including	281.9	292.6	10.7	1.37										
and including	298.7	303.3	4.6	1.52										
and	326.1	335.3	9.1	0.17						0.15				
and	336.8	353.6	16.8	0.31										
including	336.8	352.0	15.2	0.33						0.20				
and	359.7	382.5	22.9	0.32						0.15				
including	371.9	381.0	9.1	0.53						0.20				
LBP822 (175, -68)	96.0	108.2	12.2	0.21						0.15	243.8	Rangefront	Resource Expansion	13.4
and	150.9	178.3	27.4	0.26										
including	150.9	160.0	9.1	0.31	0.20									
including	175.3	178.3	3.0	0.60										
and	185.9	205.7	19.8	0.19	0.15									