

Liberty Gold - Black Pine Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Sample Material	Hole Length (m)	Target
LBP875 (20, -90)	0.0	4.6	4.6	0.24	0.15	Fill	121.9	CD to Tallman
and	16.8	36.6	19.8	0.43		Bedrock		
including	21.3	22.9	1.5	1.06				
LBP876 (20, -45)	0.0	6.1	6.1	0.27	0.15	Fill	152.4	CD to Tallman
and	6.1	16.8	10.7	0.18		Bedrock		
and	22.9	32.0	9.1	0.30				
LBP877 (300, -45)	0.0	7.6	7.6	0.20	0.15	Fill	152.4	CD to Tallman
and	7.6	13.7	6.1	0.16		Bedrock		
and	32.0	44.2	12.2	0.39				
LBP878 (275, -75)	0.0	3.0	3.0	0.34	0.15	Fill	111.3	CD to Tallman
LBP879 (120, -90)	13.7	32.0	18.3	0.54	0.15	Bedrock	99.1	CD to Tallman
including	24.4	25.9	1.5	1.16	1.00			
and	47.2	54.9	7.6	0.26	0.15			
LBP880 (120, -50)	36.6	44.2	7.6	0.27	0.15	Bedrock	152.4	CD to Tallman
LBP881 (330, -45)	16.8	47.2	30.5	0.67	0.15	Bedrock	121.9	CD to Tallman
including	32.0	33.5	1.5	1.11	1.00			
including	38.1	42.7	4.6	1.62				
LBP882 (330, -90)	21.3	27.4	6.1	0.25	0.15	Bedrock	99.1	CD to Tallman
LBP883 (330, -45)	No Significant Results						99.1	CD to Tallman
LBP884 (115, -45)	170.7	176.8	6.1	1.10	0.15		304.8	M Zone
including	172.2	173.7	1.5	1.93	1.00			
including	175.3	176.8	1.5	1.34				
and	184.4	213.4	29.0	0.80	0.15			
including	185.9	187.5	1.5	3.33	1.00			
including	198.1	207.3	9.1	1.29				
and	294.1	298.7	4.6	0.40				
LBP885 (105, -52)	164.6	175.3	10.7	0.60	0.15		275.8	M Zone
including	164.6	166.1	1.5	2.15	1.00			
LBP886 (80, -60)	190.5	192.0	1.5	1.06	1.00		227.1	M Zone
and	195.0	196.5	1.5	0.84	0.15			
and	208.8	211.8	3.0	0.42	0.15			
LBP887 (80, -45)	144.8	158.5	13.7	0.51	0.15		300.2	M Zone
including	155.4	158.5	3.0	1.05	1.00			
and	202.7	213.4	10.7	0.66	0.15			
including	210.3	211.8	1.5	1.67	1.00			
and	230.1	233.2	3.0	0.44	0.15			
and	272.8	291.1	18.3	0.35				
and	297.2	300.2	3.0	0.48				
LBP888 (345, -90)	3.0	7.6	4.6	0.30	0.15		152.4	CD to Tallman
and	120.4	125.0	4.6	0.30				
LBP889 (135, -60)	No Significant Results						304.8	M Zone

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Sample Material	Hole Length (m)	Target
LBP890 (345, -45)	No Significant Results						172.2	CD to Tallman
LBP891 (170, -45)	No Significant Results						152.4	CD to Tallman
LBP892 (260, -45)	13.7	27.4	13.7	0.23	0.15		152.4	CD to Tallman
and	54.9	62.5	7.6	0.20				
and	77.7	123.4	45.7	0.74				
including	99.1	108.2	9.1	2.17	1.00			
including	117.3	120.4	3.0	1.35				
LBP893 (160, -70)	0.0	10.7	10.7	3.28	1.00		190.5	CD to Tallman
and	102.1	153.9	51.8	0.52	0.15			
including	126.5	128.0	1.5	1.13	1.00			
LBP894 (170, -68)	259.1	275.8	16.8	0.19	0.15		304.8	M Zone
LBP895 (50, -90)	Samples Lost - hole redrilled						182.9	CD to Tallman
LBP896 (50, -55)	4.6	18.3	13.7	0.21	0.15		221.0	CD to Tallman
and	125.0	140.2	15.2	0.24				
LBP897 (320, -70)	189.0	201.2	12.2	0.22	0.15		278.9	M Zone
LBP898 (160, -70)	7.6	13.7	6.1	0.22	0.15		214.9	CD to Tallman
and	115.8	129.5	13.7	0.57				
including	123.4	125.0	1.5	2.20	1.00			
and	138.7	155.4	16.8	0.37	0.15			
and	163.1	167.6	4.6	0.22				
and	169.2	178.3	9.1	0.21				
LBP899 (205, -50)	6.1	19.8	13.7	0.19	0.15		262.1	CD to Tallman
and	132.6	163.1	30.5	0.32				
and	221.0	239.3	18.3	0.28				
and	246.9	254.5	7.6	0.44				
LBP900 (0, -90)	19.8	22.9	3.0	0.38	0.15		137.2	CD to Tallman
and	33.5	39.6	6.1	0.47				
and	41.1	62.5	21.3	0.24				
LBP906 (145, -62)	38.1	57.9	19.8	0.59	0.15		263.7	Disco Highwall
including	45.7	48.8	3.0	1.34	1.00			
and	97.5	105.2	7.6	0.22	0.15			
and	185.9	205.7	19.8	1.02				
including	187.5	195.1	7.6	1.68	1.00			
and	233.2	254.5	21.3	3.74	0.15			
including	233.2	253.0	19.8	4.01	1.00			
and including	234.7	237.7	3.0	15.85	5.00			