

Cutoff (g/t)	0.15, 0.2, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0

### Liberty Gold - Black Pine Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>LBP961 (0, -90)</b>	27.4	36.6	9.1	0.69	0.15	117.35	Back Range		6.3	
including	<b>32.0</b>	<b>35.1</b>	<b>3.0</b>	<b>1.20</b>	1.00					
<b>LBP962 (250, -55)</b>	22.9	25.9	3.0	0.31	0.15	260.6	Rangefront Infill		<b>40.3</b>	
and	59.4	70.1	10.7	0.19						
and	80.8	108.2	27.4	0.20						
and	132.6	149.4	16.8	0.23						
and	163.1	184.4	21.3	0.36						
and	193.5	198.1	4.6	0.32						
and	<b>207.3</b>	<b>256.0</b>	<b>48.8</b>	<b>0.39</b>						
<b>LBP963 (90, -45)</b>	67.1	74.7	7.6	0.25	0.15	121.92	Back Range		1.9	
<b>LBP964 (230, -75)</b>	61.0	100.6	39.6	0.40	0.15	257.56	East Rangefront		<b>41.9</b>	
including	<b>74.7</b>	<b>76.2</b>	<b>1.5</b>	<b>1.34</b>	1.00					
and	108.2	121.9	13.7	0.32	0.15					
and	134.1	147.8	13.7	0.23						
and	<b>160.0</b>	<b>199.6</b>	<b>39.6</b>	<b>0.39</b>	1.00					
including	<b>185.9</b>	<b>187.5</b>	<b>1.5</b>	<b>1.37</b>	0.15					
including	<b>189.0</b>	<b>192.0</b>	<b>3.0</b>	<b>1.33</b>						
and	207.3	211.8	4.6	0.29						
and	242.3	246.9	4.6	0.33						
<b>LBP965 (30, -70)</b>	100.6	106.7	6.1	0.93	0.15	172.21	Back Range		12.30	
and	135.6	155.4	19.8	0.34						
<b>LBP966 (175, -50)</b>	93.0	100.6	7.6	0.20	0.15	220.98	Rangefront Infill		<b>12.3</b>	
and	<b>137.2</b>	<b>185.9</b>	<b>48.8</b>	<b>0.22</b>						
<b>LBP967 (190, -60)</b>	No Sample					50.292	Back Range			
<b>LBP970 (285, -45)</b>	80.8	128.0	47.2	0.37	0.15	251.46	East Rangefront		<b>47.9</b>	
including	85.3	88.4	3.0	1.09	1.00					
and	146.3	176.8	30.5	0.29	0.15					
and	181.4	228.6	47.2	0.44						
including	216.4	217.9	1.5	1.28	1.00					
including	221.0	222.5	1.5	1.06						
and	242.3	248.4	6.1	0.20	0.15					
<b>LBP971 (75, -45)</b>	59.4	65.5	6.1	0.29	0.15	170.69	Rangefront Infill		5.2	
and	100.6	105.2	4.6	0.25						
and	153.9	160.0	6.1	0.37						
<b>LBP972 (140, -45)</b>	57.9	74.7	16.8	0.42	0.15	141.73	Back Range		<b>10.7</b>	
including	61.0	62.5	1.5	1.31	1.00					
including	67.1	68.6	1.5	1.17						
and	89.9	100.6	10.7	0.34	0.15					
<b>LBP974 (190, -55)</b>	77.7	85.3	7.6	0.41	0.15	213.36	M Zone		<b>16.3</b>	
including	80.8	82.3	1.5	1.23	1.00					
and	150.9	161.5	10.7	1.14	0.15					
including	153.9	157.0	3.0	2.75	1.00					
including	158.5	160.0	1.5	1.45						
and	164.6	170.7	6.1	0.17	0.15					
<b>LBP975 (120, -75)</b>	15.2	19.8	4.6	0.39	0.15	288.04	East Rangefront		<b>48.0</b>	
and	29.0	38.1	9.1	0.30						
and	45.7	56.4	10.7	0.32						
and	62.5	82.3	19.8	0.50						
and	88.4	106.7	18.3	0.28						
and	118.9	132.6	13.7	0.24						
and	<b>155.4</b>	<b>190.5</b>	<b>35.1</b>	<b>0.59</b>						
including	<b>173.7</b>	<b>176.8</b>	<b>3.0</b>	<b>2.66</b>						1.00
including	<b>185.9</b>	<b>187.5</b>	<b>1.5</b>	<b>1.79</b>						
and	236.2	239.3	3.0	0.35						
<b>LBP976 (290, -55)</b>	123.4	129.5	6.0	0.22	0.15	129.54	Back Range		1.3	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP977 (0, -50)</b>	15.2	19.8	4.6	0.26	0.15	121.92	Back Range		1.2
<b>LBP978 (290, -45)</b>	No Significant Results					82.296	Back Range		
<b>LBP980C (10, -46)</b>	No Significant Results					47.854	M Zone	RC Pre-collar	
<b>LBP981 (120, -50)</b>	<b>35.1</b>	<b>86.9</b>	<b>51.8</b>	<b>0.40</b>	0.15	275.84	East Rangefront		<b>33.0</b>
including	44.2	48.8	4.6	1.16	1.00				
and	99.1	108.2	9.1	0.21	0.15				
and	172.2	190.5	18.3	0.29					
and	199.6	210.3	10.7	0.44					
including	204.2	205.7	1.5	1.15	1.00				
<b>LBP982 (135, -45)</b>	<b>138.7</b>	<b>169.2</b>	<b>30.5</b>	<b>0.62</b>	0.15	169.16	M Zone		<b>19.0</b>
including	161.5	163.1	1.5	1.23	1.00				
including	166.1	167.6	1.5	1.14					
<b>LBP983 (165, -45)</b>	13.7	19.8	6.1	0.55	0.15	172.21	Back Range		7.6
including	18.3	19.8	1.5	1.26	1.00				
and	74.7	83.8	9.1	0.30	0.15				
and	138.7	144.8	6.1	0.25					
<b>LBP984 (15, -45)</b>	42.7	50.3	7.6	0.25		91.44	M Zone		1.9
<b>LBP985 (75, -50)</b>	25.9	29.0	3.0	0.94	0.15	106.68	Back Range		2.9
including	25.9	27.4	1.5	1.01	1.00				
<b>LBP986 (175, -47)</b>	<b>57.9</b>	<b>89.9</b>	<b>32.0</b>	<b>0.50</b>	0.15	294.13	East Rangefront		<b>40.2</b>
including	74.7	77.7	3.0	1.26	1.00				
and	99.1	105.2	6.1	0.24	0.15				
and	169.2	190.5	21.3	0.28					
and	193.5	248.4	54.9	0.25					
and	266.7	277.4	10.7	0.30					
<b>LBP987 (140, -55)</b>	100.6	103.6	3.0	0.90	0.15	152.4	M Zone		<b>14.3</b>
including	102.1	103.6	1.5	1.46	1.00				
and	114.3	132.6	18.3	0.63	0.15				
including	114.3	120.4	6.1	1.24	1.00				
<b>LBP988 (10, -46)</b>	No Significant Results					86.9	Backrange		
<b>LBP989 (35, -55)</b>	No Significant Results					106.7	Backrange		
<b>LBP990 (270, -45)</b>	99.1	103.6	4.6	1.57	0.15	121.9	M Zone		<b>12.7</b>
including	100.6	103.6	3.0	2.17	1.00				
and	109.7	114.3	4.6	1.21	0.15				
including	111.3	114.3	3.0	1.59	1.00				
<b>LBP992 (250, -60)</b>	16.76	28.96	12.19	0.43	0.15	53.34	Back Range		5.2
including	25.91	27.43	1.52	1.30	1.00				
<b>LBP993 (268, -70)</b>	9.14	30.48	21.34	0.41	0.15	196.6	Back Range		<b>18.3</b>
including	24.38	25.91	1.52	2.23	1.00				
and	74.68	77.72	3.05	0.48	0.15				
and	149.35	161.54	12.19	0.66					
including	158.50	160.02	1.52	3.11					
<b>LBP994 (155, -55)</b>	190.50	196.60	6.10	0.23	0.15	245.36	Southeast Rangefront		1.4
<b>LBP995 (310, -55)</b>	13.72	91.44	77.72	0.24	0.15	105.16	M Zone		18.6
<b>LBP996 (172, -45)</b>	6.10	9.14	3.05	0.99	0.15	71.628	M Zone		4.1
including	6.10	7.62	1.52	1.77	1.00				
and	32.00	33.53	1.52	0.72	0.15				
<b>LBP997 (150, -75)</b>	9.14	18.29	9.14	0.28	0.15	166.12	Back Range		9.6
and	118.87	128.02	9.14	0.25					
and	132.59	144.78	12.19	0.39					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>LBP998 (180, -45)</b>	19.81	24.38	4.57	0.37	0.15	129.54	Rangefront		6.8
and	42.67	53.34	10.67	0.19					
and	106.68	120.40	13.72	0.23					
<b>LBP999 (110, -50)</b>	48.77	54.86	6.10	0.19	0.15	288.04	Southeast Rangefront		6.1
and	115.82	123.44	7.62	0.26					
and	204.22	208.79	4.57	0.42					
and	220.98	225.55	4.57	0.23					
<b>LBP1000 (335, -60)</b>	35.05	45.72	10.67	0.57	0.15	172.21	Back Range		7.9
including	<b>35.05</b>	<b>38.10</b>	<b>3.05</b>	<b>1.09</b>	1.00				
and	141.73	147.83	6.10	0.32	0.15				
<b>LBP1002 (0, -90)</b>	3.05	7.62	4.57	0.27	0.15	80.772	Rangefront		1.2
<b>LBP1003 (270, -45)</b>	3.05	7.62	4.57	0.47	0.15	138.68	Rangefront		4.2
and	59.44	64.01	4.57	0.44					
<b>LBP1004 (25, -45)</b>	51.82	56.39	4.57	0.33	0.15	213.36	Rangefront		14.8
and	129.54	135.64	6.10	0.26					
and	141.73	149.35	7.62	0.26					
and	175.26	192.02	16.76	0.31					
and	201.17	211.84	10.67	0.42					
including	<b>202.69</b>	<b>204.22</b>	<b>1.52</b>	<b>1.26</b>					
<b>LBP1005 (15, -45)</b>	0.00	68.58	68.58	0.42	0.15	175.26	Back Range		40.4
including	9.14	12.19	3.05	1.08	1.00				
including	19.81	21.34	1.52	1.14	0.15				
and	76.20	108.20	32.00	0.37	1.00				
including	100.58	102.11	1.52	1.26	1.00				
including	106.68	108.20	1.52	1.55	1.00				
<b>LBP1006 (180, -45)</b>	6.10	15.24	9.14	0.37	0.15	121.92	Rangefront		6.1
and	44.20	48.77	4.57	0.59					
<b>LBP1007 (50, -45)</b>	33.53	38.10	4.57	0.30	0.15	121.92	Rangefront		21.0
and	51.82	56.39	4.57	0.31					
and	59.44	67.06	7.62	0.17					
and	80.77	115.82	35.05	0.48					
including	91.44	92.96	1.52	2.23					
<b>LBP1009 (330, -70)</b>	22.86	28.96	6.10	0.18	0.15	121.92	Rangefront		10.0
and	44.20	56.39	12.19	0.36					
and	76.20	96.01	19.81	0.23					