

Cutoff (g/t)	0.15, 1.0	
Min g/t*m	1.0	
Max Waste (m)	5.0	

Liberty Gold - Black Pine 2025 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Comments
LBP1087 (305, -75) and	192.0	195.1	3.0	0.24	0.15	294.1	Rangefront West
	263.7	266.7	3.0	0.64			
LBP1091 (130, -80) and and	243.8	246.9	3.0	0.25	0.15	294.1	Rangefront West
	254.5	257.6	3.0	0.27			
	280.4	294.1	13.7	0.22			
LBP1093 (0, -90) and and and and	39.6	44.2	4.6	0.20	0.15	213.4	Rangefront North
	48.8	77.7	29.0	0.45			
	86.9	120.4	33.5	0.35			
	125.0	135.6	10.7	0.40			
	160.0	167.6	7.6	0.23			
LBP1096 (250, -72)	Hole Lost				149.4	Rangefront West	
LBP1097 (150, -55) and and	105.2	108.2	3.0	0.23	0.15	152.4	Rangefront North
	125.0	128.0	3.0	0.23			
	144.8	152.4	7.6	0.34			
LBP1099 (195, -75) and and including	93.0	97.5	4.6	0.21	0.15	239.3	Rangefront North
	193.5	204.2	10.7	0.33			
	210.3	233.2	22.9	1.27			
	214.9	227.1	12.2	2.13	1.00		
LBP1101 (115, -70) and and and and and	25.9	38.1	12.2	0.22	0.15	231.6	Rangefront North
	77.7	83.8	6.1	0.20			
	86.9	93.0	6.1	0.19			
	128.0	137.2	9.1	0.28			
	157.0	164.6	7.6	0.38			
	193.5	207.3	13.7	0.67			
LBP1102 (85, -58) and and and and and	118.9	128.0	9.1	0.26	0.15	272.8	Rangefront West
	147.8	152.4	4.6	0.50			
	181.4	184.4	3.0	0.20			
	230.1	236.2	6.1	0.18			
	239.3	251.5	12.2	0.19			
	260.6	269.7	9.1	0.22			
LBP1105 (270, -80)	137.2	141.7	4.6	0.31	0.15	205.7	Rangefront NW
LBP1106 (345, -50) and and	76.2	83.8	7.6	0.53	0.15	306.3	Rangefront West
	91.4	99.1	7.6	0.20			
	234.7	240.8	6.1	0.22			
LBP1108 (320, -80) and including	123.4	134.1	10.7	0.20	0.15	231.6	Rangefront NW
	178.3	213.4	35.1	0.97			
	192.0	199.6	7.6	2.50	1.00		
LBP1111 (280, -65)	132.6	138.7	6.1	0.20	0.15	184.4	Rangefront NW
LBP1113 (85, -85)	262.1	268.2	6.1	0.37	0.15	300.2	Rangefront
LBP1114 (90, -75) and and and and and	30.5	38.1	7.6	0.19	0.15	219.5	Rangefront NW
	93.0	99.1	6.1	0.24			
	112.8	118.9	6.1	0.20			
	157.0	163.1	6.1	0.28			
	169.2	176.8	7.6	0.58			
	184.4	187.5	3.0	0.54			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Comments
LBP1116 (90, -80)	71.6	83.8	12.2	0.16	0.10	318.5	Rangefront
and	146.3	166.1	19.8	0.24			
and	196.6	208.8	12.2	0.22			
and	237.7	254.5	16.8	0.25			
LBP1117 (215, -82)	10.7	27.4	16.8	0.16	0.10	217.9	Rangefront NW
and	39.6	48.8	9.1	0.13			
and	115.8	134.1	18.3	1.00			
incl	123.4	131.1	7.6	2.01	1.00		
and	182.9	207.3	24.4	0.78	0.10		
incl	198.1	204.2	6.1	2.16	1.00		
LBP1119 (10, -80)	47.2	54.9	7.6	0.26	0.10	275.8	Rangefront
and	85.3	91.4	6.1	0.21			
and	112.8	167.6	54.9	0.18			
and	172.2	234.7	62.5	0.51			
incl	205.7	213.4	7.6	1.89	1.00		
and	239.3	249.9	10.7	0.25	0.10		Intercept has reduced cyanide solubility
and	256.0	259.1	3.0	0.42			
and	265.2	271.3	6.1	1.24			
LBP1121 (0, -90)	53.3	61.0	7.6	0.21	0.10	179.8	Rangefront North
and	65.5	105.2	39.6	0.37			
incl	88.4	91.4	3.0	1.55	1.00		
and	108.2	111.3	3.0	0.47	0.10		
and	132.6	149.4	16.8	1.14			
incl	135.6	140.2	4.6	2.79	1.00		
LBP1122 (170, -55)	77.7	121.9	44.2	0.18	0.10	161.5	Rangefront North
and	125.0	138.7	13.7	0.87			
incl	132.6	135.6	3.0	2.65	1.00		
LBP1124 (90, -80)	41.1	47.2	6.1	0.16	0.10	263.7	Rangefront
and	76.2	86.9	10.7	0.13			
and	108.2	115.8	7.6	0.14			
and	147.8	166.1	18.3	0.19			
and	170.7	178.3	7.6	0.17			
and	181.4	234.7	53.3	0.62			
incl	204.2	214.9	10.7	1.94	1.00		
and	239.3	248.4	9.1	0.18	0.10		
LBP1126 (20, -80)	41.1	47.2	6.1	0.19	0.10	257.6	Rangefront NE
and	109.7	160.0	50.3	0.17			
and	166.1	173.7	7.6	0.68			
and	176.8	184.4	7.6	0.13			
and	185.9	195.1	9.1	0.12			
and	201.2	234.7	33.5	0.22			
LBP1129 (280, -70)	146.3	153.9	7.6	0.14	0.10	239.3	Rangefront NW
and	221.0	234.7	13.7	0.23			
LBP1130 (20, -65)	128.0	131.1	3.0	0.50	0.10	243.8	Rangefront East
and	141.7	178.3	36.6	0.30			
and	190.5	202.7	12.2	0.15			
LBP1131 (65, -60)	62.5	71.6	9.1	0.12	0.10	140.2	Rangefront North
and	85.3	88.4	3.0	0.33			
and	91.4	97.5	6.1	0.19			
and	129.5	140.2	10.6	0.22			
LBP1132 (0, -90)	74.7	96.0	21.3	0.18	0.10	135.6	Rangefront North
and	105.2	135.6	30.5	0.24			

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Comments
LBP1133 (105, -80)	153.9	160.0	6.1	0.26	0.10	330.7	Rangefront NW
and	199.6	216.4	16.8	0.26			
and	233.2	240.8	7.6	0.17			
and	271.3	280.4	9.1	1.82			
incl	271.3	275.8	4.6	3.43	1.00		lower interval has reduced cyanide solubility
LBP1134 (270, -45)	67.1	73.2	6.1	0.37	0.10	164.6	Rangefront East
and	115.8	164.6	48.8	0.31			
LBP1138 (60, -74)	48.8	59.4	10.7	0.60	0.10	281.9	Rangefront NW
and	103.6	115.8	12.2	0.22			
and	135.6	152.4	16.8	0.17			
and	161.5	182.9	21.3	0.27			
and	195.1	199.6	4.6	0.99			
and	234.7	239.3	4.6	0.37			
and	242.3	281.9	39.6	0.55			
incl	263.7	266.7	3.0	1.58	1.00		lower intercept not fully calculated due to no recovery on two samples