

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

Pilot Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70) and and and	45.7 62.5 80.8 114.3	51.8 65.5 88.4 115.8	6.1 3.0 7.6 1.5	3.27 0.86 0.92 0.41	0.2	117.3	Basal Jasperoid		30.2
PGS003 (210, -82)	53.3	93.0	39.6	1.01					40.0
PGS004 (30, -70) Including	64.0 76.2	105.2 105.2	41.1 29.0	0.84 1.08	0.2 0.5	190.5	Basal Jasperoid		34.5
PGS005 (195, -45)	Not Assayed				29.0	Basal Jasperoid	Hole Lost		0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70) Including	112.8 140.2	147.8 146.3	35.1 6.1	0.85 1.78	0.2 1	221.0	Basal Jasperoid		29.7
PGS008 (180, -82) Including	118.9 126.5	141.7 138.7	22.9 12.2	1.68 2.67	0.2 1.0	172.2	Basal Jasperoid		38.5
PGS009 (180, -55) and	114.3 129.5	118.9 143.3	4.6 13.7	0.74 0.37	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
PGS010 (180, -55) Including	97.5 115.8	134.1 129.5	36.6 13.7	1.06 1.89		175.3	Basal Jasperoid		38.8
PGS011 (165, -55) and	4.6 42.7	6.1 57.9	1.5 15.2	0.46 0.84	0.2	135.6	Covington Hill Fault Zone		13.5
PGS012 (85, -70) and incl and	16.8 57.9 64.0 152.4	19.8 76.2 74.7 158.5	3.0 18.3 10.7 6.1	0.35 2.72 4.32 0.28		175.3	Bogart Dike Margin		52.5
PGS013 (190, -65) and and and and and	35.1 41.1 57.9 64.0 82.3 102.1 125.0	39.6 56.4 61.0 70.1 86.9 106.7 196.6	4.6 15.2 3.0 6.1 4.6 4.6 71.6	0.20 0.35 0.20 0.59 0.34 0.55 0.48	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
PGS014 (135, -60) and and	21.3 48.8 64.0	32.0 59.4 103.6	10.7 10.7 39.6	0.28 0.35 0.47		166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8
PGS016 (170, -65) and and and	143.3 158.5 166.1 170.7	147.8 161.5 169.2 198.1	4.6 3.0 3.0 27.4	0.53 0.22 0.22 0.66	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9
PGS017 (150, -55)	77.7	82.3	4.6	0.21					1.0
PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

Pilot Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5
incl.	70.1	83.8	13.7	4.42	1				
PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6
incl.	166.1	169.2	3.0	2.96	1				
PGS021 (330, -55)			NSR			169.2	Basal Claron		
PGS022 (180, -60)	120.4	125.0	4.6	0.35					
and	132.6	147.8	15.2	0.35					11.1
and	152.4	163.1	10.7	0.38					
PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2
incl.	129.5	134.1	4.6	1.93	1				
PGS024 (230, -55)	115.8	117.3	1.5	0.36					
and	120.4	129.5	9.1	0.32					10.3
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8
incl.	131.1	150.9	19.8	1.98	1				
PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9
incl.	108.2	138.7	30.5	1.65	1				
PGS027 (0, -90)	74.7	77.7	3.0	0.30					
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					56.1
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					
PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
PGS029 (185, -65)			NSR			132.6	Basal Claron		0.0
PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
PGS031 (0, -85)	118.9	135.6	16.8	0.32					
and	140.2	158.5	18.3	0.30					13.5
and	173.7	179.8	6.1	0.42					
PGS032 (135, -65)	109.7	126.5	16.8	0.24					
and	132.6	137.2	4.6	0.22					
and	160.0	185.9	25.9	0.80					25.6
incl	181.4	185.9	4.6	1.54					
PGS033 (180, -75)	80.8	82.3	1.5	0.46					
and	93.0	97.5	4.6	0.33					
and	99.1	125.0	25.9	0.41					15.4
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
PGS034 (180, -50)	88.4	97.5	9.1	0.28					
and	102.1	105.2	3.0	0.20					17.5
and	106.7	141.7	35.1	0.41					
PGS035 (230, -65)	86.9	114.3	27.4	0.42					
and	115.8	140.2	24.4	1.05					37.0
incl	117.3	128.0	10.7	1.68	1				
PGS036 (225, -60)	1.5	16.8	15.2	0.27					
and	134.1	141.7	7.6	0.23				Upper interval is the old stockpile	5.9
PGS037 (180, -65)	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m				
PGS038 (135, -60)	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3				
and	12.2	16.8	4.6	0.29									
and	22.9	24.4	1.5	0.36									
and	138.7	149.4	10.7	0.34									
and	164.6	166.1	1.5	0.36									
and	178.3	184.4	6.1	0.34									
PGS039 (225, -65)	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		24.38				
including	118.9	121.9	3.0	1.65									
and	152.4	153.9	1.5	0.37									
PGS040 (155, -50)	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6				
including	137.2	143.3	6.1	1.95	1								
and	166.1	198.1	32.0	0.86	0.2								
including	172.2	182.9	10.7	1.72	1								
PGS041C (52, -60)	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5				
and	71.0	101.5	30.5	1.85									
incl	71.0	89.3	18.3	2.63									
PGS042 (0, -90)		NSR			0.2	135.6			0				
PGS043 (220, -55)	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5				
and	102.1	117.3	15.2	0.32									
and	158.5	164.6	6.1	0.25									
and	176.8	178.3	1.5	0.43									
PGS044C (275, -63)	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		58.1				
and	116.3	118.0	1.7	0.22	0.2								
and	119.3	135.0	15.7	0.47									
PGS045 (180, -48)		NSR			182.9	Basal Claron			0				
PGS046C (180, -55)	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6				
incl	132.9	136.6	3.7	1.65	1								
and	173.1	177.7	4.6	0.25	0.2								
PGS047 (0, -61)	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9				
PGS048 (110, -49)	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0				
incl	54.9	77.7	22.9	4.92	1								
incl	65.5	76.2	10.7	8.27	5								
PGS049 (315, -68)	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9				
and	91.4	152.4	61.0	0.87									
incl	93.0	100.6	7.6	2.83									
and incl	144.8	147.8	3.0	1.72									
PGS050 (45, -47)	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9				
PGS051C (275, -82)	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7				
and	84.4	86.0	1.5	0.22									
and	92.0	93.6	1.5	0.37									
and	110.3	151.5	41.1	2.64									
incl	119.5	151.5	32.0	3.22									
incl	133.5	139.3	5.8	6.56									
PGS052 (210, -50)	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4				
and	102.1	105.2	3.0	0.21									
and	106.7	111.3	4.6	0.22									
and	114.3	149.4	35.1	0.44									
and	161.5	164.6	3.0	0.26									
and	178.3	179.8	1.5	0.43									
and	182.9	184.4	1.5	0.22									
PGS053 (200, -54)	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1				
incl	143.3	149.4	6.1	1.91	1								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS054C (60, -68)	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6
incl	82.6	94.9	12.3	2.00					
and incl	101.9	138.1	36.2	2.77	1				
incl	124.7	127.7	3.0	6.04	5				
PGS055 (145, -45)	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7
	157.0	161.5	4.6	0.32					
PGS056C (245, -58)	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4
PGS057 (250, -65)	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8
and	93.0	117.3	24.4	0.76					
incl	108.2	115.8	7.6	1.34	1				
PGS058 (240, -60)	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4
incl	27.4	47.2	19.8	1.98	1				
PGS059CA (0, -90)	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6
PGS060 (150, -70)	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3
and	50.3	53.3	3.0	0.50					
and	64.0	73.2	9.1	0.33					
PGS061 (0, -90)			NSR		106.7	Basal Claron	target interval faulted out?		0
PGS062 (245, -70)	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2
PGS063C (220, -60)	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
and	131.1	157.0	25.9	0.42					
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the PZ	Poor recovery in higher grade	25.1
and	159.7	187.8	28.0	0.52	0.2				
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
and	144.8	152.4	7.6	1.97	0.2				
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
PGS071 (0, -90)			NSR		86.9	Basal Claron			
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8
and	123.4	134.1	10.7	0.58	0.2				
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6
and	48.8	59.4	10.7	0.40	0.2				
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2				
and	53.3	56.4	3.0	0.20	0.2	91.4	Basal Claron		7.3
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material 102 ppm met screen sample	180.7
and	99.1	105.2	6.1	29.1	0.2				
incl.	100.6	105.2	4.6	38.8	5				
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
PGS078 (60, -65)			NSR		105.2	Basal Claron			
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4
and	42.7	47.2	4.6	0.38	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t m
PGS080 (200, -70) and and and	18.3 32.0 38.1 54.9	27.4 33.5 42.7 88.4	9.1 1.5 4.6 33.5	0.80 0.95 0.30 0.42	0.2 0.2 0.2 0.2	121.9	Basal Claron		23.9
PGS081 (200, -45)		NSR		121.9	Basal Claron				
PGS082 (0, -90)		NSR		121.9	Basal Claron				
PGS083 (0, -90)		NSR		141.7	Basal Claron				
PGS084 (330, -63) and	126.5 141.7	132.6 152.4	6.1 10.7	0.31 0.32	0.2 0.2	182.9	Basal Claron		5.3
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
PGS087 (215, -60) and	89.9 102.1	94.5 115.8	4.6 13.7	1.06 0.38	0.2 0.2	182.9	Basal Claron		10.0
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
PGS089 (320, -68) incl	86.9 97.5	106.7 102.1	19.8 4.6	0.69 1.52	0.2 1	181.4	Basal Claron		13.7
PGS090 (0, -85) and incl	0.0 99.1 99.1	7.6 103.6 100.6	7.6 4.6 1.5	0.56 0.90 2.30	0.2 0.2 1.0	137.2	Historic Leach Pad Paleozoic Rocks	Mineralized leach pad material	7.2
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2				
PGS092 (20, -63) and and	0.0 80.8 94.5	7.6 91.4 97.5	7.6 10.7 3.0	0.28 0.43 1.10	0.2 0.2 0.2				
PGS093 (313, -75)		NSR		135.6	Basal Claron				
PGS094 (57, -65)		NSR		182.9	Basal Claron				
PGS095 (148, -55) and	118.9 132.6	128.0 146.3	9.1 13.7	0.67 0.44	0.2 0.2	167.6	Basal Claron		12.1
PGS096 (223, -45) incl	144.8 146.3	163.1 153.9	18.3 7.6	0.90 1.32	0.2 1	213.4	Basal Claron		16.4
PGS097 (25, -53) incl	88.4 99.1	134.1 105.2	45.7 6.1	1.08 3.06	0.2 1	201.2	Basal Claron		49.2
PGS098 (175, -55) and incl and	68.6 82.3 105.2 118.9	74.7 111.3 109.7 121.9	6.1 29.0 4.6 3.0	0.46 0.68 1.61 0.40	0.2 0.2 1 0.2	121.9	Basal Claron		23.6
PGS099 (210, -50) and	76.2 120.4	88.4 123.4	12.2 3.0	0.90 0.45	0.2				
PGS100 (235, -45) and and and	80.8 106.7 111.3 131.1	91.4 108.2 112.8 137.2	10.7 1.5 1.5 6.1	1.06 1.16 0.50 0.60	0.2				
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2				
PGS102 (245, -50) and	77.7 91.4	83.8 109.7	6.1 18.3	0.44 0.49	0.2	157.0	Basal Claron		11.6
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t m
PGS104 (330, -80) and incl and and	32.0 39.6 57.9 118.9 135.6	33.5 106.7 73.2 129.5 144.8	1.5 67.1 15.2 10.7 9.1	0.38 0.86 2.35 0.74 0.29	0.2 0.2 1 0.2 0.2	190.5	Basal Claron		68.8
PGS105 (90, -65) and and	32.0 41.1 76.2	35.1 73.2 97.5	3.0 32.0 21.3	0.49 0.44 0.43	0.2		Basal Claron		
PGS106 (125, -75) and	99.1 131.1	117.3 140.2	18.3 9.1	0.36 0.50	0.2		182.9	Basal Claron	
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60) and	54.9 74.7	64.0 100.6	9.1 25.9	0.51 0.47	0.2	172.2	Basal Claron		16.8
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55) and	93.0 126.5	97.5 152.4	4.6 25.9	0.58 0.70	0.2	166.1	Basal Claron		20.7
PGS115 (165, -63) and	73.2 91.4	83.8 102.1	10.7 10.7	0.42 0.87	0.2	138.7	Basal Claron		13.7
PGS116 (225, -57) and	76.2 96.0	80.8 120.4	4.6 24.4	0.36 0.38	0.2	141.7	Basal Claron		10.9
PGS117 (190, -70) incl	76.2 93.0	99.1 99.1	22.9 6.1	1.20 2.48	0.2 1	172.2	Basal Claron		27.4
PGS118 (200, -50) and	71.6 103.6	85.3 112.8	13.7 9.1	0.43 0.34	0.2	172.2	Basal Claron		9.0
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70) and	67.1 74.7	73.2 83.8	6.1 9.1	0.51 0.22	0.2	152.4	Basal Claron		5.1
PGS121 (160, -55)		NSR				144.8			
PGS122 (65, -67)		NSR				117.3			
PGS123 (290, -55)		NSR				213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55) and incl and and	144.8 153.9 153.9 166.1 170.7	152.4 164.6 160.0 169.2 181.4	7.6 10.7 6.1 3.0 10.7	0.34 0.84 1.20 0.23 0.83	0.2 0.2 1 0.2 0.2	181.4	Basal Claron	Warrior Hole lost at 181.4 m due to bad ground	21.5
PGS127 (125, -45) and	39.6 53.3	45.7 54.9	6.1 1.5	0.36 0.48			111.3	Basal Claron	
PGS128 (235, -70)		NSR					135.6	Peg Leg Graben	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t m
PGS129 (90, -65) and and and	4.6 33.5 42.7 76.2	27.4 35.1 70.1 82.3	22.9 1.5 27.4 6.1	0.80 0.90 0.84 0.54	0.2 0.2 0.2 0.2	121.9	Basal Claron & Basin Fault Zone		40.8
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80) incl	57.9 57.9	80.8 62.5	22.9 4.6	0.53 1.03	0.2 0.5	Basal Claron	Goldstrike Graben	12.0	
PGS132 (45, -65)		NSR		105.2		Peg Leg Graben			
PGS133 (310, -45)		NSR		109.7			Dip Slope Zone		
PGS134 (50, -50) and	51.8 61.0	54.9 73.2	3.0 12.2	0.48 0.50	0.2 0.2	121.9	Basal Claron	Dip Slope Zone	7.6
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)		NSR		86.9		Basal Claron	Dip Slope Zone		
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)		NSR		138.7		Basal Claron	Peg Leg Graben		
PGS141 (270, -70)		NSR		111.3		Basal Claron	Peg Leg Graben		
PGS142 (245, -75) incl	76.2 97.5	117.3 103.6	41.1 6.1	0.51 1.24	0.2 0.5	152.4	Basal Claron	Dip Slope Zone	20.9
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65) and and	70.1 83.8 120.4	74.7 97.5 126.5	4.6 13.7 6.1	0.24 0.27 1.14	0.2 0.2 0.2	147.8	Basal Claron	Dip Slope Zone	7.0
PGS145 (175, -60) and and	0.0 89.9 115.8	13.7 96.0 118.9	13.7 6.1 3.0	0.57 0.47 0.58	0.2 0.2 0.2				
PGS146 (0, -60) and	0.0 47.2	22.9 50.3	22.9 3.0	0.34 2.57	0.2 0.2	135.6	Mine Dump Chainman Shale		
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55) Incl	106.7 111.3	129.5 117.3	22.9 6.1	0.51 0.96	0.2 0.5	169.2	Basal Claron	Main	11.5
PGS149 (0, -70) and and	94.5 108.2 147.8	96.0 134.1 158.5	1.5 25.9 10.7	0.48 0.54 0.75	0.2 0.2 0.2	166.1	Basal Claron	Peg Leg Graben	22.6
PGS150 (0, -90)		NSR		117.3					
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60) and	111.3 126.5	125.0 134.1	13.7 7.6	0.36 0.66	0.2 0.2	164.6	Basal Claron	Dip Slope	9.9
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
PGS155 (45, -60)		NSR		189.0		Basal Claron	West Goldstrike Graben		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t m
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70) and	21.3 71.6	22.9 82.3	1.5 10.7	0.42 0.63	0.2 0.2	135.6	Basal Claron	Goldstrike Graben	7.4
PGS166 (310, -70) and	118.9 150.9	144.8 158.5	25.9 7.6	0.59 0.26	0.2	196.6	Basal Claron	Warrior	17.3
PGS167 (0, -90)			Pending			175.3		Covington	
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			Pending			201.2		Covington	
PGS170 (253, -55) incl	112.8 128.0	144.8 132.6	32.0 4.6	0.72 2.07	0.2 1	172.2	Basal Claron/Pz Limestone	Aggie	23.0
PGS171 (0, -90)			Pending			166.1		Covington	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			Pending			182.9		Covington	
PGS175 (027, -64) and	67.1 83.8	68.6 86.9	1.5 3.0	0.30 0.35	0.2 0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178-187			Pending						
PGS188 (055, -70) incl.	129.5 137.2	152.4 141.7	22.9 4.6	0.86 1.45	0.2 1	155.4	Basal Claron	Warrior	19.7