

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
1	89-528	51.82	71.63	19.81	16.09	318.75
2	88-351	16.76	85.34	68.58	3.81	261.09
3	89-515	16.76	41.15	24.39	10.06	245.42
4	89-449	38.1	68.58	30.48	7.94	242.09
5	87-66	1.52	74.68	73.16	3.24	237.37
6	89-509	3.05	53.34	50.29	4.54	228.36
7	89-516	22.86	76.2	53.34	3.42	182.18
8	89-526	0	35.05	35.05	4.85	169.93
9	86-40	10.67	60.96	50.29	3.30	166.19
10	89-506	33.53	76.2	42.67	3.82	163.06
11	87-157	15.24	65.53	50.29	3.10	156.12
12	86-41	0	30.48	30.48	4.92	149.84
13	92BP-01C	28.04	76.81	48.77	2.77	135.01
14	87-244	0	70.1	70.1	1.92	134.94
15	89-517	50.29	97.54	47.25	2.78	131.25
16	86-44	44.2	64.01	19.81	6.50	128.76
17	86-13	0	53.34	53.34	2.34	124.66
18	92BP-104	1.52	39.62	38.1	3.17	120.82
19	88-336	0	45.72	45.72	2.63	120.09
20	87-59	30.48	96.01	65.53	1.76	115.39
21	92BP-081	0	33.53	33.53	3.29	110.29
22	87-77	1.52	44.2	42.68	2.52	107.72
23	92BP-105	0	25.91	25.91	3.95	102.31
24	91BP-026	6.1	25.91	19.81	5.09	100.86
25	87-216	0	96.01	96.01	1.03	99.00
26	91BP-063	19.81	30.48	10.67	9.20	98.16
27	89-514	9.14	50.29	41.15	2.33	95.81
28	87-193	4.57	68.58	64.01	1.41	90.41
29	89-512	0	15.24	15.24	5.86	89.30
30	86-43	41.15	60.96	19.81	4.49	89.03
31	BP90-27	35.05	85.34	50.29	1.76	88.59
32	87-144	13.72	36.58	22.86	3.86	88.27
33	BP90-32	0	30.48	30.48	2.89	88.11
34	89-508	0	32	32	2.73	87.41
35	94BP-134	10.67	30.48	19.81	4.40	87.13
36	94BP-63	0	103.63	103.63	0.83	86.12
37	86-44	13.72	28.96	15.24	5.59	85.16
38	86-43	0	27.43	27.43	3.10	85.13
39	88-382	80.77	99.06	18.29	4.65	85.07
40	BP90-28	39.62	71.63	32.01	2.58	82.57
41	80-01	39.62	76.2	36.58	2.26	82.53
42	89-522	56.39	71.63	15.24	5.32	81.11
43	92BP-116	15.24	65.53	50.29	1.59	79.89
44	BP90-3C	17.37	50.9	33.53	2.37	79.50
45	86-26	6.1	50.29	44.19	1.78	78.48
46	93BP-81	27.43	96.01	68.58	1.14	78.19
47	BP90-33	10.67	50.29	39.62	1.97	78.15
48	87-214	0	100.58	100.58	0.77	77.62
49	87-93	0	57.91	57.91	1.33	77.03
50	83-16	0	30.48	30.48	2.52	76.85

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
51	92BP-001	57.91	105.16	47.25	1.58	74.67
52	87-147	15.24	38.1	22.86	3.25	74.34
53	80-03	32	73.15	41.15	1.76	72.60
54	89-427	18.29	91.44	73.15	0.99	72.44
55	89-527	39.62	51.82	12.2	5.90	71.98
56	87-155	28.96	74.68	45.72	1.55	71.09
57	94BP-136	0	21.34	21.34	3.31	70.53
58	91BP-028	71.63	114.3	42.67	1.64	69.93
59	83-37	0	36.58	36.58	1.87	68.26
60	83-73	38.1	73.15	35.05	1.94	67.84
61	83-07	33.53	67.06	33.53	2.00	67.08
62	87-210	48.77	105.16	56.39	1.19	67.03
63	89-450	10.67	36.58	25.91	2.57	66.61
64	87-96	35.05	92.96	57.91	1.11	64.13
65	89-517	18.29	48.77	30.48	2.08	63.48
66	87-57	0	50.29	50.29	1.25	62.80
67	87-98	0	73.15	73.15	0.84	61.51
68	93BP-46	15.24	71.63	56.39	1.08	61.07
69	93BP-114	45.72	112.78	67.06	0.90	60.68
70	86-39	0	16.76	16.76	3.62	60.66
71	83-39	0	30.48	30.48	1.98	60.43
72	BP90-6C	42.06	71.02	28.96	2.07	60.00
73	89-515	53.34	91.44	38.1	1.56	59.62
74	87-73	0	19.81	19.81	2.97	58.84
75	87-161	7.62	32	24.38	2.41	58.70
76	87-213	4.57	64.01	59.44	0.97	57.74
77	86-03	6.1	67.06	60.96	0.88	53.80
78	96BP-26	51.82	83.82	32	1.67	53.52
79	87-136	0	65.53	65.53	0.81	52.88
80	BP90-8C	11.58	43.59	32.01	1.62	52.01
81	87-120	19.81	86.87	67.06	0.78	51.98
82	87-247	4.57	71.63	67.06	0.75	50.30
83	87-202	24.38	91.44	67.06	0.75	50.00
84	93BP-119	0	67.06	67.06	0.74	49.45
85	93BP-26	42.67	120.4	77.73	0.63	49.34
86	87-211	0	57.91	57.91	0.84	48.58
87	83-17	0	24.38	24.38	1.98	48.22
88	87-118	0	80.77	80.77	0.59	47.76
89	94BP-3	0	27.43	27.43	1.74	47.72
90	88-343	0	45.72	45.72	1.03	47.01
91	83-46	30.48	67.06	36.58	1.28	46.88
92	96BP-10	28.96	45.72	16.76	2.80	46.87
93	BP90-25	0	24.38	24.38	1.92	46.83
94	89-502	0	71.63	71.63	0.65	46.78
95	87-249	13.72	65.53	51.81	0.90	46.57
96	94BP-69	35.05	112.78	77.73	0.60	46.54
97	P12-64	59.44	91.44	32	1.45	46.28
98	87-102	1.52	47.24	45.72	1.01	46.13
99	93BP-47	48.77	108.2	59.43	0.77	45.75
100	87-128	1.52	42.67	41.15	1.11	45.55

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
101	87-97	51.82	97.54	45.72	0.99	45.42
102	87-212	68.58	97.54	28.96	1.57	45.39
103	92BP-053	0	62.48	62.48	0.72	45.12
104	83-06	28.96	60.96	32	1.41	44.97
105	87-143	3.05	35.05	32	1.40	44.79
106	87-259	25.91	92.96	67.05	0.66	44.30
107	BP90-23	0	39.62	39.62	1.11	44.16
108	88-306	3.05	35.05	32	1.37	43.89
109	87-116	33.53	77.72	44.19	0.99	43.84
110	87-58	0	25.91	25.91	1.67	43.37
111	89-424	0	53.34	53.34	0.81	43.09
112	86-42	24.38	36.58	12.2	3.47	42.37
113	83-38	0	30.48	30.48	1.39	42.35
114	92BP-115	6.1	33.53	27.43	1.53	42.02
115	87-91	44.2	91.44	47.24	0.89	41.93
116	89-501	0	67.06	67.06	0.62	41.60
117	86-15	13.72	51.82	38.1	1.09	41.58
118	87-215	0	57.91	57.91	0.71	41.38
119	94BP-105	19.81	50.29	30.48	1.35	41.24
120	BP90-29	3.05	33.53	30.48	1.35	41.09
121	87-79	0	28.96	28.96	1.42	41.09
122	PG31-84	18.29	74.68	56.39	0.73	41.08
123	91BP-074	0	42.67	42.67	0.95	40.35
124	91BP-031	3.05	39.62	36.57	1.10	40.06
125	95BP-50	35.05	57.91	22.86	1.75	39.98
126	87-267	18.29	80.77	62.48	0.64	39.83
127	87-173	0	45.72	45.72	0.86	39.35
128	89-505	38.1	65.53	27.43	1.40	38.45
129	83-02	0	15.24	15.24	2.48	37.86
130	93BP-49	39.62	99.06	59.44	0.63	37.52
131	87-200	0	60.96	60.96	0.61	37.10
132	92BP-103	16.76	25.91	9.15	4.04	36.95
133	94BP-34	4.57	70.1	65.53	0.56	36.79
134	87-123	0	65.53	65.53	0.55	36.30
135	94BP-104	25.91	85.34	59.43	0.61	36.16
136	88-383	48.77	59.44	10.67	3.38	36.09
137	PG6-84	0	35.05	35.05	1.02	35.66
138	89-528	27.43	39.62	12.19	2.90	35.39
139	83-61	0	24.38	24.38	1.45	35.32
140	92BP-092	0	10.67	10.67	3.29	35.14
141	87-207	0	54.86	54.86	0.64	35.11
142	86-38	0	15.24	15.24	2.30	35.08
143	87-190	0	57.91	57.91	0.60	34.93
144	87-60	57.91	64.01	6.1	5.69	34.73
145	93BP-121	30.48	71.63	41.15	0.84	34.59
146	83-05	57.91	97.54	39.63	0.87	34.43
147	87-224	15.24	64.01	48.77	0.70	34.38
148	87-56	1.52	39.62	38.1	0.90	34.14
149	86-01	50.29	65.53	15.24	2.23	34.02
150	89-503	0	68.58	68.58	0.49	33.85

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
151	87-122	24.38	54.86	30.48	1.11	33.81
152	89-493	0	35.05	35.05	0.96	33.69
153	93BP-76	21.34	65.53	44.19	0.76	33.67
154	96BP-24	59.44	68.58	9.14	3.62	33.09
155	93BP-63	48.77	89.92	41.15	0.80	33.03
156	83-25	0	32	32	1.02	32.60
157	P12-64	3.05	15.24	12.19	2.67	32.60
158	88-296	30.48	51.82	21.34	1.50	32.11
159	93BP-149	0	39.62	39.62	0.80	31.63
160	93BP-145	73.15	100.58	27.43	1.15	31.46
161	87-119	50.29	85.34	35.05	0.89	31.23
162	P27-74	33.53	60.96	27.43	1.14	31.23
163	87-60	22.86	56.39	33.53	0.93	31.08
164	94BP-111	3.05	62.48	59.43	0.52	30.72
165	93BP-75	44.2	70.1	25.9	1.18	30.48
166	86-42	0	21.34	21.34	1.42	30.33
167	83-26	0	24.38	24.38	1.24	30.23
168	88-297	42.67	64.01	21.34	1.42	30.21
169	87-193	80.77	99.06	18.29	1.65	30.16
170	93BP-137	67.06	121.92	54.86	0.55	30.13
171	87-226	39.62	80.77	41.15	0.73	30.05
172	93BP-99	15.24	44.2	28.96	1.04	30.01
173	95BP-16	0	38.1	38.1	0.78	29.88
174	92BP-069	0	48.77	48.77	0.61	29.84
175	92BP-012	54.86	105.16	50.3	0.59	29.80
176	83-08	36.58	60.96	24.38	1.22	29.67
177	87-242	1.52	42.67	41.15	0.72	29.58
178	83-47	39.62	53.34	13.72	2.15	29.51
179	91BP-038	30.48	76.2	45.72	0.64	29.25
180	83-24	0	24.38	24.38	1.20	29.22
181	94BP-103	30.48	77.72	47.24	0.62	29.21
182	PG4-84	9.14	38.1	28.96	1.01	29.16
183	87-175	12.19	80.77	68.58	0.42	29.11
184	P5-64	47.24	53.34	6.1	4.77	29.07
185	87-92	54.86	91.44	36.58	0.79	28.90
186	87-125	13.72	71.63	57.91	0.49	28.63
187	87-138	0	42.67	42.67	0.65	27.85
188	79-17	18.29	51.82	33.53	0.83	27.75
189	86-02	22.86	73.15	50.29	0.55	27.45
190	83-49	6.1	30.48	24.38	1.13	27.44
191	87-238	0	24.38	24.38	1.12	27.27
192	95BP-49	51.82	111.25	59.43	0.46	27.22
193	87-210	0	45.72	45.72	0.58	26.66
194	87-129	0	42.67	42.67	0.62	26.65
195	BP90-30	25.91	36.58	10.67	2.48	26.51
196	88-327	35.05	73.15	38.1	0.69	26.39
197	87-93	62.48	86.87	24.39	1.08	26.28
198	93BP-130	32	65.53	33.53	0.77	25.76
199	83-19	0	36.58	36.58	0.70	25.71
200	94BP-33	0	54.86	54.86	0.47	25.70

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
201	96BP-25	71.63	99.06	27.43	0.94	25.69
202	92BP-034	0	36.58	36.58	0.70	25.55
203	94BP-67	32	76.2	44.2	0.58	25.50
204	93BX-76	76.2	103.63	27.43	0.93	25.49
205	93BP-124	0	39.62	39.62	0.64	25.45
206	BP90-27	7.62	19.81	12.19	2.09	25.43
207	BP90-24	42.67	60.96	18.29	1.38	25.27
208	92BP-090	22.86	39.62	16.76	1.51	25.23
209	87-83	3.05	22.86	19.81	1.27	25.19
210	88-312	0	25.91	25.91	0.96	24.93
211	91BP-015	22.86	54.86	32	0.78	24.84
212	94BP-10	60.96	96.01	35.05	0.71	24.83
213	93BP-13	0	51.82	51.82	0.48	24.83
214	94BP-99	21.34	77.72	56.38	0.44	24.82
215	87-251	22.86	62.48	39.62	0.63	24.82
216	86-37	0	32	32	0.77	24.76
217	92BP-001	0	45.72	45.72	0.54	24.58
218	93BP-28	0	22.86	22.86	1.07	24.46
219	BP90-7C	6.1	21.34	15.24	1.59	24.22
220	89-462	18.29	39.62	21.33	1.13	24.05
221	94BP-109	70.1	106.68	36.58	0.66	24.04
222	96BP-9	27.43	38.1	10.67	2.25	23.98
223	87-149	21.34	47.24	25.9	0.92	23.90
224	93BP-124	47.24	99.06	51.82	0.46	23.67
225	86-16	0	10.67	10.67	2.18	23.27
226	89-481	0	21.34	21.34	1.09	23.27
227	83-10	13.72	54.86	41.14	0.56	23.24
228	93BP-105	59.44	105.16	45.72	0.51	23.15
229	87-174	0	32	32	0.72	23.10
230	87-117	41.15	80.77	39.62	0.58	23.08
231	93BP-16	54.86	91.44	36.58	0.63	22.99
232	92BP-053	65.53	89.92	24.39	0.94	22.90
233	87-134	0	35.05	35.05	0.65	22.78
234	94BP-32	0	56.39	56.39	0.40	22.61
235	88-300	24.38	44.2	19.82	1.14	22.58
236	88-323	13.72	73.15	59.43	0.38	22.57
237	87-54	10.67	32	21.33	1.06	22.56
238	87-258	86.87	106.68	19.81	1.13	22.47
239	92BP-070	27.43	59.44	32.01	0.70	22.32
240	87-181	27.43	60.96	33.53	0.67	22.32
241	83-12	6.1	48.77	42.67	0.52	22.31
242	94BP-107	33.53	70.1	36.57	0.61	22.31
243	88-326	19.81	54.86	35.05	0.63	22.25
244	94BP-31	38.1	77.72	39.62	0.56	22.16
245	87-115	62.48	74.68	12.2	1.81	22.07
246	87-77	53.34	62.48	9.14	2.41	22.02
247	92BP-068	0	32	32	0.69	21.96
248	93BP-66	0	47.24	47.24	0.46	21.89
249	87-145	10.67	30.48	19.81	1.10	21.87
250	94BP-13	33.53	76.2	42.67	0.51	21.80

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
251	94BP-119	39.62	96.01	56.39	0.38	21.57
252	92BP-025	0	33.53	33.53	0.64	21.54
253	83-40	0	24.38	24.38	0.88	21.47
254	94BP-87	73.15	97.54	24.39	0.88	21.40
255	87-205	19.81	51.82	32.01	0.66	21.11
256	BP90-8C	75.59	99.97	24.38	0.86	21.06
257	94BP-11	47.24	73.15	25.91	0.80	20.64
258	83-48	7.62	39.62	32	0.64	20.63
259	92BP-070	1.52	19.81	18.29	1.13	20.58
260	94BP-4	19.81	32	12.19	1.69	20.55
261	89-507	0	16.76	16.76	1.22	20.48
262	94BP-135	0	24.38	24.38	0.84	20.38
263	94BP-110	56.39	103.63	47.24	0.43	20.33
264	89-480	0	36.58	36.58	0.56	20.32
265	87-151	0	7.62	7.62	2.66	20.29
266	93BP-70	15.24	50.29	35.05	0.58	20.25
267	93BP127A	10.67	25.91	15.24	1.33	20.24
268	91BP-077	0	18.29	18.29	1.10	20.11
269	87-94	13.72	41.15	27.43	0.73	20.06
270	89-510	6.1	36.58	30.48	0.66	19.97
271	93BP-117	47.24	76.2	28.96	0.69	19.92
272	94BP-21	21.34	47.24	25.9	0.76	19.75
273	87-172	19.81	30.48	10.67	1.85	19.69
274	87-253	18.29	50.29	32	0.61	19.64
275	93BP-92	59.44	74.68	15.24	1.29	19.60
276	93BP-65	0	38.1	38.1	0.51	19.44
277	93BX-12	3.05	25.91	22.86	0.85	19.38
278	91BP-044	36.58	54.86	18.28	1.05	19.22
279	80-02	32	65.53	33.53	0.57	19.18
280	87-201	3.05	25.91	22.86	0.84	19.17
281	87-231	7.62	50.29	42.67	0.45	19.17
282	92BP-050	16.76	36.58	19.82	0.96	19.08
283	88-324	25.91	70.1	44.19	0.43	19.07
284	96BP-27	30.48	57.91	27.43	0.69	19.06
285	83-13	12.19	47.24	35.05	0.54	19.02
286	93BP-54	1.52	35.05	33.53	0.56	18.93
287	86-29	13.72	59.44	45.72	0.41	18.92
288	87-121	45.72	64.01	18.29	1.02	18.70
289	87-61	42.67	71.63	28.96	0.64	18.66
290	87-222	25.91	60.96	35.05	0.53	18.64
291	88-328	0	25.91	25.91	0.71	18.49
292	88-310	0	21.34	21.34	0.86	18.39
293	94BP-100	18.29	56.39	38.1	0.48	18.29
294	83-75	0	18.29	18.29	1.00	18.27
295	88-369	0	18.29	18.29	1.00	18.24
296	94BP-96	22.86	73.15	50.29	0.36	18.22
297	94BP-121	47.24	73.15	25.91	0.70	18.19
298	83-22	0	30.48	30.48	0.60	18.19
299	95BP-6	47.24	86.87	39.63	0.46	18.18
300	93BP-15	0	27.43	27.43	0.66	18.17

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
301	83-02	60.96	83.82	22.86	0.79	18.08
302	88-325	16.76	41.15	24.39	0.74	18.03
303	83-54	0	30.48	30.48	0.59	18.00
304	86-12	54.86	73.15	18.29	0.98	17.92
305	96BP-11	48.77	64.01	15.24	1.17	17.81
306	P15-64	0	6.1	6.1	2.88	17.57
307	94BP-66	60.96	96.01	35.05	0.50	17.56
308	87-203	0	22.86	22.86	0.77	17.55
309	93BP-132	7.62	15.24	7.62	2.28	17.38
310	83-23	0	24.38	24.38	0.71	17.35
311	87-261	57.91	80.77	22.86	0.76	17.29
312	83-66	24.38	44.2	19.82	0.87	17.24
313	79-3	0	27.43	27.43	0.63	17.23
314	87-256	0	33.53	33.53	0.51	17.15
315	92BP-082	50.29	60.96	10.67	1.60	17.10
316	BP90-26	7.62	21.34	13.72	1.25	17.09
317	87-204	30.48	67.06	36.58	0.46	16.94
318	88-354	19.81	38.1	18.29	0.93	16.93
319	92BP-03C	13.72	27.43	13.71	1.23	16.89
320	94BP-25	0	33.53	33.53	0.50	16.82
321	92BP-006	3.05	39.62	36.57	0.46	16.67
322	88-372	27.43	54.86	27.43	0.60	16.46
323	96BP-29	67.06	89.92	22.86	0.71	16.31
324	88-320	0	9.14	9.14	1.78	16.24
325	87-263	25.91	48.77	22.86	0.70	15.94
326	87-199	0	24.38	24.38	0.65	15.89
327	95BP-47	45.72	82.3	36.58	0.43	15.84
328	93BP-45	64.01	85.34	21.33	0.74	15.82
329	93BP-41	56.39	79.25	22.86	0.69	15.81
330	94BP-96	0	15.24	15.24	1.03	15.76
331	87-228	42.67	70.1	27.43	0.57	15.74
332	86-27	3.05	33.53	30.48	0.52	15.73
333	95BP-12	39.62	56.39	16.77	0.94	15.72
334	95BP-51	51.82	71.63	19.81	0.79	15.68
335	95BP-46	68.58	86.87	18.29	0.86	15.67
336	91BP-034	0	19.81	19.81	0.79	15.62
337	93BP-97	25.91	56.39	30.48	0.51	15.52
338	95BP-12	88.39	92.96	4.57	3.36	15.34
339	94BP-67	86.87	97.54	10.67	1.41	15.09
340	86-08	0	9.14	9.14	1.65	15.05
341	88-309	3.05	25.91	22.86	0.66	15.05
342	94BP-102	13.72	57.91	44.19	0.34	15.05
343	87-258	0	38.1	38.1	0.39	15.02
344	94BP-49	0	21.34	21.34	0.70	14.84
345	92BP-033	32	56.39	24.39	0.60	14.75
346	PG1-84	9.14	38.1	28.96	0.51	14.73
347	87-176	0	33.53	33.53	0.43	14.42
348	94BP-9	19.81	33.53	13.72	1.05	14.38
349	91BP-052	71.63	86.87	15.24	0.94	14.37
350	95BP-19	22.86	57.91	35.05	0.41	14.26

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
351	87-194	10.67	42.67	32	0.44	14.11
352	97BP-5	39.62	68.58	28.96	0.49	14.11
353	P1A-64	0	9.14	9.14	1.54	14.10
354	88-337	0	28.96	28.96	0.49	14.06
355	95BP-38	41.15	64.01	22.86	0.62	14.06
356	95BP-52	65.53	89.92	24.39	0.58	14.06
357	83-15	18.29	36.58	18.29	0.77	14.01
358	91BP-069	7.62	38.1	30.48	0.46	13.95
359	88-373	62.48	97.54	35.06	0.40	13.95
360	88-374	12.19	48.77	36.58	0.38	13.91
361	93BP-12	0	27.43	27.43	0.51	13.90
362	86-14	6.1	30.48	24.38	0.57	13.85
363	92BP-012	13.72	41.15	27.43	0.50	13.68
364	93BP-75	79.25	96.01	16.76	0.81	13.58
365	93BP-16	0	30.48	30.48	0.44	13.47
366	BP90-5C	15.54	29.26	13.72	0.97	13.37
367	87-115	0	30.48	30.48	0.44	13.32
368	93BP-56	1.52	33.53	32.01	0.41	13.28
369	91BP-070	24.38	56.39	32.01	0.41	13.27
370	92BP-095	0	19.81	19.81	0.67	13.27
371	91BP-024	30.48	42.67	12.19	1.08	13.16
372	93BP-135	41.15	71.63	30.48	0.43	13.16
373	93BP-118	6.1	30.48	24.38	0.54	13.16
374	96BP-21	32	45.72	13.72	0.96	13.12
375	83-09	18.29	54.86	36.57	0.36	13.12
376	96BP-20	56.39	71.63	15.24	0.86	13.07
377	93BP-58	18.29	48.77	30.48	0.43	13.06
378	88-298	18.29	32	13.71	0.95	13.06
379	93BP-103	0	15.24	15.24	0.85	12.95
380	93BP-27	0	16.76	16.76	0.77	12.95
381	93BP-26	0	27.43	27.43	0.47	12.91
382	93BP-74	48.77	80.77	32	0.40	12.81
383	94BP-27	39.62	60.96	21.34	0.59	12.65
384	87-119	0	21.34	21.34	0.59	12.61
385	92BP-109	32	41.15	9.15	1.38	12.59
386	92BP-071	0	24.38	24.38	0.52	12.59
387	87-101	24.38	47.24	22.86	0.55	12.49
388	94BP-16	1.52	25.91	24.39	0.51	12.49
389	95BX-6	21.34	35.05	13.71	0.91	12.44
390	93BP-33	45.72	67.06	21.34	0.57	12.25
391	89-528	79.25	85.34	6.09	2.01	12.22
392	87-126	0	22.86	22.86	0.53	12.13
393	94BP-64	47.24	68.58	21.34	0.57	12.08
394	83-59	24.38	30.48	6.1	1.97	12.03
395	88-318	3.05	27.43	24.38	0.49	12.02
396	87-209	9.14	22.86	13.72	0.88	12.02
397	94BP-12	97.54	108.2	10.66	1.13	12.01
398	92BP-100	47.24	64.01	16.77	0.71	11.97
399	P18-74	3.05	16.76	13.71	0.87	11.96
400	93BP-112	3.05	25.91	22.86	0.52	11.93



### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
401	93BX-67	25.91	38.1	12.19	0.98	11.92
402	89-404	0	16.76	16.76	0.71	11.91
403	94BP-47	38.1	62.48	24.38	0.49	11.86
404	P4-64	50.29	54.86	4.57	2.57	11.75
405	95BP-32	9.14	28.96	19.82	0.59	11.72
406	93BX-67	65.53	96.01	30.48	0.38	11.71
407	91BP-014	44.2	57.91	13.71	0.85	11.60
408	87-261	15.24	47.24	32	0.36	11.50
409	83-20	0	30.48	30.48	0.38	11.50
410	83-36	24.38	30.48	6.1	1.88	11.46
411	91BP-013	0	24.38	24.38	0.47	11.44
412	96BP-28	57.91	76.2	18.29	0.62	11.35
413	BP90-31	60.96	70.1	9.14	1.24	11.33
414	83-79	42.67	54.86	12.19	0.93	11.29
415	94BP-105	53.34	83.82	30.48	0.37	11.28
416	91BP-020	3.05	24.38	21.33	0.53	11.28
417	91BP-071	12.19	22.86	10.67	1.05	11.24
418	89-512	28.96	38.1	9.14	1.23	11.22
419	93BP-30	12.19	22.86	10.67	1.05	11.17
420	88-346	6.1	27.43	21.33	0.52	11.07
421	83-20A	0	24.38	24.38	0.45	11.07
422	88-299	21.34	44.2	22.86	0.48	11.02
423	88-347	0	22.86	22.86	0.48	10.98
424	P14-64	0	6.1	6.1	1.78	10.88
425	95BP-7	3.05	27.43	24.38	0.45	10.86
426	89-455	18.29	25.91	7.62	1.42	10.83
427	87-92	0	39.62	39.62	0.27	10.81
428	83-57	0	18.29	18.29	0.59	10.78
429	87-98	86.87	106.68	19.81	0.54	10.76
430	88-299	0	10.67	10.67	1.00	10.72
431	87-132	18.29	45.72	27.43	0.39	10.71
432	93BP-100	13.72	48.77	35.05	0.31	10.71
433	86-29	67.06	85.34	18.28	0.58	10.66
434	94BP-101	19.81	48.77	28.96	0.37	10.61
435	87-230	18.29	30.48	12.19	0.87	10.59
436	95BP-17	0	19.81	19.81	0.53	10.50
437	88-356	1.52	24.38	22.86	0.46	10.50
438	95BP-32	41.15	59.44	18.29	0.57	10.46
439	89-429	39.62	48.77	9.15	1.14	10.45
440	87-97	13.72	41.15	27.43	0.38	10.45
441	86-39	36.58	42.67	6.09	1.71	10.44
442	88-345	0	16.76	16.76	0.62	10.44
443	91BP-025	13.72	35.05	21.33	0.48	10.30
444	83-34	0	24.38	24.38	0.42	10.24
445	95BP-48	45.72	77.72	32	0.32	10.24
446	83-01	36.58	65.53	28.95	0.35	10.19
447	83-05	4.57	15.24	10.67	0.95	10.18
448	93BP-32	13.72	33.53	19.81	0.51	10.14
449	93BP-142	0	12.19	12.19	0.83	10.14
450	88-315	9.14	21.34	12.2	0.83	10.09

### Black Pine Mined Intervals

ID	Hole ID	From metres	To metres	Interval metres	Au g/t	Au gXm
451	88-352	0	15.24	15.24	0.66	10.09
452	88-314	18.29	33.53	15.24	0.66	10.09
453	93BX-93	7.62	21.34	13.72	0.73	10.04
454	83-27	0	22.86	22.86	0.43	9.93
455	87-126	45.72	71.63	25.91	0.38	9.92
456	89-445	56.39	65.53	9.14	1.08	9.91
457	92BP-008	0	18.29	18.29	0.54	9.88
458	87-126A	12.19	28.96	16.77	0.59	9.87
459	94BP-9	67.06	82.3	15.24	0.65	9.87
460	87-197	0	19.81	19.81	0.50	9.87
461	92BP-042	7.62	30.48	22.86	0.43	9.86
462	83-14	18.29	36.58	18.29	0.54	9.83
463	PG20-84	28.96	42.67	13.71	0.72	9.82
464	89-425	41.15	67.06	25.91	0.38	9.82
465	92BP-04C	21.34	24.38	3.04	3.21	9.74
466	83-35	0	24.38	24.38	0.40	9.72
467	87-117	19.81	33.53	13.72	0.71	9.71
468	93BP-147	0	16.76	16.76	0.57	9.61
469	91BP-016	13.72	33.53	19.81	0.49	9.61
470	83-21	6.1	18.29	12.19	0.79	9.61
471	79-18	7.62	19.81	12.19	0.77	9.41
472	83-78	48.77	60.96	12.19	0.77	9.41
473	PG17-84	27.43	54.86	27.43	0.34	9.41
474	92BP-072	15.24	36.58	21.34	0.44	9.41
475	88-372	0	16.76	16.76	0.56	9.41
476	83-60	18.29	30.48	12.19	0.77	9.40
477	92BP-074	0	22.86	22.86	0.41	9.40
478	94BP-81	59.44	73.15	13.71	0.68	9.36
479	94BP-98	0	16.76	16.76	0.56	9.36
480	94BP-106	22.86	53.34	30.48	0.30	9.29
481	93BP-153	0	13.72	13.72	0.68	9.27
482	93BP-45	0	22.86	22.86	0.40	9.26
483	93BP-42	27.43	41.15	13.72	0.67	9.25
484	83-55	0	22.86	22.86	0.40	9.25
485	95BP-9	30.48	62.48	32	0.29	9.23
486	92BP-011	13.72	35.05	21.33	0.43	9.20
487	96BP-10	47.24	62.48	15.24	0.60	9.20
488	94BP-71	54.86	71.63	16.77	0.55	9.19
489	94BP-67	0	18.29	18.29	0.50	9.15
490	92BP-046	3.05	32	28.95	0.32	9.14
491	93BP-131	68.58	94.49	25.91	0.35	9.05
492	94BP-26	0	21.34	21.34	0.42	9.03
493	86-51	10.67	21.34	10.67	0.85	9.03
494	94BP-20	0	18.29	18.29	0.49	8.99
495	87-125	102.11	106.68	4.57	1.97	8.98
496	87-116	0	25.91	25.91	0.35	8.98
497	88-369	54.86	64.01	9.15	0.98	8.94
498	87-130	7.62	28.96	21.34	0.42	8.94
499	89-506	12.19	22.86	10.67	0.84	8.94
500	88-373	36.58	59.44	22.86	0.39	8.93