

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2018 Current Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS589 (230, -65)</b>	<b>7.6</b>	<b>36.6</b>	<b>29.0</b>	<b>0.56</b>	0.2	202.7	Western	Beavertail	<b>30.2</b>
and	48.8	54.9	6.1	0.36					
and	89.9	103.6	13.7	0.85					
<b>PGS591 (145, -65)</b>	<b>0.0</b>	<b>76.2</b>	<b>76.2</b>	<b>0.72</b>	0.2	135.6	Western	Beavertail	<b>55.1</b>
incl	15.2	21.3	6.1	1.26	1				
<b>PGS594 (40, -70)</b>	<b>9.1</b>	<b>24.4</b>	<b>15.2</b>	<b>0.98</b>	0.2	105.2	Western	Beavertail	<b>37.3</b>
and	35.1	62.5	27.4	0.81					
<b>PGS596 (60, -55)</b>	<b>0.0</b>	<b>21.3</b>	<b>21.3</b>	<b>0.79</b>	0.2	196.6	Western	Beavertail	<b>26.5</b>
and	32.0	42.7	10.7	0.26					
and	68.6	77.7	9.1	0.52					
and	93.0	100.6	7.6	0.28					
<b>PGS644 (0, -65)</b>			NSR			117.3	Western	West Beavertail	
<b>PGS646 (180, -70)</b>	10.7	18.3	7.6	0.44	0.2	128.0	Western	West Beavertail	3.4
<b>PGS648 (0, -65)</b>	7.6	27.4	19.8	0.46	0.2	138.7	Western	West Beavertail	9.2
<b>PGS649 (180, -65)</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>0.40</b>	0.2	134.1	Western	West Beavertail	<b>12.5</b>
and	21.3	29.0	7.6	0.96					
and	39.6	42.7	3.0	0.31					
<b>PGS650 (180, -65)</b>	<b>6.1</b>	<b>24.4</b>	<b>18.3</b>	<b>1.24</b>	0.2	123.4	Western	West Beavertail	<b>26.8</b>
and	44.2	47.2	3.0	0.44					
and	50.3	54.9	4.6	0.25					
and	57.9	61.0	3.0	0.44					
<b>PGS651 (180, -65)</b>	NSR					129.5	Western	West Beavertail	
<b>PGS652 (0, -90)</b>			NSR			160.0	Western	West Beavertail	
<b>PGS653 (180, -65)</b>			NSR			121.9	Western	West Beavertail	
<b>PGS654 (180, -65)</b>			NSR			99.1	Western	West Beavertail	
<b>PGS655 (325, -69)</b>	<b>3.0</b>	<b>35.1</b>	<b>32.0</b>	<b>0.44</b>	0.2	141.7	Western	Beavertail	<b>32.6</b>
and	42.7	70.1	27.4	0.68					
<b>PGS656 (67, -65)</b>	<b>3.0</b>	<b>15.2</b>	<b>12.2</b>	<b>0.35</b>	0.2	147.8	Western	Beavertail	<b>29.0</b>
and	29.0	61.0	32.0	0.37					
and	68.6	70.1	1.5	0.42					
and	86.9	89.9	3.0	1.03					
and	100.6	115.8	15.2	0.60					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS657 (235, -65)</b>	<b>0.0</b>	<b>27.4</b>	<b>27.4</b>	<b>0.38</b>	0.2	105.2	Western	Beavertail	<b>26.1</b>
and	33.5	42.7	9.1	0.31					
and	<b>48.8</b>	<b>54.9</b>	<b>6.1</b>	<b>0.57</b>					
and	<b>61.0</b>	<b>79.2</b>	<b>18.3</b>	<b>0.51</b>					
<b>PGS658 (100, -57)</b>	<b>0.0</b>	<b>22.9</b>	<b>22.9</b>	<b>0.48</b>	0.2	166.1	Western	Beavertail	<b>12.0</b>
and	132.6	135.6	3.0	0.35					
<b>PGS659 (35, -53)</b>	Pending					160.0	Western	Beavertail	
<b>PGS660 (180, -50)</b>	0.0	15.2	15.2	0.39	0.2	129.5	Western	Beavertail	<b>42.6</b>
and	<b>16.8</b>	<b>50.3</b>	<b>33.5</b>	<b>0.88</b>	0.2				
incl	<b>33.5</b>	<b>44.2</b>	<b>10.7</b>	<b>1.47</b>	1				
and	85.3	89.9	4.6	1.51	0.2				
<b>PGS661 (65, -45)</b>	0.0	13.7	13.7	0.49	0.2	99.1	Western	Beavertail	<b>37.5</b>
and	<b>19.8</b>	<b>56.4</b>	<b>36.6</b>	<b>0.80</b>					
and	64.0	67.1	3.0	0.46					
<b>PGS627 (345, -82)</b>	80.8	83.8	3.0	0.40	0.2	202.7	Western	Covington Dyke	1.2
<b>PGS598 (0, -90)</b>	44.2	45.7	1.5	0.36	0.2	102.1	Western	Goldstrike Graben	1.2
and	64.0	67.1	3.0	0.22					
<b>PGS600 (0, -90)</b>	42.7	45.7	3.0	0.56	0.2	86.9	Western	Goldstrike Graben	1.7
<b>PGS602 (49, 52)</b>	57.9	64.0	6.1	0.41	0.2	99.1	Western	Goldstrike Graben	5.2
and	65.5	77.7	12.2	0.22					
<b>PGS604 (0, -90)</b>	62.5	65.5	3.0	0.40	0.2	129.5	Western	Goldstrike Graben	1.2
<b>PGS606 (30, -50)</b>	126.5	132.6	6.1	0.35	0.2	182.9	Western	Goldstrike Graben	6.5
and	143.3	146.3	3.0	1.03					
and	150.9	153.9	3.0	0.39					
<b>PGS609 (0, -75)</b>	NSR					152.4	Western	Goldstrike Graben	
<b>PGS611 (0, -90)</b>	NSR					152.4	Western	Goldstrike Graben	
<b>PGS614 (0, -80)</b>	NSR					158.5	Western	Goldstrike Graben	
<b>PGS617 (145, -65)</b>	158.5	161.5	3.0	0.55	0.2	239.3	Western	Goldstrike Graben	1.7
<b>PGS620 (145, -65)</b>	NSR					178.3	Western	Goldstrike Graben	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS623 (350, -70)</b>	6.1	10.7	4.57	0.54	0.2	160.0	Western	Goldstrike Graben	3.3
and	103.6	105.2	1.52	0.50	0.2				
<b>PGS625 (50, -70)</b>	0.0	15.2	15.2	0.36	0.2	172.2	Western	Goldstrike Graben	12.9
and	123.4	137.2	13.7	0.54					
<b>PGS587 (0, -70)</b>	NSR					182.9	Picaroon		
<b>PGS643 (180, -67)</b>	NSR					91.4	Picaroon		