

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	<b>45.7</b>	<b>51.8</b>	<b>6.1</b>	<b>3.27</b>	0.2	117.3	Basal Jasperoid		<b>30.2</b>
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	<b>53.3</b>	<b>93.0</b>	<b>39.6</b>	<b>1.01</b>	0.2	105.2	Basal Jasperoid		<b>40.0</b>
PGS004 (30, -70)	<b>64.0</b>	<b>105.2</b>	<b>41.1</b>	<b>0.84</b>	0.2	190.5	Basal Jasperoid		<b>34.5</b>
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	<b>112.8</b>	<b>147.8</b>	<b>35.1</b>	<b>0.85</b>	0.2	221.0	Basal Jasperoid		<b>29.7</b>
Including	<b>140.2</b>	<b>146.3</b>	<b>6.1</b>	<b>1.78</b>	1				
PGS008 (180, -82)	<b>118.9</b>	<b>141.7</b>	<b>22.9</b>	<b>1.68</b>	0.2	172.2	Basal Jasperoid		<b>38.5</b>
Including	<b>126.5</b>	<b>138.7</b>	<b>12.2</b>	<b>2.67</b>	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	<b>97.5</b>	<b>134.1</b>	<b>36.6</b>	<b>1.06</b>	0.2	175.3	Basal Jasperoid		<b>38.8</b>
Including	<b>115.8</b>	<b>129.5</b>	<b>13.7</b>	<b>1.89</b>	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	<b>42.7</b>	<b>57.9</b>	<b>15.2</b>	<b>0.84</b>					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		<b>52.5</b>
and	<b>57.9</b>	<b>76.2</b>	<b>18.3</b>	<b>2.72</b>					
incl	<b>64.0</b>	<b>74.7</b>	<b>10.7</b>	<b>4.32</b>					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>49.1</b>
and	<b>41.1</b>	<b>56.4</b>	<b>15.2</b>	<b>0.35</b>					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	<b>125.0</b>	<b>196.6</b>	<b>71.6</b>	<b>0.48</b>					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		<b>25.4</b>
and	48.8	59.4	10.7	0.35					
and	<b>64.0</b>	<b>103.6</b>	<b>39.6</b>	<b>0.47</b>					
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS016 (170, -65)</b>	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9
<b>and</b>	158.5	161.5	3.0	0.22					
<b>and</b>	166.1	169.2	3.0	0.22					
<b>and</b>	170.7	198.1	27.4	0.66					
<b>PGS017 (150, -55)</b>	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
<b>PGS018 (0, -90)</b>	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS019 (80, -50)</b>	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5
<b>incl.</b>	70.1	83.8	13.7	4.42	1				
<b>PGS020 (20, -45)</b>	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6
<b>incl.</b>	166.1	169.2	3.0	2.96	1				
<b>PGS021 (330, -55)</b>	NSR					169.2	Basal Claron		
<b>PGS022 (180, -60)</b>	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
<b>and</b>	132.6	147.8	15.2	0.35					
<b>and</b>	152.4	163.1	10.7	0.38					
<b>PGS023 (135, -65)</b>	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2
<b>incl.</b>	129.5	134.1	4.6	1.93	1				
<b>PGS024 (230, -55)</b>	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
<b>and</b>	120.4	129.5	9.1	0.32					
<b>and</b>	135.6	138.7	3.0	0.21					
<b>and</b>	140.2	152.4	12.2	0.33					
<b>and</b>	163.1	166.1	3.0	0.70					
<b>PGS025 (200, -50)</b>	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8
<b>incl.</b>	131.1	150.9	19.8	1.98	1				
<b>PGS026 (155, -50)</b>	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9
<b>incl.</b>	108.2	138.7	30.5	1.65	1				
<b>PGS027 (0, -90)</b>	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		56.1
<b>and</b>	88.4	89.9	1.5	0.40					
<b>and</b>	94.5	96.0	1.5	0.48					
<b>and</b>	106.7	153.9	47.2	1.14					
<b>including</b>	109.7	117.3	7.6	2.06					
<b>including</b>	120.4	129.5	9.1	1.56					
<b>PGS028 (180, -65)</b>	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
<b>PGS029 (185, -65)</b>	NSR					132.6	Basal Claron		0.0
<b>PGS030 (185, -45)</b>	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
<b>PGS031 (0, -85)</b>	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
<b>and</b>	140.2	158.5	18.3	0.30					
<b>and</b>	173.7	179.8	6.1	0.42					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS032 (135, -65)</b>	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		<b>25.6</b>
and	132.6	137.2	4.6	0.22					
and	<b>160.0</b>	<b>185.9</b>	<b>25.9</b>	<b>0.80</b>					
incl	<b>181.4</b>	<b>185.9</b>	<b>4.6</b>	<b>1.54</b>					
<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					
<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
<b>PGS038 (135, -60)</b>	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
<b>PGS039 (225, -65)</b>	<b>105.2</b>	<b>144.8</b>	<b>39.6</b>	<b>0.60</b>	0.2	182.9	Basal Claron		<b>24.38</b>
including	<b>118.9</b>	<b>121.9</b>	<b>3.0</b>	<b>1.65</b>					
and	152.4	153.9	1.5	0.37					
<b>PGS040 (155, -50)</b>	<b>128.0</b>	<b>146.3</b>	<b>18.3</b>	<b>1.15</b>	0.2	198.1	Basal Claron		<b>48.6</b>
including	<b>137.2</b>	<b>143.3</b>	<b>6.1</b>	<b>1.95</b>					
and	<b>166.1</b>	<b>198.1</b>	<b>32.0</b>	<b>0.86</b>					
including	<b>172.2</b>	<b>182.9</b>	<b>10.7</b>	<b>1.72</b>					
<b>PGS041C (52, -60)</b>	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		<b>56.5</b>
and	<b>71.0</b>	<b>101.5</b>	<b>30.5</b>	<b>1.85</b>					
incl	<b>71.0</b>	<b>89.3</b>	<b>18.3</b>	<b>2.63</b>					
<b>PGS042 (0, -90)</b>	NSR				0.2	135.6			0
<b>PGS043 (220, -55)</b>	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					
<b>PGS044C (275, -63)</b>	<b>66.4</b>	<b>113.7</b>	<b>47.2</b>	<b>1.06</b>	0.2	136.6	Basal Claron		<b>58.1</b>
and	116.3	118.0	1.7	0.22					
and	119.3	135.0	15.7	0.47					
<b>PGS045 (180, -48)</b>	NSR					182.9	Basal Claron		0
<b>PGS046C (180, -55)</b>	<b>103.3</b>	<b>148.7</b>	<b>45.4</b>	<b>0.87</b>	0.2	186.8	Basal Claron		<b>40.6</b>
incl	132.9	136.6	3.7	1.65					
and	173.1	177.7	4.6	0.25					
<b>PGS047 (0, -61)</b>	<b>103.6</b>	<b>140.2</b>	<b>36.6</b>	<b>0.76</b>	0.2	146.3	Basal Claron		<b>27.9</b>

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS048 (110, -49)</b>	<b>51.8</b>	<b>89.9</b>	<b>38.1</b>	<b>3.28</b>	<b>0.2</b>	121.9	Basal Claron		125.0	
<i>incl</i>	<b>54.9</b>	<b>77.7</b>	<b>22.9</b>	<b>4.92</b>	<b>1</b>					
<i>incl</i>	<b>65.5</b>	<b>76.2</b>	<b>10.7</b>	<b>8.27</b>	<b>5</b>					
<b>PGS049 (315, -68 )</b>	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9	
<b>and</b>	<b>91.4</b>	<b>152.4</b>	<b>61.0</b>	<b>0.87</b>						
<b>incl</b>	<b>93.0</b>	<b>100.6</b>	<b>7.6</b>	<b>2.83</b>						<b>1</b>
<b>and incl</b>	144.8	147.8	3.0	1.72						1
<b>PGS050 (45, -47)</b>	<b>83.8</b>	<b>117.3</b>	<b>33.5</b>	<b>0.68</b>	<b>0.2</b>	129.5	Basal Claron		<b>22.9</b>	
<b>PGS051C (275, -82)</b>	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7	
<b>and</b>	84.4	86.0	1.5	0.22						
<b>and</b>	92.0	93.6	1.5	0.37						
<b>and</b>	<b>110.3</b>	<b>151.5</b>	<b>41.1</b>	<b>2.64</b>						<b>0.2</b>
<b>incl</b>	<b>119.5</b>	<b>151.5</b>	<b>32.0</b>	<b>3.22</b>						<b>1</b>
<i>incl</i>	<b>133.5</b>	<b>139.3</b>	<b>5.8</b>	<b>6.56</b>						<b>5</b>
<b>PGS052 (210, -50)</b>	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4	
<b>and</b>	102.1	105.2	3.0	0.21						
<b>and</b>	106.7	111.3	4.6	0.22						
<b>and</b>	<b>114.3</b>	<b>149.4</b>	<b>35.1</b>	<b>0.44</b>						
<b>and</b>	161.5	164.6	3.0	0.26						
<b>and</b>	178.3	179.8	1.5	0.43						
<b>and</b>	182.9	184.4	1.5	0.22						
<b>PGS053 (200, -54)</b>	<b>89.9</b>	<b>157.0</b>	<b>67.1</b>	<b>0.76</b>	<b>0.2</b>	198.1	Basal Claron		51.1	
<b>incl</b>	<b>143.3</b>	<b>149.4</b>	<b>6.1</b>	<b>1.91</b>	<b>1</b>					
<b>PGS054C (60, -68)</b>	<b>81.7</b>	<b>140.5</b>	<b>58.8</b>	<b>2.24</b>	<b>0.2</b>	154.6	Basal Claron		131.6	
<b>incl</b>	<b>82.6</b>	<b>94.9</b>	<b>12.3</b>	<b>2.00</b>	<b>1</b>					
<b>and incl</b>	<b>101.9</b>	<b>138.1</b>	<b>36.2</b>	<b>2.77</b>	<b>5</b>					
<i>incl</i>	<b>124.7</b>	<b>127.7</b>	<b>3.0</b>	<b>6.04</b>	<b>5</b>					
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7	
	157.0	161.5	4.6	0.32						
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4	
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8	
<b>and</b>	<b>93.0</b>	<b>117.3</b>	<b>24.4</b>	<b>0.76</b>						
<b>incl</b>	108.2	115.8	7.6	1.34						1
<b>PGS058 (240, -60)</b>	<b>21.3</b>	<b>97.5</b>	<b>76.2</b>	<b>0.96</b>	<b>0.2</b>	141.7	Basal Claron		73.4	
<b>incl</b>	<b>27.4</b>	<b>47.2</b>	<b>19.8</b>	<b>1.98</b>	<b>1</b>					
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6	
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3	
<b>and</b>	50.3	53.3	3.0	0.50						
<b>and</b>	64.0	73.2	9.1	0.33						
<b>PGS061 (0, -90)</b>			NSR			106.7	Basal Claron	target interval faulted out?	0	
<b>PGS062 (245, -70)</b>	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2	
<b>PGS063C (220, -60)</b>	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
and	131.1	157.0	25.9	0.42					
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1
and	159.7	187.8	28.0	0.52	0.2				
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7
and	144.8	152.4	7.6	1.97	0.2				
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7
PGS071 (0, -90)			NSR			86.9	Basal Claron		
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8
and	123.4	134.1	10.7	0.58	0.2				
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6
and	48.8	59.4	10.7	0.40	0.2				
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3
and	53.3	56.4	3.0	0.20	0.2				
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7
and	99.1	105.2	6.1	29.1	0.2				
incl.	100.6	105.2	4.6	38.8	5			102 ppm met screen sample	
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6
PGS078 (60, -65)			NSR			105.2	Basal Claron		
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4
and	42.7	47.2	4.6	0.38	0.2				
PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9
and	32.0	33.5	1.5	0.95	0.2				
and	38.1	42.7	4.6	0.30	0.2				
and	54.9	88.4	33.5	0.42	0.2				
PGS081 (200, -45)			NSR			121.9	Basal Claron		
PGS082 (0, -90)			NSR			121.9	Basal Claron		
PGS083 (0, -90)			NSR			141.7	Basal Claron		
PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3
and	141.7	152.4	10.7	0.32	0.2				
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3
PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0
and	102.1	115.8	13.7	0.38	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS088 (180, -52)	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
PGS089 (320, -68)	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7
incl	97.5	102.1	4.6	1.52	1				
PGS090 (0, -85)	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks		
incl	99.1	100.6	1.5	2.30	1.0				
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
PGS093 (313, -75)			NSR			135.6	Basal Claron		
PGS094 (57, -65)			NSR			182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60					
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2				
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben	
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0
incl	57.9	62.5	4.6	1.03	0.5				
PGS132 (45, -65)			NSR			105.2		Peg Leg Graben	
PGS133 (310, -45)			NSR			109.7		Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
and	61.0	73.2	12.2	0.50	0.2				
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5
PGS136 (315, -55)			NSR			86.9	Basal Claron	Dip Slope Zone	
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
PGS140 (210, -65)			NSR			138.7	Basal Claron	Peg Leg Graben	
PGS141 (270, -70)			NSR			111.3	Basal Claron	Peg Leg Graben	
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9
incl	97.5	103.6	6.1	1.24	0.5				
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0
and	83.8	97.5	13.7	0.27	0.2				
and	120.4	126.5	6.1	1.14	0.2				
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale		
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5
Incl	111.3	117.3	6.1	0.96	0.5				
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6
and	108.2	134.1	25.9	0.54	0.2				
and	147.8	158.5	10.7	0.75	0.2				
PGS150 (0, -90)			NSR			117.3	Basal Claron	Dip Slope	
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.2				
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS155 (45, -60)			NSR			189.0	Basal Claron	West Goldstrike Graben	
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.2				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			NSR			201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
incl	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)			NSR			166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			NSR			182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS178 (50, -45)</b>	24.4	25.9	1.5	0.39	<b>0.2</b>	141.7	<b>Covington Dike</b>	Covington	<b>16.4</b>
and	77.7	79.2	1.5	0.31					
and	<b>80.8</b>	<b>83.8</b>	<b>3.0</b>	<b>0.83</b>					
and	<b>102.1</b>	<b>103.6</b>	<b>1.5</b>	<b>7.36</b>					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
<b>PGS179 (54, -60)</b>	<b>96.0</b>	<b>125.0</b>	<b>29.0</b>	<b>1.78</b>	<b>0.2</b>	160.0	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>51.5</b>
incl	<b>96.0</b>	<b>108.2</b>	<b>12.2</b>	<b>3.54</b>	<b>1</b>				
<b>PGS180 (0, -75)</b>	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
<b>PGS181 (0, -60)</b>	NSR					172.2	Basal Claron	Peg Leg	
<b>PGS182 (230, -75)</b>	12.2	15.2	3.0	0.54	<b>0.2</b>	129.5	<b>Covington Dike</b>	Covington	<b>13.9</b>
and	<b>100.6</b>	<b>111.3</b>	<b>10.7</b>	<b>1.15</b>					
<b>PGS183 (300, -65)</b>	<b>108.2</b>	<b>114.3</b>	<b>6.1</b>	<b>0.90</b>	<b>0.2</b>	196.6	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>30.9</b>
and	<b>121.9</b>	<b>155.4</b>	<b>33.5</b>	<b>0.76</b>	<b>0.2</b>				
incl	<b>125.0</b>	<b>131.1</b>	<b>6.1</b>	<b>1.47</b>	<b>1</b>				
<b>PGS184 (280, -60)</b>	NSR					117.3		Covington hole lost above target	
<b>PGS185 (128, -60)</b>	4.6	12.2	7.6	0.32	<b>0.2</b>	129.5	Pz Carbonates	Covington	7.0
and	<b>51.8</b>	<b>57.9</b>	<b>6.1</b>	<b>0.74</b>	<b>0.2</b>				
<b>PGS186 (90, -75)</b>	41.1	42.7	1.5	0.63	<b>0.20</b>	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	<b>68.6</b>	<b>80.8</b>	<b>12.2</b>	<b>0.41</b>					
and	89.9	94.5	4.6	0.28					
<b>PGS187 (330, -68)</b>	<b>45.7</b>	<b>64.0</b>	<b>18.3</b>	<b>1.33</b>	<b>0.2</b>	111.3	<b>Basal Claron, Covington Fault</b>	Peg Leg	<b>26.8</b>
incl	<b>50.3</b>	<b>62.5</b>	<b>12.2</b>	<b>1.77</b>	<b>1</b>				
and	65.5	73.2	7.6	0.20	<b>0.2</b>				
and	80.8	83.8	3.0	0.27	<b>0.2</b>				
<b>PGS188 (055, -70)</b>	<b>129.5</b>	<b>152.4</b>	<b>22.9</b>	<b>0.86</b>	<b>0.2</b>	155.4	<b>Basal Claron</b>	Warrior	<b>19.7</b>
incl.	<b>137.2</b>	<b>141.7</b>	<b>4.6</b>	<b>1.45</b>	<b>1</b>				
<b>PGS189 (210, -62)</b>	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
<b>PGS190 (151, -60)</b>	NSR					170.7		Covington - did not intercept target	
<b>PGS191 (0, -90)</b>	<b>0.0</b>	<b>6.1</b>	<b>6.1</b>	<b>1.57</b>	<b>0.2</b>	71.6	<b>Covington Dike</b>	Covington	<b>48.8</b>
and	<b>27.4</b>	<b>35.1</b>	<b>7.6</b>	<b>4.10</b>	<b>0.2</b>				
incl	<b>29.0</b>	<b>33.5</b>	<b>4.6</b>	<b>6.32</b>	<b>1</b>				
and	<b>41.1</b>	<b>45.7</b>	<b>4.6</b>	<b>1.76</b>	<b>0.2</b>				

## Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS192 (285, -70)</b>	NSR					172.2		Warrior	
<b>PGS193 (160, -80)</b>	<b>71.6</b>	<b>86.9</b>	<b>15.2</b>	<b>0.83</b>	0.2	147.8	<b>West Aggie Extension</b>	Aggie	<b>26.0</b>
incl	<b>79.2</b>	<b>86.9</b>	<b>7.6</b>	<b>1.21</b>	1				
and	94.5	108.2	13.7	0.46	0.2				
and	<b>117.3</b>	<b>123.4</b>	<b>6.1</b>	<b>1.16</b>	0.2				
<b>PGS194 (285, -75)</b>	<b>108.2</b>	<b>115.8</b>	<b>7.6</b>	<b>0.73</b>	0.2	166.2	<b>West Aggie Extension</b>	Aggie	<b>10.3</b>
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
<b>PGS195 (100, -65)</b>	NSR					129.5	Warrior to Aggie		
<b>PGS196 (75, -73)</b>	<b>80.8</b>	<b>91.4</b>	<b>10.7</b>	<b>0.51</b>	0.2	164.6	<b>West Aggie</b>		<b>14.2</b>
and	117.3	141.7	24.4	0.36	0.2				
<b>PGS197 (30, -75)</b>	<b>106.7</b>	<b>121.9</b>	<b>15.2</b>	<b>1.93</b>	0.2	152.4	<b>Warrior</b>		<b>29.4</b>
<b>PGS198 (300, -75)</b>	NSR					172.2	Warrior	Anomalous	
<b>PGS199 (30, -45)</b>	51.8	53.3	1.5	0.31	0.2	172.2	<b>Dip Slope</b>		<b>9.0</b>
and	54.9	57.9	3.0	0.68					
and	<b>67.1</b>	<b>71.6</b>	<b>4.6</b>	<b>1.41</b>					
<b>PGS200 (135, -45)</b>	NSR					129.5	Dip Slope		
<b>PGS201 (30, -60)</b>	<b>163.1</b>	<b>208.8</b>	<b>45.7</b>	<b>0.56</b>	0.2	230.1	<b>Warrior</b>	Warrior	<b>25.5</b>
incl	<b>173.7</b>	<b>187.5</b>	<b>13.7</b>	<b>1.08</b>	0.5				
<b>PGS202 (100, -45)</b>	NSR					160.0	Dip Slope		
<b>PGS203 (0, -65)</b>	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	<b>Warrior</b>		<b>13.7</b>
and	<b>160.0</b>	<b>179.8</b>	<b>19.8</b>	<b>0.65</b>	0.2				
incl	<b>161.5</b>	<b>170.7</b>	<b>9.1</b>	<b>0.92</b>	0.5				
<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	<b>Warrior</b>		<b>12.9</b>
and	<b>160.0</b>	<b>179.8</b>	<b>19.8</b>	<b>0.65</b>	0.2				
incl.	<b>161.5</b>	<b>170.7</b>	<b>9.1</b>	<b>0.92</b>	0.5				
<b>PGS205 (75, -40)</b>	32.0	42.7	10.7	0.38	0.2	147.8	<b>Dip Slope</b>	Claron Host Rocks	<b>13.7</b>
and	<b>134.1</b>	<b>138.7</b>	<b>4.6</b>	<b>2.01</b>	<b>0.2</b>			Paleozoic Host Rocks	
<b>PGS206 (320, -45)</b>	153.9	189.9	37.5	0.44	0.2	189.9	<b>Dip Slope</b>	Hole Lost in Mineralization	<b>16.5</b>
<b>PGS207 (0, -85)</b>	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
<b>PGS208 (275, -73)</b>	NSR					202.7	Western Grabens	Anomalous	
<b>PGS209 (0, -45)</b>	NSR					93.0	Western Grabens	Hole Lost Above Target	
<b>PGS210 (275, -65)</b>	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		<b>8.6</b>
incl	115.8	120.4	4.6	0.89	0.5				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS211 (320, -45)	NSR					166.1	Western Grabens		
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
incl	143.3	152.4	9.1	1.02	0.5				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)	NSR					187.5	Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					
PGS217 (233, -70)	NSR						Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)	NSR					117.3	Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1
incl	152.4	167.6	15.2	1.16	0.5				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.2				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.2	190.5	Peg Leg	Claron Host Rocks	27.8
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks	
and	134.1	135.6	1.5	0.41	0.2				
PGS225 (340, -65)	NSR					205.7	Dip Slope	Anomalous	
PGS226 (285, -45)	NSR					166.1	Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		42.0
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.2				
PGS232 (205, -77)	NSR					86.9	Dip Slope		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2
and	117.3	167.6	50.3	0.85	0.2				
incl	129.5	144.8	15.2	1.81	0.5				
and	175.3	176.8	1.5	0.66	0.2				
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7
Incl	76.2	83.8	7.6	2.33	0.5				
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
and	10.7	12.2	1.5	0.71	0.2				
PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9
and	164.6	181.4	16.8	0.33	0.2				
and	182.9	193.5	10.7	0.42	0.2				
PGS241 (95, -62)			NSR			147.8	Warrior		
PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2
incl	109.7	118.9	9.1	3.48	1				
and	143.3	153.9	10.7	0.34	0.2				
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1
incl	128.0	135.6	7.6	1.61	1				
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6
incl	111.3	120.4	9.1	0.84	0.5				
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata	
incl	105.2	117.3	12.2	2.98	1				
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8
and	77.7	89.9	12.2	0.32					
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8
incl.	82.3	89.9	7.6	1.20	1				
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3
incl.	47.2	53.3	6.1	5.59	1				
PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area	
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2
and	108.2	118.9	10.7	0.74				Claron Formation?	
and	157.0	161.5	4.6	0.37					
and	169.2	172.2	3.0	0.23					
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0
incl	0.0	4.6	4.6	3.48	1				
and	54.9	56.4	1.5	0.63	0.2				
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata	
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata	
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
PGS262 (105, -60)			NSR			120.4	Mineral Mtn		
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
incl.	35.1	41.1	6.1	1.46	1				
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
incl.	65.5	70.1	4.6	1.97	1.0				
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.2				
PGS269 (180, -75)			NSR			166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
PGS272 (5, -67)			NSR			121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)			NSR			219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)			NSR			196.6	Caribou	Hole did not intersect target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
and	97.5	138.7	41.1	0.74	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0,-90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220,-65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9
PGS284 (330, -75)			NSR			19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180,-65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)			NSR			32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165,-57)			NSR			208.8	Caribou	Hole did not intersect target	
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.2	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.2	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.2				
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)			NSR			129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)			NSR			152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.2				
PGS310 (90, -60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0, -90)	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.2				
PGS312 (0, -65)			NSR			152.4	Western	Picaroon - long anomalous interval	
PGS313 (170, -78)	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.2				
PGS314 (0, -90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140, -50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70, -70)			NSR			129.5	Western	Picaroon - long anomalous interval	
PGS317 (150, -45)	19.8	59.4	39.6	0.48	0.2	144.8	Western	Caribou	27.3
and	70.1	76.2	6.1	0.40	0.2				
and	80.8	86.9	6.1	0.97	0.2				
PGS318 (0, -90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0, -75)			NSR			144.8	Western	Picaroon	



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS320 (110, -55)	29.0	38.1	9.1	0.79	0.2	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.2				
and	70.1	96.0	25.9	0.99	0.2				
incl	82.3	93.0	10.7	1.40	1.0				
PGS321 (180, -60)	NSR					91.4	Main	Aggie	
PGS322 (90, -45)	18.3	22.9	4.6	0.77	0.2	160.0	Western	Caribou	36.2
and	30.5	94.5	64.0	0.51	0.2				
PGS323 (0, -90)	NSR					166.1	Western	Picaroon	
PGS324 (62, -55)	39.6	82.3	42.7	0.70	0.2	141.7	Western	Caribou	30.0
incl	48.8	56.4	7.6	1.72	1				
PGS325 (20, -78)	73.2	76.2	3.0	0.81	0.2	141.7	Main	Aggie	9.5
and	94.5	108.2	13.7	0.52	0.2				
PGS326 (170, -50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78, -67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0, -90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140, -55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)	NSR					193.5	Western	Picaroon	
PGS332 (225, -65)	152.4	167.6	15.2	0.41	0.2	221.0	Dip Slope	Padre Haul Road	13.3
and	178.3	192.0	13.7	0.52	0.2				
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65)	121.9	175.3	53.3	0.67	0.2	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
incl	125.0	135.6	10.7	1.93	1				
PGS336 (170, -45)	140.2	153.9	13.7	0.50	0.2	198.1	Western	Moosehead	8.2
and	157.0	163.1	6.1	0.23	0.2				
PGS337 (56, -55)	NSR					134.1	Peg Leg		
PGS338 (295, -55)	57.9	91.4	33.5	0.64	0.2	135.6	Peg Leg		26.5
and	100.6	105.2	4.6	0.77	0.2				
and	128.0	129.5	1.5	0.96	0.2				
PGS339 (150, -45)	115.8	120.4	4.6	0.33	0.2	239.3	Western	Moosehead	35.2
and	129.5	172.2	42.7	0.79	0.2				
incl	146.3	157.0	10.7	1.60	1				
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65)	137.2	176.8	39.6	0.38	0.2	208.8	Dip Slope	Padre Haul Road	25.4
and	178.3	189.0	10.7	0.96	0.2				
PGS343 (345, -65)	NSR					105.2	Peg Leg		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS344 (130, -45)</b>	170.7	173.7	3.0	0.82	0.2	230.1	Western	Moosehead	17.8
and	181.4	185.9	4.6	0.28					
and	190.5	202.7	12.2	1.15					
<b>PGS345 (0, -90)</b>	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
<b>PGS346 (145, -68)</b>	NSR					91.4	Peg Leg		
<b>PGS347 (85, -65)</b>	161.5	201.2	39.6	0.69	0.2	224.0	Dip Slope	Padre	27.5
incl	173.7	184.4	10.7	1.35	1				
<b>PGS348 (340, -65)</b>	4.6	6.1	1.5	0.48	0.2	103.6	Peg Leg		2.0
and	71.6	73.2	1.5	0.80	0.2				
<b>PGS349 (0, -90)</b>	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
<b>PGS350 (270, -55)</b>	NSR					147.8	Peg Leg		
<b>PGS351 (65, -45)</b>	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
<b>PGS352 (0, -65)</b>	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
<b>PGS353 (335, -50)</b>	NSR					80.8	Peg Leg		
<b>PGS354 (0, -90)</b>	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8
<b>PGS355 (150, -60)</b>	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1
and	134.1	135.6	1.5	0.96	0.2				
<b>PGS356 (115, -55)</b>	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8
and	109.7	132.6	22.9	0.77	0.2				
incl	121.9	125.0	3.0	1.71	1				
<b>PGS357 (0, -90)</b>	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5
and	57.9	70.1	12.2	0.36	0.2				
<b>PGS358 (75, -60)</b>	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2
and	94.5	99.1	4.6	0.29	0.2				
<b>PGS359 (0, -90)</b>	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2
<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg		
<b>PGS361 (0, -60)</b>	NSR					135.6	Western		
<b>PGS362 (0, -90)</b>	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8
incl	76.2	89.9	13.7	1.89	1				
<b>PGS363 (80, -55)</b>	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5
incl	67.1	70.1	3.0	2.32	1				
and	91.4	99.1	7.6	0.30	0.2				
<b>PGS364 (120, -45)</b>	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3
incl	56.4	65.5	9.1	1.66	1				
<b>PGS365 (0, -70)</b>	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9
incl	117.3	120.4	3.0	2.03	1				
<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3
and	54.9	61.0	6.1	0.34	0.2				
and	158.5	160.0	1.5	1.92	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6
<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>
incl	86.9	89.9	3.0	1.22	1				
<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run	
<b>PGS370 (0, -90)</b>	NSR					160.0	Dip Slope	Padre	
<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6
<b>PGS372 (0, -90)</b>	Pending					120.4	Western		1.6
<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6
<b>PGS374 (40, -60)</b>	Pending					170.7	Dip Slope	Padre	
<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>
<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre	
<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6
and	160.0	163.1	3.0	0.74	0.2				
<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run	