

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7
Including	140.2	146.3	6.1	1.78	1				
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5
Including	126.5	138.7	12.2	2.67	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8
Including	115.8	129.5	13.7	1.89	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS016 (170, -65)</b>	143.3	147.8	4.6	0.53	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	<b>21.9</b>
and	158.5	161.5	3.0	0.22					
and	166.1	169.2	3.0	0.22					
and	170.7	198.1	27.4	0.66					
<b>PGS017 (150, -55)</b>	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
<b>PGS018 (0, -90)</b>	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS019 (80, -50)</b>	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		<b>73.5</b>
incl.	70.1	83.8	13.7	4.42	1				
<b>PGS020 (20, -45)</b>	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		<b>32.6</b>
incl.	166.1	169.2	3.0	2.96	1				
<b>PGS021 (330, -55)</b>	NSR					169.2	Basal Claron		
<b>PGS022 (180, -60)</b>	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					
<b>PGS023 (135, -65)</b>	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		<b>19.2</b>
incl.	129.5	134.1	4.6	1.93	1				
<b>PGS024 (230, -55)</b>	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					
<b>PGS025 (200, -50)</b>	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		<b>42.8</b>
incl.	131.1	150.9	19.8	1.98	1				
<b>PGS026 (155, -50)</b>	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		<b>68.9</b>
incl.	108.2	138.7	30.5	1.65	1				
<b>PGS027 (0, -90)</b>	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		<b>56.1</b>
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					
<b>PGS028 (180, -65)</b>	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
<b>PGS029 (185, -65)</b>	NSR					132.6	Basal Claron		0.0
<b>PGS030 (185, -45)</b>	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
<b>PGS031 (0, -85)</b>	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS032 (135, -65)</b>	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		<b>25.6</b>
and	132.6	137.2	4.6	0.22					
and	<b>160.0</b>	<b>185.9</b>	<b>25.9</b>	<b>0.80</b>					
incl	<b>181.4</b>	<b>185.9</b>	<b>4.6</b>	<b>1.54</b>					
<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					
<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
<b>PGS038 (135, -60)</b>	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
<b>PGS039 (225, -65)</b>	<b>105.2</b>	<b>144.8</b>	<b>39.6</b>	<b>0.60</b>	0.2	182.9	Basal Claron		<b>24.38</b>
including	<b>118.9</b>	<b>121.9</b>	<b>3.0</b>	<b>1.65</b>					
and	152.4	153.9	1.5	0.37					
<b>PGS040 (155, -50)</b>	<b>128.0</b>	<b>146.3</b>	<b>18.3</b>	<b>1.15</b>	0.2	198.1	Basal Claron		<b>48.6</b>
including	<b>137.2</b>	<b>143.3</b>	<b>6.1</b>	<b>1.95</b>					
and	<b>166.1</b>	<b>198.1</b>	<b>32.0</b>	<b>0.86</b>					
including	<b>172.2</b>	<b>182.9</b>	<b>10.7</b>	<b>1.72</b>					
<b>PGS041C (52, -60)</b>	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		<b>56.5</b>
and	<b>71.0</b>	<b>101.5</b>	<b>30.5</b>	<b>1.85</b>					
incl	<b>71.0</b>	<b>89.3</b>	<b>18.3</b>	<b>2.63</b>					
<b>PGS042 (0, -90)</b>	NSR				0.2	135.6			0
<b>PGS043 (220, -55)</b>	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					
<b>PGS044C (275, -63)</b>	<b>66.4</b>	<b>113.7</b>	<b>47.2</b>	<b>1.06</b>	0.2	136.6	Basal Claron		<b>58.1</b>
and	116.3	118.0	1.7	0.22					
and	119.3	135.0	15.7	0.47					
<b>PGS045 (180, -48)</b>	NSR					182.9	Basal Claron		0
<b>PGS046C (180, -55)</b>	<b>103.3</b>	<b>148.7</b>	<b>45.4</b>	<b>0.87</b>	0.2	186.8	Basal Claron		<b>40.6</b>
incl	132.9	136.6	3.7	1.65					
and	173.1	177.7	4.6	0.25					
<b>PGS047 (0, -61)</b>	<b>103.6</b>	<b>140.2</b>	<b>36.6</b>	<b>0.76</b>	0.2	146.3	Basal Claron		<b>27.9</b>

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m	
<b>PGS048 (110, -49)</b>	<b>51.8</b>	<b>89.9</b>	<b>38.1</b>	<b>3.28</b>	<b>0.2</b>	121.9	Basal Claron		125.0	
incl	54.9	77.7	22.9	4.92	1					
incl	65.5	76.2	10.7	8.27	5					
<b>PGS049 (315, -68 )</b>	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9	
and	91.4	152.4	61.0	0.87						
incl	93.0	100.6	7.6	2.83						1
and incl	144.8	147.8	3.0	1.72						1
<b>PGS050 (45, -47)</b>	<b>83.8</b>	<b>117.3</b>	<b>33.5</b>	<b>0.68</b>	<b>0.2</b>	129.5	Basal Claron		22.9	
<b>PGS051C (275, -82)</b>	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7	
and	84.4	86.0	1.5	0.22						
and	92.0	93.6	1.5	0.37						
and	110.3	151.5	41.1	2.64						0.2
incl	119.5	151.5	32.0	3.22						1
incl	133.5	139.3	5.8	6.56	5					
<b>PGS052 (210, -50)</b>	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4	
and	102.1	105.2	3.0	0.21						
and	106.7	111.3	4.6	0.22						
and	114.3	149.4	35.1	0.44						
and	161.5	164.6	3.0	0.26						
and	178.3	179.8	1.5	0.43						
and	182.9	184.4	1.5	0.22						
<b>PGS053 (200, -54)</b>	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1	
incl	143.3	149.4	6.1	1.91	1					
<b>PGS054C (60, -68)</b>	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6	
incl	82.6	94.9	12.3	2.00	1					
and incl	101.9	138.1	36.2	2.77						
incl	124.7	127.7	3.0	6.04						5
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7	
	157.0	161.5	4.6	0.32						
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4	
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8	
and	93.0	117.3	24.4	0.76						
incl	108.2	115.8	7.6	1.34						1
<b>PGS058 (240, -60)</b>	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4	
incl	27.4	47.2	19.8	1.98	1					
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6	
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3	
and	50.3	53.3	3.0	0.50						
and	64.0	73.2	9.1	0.33						
<b>PGS061 (0, -90)</b>			NSR			106.7	Basal Claron	target interval faulted out?	0	
<b>PGS062 (245, -70)</b>	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2	
<b>PGS063C (220, -60)</b>	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																		
PGS064 (180, -70)	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4																																																																																																																																																																																																																																																																																																																		
and	131.1	157.0	25.9	0.42						PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1	PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1	PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1	and	159.7	187.8	28.0	0.52	0.2	PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7	and	144.8	152.4	7.6	1.97	0.2	PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)			NSR			86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and
PGS065 (180, -55)	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1																																																																																																																																																																																																																																																																																																																		
PGS066 (110, -50)	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1																																																																																																																																																																																																																																																																																																																		
PGS067C (140, -60)	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the	Poor recovery in higher grade	25.1																																																																																																																																																																																																																																																																																																																		
and	159.7	187.8	28.0	0.52	0.2					PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7	and	144.8	152.4	7.6	1.97	0.2	PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)			NSR			86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and	102.1	115.8	13.7	0.38	0.2																															
PGS068 (215, -55)	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7																																																																																																																																																																																																																																																																																																																		
and	144.8	152.4	7.6	1.97	0.2					PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	PGS071 (0, -90)			NSR			86.9	Basal Claron			PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	and	123.4	134.1	10.7	0.58	0.2	PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8			5			102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7					4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and	102.1	115.8	13.7	0.38	0.2																																								
PGS069 (0, -90)	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8																																																																																																																																																																																																																																																																																																																		
PGS070 (30, -60)	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7																																																																																																																																																																																																																																																																																																																		
PGS071 (0, -90)			NSR			86.9	Basal Claron																																																																																																																																																																																																																																																																																																																				
PGS072 (110, -70)	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8																																																																																																																																																																																																																																																																																																																		
and	123.4	134.1	10.7	0.58	0.2					PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	and	48.8	59.4	10.7	0.40	0.2	PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and	102.1	115.8	13.7	0.38	0.2																																																																																													
PGS073C (215, -60)	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5																																																																																																																																																																																																																																																																																																																		
PGS074 (310, -65)	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6																																																																																																																																																																																																																																																																																																																		
and	48.8	59.4	10.7	0.40	0.2					PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	and	53.3	56.4	3.0	0.20	0.2	PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8	5		102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR							121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and	102.1	115.8	13.7	0.38	0.2																																																																																																																			
PGS075 (15, -55)	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3																																																																																																																																																																																																																																																																																																																		
and	53.3	56.4	3.0	0.20	0.2					PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	and	99.1	105.2	6.1	29.1	0.2		incl.	100.6	105.2	4.6	38.8			5			102 ppm met screen sample	PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	PGS078 (60, -65)			NSR			105.2	Basal Claron			PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	and	42.7	47.2	4.6	0.38	0.2	PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7					4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and	102.1	115.8	13.7	0.38	0.2																																																																																																																																
PGS076 (0, -90)	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7																																																																																																																																																																																																																																																																																																																		
and	99.1	105.2	6.1	29.1	0.2																																																																																																																																																																																																																																																																																																																						
incl.	100.6	105.2	4.6	38.8	5					102 ppm met screen sample																																																																																																																																																																																																																																																																																																																	
PGS077 (270, -60)	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6																																																																																																																																																																																																																																																																																																																		
PGS078 (60, -65)			NSR			105.2	Basal Claron																																																																																																																																																																																																																																																																																																																				
PGS079 (90, -65)	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4																																																																																																																																																																																																																																																																																																																		
and	42.7	47.2	4.6	0.38	0.2					PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	and	32.0	33.5	1.5	0.95	0.2	and	38.1	42.7	4.6	0.30	0.2	and	54.9	88.4	33.5	0.42	0.2	PGS081 (200, -45)			NSR			121.9	Basal Claron			PGS082 (0, -90)			NSR			121.9	Basal Claron			PGS083 (0, -90)			NSR			141.7	Basal Claron			PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	and	141.7	152.4	10.7	0.32	0.2	PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	and	102.1	115.8	13.7	0.38	0.2																																																																																																																																																																																																				
PGS080 (200, -70)	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9																																																																																																																																																																																																																																																																																																																		
and	32.0	33.5	1.5	0.95	0.2																																																																																																																																																																																																																																																																																																																						
and	38.1	42.7	4.6	0.30	0.2																																																																																																																																																																																																																																																																																																																						
and	54.9	88.4	33.5	0.42	0.2																																																																																																																																																																																																																																																																																																																						
PGS081 (200, -45)			NSR			121.9	Basal Claron																																																																																																																																																																																																																																																																																																																				
PGS082 (0, -90)			NSR			121.9	Basal Claron																																																																																																																																																																																																																																																																																																																				
PGS083 (0, -90)			NSR			141.7	Basal Claron																																																																																																																																																																																																																																																																																																																				
PGS084 (330, -63)	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3																																																																																																																																																																																																																																																																																																																		
and	141.7	152.4	10.7	0.32	0.2																																																																																																																																																																																																																																																																																																																						
PGS085 (143, -55)	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9																																																																																																																																																																																																																																																																																																																		
PGS086 (180, -70)	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																																																																																																																																																																																																																																																		
PGS087 (215, -60)	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0																																																																																																																																																																																																																																																																																																																		
and	102.1	115.8	13.7	0.38	0.2																																																																																																																																																																																																																																																																																																																						

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4
<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7
incl	97.5	102.1	4.6	1.52	1				
<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2
and	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks		
incl	99.1	100.6	1.5	2.30	1.0				
<b>PGS091 (320, -68)</b>	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
<b>PGS092 (20, -63)</b>	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
<b>PGS093 (313, -75)</b>			NSR			135.6	Basal Claron		
<b>PGS094 (57, -65)</b>			NSR			182.9	Basal Claron		
<b>PGS095 (148, -55)</b>	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
<b>PGS096 (223, -45)</b>	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
<b>PGS097 (25, -53)</b>	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
<b>PGS098 (175, -55)</b>	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
<b>PGS099 (210, -50)</b>	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
<b>PGS100 (235, -45)</b>	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60			Paleozoic Rocks		
<b>PGS101 (210, -55)</b>	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
<b>PGS102 (245, -50)</b>	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
<b>PGS103 (165, -65)</b>	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2
<b>PGS104 (330, -80)</b>	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1		Paleozoic Rocks		
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2				
<b>PGS105 (90, -65)</b>	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
<b>PGS106 (125, -75)</b>	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2				
							Paleozoic rocks		
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben	
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																															
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0																																																																																																																																																																																																																																																																																																															
incl	57.9	62.5	4.6	1.03	0.5					PGS132 (45, -65)	NSR					105.2		Peg Leg Graben		PGS133 (310, -45)	NSR					109.7		Dip Slope Zone		PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6	and	61.0	73.2	12.2	0.50	0.2	PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5	PGS136 (315, -55)	NSR					86.9	Basal Claron	Dip Slope Zone		PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0	PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6	PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1	PGS140 (210, -65)	NSR					138.7	Basal Claron	Peg Leg Graben		PGS141 (270, -70)	NSR					111.3	Basal Claron	Peg Leg Graben		PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9	incl	97.5	103.6	6.1	1.24	0.5	PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6	PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0	and	83.8	97.5	13.7	0.27	0.2	and	120.4	126.5	6.1	1.14	0.2	PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4	and	89.9	96.0	6.1	0.47	0.2	and	115.8	118.9	3.0	0.58	0.2	PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5	and	47.2	50.3	3.0	2.57	0.2	Chainman Shale	PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6	PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5	Incl	111.3	117.3	6.1	0.96	0.5	PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6	and	108.2	134.1	25.9	0.54	0.2	and	147.8	158.5	10.7	0.75	0.2	PGS150 (0, -90)	NSR					117.3	Basal Claron	Dip Slope		PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1	PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9	and	126.5	134.1	7.6	0.66	0.2	PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3	PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8	PGS155 (45, -60)	NSR				
PGS132 (45, -65)	NSR					105.2		Peg Leg Graben																																																																																																																																																																																																																																																																																																																
PGS133 (310, -45)	NSR					109.7		Dip Slope Zone																																																																																																																																																																																																																																																																																																																
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	121.9	Basal Claron	Dip Slope Zone	7.6																																																																																																																																																																																																																																																																																																															
and	61.0	73.2	12.2	0.50	0.2					PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5	PGS136 (315, -55)	NSR					86.9	Basal Claron	Dip Slope Zone		PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0	PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6	PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1	PGS140 (210, -65)	NSR					138.7	Basal Claron	Peg Leg Graben		PGS141 (270, -70)	NSR					111.3	Basal Claron	Peg Leg Graben		PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9	incl	97.5	103.6	6.1	1.24	0.5	PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6	PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0	and	83.8	97.5	13.7	0.27	0.2	and	120.4	126.5	6.1	1.14	0.2	PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4	and	89.9	96.0	6.1	0.47	0.2	and	115.8	118.9	3.0	0.58	0.2	PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5	and	47.2	50.3	3.0	2.57	0.2	Chainman Shale	PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6	PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5	Incl	111.3	117.3	6.1	0.96	0.5	PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6	and	108.2	134.1	25.9	0.54	0.2	and	147.8	158.5	10.7	0.75	0.2	PGS150 (0, -90)	NSR					117.3	Basal Claron	Dip Slope		PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1	PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9	and	126.5	134.1	7.6	0.66	0.2	PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3	PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8	PGS155 (45, -60)	NSR					189.0	Basal Claron	West Goldstrike Graben																																	
PGS135 (0, -90)	89.9	111.3	21.3	0.82	0.2	121.9	Basal Claron	Peg Leg Graben	17.5																																																																																																																																																																																																																																																																																																															
PGS136 (315, -55)	NSR					86.9	Basal Claron	Dip Slope Zone																																																																																																																																																																																																																																																																																																																
PGS137 (210, -65)	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0																																																																																																																																																																																																																																																																																																															
PGS138 (135, -75)	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6																																																																																																																																																																																																																																																																																																															
PGS139 (270, -65)	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1																																																																																																																																																																																																																																																																																																															
PGS140 (210, -65)	NSR					138.7	Basal Claron	Peg Leg Graben																																																																																																																																																																																																																																																																																																																
PGS141 (270, -70)	NSR					111.3	Basal Claron	Peg Leg Graben																																																																																																																																																																																																																																																																																																																
PGS142 (245, -75)	76.2	117.3	41.1	0.51	0.2	152.4	Basal Claron	Dip Slope Zone	20.9																																																																																																																																																																																																																																																																																																															
incl	97.5	103.6	6.1	1.24	0.5					PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6	PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0	and	83.8	97.5	13.7	0.27	0.2	and	120.4	126.5	6.1	1.14	0.2	PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4	and	89.9	96.0	6.1	0.47	0.2	and	115.8	118.9	3.0	0.58	0.2	PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5	and	47.2	50.3	3.0	2.57	0.2	Chainman Shale	PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6	PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5	Incl	111.3	117.3	6.1	0.96	0.5	PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6	and	108.2	134.1	25.9	0.54	0.2	and	147.8	158.5	10.7	0.75	0.2	PGS150 (0, -90)	NSR					117.3	Basal Claron	Dip Slope		PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1	PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9	and	126.5	134.1	7.6	0.66	0.2	PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3	PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8	PGS155 (45, -60)	NSR					189.0	Basal Claron	West Goldstrike Graben																																																																																																																							
PGS143 (0, -90)	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6																																																																																																																																																																																																																																																																																																															
PGS144 (90, -65)	70.1	74.7	4.6	0.24	0.2	147.8	Basal Claron	Dip Slope Zone	7.0																																																																																																																																																																																																																																																																																																															
and	83.8	97.5	13.7	0.27	0.2																																																																																																																																																																																																																																																																																																																			
and	120.4	126.5	6.1	1.14	0.2																																																																																																																																																																																																																																																																																																																			
PGS145 (175, -60)	0.0	13.7	13.7	0.57	0.2	121.9	Basal Claron	Peg Leg Graben	12.4																																																																																																																																																																																																																																																																																																															
and	89.9	96.0	6.1	0.47	0.2																																																																																																																																																																																																																																																																																																																			
and	115.8	118.9	3.0	0.58	0.2																																																																																																																																																																																																																																																																																																																			
PGS146 (0, -60)	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	15.5																																																																																																																																																																																																																																																																																																															
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale																																																																																																																																																																																																																																																																																																																	
PGS147 (35, -45)	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6																																																																																																																																																																																																																																																																																																															
PGS148 (125, -55)	106.7	129.5	22.9	0.51	0.2	169.2	Basal Claron	Main	11.5																																																																																																																																																																																																																																																																																																															
Incl	111.3	117.3	6.1	0.96	0.5																																																																																																																																																																																																																																																																																																																			
PGS149 (0, -70)	94.5	96.0	1.5	0.48	0.2	166.1	Basal Claron	Peg Leg Graben	22.6																																																																																																																																																																																																																																																																																																															
and	108.2	134.1	25.9	0.54	0.2																																																																																																																																																																																																																																																																																																																			
and	147.8	158.5	10.7	0.75	0.2																																																																																																																																																																																																																																																																																																																			
PGS150 (0, -90)	NSR					117.3	Basal Claron	Dip Slope																																																																																																																																																																																																																																																																																																																
PGS151 (220, -55)	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1																																																																																																																																																																																																																																																																																																															
PGS152 (310, -60)	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9																																																																																																																																																																																																																																																																																																															
and	126.5	134.1	7.6	0.66	0.2																																																																																																																																																																																																																																																																																																																			
PGS153 (50, -60)	108.2	129.5	21.3	0.58	0.2	166.1	Basal Claron	Dip Slope	12.3																																																																																																																																																																																																																																																																																																															
PGS154 (110, -45)	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8																																																																																																																																																																																																																																																																																																															
PGS155 (45, -60)	NSR					189.0	Basal Claron	West Goldstrike Graben																																																																																																																																																																																																																																																																																																																

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS156 (45, -65)	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
PGS157 (315, -60)			NSR			227.1	Basal Claron	West Goldstrike Graben	
PGS158 (210, -75)			NSR			77.7	Basal Claron	Dip Slope	
PGS159 (140, -45)	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5
PGS160 (270, -60)			NSR			221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.2				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)			NSR			201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
incl	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)			NSR			166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)			NSR			175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)			NSR			182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178 (50, -45)	24.4	25.9	1.5	0.39	0.2	141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																				
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5																																																																																																																																																																																																				
incl	96.0	108.2	12.2	3.54	1					PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1	PGS181 (0, -60)	NSR					172.2	Basal Claron	Peg Leg		PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.2	129.5	Covington Dike	Covington	13.9	and	100.6	111.3	10.7	1.15	PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9	and	121.9	155.4	33.5	0.76	0.2	incl	125.0	131.1	6.1	1.47	1	PGS184 (280, -60)	NSR					117.3		Covington hole lost above target		PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0	and	51.8	57.9	6.1	0.74	0.2	PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11	and	54.9	56.4	1.5	0.59	and	68.6	80.8	12.2	0.41	and	89.9	94.5	4.6	0.28	PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8	incl	50.3	62.5	12.2	1.77	1	and	65.5	73.2	7.6	0.20	0.2	and	80.8	83.8	3.0	0.27	0.2	PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7	incl.	137.2	141.7	4.6	1.45	1	PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9	PGS190 (151, -60)	NSR					170.7		Covington - did not intercept target		PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8	and	27.4	35.1	7.6	4.10	0.2	incl	29.0	33.5	4.6	6.32	1	and	41.1
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1																																																																																																																																																																																																				
PGS181 (0, -60)	NSR					172.2	Basal Claron	Peg Leg																																																																																																																																																																																																					
PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.2	129.5	Covington Dike	Covington	13.9																																																																																																																																																																																																				
and	100.6	111.3	10.7	1.15						PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9	and	121.9	155.4	33.5	0.76	0.2	incl	125.0	131.1	6.1	1.47	1	PGS184 (280, -60)	NSR					117.3		Covington hole lost above target		PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0	and	51.8	57.9	6.1	0.74	0.2	PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11	and	54.9	56.4	1.5	0.59	and	68.6	80.8	12.2	0.41	and	89.9	94.5	4.6	0.28	PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8	incl	50.3	62.5	12.2	1.77	1	and	65.5	73.2	7.6	0.20	0.2	and	80.8	83.8	3.0	0.27	0.2	PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7	incl.	137.2	141.7	4.6	1.45	1	PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9	PGS190 (151, -60)	NSR					170.7		Covington - did not intercept target		PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8	and	27.4	35.1	7.6	4.10	0.2	incl	29.0	33.5	4.6	6.32	1	and	41.1	45.7	4.6	1.76	0.2																															
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9																																																																																																																																																																																																				
and	121.9	155.4	33.5	0.76	0.2																																																																																																																																																																																																								
incl	125.0	131.1	6.1	1.47	1																																																																																																																																																																																																								
PGS184 (280, -60)	NSR					117.3		Covington hole lost above target																																																																																																																																																																																																					
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0																																																																																																																																																																																																				
and	51.8	57.9	6.1	0.74	0.2																																																																																																																																																																																																								
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11																																																																																																																																																																																																				
and	54.9	56.4	1.5	0.59																																																																																																																																																																																																									
and	68.6	80.8	12.2	0.41																																																																																																																																																																																																									
and	89.9	94.5	4.6	0.28																																																																																																																																																																																																									
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8																																																																																																																																																																																																				
incl	50.3	62.5	12.2	1.77	1																																																																																																																																																																																																								
and	65.5	73.2	7.6	0.20	0.2																																																																																																																																																																																																								
and	80.8	83.8	3.0	0.27	0.2																																																																																																																																																																																																								
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7																																																																																																																																																																																																				
incl.	137.2	141.7	4.6	1.45	1																																																																																																																																																																																																								
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9																																																																																																																																																																																																				
PGS190 (151, -60)	NSR					170.7		Covington - did not intercept target																																																																																																																																																																																																					
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8																																																																																																																																																																																																				
and	27.4	35.1	7.6	4.10	0.2																																																																																																																																																																																																								
incl	29.0	33.5	4.6	6.32	1																																																																																																																																																																																																								
and	41.1	45.7	4.6	1.76	0.2																																																																																																																																																																																																								

### Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)	NSR					172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)	NSR					129.5	Warrior to Aggie		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)	NSR					172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31	0.2	172.2	Dip Slope		9.0
and	54.9	57.9	3.0	0.68					
and	67.1	71.6	4.6	1.41					
PGS200 (135, -45)	NSR					129.5	Dip Slope		
PGS201 (30, -60)	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5
incl	173.7	187.5	13.7	1.08	0.5				
PGS202 (100, -45)	NSR					160.0	Dip Slope		
PGS203 (0, -65)	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7
and	160.0	179.8	19.8	0.65	0.2				
incl	161.5	170.7	9.1	0.92	0.5				
PGS204 (0, -80)	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9
and	160.0	179.8	19.8	0.65	0.2				
incl.	161.5	170.7	9.1	0.92	0.5				
PGS205 (75, -40)	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7
and	134.1	138.7	4.6	2.01	0.2			Paleozoic Host Rocks	
PGS206 (320, -45)	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5
PGS207 (0, -85)	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6
PGS208 (275, -73)	NSR					202.7	Western Grabens	Anomalous	
PGS209 (0, -45)	NSR					93.0	Western Grabens	Hole Lost Above Target	
PGS210 (275, -65)	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6
incl	115.8	120.4	4.6	0.89	0.5				
PGS211 (320, -45)	NSR					166.1	Western Grabens		
PGS212 (63, -48)	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4
incl	143.3	152.4	9.1	1.02	0.5				
PGS213 (280, -45)	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3
PGS214 (340, -45)	NSR					187.5	Dip Slope	Target not Intercepted	
PGS215 (0, -65)	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS216 (180, -65)	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2
and	85.3	91.4	6.1	0.28					
PGS217 (233, -70)	NSR						Western Grabens		
PGS218 (135, -45)	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8
PGS219 (120, -85)	NSR					117.3	Western Grabens		
PGS220 (110, -45)	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1
incl	152.4	167.6	15.2	1.16	0.5				
PGS221 (75, -45)	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0
PGS222 (315, -55)	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1
PGS223 (55, -65)	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
and	196.6	198.1	1.5	0.20	0.2				
PGS224 (0, -90)	86.9	115.8	29.0	0.94	0.2	190.5	Peg Leg	Claron Host Rocks	27.8
incl	99.1	115.8	16.8	1.15	0.5			Paleozoic Host Rocks	
and	134.1	135.6	1.5	0.41	0.2				
PGS225 (340, -65)	NSR					205.7	Dip Slope	Anomalous	
PGS226 (285, -45)	NSR					166.1	Peg Leg		
PGS227 (275, -55)	62.5	76.2	13.7	1.61	0.2	135.6	Peg Leg		42.0
incl	65.5	74.7	9.1	2.05	1				
and	86.9	102.1	15.2	0.98	0.2				
incl	89.9	97.5	7.6	1.35	1				
and	118.9	126.5	7.6	0.65	0.2				
PGS228 (260, -50)	85.3	96.0	10.7	0.73	0.2	166.1	Dip Slope		9.2
incl	91.4	93.0	1.5	2.56	1				
and	149.4	153.9	4.6	0.30	0.2				
PGS229 (200, -55)	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
PGS230 (115, -45)	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
and	91.4	109.7	18.3	0.29	0.2				
PGS231 (240, -60)	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
and	32.0	38.1	6.1	1.31	0.2				
PGS232 (205, -77)	NSR					86.9	Dip Slope		
PGS233 (270, -55)	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
PGS234 (200, -50)	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
PGS235 (5, -55)	82.3	99.1	16.8	0.33	0.2	196.6	Aggie - Warrior		49.2
and	117.3	167.6	50.3	0.85	0.2				
incl	129.5	144.8	15.2	1.81	0.5				
and	175.3	176.8	1.5	0.66	0.2				
PGS236 (280, -60)	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																									
PGS237 (320, -60)	73.2	86.9	13.7	1.43	0.2	160.0	Main		19.7																																																																																																																																																																																																																																																																																																																									
Incl	76.2	83.8	7.6	2.33	0.5					PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4	PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9	and	10.7	12.2	1.5	0.71	0.2	PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9	and	164.6	181.4	16.8	0.33	0.2	and	182.9	193.5	10.7	0.42	0.2	PGS241 (95, -62)	NSR					147.8	Warrior			PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2	incl	109.7	118.9	9.1	3.48	1	and	143.3	153.9	10.7	0.34	0.2	PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1	incl	128.0	135.6	7.6	1.61	1	PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6	incl	111.3	120.4	9.1	0.84	0.5	PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2	and	94.5	117.3	22.9	1.80	0.2	Paleozoic Strata	incl	105.2	117.3	12.2	2.98	1	PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8	and	77.7	89.9	12.2	0.32	PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9	PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8	incl.	82.3	89.9	7.6	1.20	1	PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)	NSR					109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2
PGS238 (330, -70)	88.4	94.5	6.1	0.22	0.2	160.0	West Aggie		1.4																																																																																																																																																																																																																																																																																																																									
PGS239 (90, -65)	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9																																																																																																																																																																																																																																																																																																																									
and	10.7	12.2	1.5	0.71	0.2					PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9	and	164.6	181.4	16.8	0.33	0.2	and	182.9	193.5	10.7	0.42	0.2	PGS241 (95, -62)	NSR					147.8	Warrior			PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2	incl	109.7	118.9	9.1	3.48	1	and	143.3	153.9	10.7	0.34	0.2	PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1	incl	128.0	135.6	7.6	1.61	1	PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6	incl	111.3	120.4	9.1	0.84	0.5	PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2	and	94.5	117.3	22.9	1.80	0.2	Paleozoic Strata	incl	105.2	117.3	12.2	2.98	1	PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8	and	77.7	89.9	12.2	0.32	PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9	PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8	incl.	82.3	89.9	7.6	1.20	1	PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7	PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3	incl.	47.2	53.3	6.1	5.59	1	PGS251 (210, -55)	NSR					109.7	Dip Slope	Bull Valley Wash area		PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7	PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2	and	108.2	118.9	10.7	0.74	Claron Formation?	and	157.0	161.5	4.6	0.37	and	169.2	172.2	3.0	0.23	PGS254 (90, -45)	89.9	100.6	10.7	0.58				0.2		135.6	Dip Slope	Bull Valley Wash area	6.2	PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0	incl	0.0	4.6	4.6	3.48	1	and	54.9	56.4	1.5	0.63	0.2	PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1	and	134.1	140.2	6.1	1.85	0.2	Paleozoic strata	PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0	PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3																		
PGS240 (10, -65)	152.4	155.4	3.0	0.27	0.2	237.7	Warrior		10.9																																																																																																																																																																																																																																																																																																																									
and	164.6	181.4	16.8	0.33	0.2																																																																																																																																																																																																																																																																																																																													
and	182.9	193.5	10.7	0.42	0.2																																																																																																																																																																																																																																																																																																																													
PGS241 (95, -62)	NSR					147.8	Warrior																																																																																																																																																																																																																																																																																																																											
PGS242 (75, -65)	108.2	134.1	25.9	1.53	0.2	169.1	Warrior		43.2																																																																																																																																																																																																																																																																																																																									
incl	109.7	118.9	9.1	3.48	1																																																																																																																																																																																																																																																																																																																													
and	143.3	153.9	10.7	0.34	0.2																																																																																																																																																																																																																																																																																																																													
PGS243 (45, -64)	111.3	161.5	50.3	0.62	0.2	182.8	Warrior		31.1																																																																																																																																																																																																																																																																																																																									
incl	128.0	135.6	7.6	1.61	1																																																																																																																																																																																																																																																																																																																													
PGS244 (180, -65)	99.1	121.9	22.9	0.51	0.2	135.6	Peg Leg		11.6																																																																																																																																																																																																																																																																																																																									
incl	111.3	120.4	9.1	0.84	0.5																																																																																																																																																																																																																																																																																																																													
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2																																																																																																																																																																																																																																																																																																																									
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata																																																																																																																																																																																																																																																																																																																										
incl	105.2	117.3	12.2	2.98	1																																																																																																																																																																																																																																																																																																																													
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8																																																																																																																																																																																																																																																																																																																									
and	77.7	89.9	12.2	0.32																																																																																																																																																																																																																																																																																																																														
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9																																																																																																																																																																																																																																																																																																																									
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8																																																																																																																																																																																																																																																																																																																									
incl.	82.3	89.9	7.6	1.20	1																																																																																																																																																																																																																																																																																																																													
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7																																																																																																																																																																																																																																																																																																																									
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3																																																																																																																																																																																																																																																																																																																									
incl.	47.2	53.3	6.1	5.59	1																																																																																																																																																																																																																																																																																																																													
PGS251 (210, -55)	NSR					109.7	Dip Slope	Bull Valley Wash area																																																																																																																																																																																																																																																																																																																										
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7																																																																																																																																																																																																																																																																																																																									
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2																																																																																																																																																																																																																																																																																																																									
and	108.2	118.9	10.7	0.74				Claron Formation?																																																																																																																																																																																																																																																																																																																										
and	157.0	161.5	4.6	0.37																																																																																																																																																																																																																																																																																																																														
and	169.2	172.2	3.0	0.23																																																																																																																																																																																																																																																																																																																														
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2																																																																																																																																																																																																																																																																																																																									
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0																																																																																																																																																																																																																																																																																																																									
incl	0.0	4.6	4.6	3.48	1																																																																																																																																																																																																																																																																																																																													
and	54.9	56.4	1.5	0.63	0.2																																																																																																																																																																																																																																																																																																																													
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1																																																																																																																																																																																																																																																																																																																									
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata																																																																																																																																																																																																																																																																																																																										
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0																																																																																																																																																																																																																																																																																																																									
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3																																																																																																																																																																																																																																																																																																																									

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata	
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
PGS262 (105, -60)			NSR			120.4	Mineral Mtn		
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
incl.	35.1	41.1	6.1	1.46	1				
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
incl.	65.5	70.1	4.6	1.97	1.0				
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50)	16.8	36.6	19.8	0.39	0.2	121.9	Mineral Mtn		10.9
and	42.7	48.8	6.1	0.53	0.2				
PGS269 (180, -75)			NSR			166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90)	201.2	205.7	4.6	0.36	0.2	243.8	Caribou		8.4
and	214.9	216.4	1.5	1.11					
and	222.5	227.1	4.6	0.53					
and	234.7	237.7	3.0	0.58					
and	240.8	243.8	3.0	0.28					
PGS272 (5, -67)			NSR			121.9	Main		
PGS273 (100, -65)	42.7	53.3	10.7	0.53	0.2	172.2	Mineral Mtn		8.1
and	54.9	67.1	12.2	0.21					
PGS274 (330, -55)			NSR			219.5	West GS Graben		
PGS275 (75, -45)	16.8	22.9	6.1	2.03	0.2	150.9	Mineral Mtn		26.7
and	38.1	51.8	13.7	0.74					
and	59.4	62.5	3.0	0.56					
and	103.6	106.7	3.0	0.82					
PGS276 (0, -63)			NSR			196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70)	0.0	67.1	67.1	1.78	0.2	166.1	Mineral Mtn		119.4
incl	0.0	32.0	32.0	3.14	1				
PGS278 (20, -68)	109.7	149.4	39.6	0.60	0.2	182.9	Warrior		23.7
incl	108.2	120.4	12.2	1.01	0.5				
PGS279 (170, -80)	24.4	27.4	3.0	0.90	0.2	243.8	Caribou		42.5
and	38.1	117.3	79.2	0.45	0.2				
and	225.6	236.2	10.7	0.38					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65)	24.4	54.9	30.5	0.69	0.2	294.1	Caribou		61.0
incl	38.1	44.2	6.1	2.09	1				
and	61.0	68.6	7.6	0.41	0.2				
and	82.3	96.0	13.7	0.48	0.2				
incl	121.9	132.6	10.7	1.79	1				
PGS282 (0,-90)	96.0	111.3	15.2	0.94	0.2	175.3	Mineral Mtn		19.4
and	146.3	152.4	6.1	0.83					
PGS283 (220,-65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9
PGS284 (330, -75)	NSR					19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180,-65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01	0.2	105.2	Mineral Mtn		22.0
and	42.7	51.8	9.1	0.75					
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)	NSR					32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165,-57)	NSR					208.8	Caribou	Hole did not intersect target	
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.2	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.2	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.2				
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)	NSR					129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)	NSR					152.4	Covington	Hole did not intersect target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5
PGS309 (0,-90)	115.8	117.3	1.5	0.80	0.2	147.8	Western	Picaroon - long anomalous interval	2.1
and	126.5	129.5	3.0	0.27	0.2				
PGS310 (90, -60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0, -90)	76.2	77.7	1.5	0.40	0.2	120.4	Western	Picaroon - long anomalous interval	1.9
and	86.9	89.9	3.0	0.44	0.2				
PGS312 (0, -65)	NSR					152.4	Western	Picaroon - long anomalous interval	
PGS313 (170, -78)	201.2	207.3	6.1	0.32	0.2	221.0	Western	hole ended in mineralization	7.4
and	211.8	221.0	9.2	0.59	0.2				
PGS314 (0, -90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140, -50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70, -70)	NSR					129.5	Western	Picaroon - long anomalous interval	
PGS317 (150, -45)	19.8	59.4	39.6	0.48	0.2	144.8	Western	Caribou	27.3
and	70.1	76.2	6.1	0.40	0.2				
and	80.8	86.9	6.1	0.97	0.2				
PGS318 (0, -90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0, -75)	NSR					144.8	Western	Picaroon	
PGS320 (110, -55)	29.0	38.1	9.1	0.79	0.2	172.2	Western	Caribou	40.3
and	44.2	64.0	19.8	0.38	0.2				
and	70.1	96.0	25.9	0.99	0.2				
incl	82.3	93.0	10.7	1.40	1.0				
PGS321 (180, -60)	NSR					91.4	Main	Aggie	
PGS322 (90, -45)	18.3	22.9	4.6	0.77	0.2	160.0	Western	Caribou	36.2
and	30.5	94.5	64.0	0.51	0.2				
PGS323 (0, -90)	NSR					166.1	Western	Picaroon	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS324 (62, -55)</b>	<b>39.6</b>	<b>82.3</b>	<b>42.7</b>	<b>0.70</b>	0.2	141.7	<b>Western</b>	Caribou	<b>30.0</b>
incl	48.8	56.4	7.6	1.72	1				
<b>PGS325 (20, -78)</b>	73.2	76.2	3.0	0.81	0.2	141.7	Main	Aggie	9.5
and	94.5	108.2	13.7	0.52	0.2				
<b>PGS326 (170, -50)</b>	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
<b>PGS327 (78, -67)</b>	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
<b>PGS328 (0, -90)</b>	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
<b>PGS329 (140, -55)</b>	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
<b>PGS330 (120, -78)</b>	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
<b>PGS331 (0, -90)</b>	NSR					193.5	Western	Picaroon	
<b>PGS332 (225, -65)</b>	<b>152.4</b>	<b>167.6</b>	<b>15.2</b>	<b>0.41</b>	0.2	221.0	<b>Dip Slope</b>	Padre Haul Road	<b>13.3</b>
and	178.3	192.0	13.7	0.52	0.2				
<b>PGS333 (110, -45)</b>	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
<b>PGS334 (45, -70)</b>	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
<b>PGS335 (180, -65)</b>	<b>121.9</b>	<b>175.3</b>	<b>53.3</b>	<b>0.67</b>	0.2	178.3	<b>Dip Slope</b>	Padre Haul Road - hole lost in mineralization	<b>35.8</b>
incl	125.0	135.6	10.7	1.93	1				
<b>PGS336 (170, -45)</b>	<b>140.2</b>	<b>153.9</b>	<b>13.7</b>	<b>0.50</b>	0.2	198.1	Western	Moosehead	8.2
and	157.0	163.1	6.1	0.23	0.2				
<b>PGS337 (56, -55)</b>	NSR					134.1	Peg Leg		
<b>PGS338 (295, -55)</b>	<b>57.9</b>	<b>91.4</b>	<b>33.5</b>	<b>0.64</b>	0.2	135.6	<b>Peg Leg</b>		<b>26.5</b>
and	100.6	105.2	4.6	0.77	0.2				
and	128.0	129.5	1.5	0.96	0.2				
<b>PGS339 (150, -45)</b>	115.8	120.4	4.6	0.33	0.2	239.3	<b>Western</b>	Moosehead	<b>35.2</b>
and	129.5	172.2	42.7	0.79	0.2				
incl	146.3	157.0	10.7	1.60	1				
<b>PGS340 (0, -90)</b>	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
<b>PGS341 (340, -73)</b>	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
<b>PGS342 (135, -65)</b>	<b>137.2</b>	<b>176.8</b>	<b>39.6</b>	<b>0.38</b>	0.2	208.8	<b>Dip Slope</b>	Padre Haul Road	<b>25.4</b>
and	178.3	189.0	10.7	0.96	0.2				
<b>PGS343 (345, -65)</b>	NSR					105.2	Peg Leg		
<b>PGS344 (130, -45)</b>	<b>170.7</b>	<b>173.7</b>	<b>3.0</b>	<b>0.82</b>	0.2	230.1	<b>Western</b>	Moosehead	<b>17.8</b>
and	181.4	185.9	4.6	0.28					
and	190.5	202.7	12.2	1.15					
<b>PGS345 (0, -90)</b>	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
<b>PGS346 (145, -68)</b>	NSR					91.4	Peg Leg		
<b>PGS347 (85, -65)</b>	<b>161.5</b>	<b>201.2</b>	<b>39.6</b>	<b>0.69</b>	0.2	224.0	<b>Dip Slope</b>	Padre	<b>27.5</b>
incl	173.7	184.4	10.7	1.35	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																
<b>PGS348 (340, -65)</b>	4.6	6.1	1.5	0.48	0.2	103.6	Peg Leg		2.0																																																																																																																																																																																																																																																																																																																
and	71.6	73.2	1.5	0.80	0.2					<b>PGS349 (0, -90)</b>	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7	<b>PGS350 (270, -55)</b>	NSR					147.8	Peg Leg			<b>PGS351 (65, -45)</b>	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9	<b>PGS352 (0, -65)</b>	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0	<b>PGS353 (335, -50)</b>	NSR					80.8	Peg Leg			<b>PGS354 (0, -90)</b>	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8	<b>PGS355 (150, -60)</b>	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1	and	134.1	135.6	1.5	0.96	0.2	<b>PGS356 (115, -55)</b>	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8	and	109.7	132.6	22.9	0.77	0.2	incl	121.9	125.0	3.0	1.71	1	<b>PGS357 (0, -90)</b>	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5	and	57.9	70.1	12.2	0.36	0.2	<b>PGS358 (75, -60)</b>	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2	and	94.5	99.1	4.6	0.29	0.2	<b>PGS359 (0, -90)</b>	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2	<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg			<b>PGS361 (0, -60)</b>	NSR					135.6	Western			<b>PGS362 (0, -90)</b>	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8	incl	76.2	89.9	13.7	1.89	1	<b>PGS363 (80, -55)</b>	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5	incl	67.1	70.1	3.0	2.32	1	and	91.4	99.1	7.6	0.30	0.2	<b>PGS364 (120, -45)</b>	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3	incl	56.4	65.5	9.1	1.66	1	<b>PGS365 (0, -70)</b>	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9	incl	117.3	120.4	3.0	2.03	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2	<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	83.8	103.6	19.8	0.54	0.2	146.3	Dip Slope	Padre	10.7	incl	86.9	89.9	3.0	1.22	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2
<b>PGS349 (0, -90)</b>	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7																																																																																																																																																																																																																																																																																																																
<b>PGS350 (270, -55)</b>	NSR					147.8	Peg Leg																																																																																																																																																																																																																																																																																																																		
<b>PGS351 (65, -45)</b>	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9																																																																																																																																																																																																																																																																																																																
<b>PGS352 (0, -65)</b>	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0																																																																																																																																																																																																																																																																																																																
<b>PGS353 (335, -50)</b>	NSR					80.8	Peg Leg																																																																																																																																																																																																																																																																																																																		
<b>PGS354 (0, -90)</b>	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8																																																																																																																																																																																																																																																																																																																
<b>PGS355 (150, -60)</b>	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1																																																																																																																																																																																																																																																																																																																
and	134.1	135.6	1.5	0.96	0.2					<b>PGS356 (115, -55)</b>	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8	and	109.7	132.6	22.9	0.77	0.2	incl	121.9	125.0	3.0	1.71	1	<b>PGS357 (0, -90)</b>	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5	and	57.9	70.1	12.2	0.36	0.2	<b>PGS358 (75, -60)</b>	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2	and	94.5	99.1	4.6	0.29	0.2	<b>PGS359 (0, -90)</b>	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2	<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg			<b>PGS361 (0, -60)</b>	NSR					135.6	Western			<b>PGS362 (0, -90)</b>	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8	incl	76.2	89.9	13.7	1.89	1	<b>PGS363 (80, -55)</b>	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5	incl	67.1	70.1	3.0	2.32	1	and	91.4	99.1	7.6	0.30	0.2	<b>PGS364 (120, -45)</b>	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3	incl	56.4	65.5	9.1	1.66	1	<b>PGS365 (0, -70)</b>	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9	incl	117.3	120.4	3.0	2.03	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2	<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	83.8	103.6	19.8	0.54	0.2	146.3	Dip Slope	Padre	10.7	incl	86.9	89.9	3.0	1.22	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6																																																																								
<b>PGS356 (115, -55)</b>	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8																																																																																																																																																																																																																																																																																																																
and	109.7	132.6	22.9	0.77	0.2																																																																																																																																																																																																																																																																																																																				
incl	121.9	125.0	3.0	1.71	1																																																																																																																																																																																																																																																																																																																				
<b>PGS357 (0, -90)</b>	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5																																																																																																																																																																																																																																																																																																																
and	57.9	70.1	12.2	0.36	0.2																																																																																																																																																																																																																																																																																																																				
<b>PGS358 (75, -60)</b>	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2																																																																																																																																																																																																																																																																																																																
and	94.5	99.1	4.6	0.29	0.2																																																																																																																																																																																																																																																																																																																				
<b>PGS359 (0, -90)</b>	0.0	10.7	10.7	0.77	0.2	50.3	Peg Leg		8.2																																																																																																																																																																																																																																																																																																																
<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg																																																																																																																																																																																																																																																																																																																		
<b>PGS361 (0, -60)</b>	NSR					135.6	Western																																																																																																																																																																																																																																																																																																																		
<b>PGS362 (0, -90)</b>	76.2	108.2	32.0	1.22	0.2	141.7	Dip Slope	Padre	38.8																																																																																																																																																																																																																																																																																																																
incl	76.2	89.9	13.7	1.89	1																																																																																																																																																																																																																																																																																																																				
<b>PGS363 (80, -55)</b>	61.0	74.7	13.7	0.82	0.2	114.3	Peg Leg		13.5																																																																																																																																																																																																																																																																																																																
incl	67.1	70.1	3.0	2.32	1																																																																																																																																																																																																																																																																																																																				
and	91.4	99.1	7.6	0.30	0.2																																																																																																																																																																																																																																																																																																																				
<b>PGS364 (120, -45)</b>	54.9	74.7	19.8	0.92	0.2	152.4	Western		18.3																																																																																																																																																																																																																																																																																																																
incl	56.4	65.5	9.1	1.66	1																																																																																																																																																																																																																																																																																																																				
<b>PGS365 (0, -70)</b>	97.5	135.6	38.1	0.65	0.2	163.1	Dip Slope	Padre	24.9																																																																																																																																																																																																																																																																																																																
incl	117.3	120.4	3.0	2.03	1																																																																																																																																																																																																																																																																																																																				
<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3																																																																																																																																																																																																																																																																																																																
and	54.9	61.0	6.1	0.34	0.2																																																																																																																																																																																																																																																																																																																				
and	158.5	160.0	1.5	1.92	0.2																																																																																																																																																																																																																																																																																																																				
<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6																																																																																																																																																																																																																																																																																																																
<b>PGS368 (90, -55)</b>	83.8	103.6	19.8	0.54	0.2	146.3	Dip Slope	Padre	10.7																																																																																																																																																																																																																																																																																																																
incl	86.9	89.9	3.0	1.22	1																																																																																																																																																																																																																																																																																																																				
<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run																																																																																																																																																																																																																																																																																																																	
<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre																																																																																																																																																																																																																																																																																																																	
<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6																																																																																																																																																																																																																																																																																																																

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6
<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6
<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0
<b>PGS375 (300, -65)</b>	25.9	47.2	21.3	0.60	0.2	129.5	Western		12.8
<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre	
<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6
and	160.0	163.1	3.0	0.74	0.2				
<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run	
<b>PGS379 (290, -60)</b>	83.8	105.2	21.3	0.94	0.2	182.9	Dip Slope	Padre	20.0
<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3
<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0
and	54.9	59.4	4.6	0.32	0.2				
<b>PGS382 (0, -60)</b>	77.7	79.2	1.5	0.33	0.2	120.4	Dip Slope	Padre	0.5
<b>PGS383 (150, -85)</b>	NSR					121.9	Western	Western Graben	
<b>PGS384 (0, -65)</b>	NSR					144.8	Western	Bull Run	
<b>PGS385 (0, -80)</b>	NSR					123.4	Western	Bull Run	
<b>PGS386 (200, -65)</b>	NSR					160.0	Dip Slope	Padre	
<b>PGS387 (0, -65)</b>	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
<b>PGS388 (0, -90)</b>	NSR					202.7	Western	Western Graben	
<b>PGS389 (180, -65)</b>	NSR					135.6	Dip Slope	North Padre Pit	
<b>PGS390 (330, -65)</b>	NSR					99.1	Western		
<b>PGS391 (0, -60)</b>	NSR					189.0	Western	Western	
<b>PGS392 (90, -75)</b>	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
<b>PGS393 (240, -50)</b>	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6
<b>PGS394 (0, -45)</b>	NSR					172.2	Western	Bull Run	
<b>PGS395 (35, -65)</b>	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
<b>PGS396 (90, -50)</b>	NSR					152.4	Dip Slope	Padre Pit	
<b>PGS397 (0, -50)</b>	147.8	202.7	54.9	0.64	0.2	208.8	Western	North Moosehead Pit	35.0
incl	161.5	170.7	9.1	1.40	1				
<b>PGS398 (0, -90)</b>	0.0	10.7	10.7	0.47	0.2	227.1	Dip Slope	Mineralized Mine Spoils	6.2
and	138.7	143.3	4.6	0.26	0.2			Padre Haul Road	
<b>PGS399 (0, -62)</b>	NSR					74.7	Western	Bull Run	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS400 (137, -80)</b>	<b>99.1</b>	<b>147.8</b>	<b>48.8</b>	<b>0.74</b>	0.2	160.0	<b>Western</b>	North Moosehead Pit	<b>36.2</b>
incl	<b>111.3</b>	<b>117.3</b>	<b>6.1</b>	<b>1.93</b>	1				
<b>PGS401 (0, -80)</b>	<b>147.8</b>	<b>190.5</b>	<b>42.7</b>	<b>0.41</b>	0.2	243.8	<b>Dip Slope</b>	Padre Haul Road	<b>17.3</b>
<b>PGS402 (0, -88)</b>	NSR					103.6	Bull Run		
<b>PGS403 (195, -80)</b>	<b>141.7</b>	<b>163.1</b>	<b>21.3</b>	<b>0.58</b>	0.2	187.5	<b>Main</b>	Warrior	<b>12.3</b>
incl	<b>155.4</b>	<b>160.0</b>	<b>4.6</b>	<b>1.16</b>	1				
<b>PGS404 (0, -90)</b>	<b>157.0</b>	<b>201.2</b>	<b>44.2</b>	<b>0.68</b>	0.2		<b>Western</b>	North Moosehead Pit	<b>30.1</b>
<b>PGS405 (180, -70)</b>	<b>146.3</b>	<b>167.6</b>	<b>21.3</b>	<b>0.34</b>	0.2		<b>Main</b>	Warrior	<b>7.3</b>
<b>PGS406 (95, -83)</b>	<b>112.8</b>	<b>163.1</b>	<b>50.3</b>	<b>1.20</b>	0.2	211.8	<b>Western</b>	North Moosehead Pit	<b>60.3</b>
incl	<b>117.3</b>	<b>123.4</b>	<b>6.1</b>	<b>3.24</b>	1				
<b>PGS407 (50, -65)</b>	<b>178.3</b>	<b>251.5</b>	<b>73.2</b>	<b>0.63</b>	0.2	263.7	<b>Dip Slope</b>	Padre Haul Road	<b>46.3</b>
<b>PGS408 (35, -55)</b>	<b>141.7</b>	<b>146.3</b>	<b>4.6</b>	<b>0.36</b>	0.2	182.9	Western	Bull Run	<b>1.7</b>
<b>PGS409 (0, -90)</b>	NSR					304.8	Warrior	Water Test Well	
<b>PGS410 (0, -82)</b>	109.7	118.9	9.1	0.40	0.2	196.6	<b>Western</b>	North Moosehead Pit	<b>23.0</b>
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	<b>172.2</b>	<b>182.9</b>	<b>10.7</b>	<b>1.46</b>					
<b>PGS411 (285, -75)</b>	<b>179.8</b>	<b>221.0</b>	<b>41.1</b>	<b>0.51</b>	0.2	239.3	<b>Dip Slope</b>	North Hassayampa Pit	<b>20.9</b>
<b>PGS412 (0, -90)</b>	Pending					288.0	Covington	Water Test Well	
<b>PGS413 (85, -80)</b>	Pending					181.4	Western	North Moosehead Pit	
<b>PGS414 (250, -75)</b>	Pending					117.3	Western	North Moosehead Pit	
<b>PGS415 (225, -75)</b>	Pending					178.3	Dip Slope	North Hassayampa Pit	
<b>PGS416 (100, -75)</b>	Pending					129.5	Western	North Moosehead Pit	
<b>PGS417 (25, -75)</b>	<b>131.1</b>	<b>144.8</b>	<b>13.7</b>	<b>0.50</b>	0.2	210.3	Dip Slope	North Hassayampa Pit	<b>6.8</b>
<b>PGS418 (140, -80)</b>	Pending					134.1	Western	North Moosehead Pit	
<b>PGS419 (0, -90)</b>	<b>19.8</b>	<b>22.9</b>	<b>3.0</b>	<b>2.35</b>	0.2	253.0	Dip Slope	Lunch Spot	<b>7.1</b>
<b>PGS420 (100, -75)</b>	<b>68.6</b>	<b>80.8</b>	<b>12.2</b>	<b>1.14</b>	0.2	140.2	<b>Western</b>	North Moosehead Pit	<b>13.9</b>