

Cutoff (g/t)	0.2, 0.5, 1.0, 5.0
Min g/t*m	1.0
Max Waste (m)	5.0
Topcut (g/t)	100.0

## Liberty Gold - Goldstrike 2015 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS001 (180, -70)	9.1	16.8	7.6	0.44	0.2	208.8	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	3.4
PGS002 (230, -70)	45.7	51.8	6.1	3.27	0.2	117.3	Basal Jasperoid		30.2
and	62.5	65.5	3.0	0.86					
and	80.8	88.4	7.6	0.92					
and	114.3	115.8	1.5	0.41					
PGS003 (210, -82)	53.3	93.0	39.6	1.01	0.2	105.2	Basal Jasperoid		40.0
PGS004 (30, -70)	64.0	105.2	41.1	0.84	0.2	190.5	Basal Jasperoid		34.5
Including	76.2	105.2	29.0	1.08	0.5				
PGS005 (195, -45)	Not Assayed					29.0	Basal Jasperoid	Hole Lost	0.0
PGS006 (195, -60)	21.3	22.9	1.5	0.53	0.2	100.6	Basal Jasperoid	Target missed due to shallower dip than anticipated on Hassayampa Fault	0.8
PGS007 (180, -70)	112.8	147.8	35.1	0.85	0.2	221.0	Basal Jasperoid		29.7
Including	140.2	146.3	6.1	1.78	1				
PGS008 (180, -82)	118.9	141.7	22.9	1.68	0.2	172.2	Basal Jasperoid		38.5
Including	126.5	138.7	12.2	2.67	1.0				
PGS009 (180, -55)	114.3	118.9	4.6	0.74	0.2	144.8	Basal Jasperoid	Hole lost in mineralization	8.5
and	129.5	143.3	13.7	0.37					
PGS010 (180, -55)	97.5	134.1	36.6	1.06	0.2	175.3	Basal Jasperoid		38.8
Including	115.8	129.5	13.7	1.89	1				
PGS011 (165, -55)	4.6	6.1	1.5	0.46	0.2	135.6	Covington Hill Fault Zone		13.5
and	42.7	57.9	15.2	0.84					
PGS012 (85, -70)	16.8	19.8	3.0	0.35	0.2	175.3	Bogart Dike Margin		52.5
and	57.9	76.2	18.3	2.72					
incl	64.0	74.7	10.7	4.32					
and	152.4	158.5	6.1	0.28					
PGS013 (190, -65)	35.1	39.6	4.6	0.20	0.2	202.7	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	49.1
and	41.1	56.4	15.2	0.35					
and	57.9	61.0	3.0	0.20					
and	64.0	70.1	6.1	0.59					
and	82.3	86.9	4.6	0.34					
and	102.1	106.7	4.6	0.55					
and	125.0	196.6	71.6	0.48					
PGS014 (135, -60)	21.3	32.0	10.7	0.28	0.2	166.1	Moosehead fault Zone and Paleozoic carbonate strata		25.4
and	48.8	59.4	10.7	0.35					
and	64.0	103.6	39.6	0.47					
PGS015 (100, -43)	132.6	134.1	1.5	0.29	0.2	166.1	Moosehead area		1.8
PGS016 (170, -65)	143.3	147.8	4.6	0.53			Moosehead fault		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
and	158.5	161.5	3.0	0.22	0.2	198.1	Moosehead fault Zone and Paleozoic carbonate strata	Hole lost in mineralization	21.9
and	166.1	169.2	3.0	0.22					
and	170.7	198.1	27.4	0.66					

PGS017 (150, -55)	77.7	82.3	4.6	0.21	0.2	160.0	West Moosehead		1.0
-------------------	------	------	-----	------	-----	-------	----------------	--	-----

PGS018 (0, -90)	172.2	179.8	7.6	0.36	0.2	208.8	West Moosehead		2.7
-----------------	-------	-------	-----	------	-----	-------	----------------	--	-----

## Liberty Gold - Goldstrike 2016 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
--------------------------------	----------	--------	------------------	----------	---------------	-----------------------	--------	----------	---------

PGS019 (80, -50)	54.9	89.9	35.1	2.10	0.2	143.3	Basal Claron		73.5
incl.	70.1	83.8	13.7	4.42	1				

PGS020 (20, -45)	143.3	173.7	30.5	1.07	0.2	181.4	Basal Claron		32.6
incl.	166.1	169.2	3.0	2.96	1				

PGS021 (330, -55)	NSR					169.2	Basal Claron		
-------------------	-----	--	--	--	--	-------	--------------	--	--

PGS022 (180, -60)	120.4	125.0	4.6	0.35	0.2	172.2	Basal Claron		11.1
and	132.6	147.8	15.2	0.35					
and	152.4	163.1	10.7	0.38					

PGS023 (135, -65)	128.0	158.5	30.5	0.63	0.2	163.1	Basal Claron		19.2
incl.	129.5	134.1	4.6	1.93	1				

PGS024 (230, -55)	115.8	117.3	1.5	0.36	0.2	166.1	Basal Claron		10.3
and	120.4	129.5	9.1	0.32					
and	135.6	138.7	3.0	0.21					
and	140.2	152.4	12.2	0.33					
and	163.1	166.1	3.0	0.70					

PGS025 (200, -50)	126.5	153.9	27.4	1.56	0.2	172.2	Basal Claron		42.8
incl.	131.1	150.9	19.8	1.98	1				

PGS026 (155, -50)	106.7	164.6	57.9	1.19	0.2	196.6	Basal Claron		68.9
incl.	108.2	138.7	30.5	1.65	1				

PGS027 (0, -90)	74.7	77.7	3.0	0.30	0.2	160.0	Basal Claron		56.1
and	88.4	89.9	1.5	0.40					
and	94.5	96.0	1.5	0.48					
and	106.7	153.9	47.2	1.14					
including	109.7	117.3	7.6	2.06					
including	120.4	129.5	9.1	1.56					

PGS028 (180, -65)	79.2	82.3	3.0	0.28	0.2	117.3	Basal Claron	target stratigraphy faulted off	0.9
-------------------	------	------	-----	------	-----	-------	--------------	---------------------------------	-----

PGS029 (185, -65)	NSR					132.6	Basal Claron		0.0
-------------------	-----	--	--	--	--	-------	--------------	--	-----

PGS030 (185, -45)	129.5	135.6	6.1	0.28	0.2	153.9	Basal Claron		1.7
-------------------	-------	-------	-----	------	-----	-------	--------------	--	-----

PGS031 (0, -85)	118.9	135.6	16.8	0.32	0.2	182.9	Basal Claron		13.5
and	140.2	158.5	18.3	0.30					
and	173.7	179.8	6.1	0.42					

PGS032 (135, -65)	109.7	126.5	16.8	0.24	0.2	208.8	Basal Claron		25.6
and	132.6	137.2	4.6	0.22					
and	160.0	185.9	25.9	0.80					
incl.	181.4	185.9	4.6	1.54					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS033 (180, -75)</b>	80.8	82.3	1.5	0.46	0.2	166.1	Basal Claron		15.4
and	93.0	97.5	4.6	0.33					
and	<b>99.1</b>	<b>125.0</b>	<b>25.9</b>	<b>0.41</b>					
and	126.5	129.5	3.0	0.25					
and	132.6	140.2	7.6	0.24					
<b>PGS034 (180, -50)</b>	88.4	97.5	9.1	0.28	0.2	167.6	Basal Claron		17.5
and	102.1	105.2	3.0	0.20					
and	106.7	141.7	35.1	0.41					
<b>PGS035 (230, -65)</b>	86.9	114.3	27.4	0.42	0.2	166.1	Basal Claron		<b>37.0</b>
and	<b>115.8</b>	<b>140.2</b>	<b>24.4</b>	<b>1.05</b>					
incl	<b>117.3</b>	<b>128.0</b>	<b>10.7</b>	<b>1.68</b>					
<b>PGS036 (225, -60)</b>	1.5	16.8	15.2	0.27	0.2	190.5	Basal Claron	Upper interval is the old stockpile	5.9
and	134.1	141.7	7.6	0.23					
<b>PGS037 (180, -65)</b>	121.9	173.7	51.8	0.37	0.2	190.5	Basal Claron		19.0
<b>PGS038 (135, -60)</b>	4.6	9.1	4.6	0.26	0.2	193.5	Basal Claron	Upper interval (4.6-24.4 m) is the old stockpile	9.3
and	12.2	16.8	4.6	0.29					
and	22.9	24.4	1.5	0.36					
and	138.7	149.4	10.7	0.34					
and	164.6	166.1	1.5	0.36					
and	178.3	184.4	6.1	0.34					
<b>PGS039 (225, -65)</b>	105.2	144.8	39.6	0.60	0.2	182.9	Basal Claron		<b>24.38</b>
including	<b>118.9</b>	<b>121.9</b>	<b>3.0</b>	<b>1.65</b>					
and	152.4	153.9	1.5	0.37					
<b>PGS040 (155, -50)</b>	128.0	146.3	18.3	1.15	0.2	198.1	Basal Claron		48.6
including	<b>137.2</b>	<b>143.3</b>	<b>6.1</b>	<b>1.95</b>					
and	166.1	198.1	32.0	0.86					
including	<b>172.2</b>	<b>182.9</b>	<b>10.7</b>	<b>1.72</b>					
<b>PGS041C (52, -60)</b>	60.4	61.9	1.5	0.36	0.2	112.0	Basal Claron		56.5
and	<b>71.0</b>	<b>101.5</b>	<b>30.5</b>	<b>1.85</b>					
incl	<b>71.0</b>	<b>89.3</b>	<b>18.3</b>	<b>2.63</b>					
<b>PGS042 (0, -90)</b>	NSR				0.2	135.6			0
<b>PGS043 (220, -55)</b>	93.0	94.5	1.5	0.30	0.2	204.2	Basal Claron		7.5
and	102.1	117.3	15.2	0.32					
and	158.5	164.6	6.1	0.25					
and	176.8	178.3	1.5	0.43					
<b>PGS044C (275, -63)</b>	66.4	113.7	47.2	1.06	0.2	136.6	Basal Claron		<b>58.1</b>
and	116.3	118.0	1.7	0.22					
and	119.3	135.0	15.7	0.47					
<b>PGS045 (180, -48)</b>	NSR					182.9	Basal Claron		0
<b>PGS046C (180, -55)</b>	103.3	148.7	45.4	0.87	0.2	186.8	Basal Claron		40.6
incl	132.9	136.6	3.7	1.65					
and	173.1	177.7	4.6	0.25					
<b>PGS047 (0, -61)</b>	103.6	140.2	36.6	0.76	0.2	146.3	Basal Claron		27.9
<b>PGS048 (110, -49)</b>	51.8	89.9	38.1	3.28	0.2	121.9	Basal Claron		125.0
incl	54.9	77.7	22.9	4.92					
incl	65.5	76.2	10.7	8.27					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS049 (315, -68 )</b>	79.2	89.9	10.7	0.27	0.2	167.6	Basal Claron		55.9
<b>and</b>	91.4	152.4	61.0	0.87					
<b>incl</b>	93.0	100.6	7.6	2.83					
<b>and incl</b>	144.8	147.8	3.0	1.72					
<b>PGS050 (45, -47)</b>	83.8	117.3	33.5	0.68	0.2	129.5	Basal Claron		22.9
<b>PGS051C (275, -82)</b>	78.3	81.4	3.0	0.34	0.2	166.4	Basal Claron		110.7
<b>and</b>	84.4	86.0	1.5	0.22					
<b>and</b>	92.0	93.6	1.5	0.37					
<b>and</b>	110.3	151.5	41.1	2.64					
<b>incl</b>	119.5	151.5	32.0	3.22					
<b>incl</b>	133.5	139.3	5.8	6.56	5				
<b>PGS052 (210, -50)</b>	97.5	99.1	1.5	0.40	0.2	198.1	Basal Claron		19.4
<b>and</b>	102.1	105.2	3.0	0.21					
<b>and</b>	106.7	111.3	4.6	0.22					
<b>and</b>	114.3	149.4	35.1	0.44					
<b>and</b>	161.5	164.6	3.0	0.26					
<b>and</b>	178.3	179.8	1.5	0.43					
<b>and</b>	182.9	184.4	1.5	0.22					
<b>PGS053 (200, -54)</b>	89.9	157.0	67.1	0.76	0.2	198.1	Basal Claron		51.1
<b>incl</b>	143.3	149.4	6.1	1.91	1				
<b>PGS054C (60, -68)</b>	81.7	140.5	58.8	2.24	0.2	154.6	Basal Claron		131.6
<b>incl</b>	82.6	94.9	12.3	2.00	1				
<b>and incl</b>	101.9	138.1	36.2	2.77	1				
<b>incl</b>	124.7	127.7	3.0	6.04	5				
<b>PGS055 (145, -45)</b>	128.0	132.6	4.6	0.42	0.2	161.5	Basal Claron		1.7
	157.0	161.5	4.6	0.32					
<b>PGS056C (245, -58)</b>	114.1	145.7	31.5	0.36	0.2	155.8	Basal Claron		11.4
<b>PGS057 (250, -65)</b>	76.2	80.8	4.6	0.51	0.2	132.6	Basal Claron		20.8
<b>and</b>	93.0	117.3	24.4	0.76					
<b>incl</b>	108.2	115.8	7.6	1.34					
<b>PGS058 (240, -60)</b>	21.3	97.5	76.2	0.96	0.2	141.7	Basal Claron		73.4
<b>incl</b>	27.4	47.2	19.8	1.98	1				
<b>PGS059CA (0, -90)</b>	51.1	80.6	29.5	0.46	0.2	87.5	Basal Claron	Core loss - Poor recovery	13.6
<b>PGS060 (150, -70)</b>	16.8	29.0	12.2	0.39	0.2	102.1	Basal Claron		9.3
<b>and</b>	50.3	53.3	3.0	0.50					
<b>and</b>	64.0	73.2	9.1	0.33					
<b>PGS061 (0, -90)</b>			NSR			106.7	Basal Claron	target interval faulted out?	0
<b>PGS062 (245, -70)</b>	99.1	109.7	10.7	0.30	0.2	152.4	Basal Claron		3.2
<b>PGS063C (220, -60)</b>	104.2	115.8	11.6	0.36	0.2	134.7	Basal Claron		4.2
<b>PGS064 (180, -70)</b>	77.7	103.6	25.9	0.52	0.2	182.9	Basal Claron	some quality control issues in the lab	24.4
<b>and</b>	131.1	157.0	25.9	0.42					
<b>PGS065 (180, -55)</b>	19.8	32.0	12.2	0.91	0.2	111.3	Basal Claron		11.1
<b>PGS066 (110, -50)</b>	10.7	15.2	4.6	0.45	0.2	121.9	Basal Claron		2.1
<b>PGS067C (140, -60)</b>	112.3	133.7	21.3	0.49	0.2	194.6	Claron and Structures in the PZ	Poor recovery in higher grade	25.1
<b>and</b>	159.7	187.8	28.0	0.52	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																														
<b>PGS068 (215, -55)</b>	109.7	120.4	10.7	0.34	0.2	152.4	Basal and Feeders	Hole stopped in 6 ppm Au material	18.7																																																																																																																																																																																																																																																																																																														
<b>and</b>	144.8	152.4	7.6	1.97	0.2					<b>PGS069 (0, -90)</b>	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8	<b>PGS070 (30, -60)</b>	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7	<b>PGS071 (0, -90)</b>	NSR					86.9	Basal Claron			<b>PGS072 (110, -70)</b>	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8	<b>and</b>	123.4	134.1	10.7	0.58	0.2	<b>PGS073C (215, -60)</b>	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	<b>PGS074 (310, -65)</b>	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	<b>and</b>	48.8	59.4	10.7	0.40	0.2	<b>PGS075 (15, -55)</b>	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	<b>and</b>	53.3	56.4	3.0	0.20	0.2	<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	<b>and</b>	99.1	105.2	6.1	29.1	0.2	102 ppm met screen sample	<b>incl.</b>	100.6	105.2	4.6	38.8	5	<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron			<b>PGS079 (90, -65)</b>	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	<b>and</b>	42.7	47.2	4.6	0.38	0.2	<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	<b>and</b>	32.0	33.5	1.5	0.95	0.2	<b>and</b>	38.1	42.7	4.6	0.30	0.2	<b>and</b>	54.9	88.4	33.5	0.42	0.2	<b>PGS081 (200, -45)</b>	NSR					121.9	Basal Claron			<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron			<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron			<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	<b>and</b>	141.7	152.4	10.7	0.32	0.2	<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	<b>and</b>	102.1	115.8	13.7	0.38	0.2	<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks	<b>incl</b>	99.1
<b>PGS069 (0, -90)</b>	32.0	33.5	1.5	0.5	0.2	121.9	Basal Claron		0.8																																																																																																																																																																																																																																																																																																														
<b>PGS070 (30, -60)</b>	57.9	61.0	3.0	0.23	0.2	86.9	Basal Claron		0.7																																																																																																																																																																																																																																																																																																														
<b>PGS071 (0, -90)</b>	NSR					86.9	Basal Claron																																																																																																																																																																																																																																																																																																																
<b>PGS072 (110, -70)</b>	64.0	74.7	10.7	0.52	0.2	176.8	Basal Claron		11.8																																																																																																																																																																																																																																																																																																														
<b>and</b>	123.4	134.1	10.7	0.58	0.2					<b>PGS073C (215, -60)</b>	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5	<b>PGS074 (310, -65)</b>	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6	<b>and</b>	48.8	59.4	10.7	0.40	0.2	<b>PGS075 (15, -55)</b>	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	<b>and</b>	53.3	56.4	3.0	0.20	0.2	<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	<b>and</b>	99.1	105.2	6.1	29.1	0.2	102 ppm met screen sample	<b>incl.</b>	100.6	105.2	4.6	38.8	5	<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron			<b>PGS079 (90, -65)</b>	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	<b>and</b>	42.7	47.2	4.6	0.38	0.2	<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	<b>and</b>	32.0	33.5	1.5	0.95	0.2	<b>and</b>	38.1	42.7	4.6	0.30	0.2	<b>and</b>	54.9	88.4	33.5	0.42	0.2	<b>PGS081 (200, -45)</b>	NSR					121.9	Basal Claron			<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron			<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron			<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	<b>and</b>	141.7	152.4	10.7	0.32	0.2	<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	<b>and</b>	102.1	115.8	13.7	0.38	0.2	<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks	<b>incl</b>	99.1	100.6	1.5	2.30	1.0																																										
<b>PGS073C (215, -60)</b>	95.8	138.5	42.7	0.50	0.2	177.4	Basal Claron		21.5																																																																																																																																																																																																																																																																																																														
<b>PGS074 (310, -65)</b>	12.2	13.7	1.5	0.84	0.2	89.9	Basal Claron		5.6																																																																																																																																																																																																																																																																																																														
<b>and</b>	48.8	59.4	10.7	0.40	0.2					<b>PGS075 (15, -55)</b>	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3	<b>and</b>	53.3	56.4	3.0	0.20	0.2	<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	<b>and</b>	99.1	105.2	6.1	29.1	0.2	102 ppm met screen sample	<b>incl.</b>	100.6	105.2	4.6	38.8	5	<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron			<b>PGS079 (90, -65)</b>	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	<b>and</b>	42.7	47.2	4.6	0.38	0.2	<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	<b>and</b>	32.0	33.5	1.5	0.95	0.2	<b>and</b>	38.1	42.7	4.6	0.30	0.2	<b>and</b>	54.9	88.4	33.5	0.42	0.2	<b>PGS081 (200, -45)</b>	NSR							121.9	Basal Claron			<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron			<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron			<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	<b>and</b>	141.7	152.4	10.7	0.32	0.2	<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	<b>and</b>	102.1	115.8	13.7	0.38	0.2	<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks	<b>incl</b>	99.1	100.6	1.5	2.30	1.0																																																																		
<b>PGS075 (15, -55)</b>	42.7	51.8	9.1	0.73	0.2	91.4	Basal Claron		7.3																																																																																																																																																																																																																																																																																																														
<b>and</b>	53.3	56.4	3.0	0.20	0.2					<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7	<b>and</b>	99.1	105.2	6.1	29.1	0.2	102 ppm met screen sample	<b>incl.</b>	100.6	105.2	4.6	38.8			5		<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6	<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron			<b>PGS079 (90, -65)</b>	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4	<b>and</b>	42.7	47.2	4.6	0.38	0.2	<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	<b>and</b>	32.0	33.5	1.5	0.95	0.2	<b>and</b>	38.1	42.7					4.6	0.30	0.2	<b>and</b>	54.9	88.4	33.5	0.42	0.2	<b>PGS081 (200, -45)</b>	NSR					121.9	Basal Claron			<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron			<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron			<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	<b>and</b>	141.7	152.4	10.7	0.32	0.2	<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	<b>and</b>	102.1	115.8	13.7	0.38	0.2	<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks		<b>incl</b>	99.1		100.6	1.5	2.30	1.0																																																																											
<b>PGS076 (0, -90)</b>	0.0	7.6	7.6	0.41	0.2	121.9	Basal Claron	likely old leach pad material	180.7																																																																																																																																																																																																																																																																																																														
<b>and</b>	99.1	105.2	6.1	29.1	0.2			102 ppm met screen sample																																																																																																																																																																																																																																																																																																															
<b>incl.</b>	100.6	105.2	4.6	38.8	5																																																																																																																																																																																																																																																																																																																		
<b>PGS077 (270, -60)</b>	109.7	132.6	22.9	0.38	0.2	144.8	Basal Claron		8.6																																																																																																																																																																																																																																																																																																														
<b>PGS078 (60, -65)</b>	NSR					105.2	Basal Claron																																																																																																																																																																																																																																																																																																																
<b>PGS079 (90, -65)</b>	25.9	35.1	9.1	0.72	0.2	117.3	Basal Claron		8.4																																																																																																																																																																																																																																																																																																														
<b>and</b>	42.7	47.2	4.6	0.38	0.2					<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9	<b>and</b>	32.0	33.5	1.5	0.95	0.2	<b>and</b>	38.1	42.7	4.6	0.30	0.2	<b>and</b>	54.9	88.4	33.5	0.42	0.2	<b>PGS081 (200, -45)</b>	NSR					121.9	Basal Claron			<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron			<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron			<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3	<b>and</b>	141.7	152.4	10.7	0.32	0.2	<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	<b>and</b>	102.1	115.8	13.7	0.38	0.2	<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks	<b>incl</b>	99.1	100.6	1.5	2.30	1.0																																																																																																																																															
<b>PGS080 (200, -70)</b>	18.3	27.4	9.1	0.80	0.2	121.9	Basal Claron		23.9																																																																																																																																																																																																																																																																																																														
<b>and</b>	32.0	33.5	1.5	0.95	0.2																																																																																																																																																																																																																																																																																																																		
<b>and</b>	38.1	42.7	4.6	0.30	0.2																																																																																																																																																																																																																																																																																																																		
<b>and</b>	54.9	88.4	33.5	0.42	0.2																																																																																																																																																																																																																																																																																																																		
<b>PGS081 (200, -45)</b>	NSR					121.9	Basal Claron																																																																																																																																																																																																																																																																																																																
<b>PGS082 (0, -90)</b>	NSR					121.9	Basal Claron																																																																																																																																																																																																																																																																																																																
<b>PGS083 (0, -90)</b>	NSR					141.7	Basal Claron																																																																																																																																																																																																																																																																																																																
<b>PGS084 (330, -63)</b>	126.5	132.6	6.1	0.31	0.2	182.9	Basal Claron		5.3																																																																																																																																																																																																																																																																																																														
<b>and</b>	141.7	152.4	10.7	0.32	0.2					<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9	<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3	<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0	<b>and</b>	102.1	115.8	13.7	0.38	0.2	<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks	<b>incl</b>	99.1	100.6	1.5	2.30	1.0																																																																																																																																																																																																																									
<b>PGS085 (143, -55)</b>	138.7	141.7	3.0	0.29	0.2	153.9	Basal Claron		0.9																																																																																																																																																																																																																																																																																																														
<b>PGS086 (180, -70)</b>	114.3	125.0	10.7	0.40	0.2	166.1	Basal Claron		4.3																																																																																																																																																																																																																																																																																																														
<b>PGS087 (215, -60)</b>	89.9	94.5	4.6	1.06	0.2	182.9	Basal Claron		10.0																																																																																																																																																																																																																																																																																																														
<b>and</b>	102.1	115.8	13.7	0.38	0.2					<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4	<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7	<b>incl</b>	97.5	102.1	4.6	1.52	1	<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2	<b>and</b>	99.1	103.6	4.6	0.90	0.2	Paleozoic Rocks	<b>incl</b>	99.1	100.6	1.5	2.30	1.0																																																																																																																																																																																																																																																													
<b>PGS088 (180, -52)</b>	85.3	88.4	3.0	0.45	0.2	195.1	Basal Claron		1.4																																																																																																																																																																																																																																																																																																														
<b>PGS089 (320, -68)</b>	86.9	106.7	19.8	0.69	0.2	181.4	Basal Claron		13.7																																																																																																																																																																																																																																																																																																														
<b>incl</b>	97.5	102.1	4.6	1.52	1																																																																																																																																																																																																																																																																																																																		
<b>PGS090 (0, -85)</b>	0.0	7.6	7.6	0.56	0.2	137.2	Historic Leach Pad	Mineralized leach pad material	7.2																																																																																																																																																																																																																																																																																																														
<b>and</b>	99.1	103.6	4.6	0.90	0.2		Paleozoic Rocks																																																																																																																																																																																																																																																																																																																
<b>incl</b>	99.1	100.6	1.5	2.30	1.0																																																																																																																																																																																																																																																																																																																		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS091 (320, -68)	97.5	103.6	6.1	0.30	0.2	144.8	Basal Claron		1.8
PGS092 (20, -63)	0.0	7.6	7.6	0.28	0.2	117.3	Historic Leach Pad		10.1
and	80.8	91.4	10.7	0.43	0.2		Basal Claron		
and	94.5	97.5	3.0	1.10	0.2		Paleozoic Rocks		
PGS093 (313, -75)			NSR			135.6	Basal Claron		
PGS094 (57, -65)			NSR			182.9	Basal Claron		
PGS095 (148, -55)	118.9	128.0	9.1	0.67	0.2	167.6	Basal Claron		12.1
and	132.6	146.3	13.7	0.44	0.2				
PGS096 (223, -45)	144.8	163.1	18.3	0.90	0.2	213.4	Basal Claron		16.4
incl	146.3	153.9	7.6	1.32	1				
PGS097 (25, -53)	88.4	134.1	45.7	1.08	0.2	201.2	Basal Claron		49.2
incl	99.1	105.2	6.1	3.06	1				
PGS098 (175, -55)	68.6	74.7	6.1	0.46	0.2	121.9	Basal Claron		23.6
and	82.3	111.3	29.0	0.68	0.2				
incl	105.2	109.7	4.6	1.61	1				
and	118.9	121.9	3.0	0.40	0.2				
PGS099 (210, -50)	76.2	88.4	12.2	0.90	0.2	152.4	Basal Claron		12.4
and	120.4	123.4	3.0	0.45					
PGS100 (235, -45)	80.8	91.4	10.7	1.06	0.2	167.6	Basal Claron		17.5
and	106.7	108.2	1.5	1.16					
and	111.3	112.8	1.5	0.50					
and	131.1	137.2	6.1	0.60					
PGS101 (210, -55)	80.8	108.2	27.4	0.51	0.2	141.7	Basal Claron		14.0
PGS102 (245, -50)	77.7	83.8	6.1	0.44	0.2	157.0	Basal Claron		11.6
and	91.4	109.7	18.3	0.49					
PGS103 (165, -65)	68.6	82.3	13.7	0.60	0.2	121.9	Basal Claron		8.2
PGS104 (330, -80)	32.0	33.5	1.5	0.38	0.2	190.5	Basal Claron		68.8
and	39.6	106.7	67.1	0.86	0.2				
incl	57.9	73.2	15.2	2.35	1				
and	118.9	129.5	10.7	0.74	0.2				
and	135.6	144.8	9.1	0.29	0.2				
PGS105 (90, -65)	32.0	35.1	3.0	0.49	0.2	121.9	Basal Claron		24.7
and	41.1	73.2	32.0	0.44					
and	76.2	97.5	21.3	0.43					
PGS106 (125, -75)	99.1	117.3	18.3	0.36	0.2	182.9	Basal Claron		11.2
and	131.1	140.2	9.1	0.50					
PGS107 (180, -84)	100.6	108.2	7.6	2.00	0.2	121.9	Chainman Shale		15.2
PGS108 (240, -45)	126.5	135.6	9.1	0.88	0.2	152.4	Basal Claron		8.1
PGS109 (270, -60)	54.9	64.0	9.1	0.51	0.2	172.2	Basal Claron		16.8
and	74.7	100.6	25.9	0.47					
PGS110 (0, -90)	57.9	68.6	10.7	0.52	0.2	86.9	Basal Claron		5.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS111 (220, -55)	56.4	59.4	3.0	0.26	0.2	105.2	Basal Claron		0.8
PGS112 (130, -65)	76.2	100.6	24.4	0.37	0.2	182.9	Basal Claron		9.1
PGS113 (155, -55)	138.7	152.4	13.7	0.51	0.2	153.9	Basal Claron		7.0
PGS114 (265, -55)	93.0	97.5	4.6	0.58	0.2	166.1	Basal Claron		20.7
and	126.5	152.4	25.9	0.70	0.2				
PGS115 (165, -63)	73.2	83.8	10.7	0.42	0.2	138.7	Basal Claron		13.7
and	91.4	102.1	10.7	0.87	0.2				
PGS116 (225, -57)	76.2	80.8	4.6	0.36	0.2	141.7	Basal Claron		10.9
and	96.0	120.4	24.4	0.38	0.2				
PGS117 (190, -70)	76.2	99.1	22.9	1.20	0.2	172.2	Basal Claron		27.4
incl	93.0	99.1	6.1	2.48	1				
PGS118 (200, -50)	71.6	85.3	13.7	0.43	0.2	172.2	Basal Claron		9.0
and	103.6	112.8	9.1	0.34	0.2				
PGS119 (100, -60)	120.4	138.7	18.3	0.41	0.2	161.5	Basal Claron		7.5
PGS120 (210, -70)	67.1	73.2	6.1	0.51	0.2	152.4	Basal Claron		5.1
and	74.7	83.8	9.1	0.22	0.2				
PGS121 (160, -55)			NSR			144.8			
PGS122 (65, -67)			NSR			117.3			
PGS123 (290, -55)			NSR			213.4			
PGS124 (290, -60)	170.7	176.8	6.1	0.37		208.8			2.2
PGS125 (180, -75)	21.3	25.9	4.6	0.6	0.2	147.8		Peg Leg Graben	2.7
PGS126 (57, -55)	144.8	152.4	7.6	0.34	0.2	181.4	Basal Claron	West Goldstrike Graben Hole lost at 181.4 m due to bad ground	21.5
and	153.9	164.6	10.7	0.84	0.2				
incl	153.9	160.0	6.1	1.20	1				
and	166.1	169.2	3.0	0.23	0.2				
and	170.7	181.4	10.7	0.83	0.2		Paleozoic rocks		
PGS127 (125, -45)	39.6	45.7	6.1	0.36		111.3	Basal Claron	Peg Leg Graben	2.9
and	53.3	54.9	1.5	0.48					
PGS128 (235, -70)			NSR			135.6		Peg Leg Graben	
PGS129 (90, -65)	4.6	27.4	22.9	0.80	0.2	121.9	Basal Claron & Basin Fault Zone		40.8
and	33.5	35.1	1.5	0.90	0.2				
and	42.7	70.1	27.4	0.84	0.2				
and	76.2	82.3	6.1	0.54	0.2				
PGS130 (340, -70)	88.4	120.4	32.0	0.43	0.2	137.2	Basal Claron	Peg Leg Graben	13.9
PGS131 (230, -80)	57.9	80.8	22.9	0.53	0.2	106.7	Basal Claron	Goldstrike Graben	12.0
incl	57.9	62.5	4.6	1.03	0.5				
PGS132 (45, -65)			NSR			105.2		Peg Leg Graben	
PGS133 (310, -45)			NSR			109.7		Dip Slope Zone	
PGS134 (50, -50)	51.8	54.9	3.0	0.48	0.2	111.9	Basal Claron	Dip Slope Zone	7.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
and	61.0	73.2	12.2	0.50	0.2	121.9	Basal Claron	Dip Slope Zone	7.6
<b>PGS135 (0, -90)</b>	<b>89.9</b>	<b>111.3</b>	<b>21.3</b>	<b>0.82</b>	<b>0.2</b>	<b>121.9</b>	<b>Basal Claron</b>	<b>Peg Leg Graben</b>	<b>17.5</b>
<b>PGS136 (315, -55)</b>	NSR					86.9	Basal Claron	Dip Slope Zone	
<b>PGS137 (210, -65)</b>	0.0	7.6	7.6	0.39	0.2	129.5	Basal Claron	Peg Leg Graben	3.0
<b>PGS138 (135, -75)</b>	135.6	141.7	6.1	0.43	0.2	202.7	Basal Claron	Dip Slope Zone	2.6
<b>PGS139 (270, -65)</b>	117.3	134.1	16.8	0.43	0.2	138.7	Basal Claron	Dip Slope Zone	7.1
<b>PGS140 (210, -65)</b>	NSR					138.7	Basal Claron	Peg Leg Graben	
<b>PGS141 (270, -70)</b>	NSR					111.3	Basal Claron	Peg Leg Graben	
<b>PGS142 (245, -75)</b>	<b>76.2</b>	<b>117.3</b>	<b>41.1</b>	<b>0.51</b>	<b>0.2</b>	152.4	<b>Basal Claron</b>	Dip Slope Zone	<b>20.9</b>
incl	97.5	103.6	6.1	1.24	0.5				
<b>PGS143 (0, -90)</b>	89.9	97.5	7.6	0.74	0.2	138.7	Basal Claron	Peg Leg Graben	5.6
<b>PGS144 (90, -65)</b>	70.1	74.7	4.6	0.24	0.2	147.8	<b>Basal Claron</b>	Dip Slope Zone	<b>7.0</b>
and	83.8	97.5	13.7	0.27	0.2				
and	120.4	126.5	6.1	1.14	0.2				
<b>PGS145 (175, -60)</b>	<b>0.0</b>	<b>13.7</b>	<b>13.7</b>	<b>0.57</b>	<b>0.2</b>	121.9	<b>Basal Claron</b>	Peg Leg Graben	<b>12.4</b>
and	89.9	96.0	6.1	0.47	0.2				
and	115.8	118.9	3.0	0.58	0.2				
<b>PGS146 (0, -60)</b>	0.0	22.9	22.9	0.34	0.2	135.6	Mine Dump	Hassayampa Pit	<b>15.5</b>
and	47.2	50.3	3.0	2.57	0.2		Chainman Shale		
<b>PGS147 (35, -45)</b>	45.7	56.4	10.7	0.80	0.2	121.9	Basal Claron	Peg Leg Graben	8.6
<b>PGS148 (125, -55)</b>	<b>106.7</b>	<b>129.5</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	169.2	<b>Basal Claron</b>	Main	<b>11.5</b>
Incl	111.3	117.3	6.1	0.96	0.5				
<b>PGS149 (0, -70)</b>	94.5	96.0	1.5	0.48	0.2	166.1	<b>Basal Claron</b>	Peg Leg Graben	<b>22.6</b>
and	108.2	134.1	25.9	0.54	0.2				
and	147.8	158.5	10.7	0.75	0.2				
<b>PGS150 (0, -90)</b>	NSR					117.3	Basal Claron	Dip Slope	
<b>PGS151 (220, -55)</b>	85.3	93.0	7.6	0.80	0.2	141.7	Basal Claron	Peg Leg Graben	6.1
<b>PGS152 (310, -60)</b>	111.3	125.0	13.7	0.36	0.2	164.6	Basal Claron	Dip Slope	9.9
and	126.5	134.1	7.6	0.66	0.2				
<b>PGS153 (50, -60)</b>	<b>108.2</b>	<b>129.5</b>	<b>21.3</b>	<b>0.58</b>	<b>0.2</b>	166.1	<b>Basal Claron</b>	Dip Slope	<b>12.3</b>
<b>PGS154 (110, -45)</b>	16.8	29.0	12.2	0.31	0.2	135.6	Basal Claron	Peg Leg Graben	3.8
<b>PGS155 (45, -60)</b>	NSR					189.0	Basal Claron	West Goldstrike Graben	
<b>PGS156 (45, -65)</b>	103.6	108.2	4.6	0.55	0.2	129.5	Basal Claron	Dip Slope	2.5
<b>PGS157 (315, -60)</b>	NSR					227.1	Basal Claron	West Goldstrike Graben	
<b>PGS158 (210, -75)</b>	NSR					77.7	Basal Claron	Dip Slope	
<b>PGS159 (140, -45)</b>	3.0	4.6	1.5	0.33		47.2	Basal Claron	Dip Slope	0.5



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS160 (270, -60)	NSR					221.0	Basal Claron	West Goldstrike Graben	
PGS161 (230, -75)	27.4	30.5	3.0	2.81	0.2	61.0	Basal Claron	Dip Slope	8.6
PGS162 (165, -55)	19.8	22.9	3.0	1.14	0.2	105.2	Basal Claron	Dip Slope	3.5
PGS163 (90, -75)	94.5	103.6	9.1	0.47	0.2	123.4	Basal Claron	Dip Slope	4.3
PGS164 (0, -90)	161.5	169.2	7.6	0.50	0.2	213.4	Basal Claron	Dip Slope	3.8
PGS165 (170, -70)	21.3	22.9	1.5	0.42	0.2	135.6	Basal Claron	Goldstrike Graben	7.4
and	71.6	82.3	10.7	0.63	0.2				
PGS166 (310, -70)	118.9	144.8	25.9	0.59	0.2	196.6	Basal Claron	Warrior	17.3
and	150.9	158.5	7.6	0.26	0.2				
PGS167 (0, -90)	150.9	155.4	4.6	0.25	0.2	175.3	Covington Fault	Covington	5.9
and	158.5	170.7	12.2	0.39	0.2				
PGS168 (120, -55)	82.3	106.7	24.4	0.48	0.2	141.7	Basal Claron	Goldstrike Graben	11.7
PGS169 (180, -50)	NSR					201.2		Covington - did not intercept target	
PGS170 (253, -55)	112.8	144.8	32.0	0.72	0.2	172.2	Basal Claron/Pz Limestone	Aggie	23.0
incl	128.0	132.6	4.6	2.07	1				
PGS171 (0, -90)	NSR					166.1	Basal Claron	Covington - did not intercept target	
PGS172 (220, -65)	137.2	140.2	3.0	0.415	0.2	169.2	Basal Claron	West Goldstrike Graben	1.3
PGS173 (015, -85)	NSR					175.3	Basal Claron	West Goldstrike Graben	
PGS174 (180, -50)	NSR					182.9	Basal Claron	Covington - did not intercept target	
PGS175 (027, -64)	67.1	68.6	1.5	0.30	0.2	164.6	Basal Claron	West Goldstrike Graben	25.3
and	83.8	86.9	3.0	0.35	0.2				
and	108.2	111.3	3.0	0.21	0.2				
and	125.0	152.4	27.4	0.84	0.2				
incl	134.1	144.8	10.7	1.55	1				
PGS176 (270, -55)	135.6	140.2	4.6	0.32	0.2	178.3	Basal Claron	West Goldstrike Graben	1.5
PGS177 (345, -70)	48.8	51.8	3.0	0.23	0.2	111.3	Basal Claron	Goldstrike Graben	0.7
PGS178 (50, -45)	24.4	25.9	1.5	0.39	0.2	141.7	Covington Dike	Covington	16.4
and	77.7	79.2	1.5	0.31					
and	80.8	83.8	3.0	0.83					
and	102.1	103.6	1.5	7.36					
and	108.2	109.7	1.5	0.30					
and	111.3	114.3	3.0	0.39					
PGS179 (54, -60)	96.0	125.0	29.0	1.78	0.2	160.0	Basal Claron, Covington Fault	Peg Leg	51.5
incl	96.0	108.2	12.2	3.54	1				
PGS180 (0, -75)	105.2	109.7	4.6	0.25	0.2	135.6	Covington Dike	Covington	1.1
PGS181 (0, -60)	NSR					172.2	Basal Claron	Peg Leg	
PGS182 (230, -75)	12.2	15.2	3.0	0.54	0.2	129.5	Covington Dike	Covington	12.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
and	100.6	111.3	10.7	1.15	0.2	129.5	Covington Dike	Covington	13.9
PGS183 (300, -65)	108.2	114.3	6.1	0.90	0.2	196.6	Basal Claron, Covington Fault	Peg Leg	30.9
and	121.9	155.4	33.5	0.76	0.2				
incl	125.0	131.1	6.1	1.47	1				
PGS184 (280, -60)	NSR					117.3		Covington hole lost above target	
PGS185 (128, -60)	4.6	12.2	7.6	0.32	0.2	129.5	Pz Carbonates	Covington	7.0
and	51.8	57.9	6.1	0.74	0.2				
PGS186 (90, -75)	41.1	42.7	1.5	0.63	0.20	135.6	Basal Claron	Peg Leg	8.11
and	54.9	56.4	1.5	0.59					
and	68.6	80.8	12.2	0.41					
and	89.9	94.5	4.6	0.28					
PGS187 (330, -68)	45.7	64.0	18.3	1.33	0.2	111.3	Basal Claron, Covington Fault	Peg Leg	26.8
incl	50.3	62.5	12.2	1.77	1				
and	65.5	73.2	7.6	0.20	0.2				
and	80.8	83.8	3.0	0.27	0.2				
PGS188 (055, -70)	129.5	152.4	22.9	0.86	0.2	155.4	Basal Claron	Warrior	19.7
incl.	137.2	141.7	4.6	1.45	1				
PGS189 (210, -62)	54.9	61.0	6.1	0.47	0.2	132.6	Pz Carbonates	Covington	2.9
PGS190 (151, -60)	NSR					170.7		Covington - did not intercept target	
PGS191 (0, -90)	0.0	6.1	6.1	1.57	0.2	71.6	Covington Dike	Covington	48.8
and	27.4	35.1	7.6	4.10	0.2				
incl	29.0	33.5	4.6	6.32	1				
and	41.1	45.7	4.6	1.76	0.2				

### Liberty Gold - Goldstrike 2017 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS192 (285, -70)	NSR					172.2		Warrior	
PGS193 (160, -80)	71.6	86.9	15.2	0.83	0.2	147.8	West Aggie Extension	Aggie	26.0
incl	79.2	86.9	7.6	1.21	1				
and	94.5	108.2	13.7	0.46	0.2				
and	117.3	123.4	6.1	1.16	0.2				
PGS194 (285, -75)	108.2	115.8	7.6	0.73	0.2	166.2	West Aggie Extension	Aggie	10.3
and	118.9	123.4	4.6	0.24	0.2				
and	146.3	150.9	4.6	0.26	0.2				
and	158.5	164.6	6.1	0.41	0.2				
PGS195 (100, -65)	NSR					129.5	Warrior to Aggie		
PGS196 (75, -73)	80.8	91.4	10.7	0.51	0.2	164.6	West Aggie		14.2
and	117.3	141.7	24.4	0.36	0.2				
PGS197 (30, -75)	106.7	121.9	15.2	1.93	0.2	152.4	Warrior		29.4
PGS198 (300, -75)	NSR					172.2	Warrior	Anomalous	
PGS199 (30, -45)	51.8	53.3	1.5	0.31					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																																							
and	54.9	57.9	3.0	0.68	0.2	172.2	Dip Slope		9.0																																																																																																																																																																																																																																																																																																																							
and	67.1	71.6	4.6	1.41						<b>PGS200 (135, -45)</b>	NSR					129.5	Dip Slope			<b>PGS201 (30, -60)</b>	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5	incl	173.7	187.5	13.7	1.08	<b>PGS202 (100, -45)</b>	NSR					160.0	Dip Slope			<b>PGS203 (0, -65)</b>	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9	<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7	and	160.0	179.8	19.8	0.65	incl	161.5	170.7	9.1	0.92	0.5					<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9	and	160.0	179.8	19.8	0.65	incl.	161.5	170.7	9.1	0.92	0.5					<b>PGS205 (75, -40)</b>	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7	and	134.1	138.7	4.6	2.01	Paleozoic Host Rocks	<b>PGS206 (320, -45)</b>	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5	<b>PGS207 (0, -85)</b>	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6	<b>PGS208 (275, -73)</b>	NSR					202.7	Western Grabens	Anomalous		<b>PGS209 (0, -45)</b>	NSR					93.0	Western Grabens	Hole Lost Above Target		<b>PGS210 (275, -65)</b>	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6	incl	115.8	120.4	4.6	0.89	<b>PGS211 (320, -45)</b>	NSR					166.1	Western Grabens			<b>PGS212 (63, -48)</b>	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4	incl	143.3	152.4	9.1	1.02	<b>PGS213 (280, -45)</b>	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3	<b>PGS214 (340, -45)</b>	NSR					187.5	Dip Slope	Target not Intercepted		<b>PGS215 (0, -65)</b>	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7	<b>PGS216 (180, -65)</b>	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2	and	85.3	91.4	6.1	0.28	<b>PGS217 (233, -70)</b>	NSR						Western Grabens			<b>PGS218 (135, -45)</b>	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8	<b>PGS219 (120, -85)</b>	NSR					117.3	Western Grabens			<b>PGS220 (110, -45)</b>	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1	incl	152.4	167.6	15.2	1.16	<b>PGS221 (75, -45)</b>	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0	<b>PGS222 (315, -55)</b>	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1	<b>PGS223 (55, -65)</b>	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0
<b>PGS200 (135, -45)</b>	NSR					129.5	Dip Slope																																																																																																																																																																																																																																																																																																																									
<b>PGS201 (30, -60)</b>	163.1	208.8	45.7	0.56	0.2	230.1	Warrior	Warrior	25.5																																																																																																																																																																																																																																																																																																																							
incl	173.7	187.5	13.7	1.08						<b>PGS202 (100, -45)</b>	NSR					160.0	Dip Slope			<b>PGS203 (0, -65)</b>	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9	<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7	and	160.0	179.8	19.8	0.65	incl	161.5	170.7	9.1	0.92	0.5					<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9	and	160.0	179.8	19.8	0.65	incl.	161.5	170.7	9.1	0.92	0.5					<b>PGS205 (75, -40)</b>	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7	and	134.1	138.7	4.6	2.01	Paleozoic Host Rocks	<b>PGS206 (320, -45)</b>	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5	<b>PGS207 (0, -85)</b>	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6	<b>PGS208 (275, -73)</b>	NSR					202.7	Western Grabens	Anomalous		<b>PGS209 (0, -45)</b>	NSR					93.0	Western Grabens	Hole Lost Above Target		<b>PGS210 (275, -65)</b>	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6	incl	115.8	120.4	4.6	0.89	<b>PGS211 (320, -45)</b>	NSR					166.1	Western Grabens			<b>PGS212 (63, -48)</b>	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4	incl	143.3	152.4	9.1	1.02	<b>PGS213 (280, -45)</b>	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3	<b>PGS214 (340, -45)</b>	NSR					187.5	Dip Slope	Target not Intercepted		<b>PGS215 (0, -65)</b>	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7	<b>PGS216 (180, -65)</b>	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2	and	85.3	91.4	6.1	0.28	<b>PGS217 (233, -70)</b>	NSR						Western Grabens			<b>PGS218 (135, -45)</b>	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8	<b>PGS219 (120, -85)</b>	NSR					117.3	Western Grabens			<b>PGS220 (110, -45)</b>	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1	incl	152.4	167.6	15.2	1.16	<b>PGS221 (75, -45)</b>	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0	<b>PGS222 (315, -55)</b>	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1	<b>PGS223 (55, -65)</b>	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0	and	196.6	198.1	1.5	0.20																				
<b>PGS202 (100, -45)</b>	NSR					160.0	Dip Slope																																																																																																																																																																																																																																																																																																																									
<b>PGS203 (0, -65)</b>	106.7	120.4	13.7	0.43	0.2	147.8	Dip Slope		5.9																																																																																																																																																																																																																																																																																																																							
<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		13.7																																																																																																																																																																																																																																																																																																																							
and	160.0	179.8	19.8	0.65																																																																																																																																																																																																																																																																																																																												
incl	161.5	170.7	9.1	0.92	0.5																																																																																																																																																																																																																																																																																																																											
<b>PGS204 (0, -80)</b>	137.2	138.7	1.5	0.55	0.2	190.5	Warrior		12.9																																																																																																																																																																																																																																																																																																																							
and	160.0	179.8	19.8	0.65																																																																																																																																																																																																																																																																																																																												
incl.	161.5	170.7	9.1	0.92	0.5																																																																																																																																																																																																																																																																																																																											
<b>PGS205 (75, -40)</b>	32.0	42.7	10.7	0.38	0.2	147.8	Dip Slope	Claron Host Rocks	13.7																																																																																																																																																																																																																																																																																																																							
and	134.1	138.7	4.6	2.01				Paleozoic Host Rocks																																																																																																																																																																																																																																																																																																																								
<b>PGS206 (320, -45)</b>	153.9	189.9	37.5	0.44	0.2	189.9	Dip Slope	Hole Lost in Mineralization	16.5																																																																																																																																																																																																																																																																																																																							
<b>PGS207 (0, -85)</b>	134.1	135.6	1.5	0.39	0.2	172.2	Western Grabens	Larger Anomalous Zone	0.6																																																																																																																																																																																																																																																																																																																							
<b>PGS208 (275, -73)</b>	NSR					202.7	Western Grabens	Anomalous																																																																																																																																																																																																																																																																																																																								
<b>PGS209 (0, -45)</b>	NSR					93.0	Western Grabens	Hole Lost Above Target																																																																																																																																																																																																																																																																																																																								
<b>PGS210 (275, -65)</b>	108.2	126.5	18.3	0.47	0.2	141.7	Dip Slope		8.6																																																																																																																																																																																																																																																																																																																							
incl	115.8	120.4	4.6	0.89																																																																																																																																																																																																																																																																																																																												
<b>PGS211 (320, -45)</b>	NSR					166.1	Western Grabens																																																																																																																																																																																																																																																																																																																									
<b>PGS212 (63, -48)</b>	106.7	163.1	56.4	0.41	0.2	172.2	Dip Slope	Hosted in Paleozoic Rocks	23.4																																																																																																																																																																																																																																																																																																																							
incl	143.3	152.4	9.1	1.02																																																																																																																																																																																																																																																																																																																												
<b>PGS213 (280, -45)</b>	82.3	86.9	4.6	0.51	0.2	166.1	Western Grabens		2.3																																																																																																																																																																																																																																																																																																																							
<b>PGS214 (340, -45)</b>	NSR					187.5	Dip Slope	Target not Intercepted																																																																																																																																																																																																																																																																																																																								
<b>PGS215 (0, -65)</b>	135.6	138.7	3.0	0.55	0.2	166.1	Western Grabens		1.7																																																																																																																																																																																																																																																																																																																							
<b>PGS216 (180, -65)</b>	22.9	24.4	1.5	0.34	0.2	117.3	Peg Leg		2.2																																																																																																																																																																																																																																																																																																																							
and	85.3	91.4	6.1	0.28																																																																																																																																																																																																																																																																																																																												
<b>PGS217 (233, -70)</b>	NSR						Western Grabens																																																																																																																																																																																																																																																																																																																									
<b>PGS218 (135, -45)</b>	106.7	112.8	6.1	0.96	0.2	138.7	Dip Slope		5.8																																																																																																																																																																																																																																																																																																																							
<b>PGS219 (120, -85)</b>	NSR					117.3	Western Grabens																																																																																																																																																																																																																																																																																																																									
<b>PGS220 (110, -45)</b>	144.8	181.4	36.6	0.66	0.2	210.3	Dip Slope		24.1																																																																																																																																																																																																																																																																																																																							
incl	152.4	167.6	15.2	1.16																																																																																																																																																																																																																																																																																																																												
<b>PGS221 (75, -45)</b>	70.1	73.2	3.0	0.32	0.2	147.8	Peg Leg		1.0																																																																																																																																																																																																																																																																																																																							
<b>PGS222 (315, -55)</b>	185.9	204.2	18.3	0.39	0.2	233.2	Peg Leg		7.1																																																																																																																																																																																																																																																																																																																							
<b>PGS223 (55, -65)</b>	184.4	185.9	1.5	0.45	0.2	208.8	Dip Slope		1.0																																																																																																																																																																																																																																																																																																																							
and	196.6	198.1	1.5	0.20																																																																																																																																																																																																																																																																																																																												

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS224 (0, -90)</b>	<b>86.9</b>	<b>115.8</b>	<b>29.0</b>	<b>0.94</b>	<b>0.2</b>	190.5	<b>Peg Leg</b>	Claron Host Rocks	<b>27.8</b>
<b>incl</b>	<b>99.1</b>	<b>115.8</b>	<b>16.8</b>	<b>1.15</b>	<b>0.5</b>			Paleozoic Host Rocks	
<b>and</b>	134.1	135.6	1.5	0.41	0.2				
<b>PGS225 (340, -65)</b>			NSR			205.7	Dip Slope	Anomalous	
<b>PGS226 (285, -45)</b>			NSR			166.1	Peg Leg		
<b>PGS227 (275, -55)</b>	<b>62.5</b>	<b>76.2</b>	<b>13.7</b>	<b>1.61</b>	<b>0.2</b>	135.6	<b>Peg Leg</b>		<b>42.0</b>
<b>incl</b>	<b>65.5</b>	<b>74.7</b>	<b>9.1</b>	<b>2.05</b>	<b>1</b>				
<b>and</b>	<b>86.9</b>	<b>102.1</b>	<b>15.2</b>	<b>0.98</b>	<b>0.2</b>				
<b>incl</b>	<b>89.9</b>	<b>97.5</b>	<b>7.6</b>	<b>1.35</b>	<b>1</b>				
<b>and</b>	118.9	126.5	7.6	0.65	0.2				
<b>PGS228 (260, -50)</b>	<b>85.3</b>	<b>96.0</b>	<b>10.7</b>	<b>0.73</b>	<b>0.2</b>	166.1	Dip Slope		9.2
<b>incl</b>	<b>91.4</b>	<b>93.0</b>	<b>1.5</b>	<b>2.56</b>	<b>1</b>				
<b>and</b>	149.4	153.9	4.6	0.30	0.2				
<b>PGS229 (200, -55)</b>	163.1	167.6	4.6	0.46	0.2	176.8	Peg Leg		2.1
<b>PGS230 (115, -45)</b>	82.3	83.8	1.5	0.35	0.2	160.0	Dip Slope		5.9
<b>and</b>	91.4	109.7	18.3	0.29	0.2				
<b>PGS231 (240, -60)</b>	22.9	25.9	3.0	0.35	0.2	205.7	Peg Leg		9.0
<b>and</b>	<b>32.0</b>	<b>38.1</b>	<b>6.1</b>	<b>1.31</b>	<b>0.2</b>				
<b>PGS232 (205, -77)</b>			NSR			86.9	Dip Slope		
<b>PGS233 (270, -55)</b>	74.7	77.7	3.0	0.34	0.2	121.9	Main		0.1
<b>PGS234 (200, -50)</b>	77.7	88.4	10.7	0.32	0.2	121.9	Main		3.4
<b>PGS235 (5, -55)</b>	82.3	99.1	16.8	0.33	0.2	196.6	<b>Aggie - Warrior</b>		<b>49.2</b>
<b>and</b>	<b>117.3</b>	<b>167.6</b>	<b>50.3</b>	<b>0.85</b>	<b>0.2</b>				
<b>incl</b>	<b>129.5</b>	<b>144.8</b>	<b>15.2</b>	<b>1.81</b>	<b>0.5</b>				
<b>and</b>	175.3	176.8	1.5	0.66	0.2				
<b>PGS236 (280, -60)</b>	131.1	132.6	1.52	0.28	0.2	160.0	Main		0.4
<b>PGS237 (320, -60)</b>	<b>73.2</b>	<b>86.9</b>	<b>13.7</b>	<b>1.43</b>	<b>0.2</b>	160.0	<b>Main</b>		<b>19.7</b>
<b>Incl</b>	<b>76.2</b>	<b>83.8</b>	<b>7.6</b>	<b>2.33</b>	<b>0.5</b>				
<b>PGS238 (330, -70)</b>	88.4	94.5	6.1	0.22	0.2	160.0	<b>West Aggie</b>		1.4
<b>PGS239 (90, -65)</b>	3.0	4.6	1.5	2.49	0.2	99.0	Covington	Covington Dyke	4.9
<b>and</b>	10.7	12.2	1.5	0.71	0.2				
<b>PGS240 (10, -65)</b>	152.4	155.4	3.0	0.27	0.2	237.7	<b>Warrior</b>		<b>10.9</b>
<b>and</b>	164.6	181.4	16.8	0.33	0.2				
<b>and</b>	182.9	193.5	10.7	0.42	0.2				
<b>PGS241 (95, -62)</b>			NSR			147.8	Warrior		
<b>PGS242 (75, -65)</b>	<b>108.2</b>	<b>134.1</b>	<b>25.9</b>	<b>1.53</b>	<b>0.2</b>	169.1	<b>Warrior</b>		<b>43.2</b>
<b>incl</b>	<b>109.7</b>	<b>118.9</b>	<b>9.1</b>	<b>3.48</b>	<b>1</b>				
<b>and</b>	143.3	153.9	10.7	0.34	0.2				
<b>PGS243 (45, -64)</b>	<b>111.3</b>	<b>161.5</b>	<b>50.3</b>	<b>0.62</b>	<b>0.2</b>	182.8	<b>Warrior</b>		<b>31.1</b>
<b>incl</b>	<b>128.0</b>	<b>135.6</b>	<b>7.6</b>	<b>1.61</b>	<b>1</b>				
<b>PGS244 (180, -65)</b>	<b>99.1</b>	<b>121.9</b>	<b>22.9</b>	<b>0.51</b>	<b>0.2</b>	125.6	Peg Leg		11.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
incl	111.3	120.4	9.1	0.84	0.5	155.6	Peg Leg		11.6
PGS245 (75, -65)	38.1	41.1	3.0	0.36	0.2	141.7	Peg Leg	Basal Claron	42.2
and	94.5	117.3	22.9	1.80	0.2			Paleozoic Strata	
incl	105.2	117.3	12.2	2.98	1				
PGS246 (5, -45)	42.7	48.8	6.1	0.31	0.2	149.4	Peg Leg		5.8
and	77.7	89.9	12.2	0.32					
PGS247 (180, -75)	59.4	89.9	30.5	0.49	0.2	152.4	Peg Leg		14.9
PGS248 (70, -70)	80.8	105.2	24.4	0.61	0.2	141.7	East Aggie		14.8
incl.	82.3	89.9	7.6	1.20	1				
PGS249 (270, -55)	137.2	141.7	4.6	0.59	0.2	160.0	Dip Slope		2.7
PGS250 (295, -55)	44.2	54.9	10.7	3.40	0.2	129.5	Dip Slope	Bull Valley Wash area	36.3
incl.	47.2	53.3	6.1	5.59	1				
PGS251 (210, -55)			NSR			109.7	Dip Slope	Bull Valley Wash area	
PGS252 (0, -66)	121.9	167.6	45.7	0.50	0.2	179.8	Dip Slope	Bull Valley Wash area	22.7
PGS253 (90, -65)	45.7	59.4	13.7	1.02	0.2	178.3	Mineral Mtn	Qtz-Py alt intrusive rock	24.2
and	108.2	118.9	10.7	0.74				Claron Formation?	
and	157.0	161.5	4.6	0.37					
and	169.2	172.2	3.0	0.23					
PGS254 (90, -45)	89.9	100.6	10.7	0.58	0.2	135.6	Dip Slope	Bull Valley Wash area	6.2
PGS255 (50, -65)	0.0	25.9	25.9	1.16	0.2	163.1	Mineral Mtn	Claron Formation and intrusive rock	30.0
incl	0.0	4.6	4.6	3.48	1				
and	54.9	56.4	1.5	0.63	0.2				
PGS256 (340, -53)	115.8	117.3	1.5	0.52	0.2	152.4	Dip Slope	Basal Claron Formation	12.1
and	134.1	140.2	6.1	1.85	0.2			Paleozoic strata	
PGS257 (345, -67)	157.0	192.0	35.1	0.40	0.2	201.2	Warrior		14.0
PGS258 (75, -50)	35.1	53.3	18.3	0.40	0.2	172.2	Mineral Mtn		7.3
PGS259 (50, -65)	1.5	13.7	12.2	0.27	0.2	202.7	Moosehead	Mine Backfill	6.2
and	19.8	27.4	7.6	0.37	0.2			Paleozoic strata	
PGS260 (30, -70)	32.0	33.5	1.5	0.23	0.2	111.3	Peg Leg		1.0
and	47.2	50.3	3.0	0.22	0.2				
PGS261 (320, -70)	0.0	10.7	10.7	0.24	0.2	233.2	Moosehead	Mine Backfill	6.4
and	27.4	36.6	9.1	0.42	0.2			Paleozoic strata	
PGS262 (105, -60)			NSR			120.4	Mineral Mtn		
PGS263 (75, -45)	24.4	45.7	21.3	0.71	0.2	114.3	Peg Leg		15.1
incl.	35.1	41.1	6.1	1.46	1				
PGS264 (65, -48)	6.1	9.1	3.0	0.41	0.2	86.9	Mineral Mtn		9.8
and	18.3	24.4	6.1	0.58					
and	33.5	38.1	4.6	0.26					
and	45.7	53.3	7.6	0.51					
PGS265 (120, -45)	50.3	79.2	29.0	0.79	0.2	111.3	Mineral Mtn		22.9
incl.	65.5	70.1	4.6	1.97	1.0				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS266 (255, -65)	0.0	12.2	12.2	0.23	0.2	196.6	Moosehead	Mine Back fill	2.9
PGS267 (330, -65)	56.4	62.5	6.1	0.61	0.2	100.6	Peg Leg		3.7
PGS268 (90, -50) and	16.8 42.7	36.6 48.8	19.8 6.1	0.39 0.53	0.2 0.2	121.9	Mineral Mtn		10.9
PGS269 (180, -75)	NSR					166.1	Caribou		
PGS270 (90, -70)	47.2	50.3	3.0	0.58	0.2	114.3	Mineral Mtn		1.8
PGS271 (0, -90) and and and and	201.2 214.9 222.5 234.7 240.8	205.7 216.4 227.1 237.7 243.8	4.6 1.5 4.6 3.0 3.0	0.36 1.11 0.53 0.58 0.28	0.2	243.8	Caribou		8.4
PGS272 (5, -67)	NSR					121.9	Main		
PGS273 (100, -65) and	42.7 54.9	53.3 67.1	10.7 12.2	0.53 0.21	0.2	172.2	Mineral Mtn		8.1
PGS274 (330, -55)	NSR					219.5	West GS Graben		
PGS275 (75, -45) and and and	16.8 38.1 59.4 103.6	22.9 51.8 62.5 106.7	6.1 13.7 3.0 3.0	2.03 0.74 0.56 0.82	0.2	150.9	Mineral Mtn		26.7
PGS276 (0, -63)	NSR					196.6	Caribou	Hole did not intersect target	
PGS277 (270, -70) incl	0.0 0.0	67.1 32.0	67.1 32.0	1.78 3.14	0.2 1	166.1	Mineral Mtn		119.4
PGS278 (20, -68) incl	109.7 108.2	149.4 120.4	39.6 12.2	0.60 1.01	0.2 0.5	182.9	Warrior		23.7
PGS279 (170, -80) and and	24.4 38.1 225.6	27.4 117.3 236.2	3.0 79.2 10.7	0.90 0.45 0.38	0.2 0.2	243.8	Caribou		42.5
PGS280 (245, -50)	126.5	152.4	25.9	0.44	0.2	182.9	Aggie		11.4
PGS281 (165, -65) incl and and and incl	24.4 38.1 61.0 82.3 97.5 121.9	54.9 44.2 68.6 96.0 138.7 132.6	30.5 6.1 7.6 13.7 41.1 10.7	0.69 2.09 0.41 0.48 0.74 1.79	0.2 1 0.2 0.2 0.2 1	294.1	Caribou		61.0
PGS282 (0, -90) and	96.0 146.3	111.3 152.4	15.2 6.1	0.94 0.83	0.2	175.3	Mineral Mtn		19.4
PGS283 (220, -65)	65.5	99.1	33.5	0.41	0.2	152.4	Aggie		13.9
PGS284 (330, -75)	NSR					19.8	Caribou	Hole TD-ed early due to bad collar location	
PGS285 (180, -65)	29.0	30.5	1.5	0.49	0.2	135.6	Aggie		0.2
PGS286 (35, -60)	19.8	32.0	12.2	1.01					

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
and	42.7	51.8	9.1	0.75	0.2	105.2	Mineral Mtn		22.0
and	80.8	89.9	9.1	0.31					
PGS287 (330, -86)	NSR					32.0	Caribou	Hole TD-ed early due to bad collar location	
PGS288 (165,-57)	NSR					208.8	Caribou	Hole did not intersect target	
PGS289 (143,-52)	106.7	150.9	44.2	0.62	0.2	213.4	Caribou		27.3
incl.	112.8	118.9	6.1	1.20	1				
PGS290 (80,-65)	65.5	80.8	15.2	0.64	0.2	129.5	Aggie	Claron Mineralization	31.7
and	99.1	118.9	19.8	1.11	0.2			Paleozoic Mineralization	
incl	103.6	112.8	9.1	1.96	1				
PGS291 (170,-53)	166.1	202.7	36.6	0.65	0.2	239.3	Moosehead		23.5
incl	166.1	170.7	4.6	1.97	1				
PGS292 (0,-90)	33.5	38.1	4.6	0.41	0.2	129.5	West GS Graben		1.9
PGS293 (207,-53)	114.3	132.6	18.3	0.34	0.2	160.0	Aggie		12.7
and	135.6	147.8	12.2	0.54	0.2				
PGS294 (173,-47)	153.9	170.7	16.8	0.57	0.2	175.3	Aggie		9.6
PGS295 (135,-50)	170.7	198.1	27.4	0.78	0.2	213.4	Moosehead		21.5
incl	173.7	182.9	9.1	1.62	1				
PGS296 (155,-55)	32.0	38.1	6.1	0.22	0.2	138.7	West GS Graben		19.2
and	39.6	45.7	6.1	0.42	0.2				
and	53.3	77.7	24.4	0.63	0.2				
incl	61.0	68.6	7.6	1.14	1				
PGS297 (330,-55)	125.0	126.5	1.5	0.24	0.2	150.9	West GS Graben		0.4
PGS298 (195,-50)	178.3	208.8	30.5	0.74	0.2	237.7	Moosehead		22.5
PGS299 (280,-50)	NSR					129.5	Covington	Hole did not intersect target	
PGS300 (235,-55)	NSR					152.4	Covington	Hole did not intersect target	
PGS301 (350,-45)	132.6	134.1	1.5	0.40	0.2	166.1	Western	Covington	0.6
PGS302 (0,-90)	96.0	99.1	3.0	0.27	0.2	141.7	Western	Picaroon - long anomalous interval	0.8
PGS303 (165,-65)	77.7	100.6	22.9	0.71	0.2	141.7	Main	Aggie	16.3
PGS304 (0,-90)	105.2	112.8	7.6	0.64	0.2	135.6	Western	Picaroon - long anomalous interval	4.9
PGS305 (270,-65)	137.2	138.7	1.5	0.66	0.2	172.2	Western	Picaroon - long anomalous interval	1.0
PGS306 (230,-75)	77.7	126.5	48.8	1.05	0.2	135.6	Main	Aggie	50.9
incl	96.0	111.3	15.2	2.22	1				
PGS307 (180,-65)	93.0	96.0	3.0	0.44	0.2	129.5	Western	Picaroon - long anomalous interval	1.4
PGS308 (355,-80)	83.8	102.1	18.3	0.63	0.2	141.7	Main	Aggie	11.5

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS309 (0,-90) and	115.8 126.5	117.3 129.5	1.5 3.0	0.80 0.27	0.2 0.2	147.8	Western	Picaroon - long anomalous interval	2.1
PGS310 (90, -60)	76.2	105.2	29.0	0.46	0.2	121.9	Main	Aggie	13.3
PGS311 (0, -90) and	76.2 86.9	77.7 89.9	1.5 3.0	0.40 0.44	0.2 0.2	120.4	Western	Picaroon - long anomalous interval	1.9
PGS312 (0, -65)	NSR					152.4	Western	Picaroon - long anomalous interval	
PGS313 (170, -78) and	201.2 211.8	207.3 221.0	6.1 9.2	0.32 0.59	0.2 0.2	221.0	Western	hole ended in mineralization	7.4
PGS314 (0, -90)	93.0	102.1	9.1	0.41	0.2	129.5	Western	Picaroon	3.7
PGS315 (140, -50)	82.3	111.3	29.0	0.38	0.2	132.6	Main	Aggie	11.0
PGS316 (70, -70)	NSR					129.5	Western	Picaroon - long anomalous interval	
PGS317 (150, -45) and and	19.8 70.1 80.8	59.4 76.2 86.9	39.6 6.1 6.1	0.48 0.40 0.97	0.2 0.2 0.2	144.8	Western	Caribou	27.3
PGS318 (0, -90)	71.6	93.0	21.3	0.83	0.2	111.3	Main	Aggie	17.7
PGS319 (0, -75)	NSR					144.8	Western	Picaroon	
PGS320 (110, -55) and and incl	29.0 44.2 70.1 82.3	38.1 64.0 96.0 93.0	9.1 19.8 25.9 10.7	0.79 0.38 0.99 1.40	0.2 0.2 0.2 1.0	172.2	Western	Caribou	40.3
PGS321 (180, -60)	NSR					91.4	Main	Aggie	
PGS322 (90, -45) and	18.3 30.5	22.9 94.5	4.6 64.0	0.77 0.51	0.2 0.2	160.0	Western	Caribou	36.2
PGS323 (0, -90)	NSR					166.1	Western	Picaroon	
PGS324 (62, -55) incl	39.6 48.8	82.3 56.4	42.7 7.6	0.70 1.72	0.2 1	141.7	Western	Caribou	30.0
PGS325 (20, -78) and	73.2 94.5	76.2 108.2	3.0 13.7	0.81 0.52	0.2 0.2	141.7	Main	Aggie	9.5
PGS326 (170, -50)	108.2	111.3	3.0	0.57	0.2	173.7	Western	Caribou	1.7
PGS327 (78, -67)	65.5	67.1	1.5	0.53	0.2	111.3	Main	Aggie	0.8
PGS328 (0, -90)	85.3	88.4	3.0	0.54	0.2	135.6	Western	Picaroon	1.6
PGS329 (140, -55)	94.5	97.5	3.0	0.72	0.2	176.8	Western	Caribou	2.2
PGS330 (120, -78)	93.0	94.5	1.5	0.24	0.2	121.9	Main		0.4
PGS331 (0, -90)	NSR					193.5	Western	Picaroon	
PGS332 (225, -65) and	152.4 178.3	167.6 192.0	15.2 13.7	0.41 0.52	0.2 0.2	221.0	Dip Slope	Padre Haul Road	13.3



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS333 (110, -45)	89.9	91.4	1.5	0.26	0.2	182.9	Western	Caribou	0.4
PGS334 (45, -70)	88.4	93.0	4.6	0.45	0.2	157.0	Western	Picaroon	2.0
PGS335 (180, -65)	121.9	175.3	53.3	0.67	0.2	178.3	Dip Slope	Padre Haul Road - hole lost in mineralization	35.8
incl	125.0	135.6	10.7	1.93	1				
PGS336 (170, -45)	140.2	153.9	13.7	0.50	0.2	198.1	Western	Moosehead	8.2
and	157.0	163.1	6.1	0.23	0.2				
PGS337 (56, -55)	NSR					134.1	Peg Leg		
PGS338 (295, -55)	57.9	91.4	33.5	0.64	0.2	135.6	Peg Leg		26.5
and	100.6	105.2	4.6	0.77	0.2				
and	128.0	129.5	1.5	0.96	0.2				
PGS339 (150, -45)	115.8	120.4	4.6	0.33	0.2	239.3	Western	Moosehead	35.2
and	129.5	172.2	42.7	0.79	0.2				
incl	146.3	157.0	10.7	1.60	1				
PGS340 (0, -90)	9.1	12.2	3.0	1.16	0.2	86.9	Peg Leg		3.5
PGS341 (340, -73)	48.8	61.0	12.2	0.57	0.2	129.5	Peg Leg		7.0
PGS342 (135, -65)	137.2	176.8	39.6	0.38	0.2	208.8	Dip Slope	Padre Haul Road	25.4
and	178.3	189.0	10.7	0.96	0.2				
PGS343 (345, -65)	NSR					105.2	Peg Leg		
PGS344 (130, -45)	170.7	173.7	3.0	0.82	0.2	230.1	Western	Moosehead	17.8
and	181.4	185.9	4.6	0.28					
and	190.5	202.7	12.2	1.15					
PGS345 (0, -90)	18.3	19.8	1.5	0.89	0.2	102.1	Peg Leg		1.4
PGS346 (145, -68)	NSR					91.4	Peg Leg		
PGS347 (85, -65)	161.5	201.2	39.6	0.69	0.2	224.0	Dip Slope	Padre	27.5
incl	173.7	184.4	10.7	1.35	1				
PGS348 (340, -65)	4.6	6.1	1.5	0.48	0.2	103.6	Peg Leg		2.0
and	71.6	73.2	1.5	0.80	0.2				
PGS349 (0, -90)	57.9	59.4	1.5	0.49	0.2	117.3	Peg Leg		0.7
PGS350 (270, -55)	NSR					147.8	Peg Leg		
PGS351 (65, -45)	1.5	38.1	36.6	0.35	0.2	160.0	Western	Moosehead	12.9
PGS352 (0, -65)	248.4	251.5	3.0	0.33	0.2	263.7	Dip Slope	Hole lost in Void	1.0
PGS353 (335, -50)	NSR					80.8	Peg Leg		
PGS354 (0, -90)	204.2	214.9	10.7	0.45	0.2	237.7	Dip Slope	Padre	4.8
PGS355 (150, -60)	91.4	123.4	32.0	0.52	0.2	141.7	Peg Leg		18.1
and	134.1	135.6	1.5	0.96	0.2				
PGS356 (115, -55)	94.5	102.1	7.6	0.56	0.2	160.0	Peg Leg		21.8
and	109.7	132.6	22.9	0.77	0.2				
incl	121.9	125.0	3.0	1.71	1				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																																																														
<b>PGS357 (0, -90)</b>	9.1	12.2	3.0	0.38	0.2	121.9	Western		5.5																																																																																																																																																																																																																																																																																																														
and	57.9	70.1	12.2	0.36	0.2					<b>PGS358 (75, -60)</b>	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2	and	94.5	99.1	4.6	0.29	0.2	<b>PGS359 (0, -90)</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>0.77</b>	0.2	50.3	Peg Leg		8.2	<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg			<b>PGS361 (0, -60)</b>	NSR					135.6	Western			<b>PGS362 (0, -90)</b>	<b>76.2</b>	<b>108.2</b>	<b>32.0</b>	<b>1.22</b>	0.2	141.7	<b>Dip Slope</b>	Padre	<b>38.8</b>	incl	<b>76.2</b>	<b>89.9</b>	<b>13.7</b>	<b>1.89</b>	1	<b>PGS363 (80, -55)</b>	<b>61.0</b>	<b>74.7</b>	<b>13.7</b>	<b>0.82</b>	0.2	114.3	<b>Peg Leg</b>		<b>13.5</b>	incl	<b>67.1</b>	<b>70.1</b>	<b>3.0</b>	<b>2.32</b>	1	and	91.4	99.1	7.6	0.30	0.2	<b>PGS364 (120, -45)</b>	<b>54.9</b>	<b>74.7</b>	<b>19.8</b>	<b>0.92</b>	0.2	152.4	<b>Western</b>		<b>18.3</b>	incl	<b>56.4</b>	<b>65.5</b>	<b>9.1</b>	<b>1.66</b>	1	<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>	incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.03</b>	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2	<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9
<b>PGS358 (75, -60)</b>	15.2	16.8	1.5	0.62	0.2	121.9	Western		2.2																																																																																																																																																																																																																																																																																																														
and	94.5	99.1	4.6	0.29	0.2					<b>PGS359 (0, -90)</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>0.77</b>	0.2	50.3	Peg Leg		8.2	<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg			<b>PGS361 (0, -60)</b>	NSR					135.6	Western			<b>PGS362 (0, -90)</b>	<b>76.2</b>	<b>108.2</b>	<b>32.0</b>	<b>1.22</b>	0.2	141.7	<b>Dip Slope</b>	Padre	<b>38.8</b>	incl	<b>76.2</b>	<b>89.9</b>	<b>13.7</b>	<b>1.89</b>	1	<b>PGS363 (80, -55)</b>	<b>61.0</b>	<b>74.7</b>	<b>13.7</b>	<b>0.82</b>	0.2	114.3	<b>Peg Leg</b>		<b>13.5</b>	incl	<b>67.1</b>	<b>70.1</b>	<b>3.0</b>	<b>2.32</b>	1	and	91.4	99.1	7.6	0.30	0.2					<b>PGS364 (120, -45)</b>	<b>54.9</b>	<b>74.7</b>	<b>19.8</b>	<b>0.92</b>	0.2	152.4	<b>Western</b>		<b>18.3</b>	incl	<b>56.4</b>	<b>65.5</b>	<b>9.1</b>	<b>1.66</b>	1	<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>	incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.03</b>	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5					160.0	1.5	1.92	0.2	<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2				
<b>PGS359 (0, -90)</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>0.77</b>	0.2	50.3	Peg Leg		8.2																																																																																																																																																																																																																																																																																																														
<b>PGS360 (130, -60)</b>	NSR					137.2	Peg Leg																																																																																																																																																																																																																																																																																																																
<b>PGS361 (0, -60)</b>	NSR					135.6	Western																																																																																																																																																																																																																																																																																																																
<b>PGS362 (0, -90)</b>	<b>76.2</b>	<b>108.2</b>	<b>32.0</b>	<b>1.22</b>	0.2	141.7	<b>Dip Slope</b>	Padre	<b>38.8</b>																																																																																																																																																																																																																																																																																																														
incl	<b>76.2</b>	<b>89.9</b>	<b>13.7</b>	<b>1.89</b>	1					<b>PGS363 (80, -55)</b>	<b>61.0</b>	<b>74.7</b>	<b>13.7</b>	<b>0.82</b>	0.2	114.3	<b>Peg Leg</b>		<b>13.5</b>	incl	<b>67.1</b>	<b>70.1</b>	<b>3.0</b>	<b>2.32</b>	1	and	91.4	99.1	7.6	0.30	0.2	<b>PGS364 (120, -45)</b>	<b>54.9</b>	<b>74.7</b>	<b>19.8</b>	<b>0.92</b>	0.2	152.4	<b>Western</b>		<b>18.3</b>	incl	<b>56.4</b>	<b>65.5</b>	<b>9.1</b>	<b>1.66</b>	1	<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>	incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.03</b>	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2	<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																										
<b>PGS363 (80, -55)</b>	<b>61.0</b>	<b>74.7</b>	<b>13.7</b>	<b>0.82</b>	0.2	114.3	<b>Peg Leg</b>		<b>13.5</b>																																																																																																																																																																																																																																																																																																														
incl	<b>67.1</b>	<b>70.1</b>	<b>3.0</b>	<b>2.32</b>	1																																																																																																																																																																																																																																																																																																																		
and	91.4	99.1	7.6	0.30	0.2					<b>PGS364 (120, -45)</b>	<b>54.9</b>	<b>74.7</b>	<b>19.8</b>	<b>0.92</b>	0.2	152.4	<b>Western</b>		<b>18.3</b>	incl	<b>56.4</b>	<b>65.5</b>	<b>9.1</b>	<b>1.66</b>	1	<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>	incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.03</b>	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2	<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																																																
<b>PGS364 (120, -45)</b>	<b>54.9</b>	<b>74.7</b>	<b>19.8</b>	<b>0.92</b>	0.2	152.4	<b>Western</b>		<b>18.3</b>																																																																																																																																																																																																																																																																																																														
incl	<b>56.4</b>	<b>65.5</b>	<b>9.1</b>	<b>1.66</b>	1					<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>	incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.03</b>	1	<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2					<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																																																												
<b>PGS365 (0, -70)</b>	<b>97.5</b>	<b>135.6</b>	<b>38.1</b>	<b>0.65</b>	0.2	163.1	<b>Dip Slope</b>	Padre	<b>24.9</b>																																																																																																																																																																																																																																																																																																														
incl	<b>117.3</b>	<b>120.4</b>	<b>3.0</b>	<b>2.03</b>	1					<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3	and	54.9	61.0	6.1	0.34	0.2	and	158.5	160.0	1.5	1.92	0.2					<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																																																																												
<b>PGS366 (185, -45)</b>	41.1	48.8	7.6	0.57	0.2	195.1	Western		9.3																																																																																																																																																																																																																																																																																																														
and	54.9	61.0	6.1	0.34	0.2																																																																																																																																																																																																																																																																																																																		
and	158.5	160.0	1.5	1.92	0.2					<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6	<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>	incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1	<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																																																																																																						
<b>PGS367 (0, -90)</b>	16.8	18.3	1.52	0.40	0.2	38.1	Peg Leg		0.6																																																																																																																																																																																																																																																																																																														
<b>PGS368 (90, -55)</b>	<b>83.8</b>	<b>103.6</b>	<b>19.8</b>	<b>0.54</b>	0.2	146.3	<b>Dip Slope</b>	Padre	<b>10.7</b>																																																																																																																																																																																																																																																																																																														
incl	<b>86.9</b>	<b>89.9</b>	<b>3.0</b>	<b>1.22</b>	1					<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run		<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre		<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6	<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6	<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6	<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0	<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>	<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre		<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6	and	160.0	163.1	3.0	0.74	0.2	<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																																																																																																																																
<b>PGS369 (0, -85)</b>	NSR					184.4	Western	Bull Run																																																																																																																																																																																																																																																																																																															
<b>PGS370 (0,-90)</b>	NSR					160.0	Dip Slope	Padre																																																																																																																																																																																																																																																																																																															
<b>PGS371 (240, -75)</b>	30.5	48.8	18.3	0.36	0.2	141.7	Western		6.6																																																																																																																																																																																																																																																																																																														
<b>PGS372 (0, -90)</b>	36.6	41.1	4.6	0.34	0.2	120.4	Western		1.6																																																																																																																																																																																																																																																																																																														
<b>PGS373 (0, -65)</b>	189.0	190.5	1.5	0.40	0.2	307.8	Western	Bull Run	0.6																																																																																																																																																																																																																																																																																																														
<b>PGS374 (40, -60)</b>	135.6	144.8	9.1	0.4	0.2	170.7	Dip Slope	Padre	4.0																																																																																																																																																																																																																																																																																																														
<b>PGS375 (300, -65)</b>	<b>25.9</b>	<b>47.2</b>	<b>21.3</b>	<b>0.60</b>	0.2	129.5	<b>Western</b>		<b>12.8</b>																																																																																																																																																																																																																																																																																																														
<b>PGS376 (290, -70)</b>	NSR					214.9	Dip Slope	Padre																																																																																																																																																																																																																																																																																																															
<b>PGS377 (155, -85)</b>	57.9	64.0	6.1	0.39	0.2	178.3	Western		4.6																																																																																																																																																																																																																																																																																																														
and	160.0	163.1	3.0	0.74	0.2					<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run		<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>	<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3	<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0	and	54.9	59.4	4.6	0.32	0.2																																																																																																																																																																																																																																																																
<b>PGS378 (180, -60)</b>	NSR					211.8	Western	Bull Run																																																																																																																																																																																																																																																																																																															
<b>PGS379 (290, -60)</b>	<b>83.8</b>	<b>105.2</b>	<b>21.3</b>	<b>0.94</b>	0.2	182.9	<b>Dip Slope</b>	Padre	<b>20.0</b>																																																																																																																																																																																																																																																																																																														
<b>PGS380 (310, -65)</b>	44.2	47.2	3.0	0.43	0.2	121.9	Western	Western Graben	1.3																																																																																																																																																																																																																																																																																																														
<b>PGS381 (0, -65)</b>	36.6	47.2	10.7	0.43	0.2	132.6	Western	Western Graben	6.0																																																																																																																																																																																																																																																																																																														
and	54.9	59.4	4.6	0.32	0.2																																																																																																																																																																																																																																																																																																																		

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS382 (0, -60)	77.7	79.2	1.5	0.33	0.2	120.4	Dip Slope	Padre	0.5
PGS383 (150, -85)			NSR			121.9	Western	Western Graben	
PGS384 (0, -65)			NSR			144.8	Western	Bull Run	
PGS385 (0, -80)			NSR			123.4	Western	Bull Run	
PGS386 (200, -65)			NSR			160.0	Dip Slope	Padre	
PGS387 (0, -65)	164.6	201.2	36.6	0.32	0.2	233.2	Western	Bull Run	11.7
PGS388 (0, -90)			NSR			202.7	Western	Western Graben	
PGS389 (180, -65)			NSR			135.6	Dip Slope	North Padre Pit	
PGS390 (330, -65)			NSR			99.1	Western		
PGS391 (0, -60)			NSR			189.0	Western	Western	
PGS392 (90, -75)	0.0	4.6	4.6	0.59	0.2	152.4	Dip Slope	Padre Mineralized Mine Spoils	2.7
PGS393 (240, -50)	67.1	71.6	4.6	0.35	0.2	152.4	Western		1.6
PGS394 (0, -45)			NSR			172.2	Western	Bull Run	
PGS395 (35, -65)	112.8	128.0	15.2	0.40	0.2	129.5	Western		6.0
PGS396 (90, -50)			NSR			152.4	Dip Slope	Padre Pit	
PGS397 (0, -50)	147.8	202.7	54.9	0.64	0.2	208.8	Western	North Moosehead Pit	35.0
incl	161.5	170.7	9.1	1.40	1				
PGS398 (0, -90)	0.0	10.7	10.7	0.47	0.2	227.1	Dip Slope	Mineralized Mine Spoils	6.2
and	138.7	143.3	4.6	0.26	0.2			Padre Haul Road	
PGS399 (0, -62)			NSR			74.7	Western	Bull Run	
PGS400 (137, -80)	99.1	147.8	48.8	0.74	0.2	160.0	Western	North Moosehead Pit	36.2
incl	111.3	117.3	6.1	1.93	1				
PGS401 (0, -80)	147.8	190.5	42.7	0.41	0.2	243.8	Dip Slope	Padre Haul Road	17.3
PGS402 (0, -88)			NSR			103.6	Bull Run		
PGS403 (195, -80)	141.7	163.1	21.3	0.58	0.2	187.5	Main	Warrior	12.3
incl	155.4	160.0	4.6	1.16	1				
PGS404 (0, -90)	157.0	201.2	44.2	0.68	0.2		Western	North Moosehead Pit	30.1
PGS405 (180, -70)	146.3	167.6	21.3	0.34	0.2		Main	Warrior	7.3
PGS406 (95, -83)	112.8	163.1	50.3	1.20	0.2	211.8	Western	Moosehead	60.3
incl	117.3	123.4	6.1	3.24	1				
PGS407 (50, -65)	178.3	251.5	73.2	0.63	0.2	263.7	Dip Slope	Padre Haul Road	46.3
PGS408 (35, -55)	141.7	146.3	4.6	0.36	0.2	182.9	Western	Bull Run	1.7
PGS409 (0, -90)			NSR			304.8	Warrior	Water Test Well	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS410 (0, -82)	109.7	118.9	9.1	0.40	0.2	196.6	Western	North Moosehead Pit	23.0
and	138.7	144.8	6.1	0.47					
and	161.5	163.1	1.5	0.61					
and	172.2	182.9	10.7	1.46					
PGS411 (285, -75)	179.8	221.0	41.1	0.51	0.2	239.3	Dip Slope	North Hassayampa Pit	20.9
PGS412 (0, -90)	NSR					288.0	Covington	Water Test Well	
PGS413 (85, -80)	51.8	102.1	50.3	0.59	0.2	181.4	Western	North Moosehead Pit	29.4
PGS414 (250, -75)	35.1	80.8	45.7	1.13	0.2	117.3	Western	North Moosehead Pit	51.7
incl.	39.6	64.0	24.4	1.70	1				
PGS415 (225, -75)	106.7	141.7	35.1	1.15	0.2	178.3	Dip Slope	North Hassayampa Pit	40.3
incl.	106.7	117.3	10.7	2.49	1				
PGS416 (100, -75)	45.7	80.8	35.1	0.48	0.2	129.5	Western	North Moosehead Pit	17.0
PGS417 (25, -75)	131.1	144.8	13.7	0.50	0.2	210.3	Dip Slope	North Hassayampa Pit	6.8
PGS418 (140, -80)	59.4	89.9	30.5	1.14	0.2	134.1	Western	North Moosehead Pit	34.6
incl	77.7	82.3	4.6	3.09	1				
PGS419 (0, -90)	19.8	22.9	3.0	2.35	0.2	253.0	Dip Slope	Water Test Well	7.1
PGS420 (100, -75)	68.6	80.8	12.2	1.14	0.2	140.2	Western	North Moosehead Pit	13.9
PGS421 (275, -77)	123.4	173.7	50.3	1.06	0.2	202.7	Dip Slope	North Hassayampa Pit	53.3
incl	125.0	144.8	19.8	1.84	1				
PGS422 (0, -87)	170.7	217.9	47.2	0.80	0.2	227.1	Western	North Moosehead Pit	36.2
incl	202.7	207.3	4.6	2.06	1				
PGS423 (0, -90)	NSR					86.9	Dip Slope	Lunch Spot	
PGS424 (0, -65)	0.0	4.6	4.6	0.23	0.2	117.3	Dip Slope	North Hassayampa Pit	1.1
PGS425 (0, -60)	12.2	16.8	4.6	1.52	0.2	182.9	Dip Slope	Lunch Spot	9.2
and	123.4	126.5	3.0	0.75	0.2				
PGS426 (287, -70)	NSR					121.9	Dip Slope	North Hassayampa Pit	
PGS427 (145, -55)	NSR					138.7	Western	West Moosehead	
PGS428 (15, -77)	53.3	65.5	12.2	0.37	0.2	129.5	Dip Slope	North Hassayampa Pit	18.0
and	67.1	80.8	13.7	0.58	0.2				
and	86.9	97.5	10.7	0.51	0.2				
PGS429 (0, -90)	144.8	149.4	4.6	0.61	0.2	304.8	Dip Slope	Water Test Well	2.8
PGS430 (145, -60)	126.5	128.0	1.5	0.36	0.2	221.0	Dip Slope		
PGS431 (0, -90)	NSR					196.6	Western	Beavertail	
PGS432 (0, -90)	NSR					205.7	Dip Slope		
PGS433 (0, -90)	3.0	25.9	22.9	0.72	0.2	129.5	Western	Beavertail	33.4
incl	16.8	21.3	4.6	2.35	1				
and	41.1	48.8	7.6	0.69	0.2				
and	50.3	71.6	21.3	0.55	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS434 (70, -82)	NSR					147.8	Dip Slope	Goldtown Ridge	
PGS435 (90, -65)	178.3	189.0	10.7	0.98	0.2	233.2	Dip Slope		10.4
and	195.1	198.1	3.0	0.69	0.2				
PGS436 (90, -65)	13.7	51.8	38.1	0.76	0.2	117.3	Western	Beavertail	31.1
and	62.5	67.1	4.6	0.50	0.2				
PGS437 (105, -65)	NSR					150.9	Dip Slope	Goldtown Ridge	
PGS438 (0, -90)	NSR					196.6	Western	Beavertail	
PGS439 (320, -75)	NSR					152.4	Dip Slope	Goldtown Ridge	
PGS440 (335, -65)	213.4	234.7	21.3	1.05	0.2	248.4	Dip Slope		22.4
incl	227.1	233.2	6.1	2.23	1				
PGS441 (0, -90)	0.0	18.3	18.3	0.47	0.2	166.1	Western	Beavertail	16.8
and	30.5	33.5	3.0	0.41	0.2				
and	48.8	54.9	6.1	0.37	0.2				
and	62.5	74.7	12.2	0.39	0.2				
PGS442 (0, -90)	21.3	24.4	3.0	0.81	0.2	166.1	Dip Slope	Goldtown Ridge	2.5
PGS443 (320, -45)	NSR					114.3	Dip Slope	Goldtown Ridge	
PGS444 (0, -65)	10.7	13.7	3.0	0.58	0.2	135.6	Western	Beavertail	1.8
PGS445 (270, -50)	7.6	25.9	18.3	1.47	0.2	117.3	Dip Slope	Goldtown Ridge	31.1
and	36.6	39.6	3.0	0.31	0.2				
and	50.3	53.3	3.0	1.06	0.2				
PGS446 (0, -90)	NSR					243.8	Dip Slope		
PGS447 (0, -90)	0.0	4.6	4.6	0.28	0.2	135.6	Western	Beavertail	1.3
PGS448 (0, -90)	0.0	7.6	7.6	0.65	0.2	152.4	Dip Slope	Goldtown Ridge	4.9
PGS449 (0, -65)	NSR					147.8	Western	Beavertail	
PGS450 (0, -75)	1.5	38.1	36.6	0.96	0.2	80.8	Dip Slope	Goldtown Ridge	35.1
incl	19.8	29.0	9.1	1.63	1				
PGS451 (0, -90)	3.0	9.1	6.1	0.29	0.2	135.6	Western	Beavertail	1.8
PGS452 (0, -90)	Pending					0.2	175.3	Dip Slope	
PGS453 (0, -90)	21.3	27.4	6.1	0.22	0.2	108.2	Western	Beavertail	1.3

### Liberty Gold - Goldstrike 2018 Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS477C (306, -70)	2.1	27.0	24.8	0.73	0.2	95.1	Dip Slope	Met Core Hole	18.1
incl	0.6	6.9	6.2	1.47	0.5				
PGS478C (98, -65)	0.8	34.2	33.5	0.67	0.2	50.1	Dip Slope	Met Core Hole	22.5
incl	3.7	13.4	9.8	1.45	0.5				
PGS479C (290, -65)	NSR					18.6	Dip Slope	Hole Lost Above Target	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m																																																																																																																																																																																																																																																																						
PGS480C (190, -80)	44.0	57.9	13.9	0.43	0.2	92.0	Hassayampa Pit (Dip Slope)	Met Core Hole	8.2																																																																																																																																																																																																																																																																						
and	68.3	73.1	4.8	0.46	0.2					PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.2	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4	PGS482C (140, -55)	56.3	96.5	40.2	0.46	0.2	122.5	Caribou Pit (Western)	Met Core Hole	25.4	and	101.2	112.5	11.3	0.60	0.2	PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.2	159.1	Caribou Pit (Western)	Met Core Hole	61.5	and	59.4	68.1	8.7	0.59	0.2	and	76.8	146.5	69.6	0.79	0.2	incl.	138.9	146.5	7.6	2.46	1	PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4	PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2	and	46.3	60.0	13.7	0.77	0.2	PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0	PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3	PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3	PGS488CA (150, -65)	18.9	55.6	36.7	0.33	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7	and	67.7	86.0	18.3	0.41	0.2	PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2	95.3	Beavertail Pit (Western)	Met Core Hole	11.1	PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0	PGS491 (200, -65)	NSR					61.0	Dip Slope			PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6	PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1	PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8	PGS495 (0, -90)	NSR					56.4	Dip Slope			PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2	PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5	PGS498 (0, -90)	NSR					105.2	Dip Slope			PGS499 (300, -65)	NSR					108.2	Dip Slope			PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8	PGS501 (0, -90)	NSR					91.4	Dip Slope			PGS502 (0, -90)	NSR				
PGS481C (0, -90)	84.4	95.7	11.3	0.92	0.2	118.6	Hassayampa Pit (Dip Slope)	Met Core Hole - very low recovery	10.4																																																																																																																																																																																																																																																																						
PGS482C (140, -55)	56.3	96.5	40.2	0.46	0.2	122.5	Caribou Pit (Western)	Met Core Hole	25.4																																																																																																																																																																																																																																																																						
and	101.2	112.5	11.3	0.60	0.2					PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.2	159.1	Caribou Pit (Western)	Met Core Hole	61.5	and	59.4	68.1	8.7	0.59	0.2	and	76.8	146.5	69.6	0.79	0.2	incl.	138.9	146.5	7.6	2.46	1	PGS484C (140, -85)	30.9	78.3	47.4					0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4	PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2	and	46.3	60.0	13.7	0.77	0.2	PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0	PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3	PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3	PGS488CA (150, -65)	18.9	55.6	36.7	0.33	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7	and	67.7	86.0	18.3	0.41	0.2	PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2	95.3	Beavertail Pit (Western)	Met Core Hole	11.1	PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0	PGS491 (200, -65)	NSR					61.0	Dip Slope			PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6	PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1	PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8	PGS495 (0, -90)	NSR					56.4	Dip Slope			PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2	PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5	PGS498 (0, -90)	NSR					105.2	Dip Slope			PGS499 (300, -65)	NSR					108.2	Dip Slope			PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8	PGS501 (0, -90)	NSR					91.4	Dip Slope			PGS502 (0, -90)	NSR					61.0	Dip Slope																				
PGS483C (140, -52)	52.3	57.0	4.7	0.24	0.2	159.1	Caribou Pit (Western)	Met Core Hole	61.5																																																																																																																																																																																																																																																																						
and	59.4	68.1	8.7	0.59	0.2																																																																																																																																																																																																																																																																										
and	76.8	146.5	69.6	0.79	0.2																																																																																																																																																																																																																																																																										
incl.	138.9	146.5	7.6	2.46	1																																																																																																																																																																																																																																																																										
PGS484C (140, -85)	30.9	78.3	47.4	0.70	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	33.4																																																																																																																																																																																																																																																																						
PGS485C (140, -56)	26.4	44.8	18.4	0.30	0.2	79.9	Moosehead Pit (Western)	Met Core Hole	16.2																																																																																																																																																																																																																																																																						
and	46.3	60.0	13.7	0.77	0.2																																																																																																																																																																																																																																																																										
PGS486C (140, -80)	104.2	141.1	36.9	1.41	0.2	145.4	Moosehead Pit (Western)	Met Core Hole	52.0																																																																																																																																																																																																																																																																						
PGS487C (140, -60)	56.2	101.8	45.6	0.71	0.2	107.3	Moosehead Pit (Western)	Met Core Hole	32.3																																																																																																																																																																																																																																																																						
PGS488C (150, -65)	18.3	37.2	18.9	0.44	0.2	41.1	Beavertail Pit (Western)	Hole lost before TD	8.3																																																																																																																																																																																																																																																																						
PGS488CA (150, -65)	18.9	55.6	36.7	0.33	0.2	92.0	Beavertail Pit (Western)	Met Core Hole	19.7																																																																																																																																																																																																																																																																						
and	67.7	86.0	18.3	0.41	0.2																																																																																																																																																																																																																																																																										
PGS489C (325, -75)	0.0	46.3	46.3	0.24	0.2	95.3	Beavertail Pit (Western)	Met Core Hole	11.1																																																																																																																																																																																																																																																																						
PGS490C (150, -70)	9.8	23.5	13.7	0.29	0.2	70.7	Beavertail Pit (Western)	Met Core Hole - poor recovery	4.0																																																																																																																																																																																																																																																																						
PGS491 (200, -65)	NSR					61.0	Dip Slope																																																																																																																																																																																																																																																																								
PGS492 (180, -50)	0.0	13.7	13.7	0.34	0.2	80.8	Dip Slope		4.6																																																																																																																																																																																																																																																																						
PGS493 (0, -65)	21.3	33.5	12.2	1.08	0.2	91.4	Dip Slope		13.1																																																																																																																																																																																																																																																																						
PGS494 (0, -90)	4.6	9.1	4.6	0.84	0.2	68.6	Dip Slope		3.8																																																																																																																																																																																																																																																																						
PGS495 (0, -90)	NSR					56.4	Dip Slope																																																																																																																																																																																																																																																																								
PGS496 (0, -90)	4.6	9.1	4.6	0.71	0.2	121.9	Dip Slope		3.2																																																																																																																																																																																																																																																																						
PGS497 (0, -90)	0.0	9.1	9.1	0.50	0.2	47.2	Dip Slope		4.5																																																																																																																																																																																																																																																																						
PGS498 (0, -90)	NSR					105.2	Dip Slope																																																																																																																																																																																																																																																																								
PGS499 (300, -65)	NSR					108.2	Dip Slope																																																																																																																																																																																																																																																																								
PGS500 (213, -60)	0.0	4.6	4.6	0.61	0.2	121.9	Dip Slope		2.8																																																																																																																																																																																																																																																																						
PGS501 (0, -90)	NSR					91.4	Dip Slope																																																																																																																																																																																																																																																																								
PGS502 (0, -90)	NSR					61.0	Dip Slope																																																																																																																																																																																																																																																																								

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS503 (0, -90)	7.6	13.7	6.1	0.80	0.2	89.9	Dip Slope		4.9
PGS504 (0, -90)	0.0	3.0	3.0	0.46	0.2	56.4	Dip Slope		1.4
PGS505 (0, -90) and	19.8 51.8	22.9 59.4	3.0 7.6	0.49 0.68	0.2	68.6	Dip Slope		6.7
PGS506 (210, -80)	56.4	62.5	6.1	0.43	0.2	76.2	Dip Slope		2.6
PGS507 (15, -50)	160.0	166.1	6.1	0.47	0.2	193.5	Dip Slope		2.8
PGS508 (0, -90)	NSR					68.6	Goldtown Back Fill		
PGS509 (0, -90)	NSR					19.8	Goldtown Back Fill	No Back Fill Encountered	
PGS510 (0, -90)	24.4	35.1	10.7	0.72	0.2	105.2	Goldtown Back Fill	Bedrock Below Backfill	7.6
PGS511 (0, -90)	3.0	33.5	30.5	0.40	0.2	121.9	Goldtown Back Fill	Back Fill and Bedrock	12.3
PGS512 (180, -55)	13.7	30.5	16.8	0.43	0.2	121.9	Goldtown Back Fill	Back Fill Material	7.2
PGS513 (0, -90) and	0.0 15.2	7.6 30.5	7.6 15.2	0.56 0.73	0.2	111.3	Goldtown Back Fill	Back Fill Material Bedrock	15.5
PGS514 (190, -65)	93.0	111.3	18.3	0.36	0.2	129.5	Dip Slope	Hassayampa	6.5
PGS515 (0, -77)	70.1	77.7	7.6	0.33	0.2	178.3	Dip Slope	Hassayampa	2.5
PGS516 (75, -50)	NSR					91.4	Jedi		
PGS517 (118, -45)	45.7	48.8	3.0	0.36	0.2	105.2	Jedi		1.1
PGS518 (272, -50)	NSR					129.5	Peg Leg		
PGS519 (180, -65)	NSR					80.8	Jedi		
PGS520 (225, -50)	NSR					182.9	Peg Leg		
PGS521 (210, -50)	48.8	53.3	4.6	0.57	0.2	91.4	Jedi		2.6
PGS522 (50, -50)	118.9	123.4	4.6	0.27	0.2	152.4	Peg Leg		1.2
PGS523 (263, -83)	10.7	24.4	13.7	0.61	0.2	91.4	Jacks Camp		8.4
PGS524 (180, -60)	19.8	39.6	19.8	0.72	0.2	91.4	Jacks Camp		14.2
PGS525 (50, -50) and	13.7 53.3	24.4 62.5	10.7 9.1	0.64 0.28	0.2	91.4	Jacks Camp		9.4
PGS526 (0, -90) and	0.0 35.1	32.0 47.2	32.0 12.2	0.57 0.32	0.2	62.5	Leach Pad 1	Leach Pad Material Back Fill Material	22.1
PGS527 (0, -90)	NSR					80.8	Jacks Camp		
PGS528 (90, -50)	94.5	97.5	3.0	0.54	0.2	132.6	Jacks Camp		1.6
PGS529 (0, -90) and and and and	0.0 15.2 41.1 53.3 82.3	13.7 19.8 44.2 59.4 106.7	13.7 4.6 3.0 6.1 24.4	0.64 0.20 0.41 0.31 0.73	0.2	121.9	Leach Pad 1	Leach Pad Material Back Fill Material Bedrock	30.6

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS530 (180, -50)	NSR					86.9	Jacks Camp		
PGS531 (0, -90)	0.0	30.5	30.5	0.27	0.2	118.9	Leach Pad 1	Leach Pad Material	42.6
and	38.1	48.8	10.7	0.37				Back Fill Material	
and	48.8	89.9	41.1	0.55				Bedrock	
and	105.2	112.8	7.6	1.05					
PGS532 (253, -60)	38.1	45.7	7.6	2.77	0.2	80.8	Fence Line		21.1
PGS533 (320, -85)	0.0	10.7	10.7	0.55	0.2	178.3	Leach Pad1	Leach Pad Material	43.5
and	13.7	29.0	15.2	0.27				Backrock	
and	131.1	170.7	39.6	0.85					
PGS534 (180, -75)	NSR						Fence Line		
PGS535 (0, -90)	0.0	22.9	22.9	0.22	0.2	29.0	Leach Pad 1	Leach Pad Material	5.1
PGS536 (0, -90)	0.0	15.2	15.2	0.62	0.2	80.8	Leach Pad 2	Leach Pad Material	15.1
and	15.2	50.3	35.1	0.16	0.15			Back Fill Material	
PGS537 (110, -65)	NSR						Fence Line		
PGS538 (0, -90)	0.0	16.8	16.8	0.23	0.2	41.1	Leach Pad 2	Leach Pad Material	13.6
and	16.8	33.5	16.7	0.58				Back Fill Material	
PGS539 (0, -90)	0.0	22.9	22.9	0.2	0.2	29.0	Leach Pad 2	Leach Pad Material	4.6
PGS540 (0, -90)	0.0	24.4	24.4	0.17	0.15	53.3	Leach Pad 2	Leach Pad Material	9.4
and	24.4	48.8	24.4	0.21	0.2			Back Fill Material	
PGS541 (0, -90)	0.0	33.5	33.5	0.32	0.2	93.0	Leach Pad 2	Leach Pad Material	14.1
and	47.2	62.5	15.2	0.22				Back Fill Material	
PGS542 (0, -90)	0.0	35.1	35.1	0.52	0.2	56.4	Leach Pad 2	Leach Pad Material	12.3
and	35.1	53.3	18.2	0.35				Back Fill Material	
PGS543 (0, -90)	0.0	15.2	15.2	0.32	0.2	53.3	Leach Pad 2	Leach Pad Material	8.2
and	15.2	28.6	13.4	0.25	0.2			Back Fill Material	
PGS544 (0, -90)	0.0	29.0	29.0	0.19	0.15	68.6	Leach Pad 2	Leach Pad Material	8.3
and	29.0	36.6	7.6	0.36	0.2			Back Fill Material	
PGS545 (250, -60)	NSR					117.3	Fence Line		
PGS546 (0, -90)	0.0	41.1	41.1	0.23	0.2	44.2	Leach Pad 2	Leach Pad Material	9.4
PGS547 (0, -90)	0.0	30.5	30.5	0.39	0.2	56.4	Leach Pad 2	Leach Pad Material	12.0
PGS548 (0, -90)	0.0	21.3	21.3	0.31	0.2	80.8	Leach Pad 2	Leach Pad Material	19.5
and	21.3	48.8	27.5	0.28				Back Fill Material	
and	48.8	61.0	12.2	0.42				Bedrock	
PGS549 (0, -90)	16.8	18.3	1.5	0.91	0.2	160.0	Fence Line		1.4
PGS550 (0, -90)	0.0	24.4	24.4	0.34	0.2	61.0	Leach Pad 2	Leach Pad Material	10.2
and	44.2	50.3	6.1	0.32				Back Fill Material	
PGS551 (0, -90)	0.0	36.6	36.6	0.49	0.2	61.0	Leach Pad 2	Leach Pad Material	22.1
and	47.2	53.3	6.1	0.69				Back Fill Material	
PGS552 (20, -75)	NSR					138.7	Big Red		



Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS553 (0, -90)	0.0	42.7	42.7	0.34	0.2	91.4	Leach Pad 2	Leach Pad Material	17.5
and	42.7	51.8	9.1	0.36				Back Fill Material	
PGS554 (0, -90)	0.0	45.7	45.7	0.25	0.2	61.0	Leach Pad 2	Leach Pad Material	11.4
PGS555 (20, -83)	76.2	83.8	7.6	0.40	0.2	141.7	Big Red		3.0
PGS556 (180, -60)	0.0	25.9	25.9	0.21	0.15	99.1	Leach Pad 2	Leach Pad Material	24.9
and	76.2	89.9	13.7	1.42	0.2			Bedrock	
PGS557 (90, -65)			NSR			99.1	Peg Leg		
PGS558 (10, -50)	4.6	9.1	4.6	0.23	0.2	93.0	Big Red		7.1
and	12.2	16.8	4.6	1.12					
and	57.9	61.0	3.0	0.30					
PGS559 (180, -60)	64.0	67.1	3.0	0.58	0.2	138.7	Peg Leg		
PGS560 (10, -60)	24.4	27.4	3.0	0.51	0.2	91.4	Big Red		1.6
PGS561 (0, -50)			NSR			91.4	Big Red		
PGS562 (270, -50)	140.2	152.4	12.2	1.07	0.2	190.5	Peg Leg		13.1
PGS563 (100, -60)	7.6	18.3	10.7	0.36	0.2	82.3	Peg Leg		3.9
PGS564 (0, -75)			NSR			100.6	Big Red		
PGS565 (120, -55)	19.8	24.4	4.6	0.94	0.2	135.6	Potter's Peak		4.3
PGS566 (35, -72)	22.9	24.4	1.5	0.23	0.2	182.9	Potter's Peak		0.3
PGS567 (305, -65)	3.0	7.6	4.6	0.71	0.2	51.8	Peg Leg		16.8
and	19.8	21.3	1.5	8.85					
PGS568 (65, -78)	88.4	93.0	4.6	0.75	0.2	126.5	Peg Leg		3.4
PGS569 (300, -45)	35.1	38.1	3.0	0.22	0.2	86.9	Potter's Peak		0.7
PGS570 (65, -45)	48.8	50.3	1.5	0.33	0.2	61.0	Peg Leg		0.5
PGS571 (95, -60)	16.8	19.8	3.0	0.37	0.2	79.3	Peg Leg		1.1
PGS572 (90, -75)			NSR			105.2	Potter's Peak		
PGS573 (270, -50)			NSR			61.0	Peg Leg		
PGS574 (230, -70)	57.9	103.6	45.7	0.79	0.2	141.7	Peg Leg		36.3
incl	61.0	71.6	10.7	1.88	1				
PGS575 (140, -63)	24.4	44.2	19.8	0.31	0.2	121.9	Peg Leg		6.2
PGS576 (255, -55)	38.1	41.1	3.0	0.33	0.2	83.8	Potter's Peak		1.0
PGS577 (145, -45)	0.0	16.8	16.8	0.48	0.2	144.8	Peg Leg		34.1
and	96.0	132.6	36.6	0.71					
PGS578 (0, -50)			NSR			115.8	Potter's Peak		
PGS579 (120, -45)	0.0	32.0	32.0	0.44	0.2	121.9	Peg Leg		62.7
and	77.7	120.4	42.7	1.14	0.2				

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
incl	100.6	118.9	18.3	2.00	1				
PGS580 (320, -53)	41.1	83.8	42.7	0.57	0.2	129.5	Peg Leg		31.4
incl	62.5	65.5	3.0	3.43	1				
and	86.9	100.6	13.7	0.52	0.2				
PGS581 (150, -70)	NSR					80.8	Potter's Peak		
PGS582 (120, -60)	3.0	7.6	4.6	0.47	0.20	105.2	Peg Leg		9.4
and	13.7	25.9	12.2	0.60					
PGS583 (225, -65)	74.7	77.7	3.0	0.32	0.2	91.4	Potter's Peak		1.0
PGS584 (240, -73)	86.9	108.2	21.3	0.74	0.2	202.7	Main		38.5
and	117.3	166.1	48.8	0.42					
and	178.3	187.5	9.1	0.27					
PGS585 (345, -65)	22.9	36.6	13.7	1.10	0.2	91.4	Fence Line		15.1
PGS586 (177, -60)	118.9	123.4	4.6	0.91	0.2	227.1	Main Zone	Warrior	6.6
and	175.3	181.4	6.1	0.39					
PGS587 (0, -70)	NSR					182.9	Picaroon		
PGS588 (0, -45)	NSR					117.3	Main Zone	Aggie Footwall	
PGS589 (230, -65)	7.6	36.6	29.0	0.56	0.2	202.7	Western	Beavertail	30.2
and	48.8	54.9	6.1	0.36					
and	89.9	103.6	13.7	0.85					
PGS590 (0, -70)	NSR					135.6	Main Zone	Aggie Footwall	
PGS591 (145, -65)	0.0	76.2	76.2	0.72	0.2	135.6	Western	Beavertail	55.1
incl	15.2	21.3	6.1	1.26	1				
PGS592 (310, -45)	NSR					80.8	Main Zone	Aggie Footwall	
PGS593 (195, -50)	184.4	190.5	6.1	0.3	0.2	196.6	Main Zone	Aggie	1.8
PGS594 (40, -70)	9.1	24.4	15.2	0.98	0.2	105.2	Western	Beavertail	37.3
and	35.1	62.5	27.4	0.81					
PGS595 (157, -49)	117.3	121.9	4.6	0.32	0.2	196.6	Main Zone	Aggie	34.0
and	132.6	166.1	33.5	0.97	0.2				
incl.	146.3	161.5	15.2	1.64	1				
PGS596 (60, -55)	0.0	21.3	21.3	0.79	0.2	196.6	Western	Beavertail	26.5
and	32.0	42.7	10.7	0.26					
and	68.6	77.7	9.1	0.52					
and	93.0	100.6	7.6	0.28					
PGS597 (210, -70)	121.9	138.7	16.8	1.06	0.2	117.3	Main zone	Aggie	17.8
PGS598 (0, -90)	44.2	45.7	1.5	0.36	0.2	102.1	Western	Goldstrike Graben	1.2
and	64.0	67.1	3.0	0.22					
PGS599 (138, -80)	NSR					172.2	Main zone	Aggie	
PGS600 (0, -90)	42.7	45.7	3.0	0.56	0.2	86.9	Western	Goldstrike Graben	1.7
PGS601 (305, -72)	NSR					144.8	Main zone	Aggie	

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
PGS602 (49, 52) and	57.9 65.5	64.0 77.7	6.1 12.2	0.41 0.22	0.2	99.1	Western	Goldstrike Graben	5.2
PGS603 (70, -50)	93.0	112.8	19.8	0.33	0.2	144.8	Main zone		6.5
PGS604 (0, -90)	62.5	65.5	3.0	0.40	0.2	129.5	Western	Goldstrike Graben	1.2
PGS605 (305, -50)	NSR					166.1	Main zone		
PGS606 (30, -50) and and	126.5 143.3 150.9	132.6 146.3 153.9	6.1 3.0 3.0	0.35 1.03 0.39	0.2	182.9	Western	Goldstrike Graben	6.5
PGS607 (250, -50)	117.3	121.9	4.6	0.36	0.2	182.9	Main zone		1.7
PGS608 (165, -70) and	4.6 38.1	13.7 71.6	9.1 33.5	0.52 0.46	0.2	147.8	Main zone		20.3
PGS609 (0, -75)	NSR					152.4	Western	Goldstrike Graben	
PGS610 (180, -45)	7.6	12.2	4.6	1.58	0.2	86.9	Dip Slope	Goldtown Backfill	7.2
PGS611 (0, -90)	NSR					152.4	Western	Goldstrike Graben	
PGS612 (60, -55)	59.4	65.5	6.1	0.95	0.2	105.2	Dip Slope		5.8
PGS613 (310, -65)	65.5	68.6	3.0	0.24	0.2	123.4	Dip Slope		0.7
PGS614 (0, -80)	NSR					158.5	Western	Goldstrike Graben	
PGS615 (0, -55) incl and and and	9.1 12.2 56.4 64.0 93.0	25.9 19.8 57.9 76.2 96.0	16.8 7.6 1.5 12.2 3.0	2.09 3.94 0.38 0.90 0.37	0.2 1 0.2 0.2 0.2	117.3	Dip Slope		42.7
PGS616 (55, -50)	NSR					80.8	Dip Slope		
PGS617 (145, -65)	158.5	161.5	3.0	0.55	0.2	239.3	Western	Goldstrike Graben	1.7
PGS618 (130, -65)	NSR					105.2	Main zone	Aggie	
PGS619 (310, -65)	NSR					86.9	Main zone	Aggie	
PGS620 (145, -65)	NSR					178.3	Western	Goldstrike Graben	
PGS621 (90, -70)	NSR					121.9	Peg Leg		
PGS622 (50, -60)	106.7	109.7	3.0	0.36	0.2	152.4	Peg Leg		1.1
PGS623 (350, -70) and	6.1 103.6	10.7 105.2	4.57 1.52	0.54 0.50	0.2 0.2	160.0	Western	Goldstrike Graben	3.3
PGS624 (45, -80)	NSR					111.3	Peg Leg		
PGS625 (50, -70) and	0.0 123.4	15.2 137.2	15.2 13.7	0.36 0.54	0.2	172.2	Western	Goldstrike Graben	12.9
PGS626 (190, -55) and and	0.0 99.1 123.4	13.7 105.2 135.6	13.7 6.1 12.2	0.54 0.55 0.51	0.2	147.8	Peg Leg		16.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS627 (345, -82)</b>	<b>80.8</b>	<b>83.8</b>	<b>3.0</b>	<b>0.40</b>	<b>0.2</b>	<b>202.7</b>	Western	Covington Dyke	<b>1.2</b>
<b>PGS628 (60, -75)</b>	<b>0.0</b>	<b>12.2</b>	<b>12.2</b>	<b>0.61</b>	0.2	140.2	Peg Leg		<b>11.3</b>
and	21.3	24.4	3.0	0.28					
and	68.6	71.6	3.0	0.30					
and	86.9	91.4	4.6	0.28					
and	109.7	111.3	1.5	0.49					
<b>PGS629 (70, -65)</b>	NSR					<b>147.8</b>	Peg Leg		
<b>PGS630 (60, -75)</b>	<b>39.6</b>	<b>106.7</b>	<b>67.1</b>	<b>1.17</b>	<b>0.2</b>	129.5	Peg Leg		<b>78.3</b>
incl	<b>51.8</b>	<b>77.7</b>	<b>25.9</b>	<b>2.21</b>	<b>1.0</b>				
<b>PGS631 (0, -75)</b>	<b>44.2</b>	<b>96.0</b>	<b>51.8</b>	<b>0.99</b>	<b>0.2</b>	120.4	Peg Leg		<b>59.7</b>
incl	<b>74.7</b>	<b>85.3</b>	<b>10.7</b>	<b>2.45</b>	<b>1.0</b>				
and	<b>105.2</b>	<b>109.7</b>	<b>4.6</b>	<b>1.84</b>	<b>0.2</b>				
<b>PGS632 (255, -50)</b>	NSR					<b>178.3</b>	Peg Leg		
<b>PGS633 (180, -55)</b>	<b>0.0</b>	<b>9.1</b>	<b>9.1</b>	<b>1.01</b>	<b>0.2</b>	160.0	Main zone	Hamburg Extension	<b>34.0</b>
and	48.8	59.4	10.7	0.30	0.2				
and	<b>70.1</b>	<b>96.0</b>	<b>25.9</b>	<b>0.80</b>	<b>0.2</b>				
incl	<b>88.4</b>	<b>93.0</b>	<b>4.6</b>	<b>2.03</b>	<b>1</b>				
and	112.8	115.8	3.0	0.31	0.2				
<b>PGS634 (180, -75)</b>	<b>57.9</b>	<b>97.5</b>	<b>39.6</b>	<b>0.65</b>	<b>0.2</b>	<b>135.6</b>	Peg Leg		<b>25.6</b>
<b>PGS635 (180, -60)</b>	<b>44.2</b>	<b>105.2</b>	<b>61.0</b>	<b>0.62</b>	<b>0.2</b>	178.3	Main zone	Hamburg Extension	<b>37.7</b>
incl	<b>86.9</b>	<b>94.5</b>	<b>7.6</b>	<b>1.70</b>	<b>1</b>				
<b>PGS636 (180, -70)</b>	<b>0.0</b>	<b>9.1</b>	<b>9.1</b>	<b>1.63</b>	0.2	141.7	Peg Leg		<b>51.4</b>
and	12.2	16.8	4.6	0.20					
and	68.6	73.2	4.6	0.38					
and	<b>79.2</b>	<b>100.6</b>	<b>21.3</b>	<b>1.59</b>					
<b>PGS637 (0, -90)</b>	<b>56.4</b>	<b>79.2</b>	<b>22.9</b>	<b>0.52</b>	<b>0.2</b>	<b>141.7</b>	Main	Hamburg Extension	<b>11.8</b>
<b>PGS638 (290, -75)</b>	<b>0.0</b>	<b>9.1</b>	<b>9.1</b>	<b>0.80</b>	0.2	152.4	Peg Leg		<b>12.8</b>
and	15.2	24.4	9.1	0.37					
and	134.1	138.7	4.6	0.47					
<b>PGS639 (180, -67)</b>	<b>56.4</b>	<b>80.8</b>	<b>24.4</b>	<b>0.63</b>	<b>0.2</b>	<b>166.1</b>	Main zone	Hamburg Extension	<b>15.5</b>
<b>PGS640 (0, -90)</b>	<b>7.6</b>	<b>30.5</b>	<b>22.9</b>	<b>0.37</b>	0.2	56.3	Main	Hamburg East Backfill	<b>16.9</b>
and	<b>38.1</b>	<b>54.9</b>	<b>16.8</b>	<b>0.50</b>					
<b>PGS641 (0, -90)</b>	NSR					<b>44.2</b>	Main	Hamburg West Backfill	
<b>PGS642 (180, -45)</b>	<b>44.2</b>	<b>47.2</b>	<b>3.0</b>	<b>1.34</b>	0.2	182.9	Main zone	Hamburg Extension	<b>17.0</b>
and	<b>48.8</b>	<b>73.2</b>	<b>24.4</b>	<b>0.53</b>					
<b>PGS643 (180, -67)</b>	NSR					<b>91.4</b>	Western	Picaroon	
<b>PGS644 (0, -65)</b>	NSR					<b>117.3</b>	Western	West Beavertail	
<b>PGS645 (180, -50)</b>	<b>51.8</b>	<b>67.1</b>	<b>15.2</b>	<b>0.36</b>	<b>0.2</b>	<b>166.1</b>	Main	Hamburg Extension	<b>5.5</b>
<b>PGS646 (180, -70)</b>	<b>10.7</b>	<b>18.3</b>	<b>7.6</b>	<b>0.44</b>	<b>0.2</b>	<b>128.0</b>	Western	West Beavertail	<b>3.4</b>
<b>PGS647 (145, -65)</b>	<b>18.3</b>	<b>21.3</b>	<b>3.0</b>	<b>0.36</b>	<b>0.2</b>	<b>135.6</b>	Main	Hamburg Extension	<b>1.1</b>
<b>PGS648 (0, -65)</b>	<b>7.6</b>	<b>27.4</b>	<b>19.8</b>	<b>0.46</b>	<b>0.2</b>	<b>138.7</b>	Western	West Beavertail	<b>9.2</b>

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS649 (180, -65)</b>	<b>0.0</b>	<b>10.7</b>	<b>10.7</b>	<b>0.40</b>	0.2	134.1	Western	West Beavertail	<b>12.5</b>
and	21.3	29.0	7.6	0.96					
and	39.6	42.7	3.0	0.31					
<b>PGS650 (180, -65)</b>	3.0	4.6	1.5	0.21	0.2	123.4	Western	West Beavertail	<b>26.8</b>
and	6.1	24.4	18.3	1.24					
and	44.2	47.2	3.0	0.44					
and	50.3	54.9	4.6	0.25					
and	57.9	61.0	3.0	0.44					
<b>PGS651 (180, -65)</b>	NSR					129.5	Western	West Beavertail	
<b>PGS652 (0, -90)</b>	NSR					160.0	Western	West Beavertail	
<b>PGS653 (180, -65)</b>	NSR					121.9	Western	West Beavertail	
<b>PGS654 (180, -65)</b>	NSR					99.1	Western	West Beavertail	
<b>PGS655 (325, -69)</b>	<b>3.0</b>	<b>35.1</b>	<b>32.0</b>	<b>0.44</b>	0.2	141.7	Western	Beavertail	<b>32.6</b>
and	42.7	70.1	27.4	0.68					
<b>PGS656 (67, -65)</b>	<b>3.0</b>	<b>15.2</b>	<b>12.2</b>	<b>0.35</b>	0.2	147.8	Western	Beavertail	<b>29.0</b>
and	29.0	61.0	32.0	0.37					
and	68.6	70.1	1.5	0.42					
and	86.9	89.9	3.0	1.03					
and	100.6	115.8	15.2	0.60					
<b>PGS657 (235, -65)</b>	<b>0.0</b>	<b>27.4</b>	<b>27.4</b>	<b>0.38</b>	0.2	105.2	Western	Beavertail	<b>26.1</b>
and	33.5	42.7	9.1	0.31					
and	48.8	54.9	6.1	0.57					
and	61.0	79.2	18.3	0.51					
<b>PGS658 (100, -57)</b>	<b>0.0</b>	<b>22.9</b>	<b>22.9</b>	<b>0.48</b>	0.2	166.1	Western	Beavertail	<b>12.0</b>
and	132.6	135.6	3.0	0.35					
Cutoff (g/t)	0.2, 0.5, 1.0, 5.0								
Min g/t*m	1.0								
Max Waste (m)	5.0								
Topcut (g/t)	100.0								

## Liberty Gold - Goldstrike 2018 Current Drill Holes

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS659 (35, -53)</b>	<b>0.0</b>	<b>44.2</b>	<b>44.2</b>	<b>0.54</b>	0.2	160.0	Western	Beavertail	<b>25.9</b>
and	64.0	70.1	6.1	0.33					
<b>PGS660 (180, -50)</b>	0.0	15.2	15.2	0.39	0.2	129.5	Western	Beavertail	<b>42.6</b>
and	16.8	50.3	33.5	0.88					
incl	33.5	44.2	10.7	1.47					
and	85.3	89.9	4.6	1.51					
<b>PGS661 (65, -45)</b>	0.0	13.7	13.7	0.49	0.2	99.1	Western	Beavertail	<b>37.5</b>
and	19.8	56.4	36.6	0.80					
and	64.0	67.1	3.0	0.46					
<b>PGS662 (0, -90)</b>	NSR					16.8	Western	Moosehead Dump	
<b>PGS663 (0, -90)</b>	0.0	12.2	12.2	0.52	0.2	19.8	Western	Moosehead Dump	6.3

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS664 (0, -90)</b>	0.0	18.3	18.3	0.31	0.2	25.9	Western	Moosehead Dump	5.7
<b>PGS665 (0, -90)</b>	0.0	7.6	7.6	0.28	0.2	38.1	Western	Moosehead Dump	3.3
<b>and</b>	15.2	18.3	3.0	0.36					
<b>PGS666 (0, -90)</b>	0.0	24.4	24.4	0.29	0.2	44.2	Western	Moosehead Dump	7.0
<b>PGS667 (0, -90)</b>	112.8	118.9	6.1	0.47	0.2	147.8	Peg Leg		2.8
<b>PGS668 (340, -68)</b>	45.7	70.1	24.4	0.70	0.2	157.0	Peg Leg		19.3
<b>and</b>	80.8	86.9	6.1	0.37					
<b>PGS669 (110, -68)</b>	70.1	77.7	7.6	0.22	0.2	135.6	Peg Leg		15.4
<b>and</b>	85.3	99.1	13.7	1.00					
<b>PGS670 (350, -75)</b>	68.6	86.9	18.3	2.95	0.2	152.4	Peg Leg		53.9
<b>PGS671 (135, -55)</b>	67.1	74.7	7.6	0.34	0.2	141.7	Peg Leg		2.6
<b>PGS672 (185, -50)</b>	70.1	76.2	6.1	0.73	0.2	157.0	Peg Leg		7.1
<b>and</b>	123.4	129.5	6.1	0.43					
<b>PGS673 (145, -65)</b>	NSR					166.1	Aggie		
<b>PGS674 (35, -55)</b>	10.7	13.7	3.0	0.39	0.2	105.2	Dip Slope		19.2
<b>and</b>	30.5	32.0	1.5	0.48					
<b>and</b>	38.1	39.6	1.5	0.69					
<b>and</b>	51.8	70.1	18.3	0.49					
<b>and</b>	89.9	93.0	3.0	2.42					
<b>PGS675 (330, -55)</b>	15.2	18.3	3.0	0.28	0.2	117.3	Dip Slope		11.3
<b>and</b>	57.9	62.5	4.6	0.36					
<b>and</b>	71.6	83.8	12.2	0.72					
<b>PGS676 (180, -77)</b>	3.0	9.1	6.1	1.18	0.2	147.8	Main	Hamburg Extension	18.7
<b>and</b>	47.2	56.4	9.1	1.17					
<b>and</b>	65.5	68.6	3.0	0.26					
<b>PGS677 (203, -60)</b>	0.0	7.6	7.6	0.85	0.2	117.3	Main	Hamburg Extension	58.5
<b>and</b>	50.3	86.9	36.6	1.29					
<b>incl</b>	67.1	76.2	9.1	2.82					
<b>and</b>	94.5	97.5	3.0	0.45					
<b>and</b>	103.6	114.3	10.7	0.33					
<b>PGS678 (37, -70)</b>	59.4	71.6	12.2	0.83	0.2	121.9	Main	Hamburg Extension	10.2
<b>PGS679 (158, -54)</b>	47.2	59.4	12.2	0.37	0.2	121.9	Main	Hamburg Extension	7.4
<b>and</b>	64.0	68.6	4.6	0.62					
<b>PGS680 (285, -75)</b>	50.3	53.3	3.0	0.45	0.2	105.2	Main	Hamburg Extension	3.6
<b>and</b>	74.7	79.2	4.6	0.26					
<b>and</b>	94.5	96.0	1.5	0.69					
<b>PGS681 (0, -85)</b>	18.3	30.5	12.2	0.83	0.2	99.1	Western	West Beavertail	10.1
<b>PGS682 (180, -60)</b>	NSR					117.3	Western	West Beavertail	
<b>PGS683 (180, -60)</b>	NSR					147.8	Western	West Beavertail	
<b>PGS684 (180, -90)</b>	42.7	50.3	7.6	0.25	0.2	121.9	Western	West Beavertail	1.9

Hole ID (Az, Dip) (degrees)	From (m)	To (m)	Intercept (m)	Au (g/t)	Au Cut-Off	Hole Length (m)	Target	Comments	g/t x m
<b>PGS685 (180, -70)</b>	6.1	7.6	1.5	0.42	0.2	129.5	Western	West Beavertail	0.6
<b>PGS686 (0, -75)</b>	42.7	44.2	1.5	0.31	0.2	114.3	Western	West Beavertail	2.7
<b>and</b>	48.8	51.8	3.0	0.24					
<b>and</b>	53.3	56.4	3.0	0.51					
<b>PGS687 (180, -45)</b>	7.6	10.7	3.0	0.20	0.2	61.0	Western	West Beavertail	22.8
<b>and</b>	13.7	29.0	15.2	1.45					
<b>incl</b>	13.7	18.3	4.6	3.92					
<b>PGS688 (0, -90)</b>	0.0	4.6	4.6	0.20	0.2	108.2	Western	West Beavertail	1.8
<b>and</b>	7.6	9.1	1.5	0.59					
<b>PGS689 (180, -45)</b>	NSR					100.6	Western	West Beavertail	
<b>PGS690 (0, -45)</b>	0.0	16.8	16.8	1.49	0.2	109.7	Western	West Beavertail	25.0
<b>incl</b>	10.7	16.8	6.1	3.37	1				